

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 08:04:02 ; Search time 184.09 Seconds
(without alignments)
3.621 Million cell updates/sec

Title: PEPL-MOD8A

Perfect score: 46

Sequence: 1 SLFEGIDAY 9

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 522463 seqs, 74073290 residues

Total number of hits satisfying chosen parameters: 522463

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

A_Geneseq_1101.*
1: /SID88/gcgdata/geneseq/geneseq/AA1980.DAT.*
2: /SID88/gcgdata/geneseq/geneseq/AA1981.DAT.*
3: /SID88/gcgdata/geneseq/geneseq/AA1982.DAT.*
4: /SID88/gcgdata/geneseq/geneseq/AA1983.DAT.*
5: /SID88/gcgdata/geneseq/geneseq/AA1984.DAT.*
6: /SID88/gcgdata/geneseq/geneseq/AA1985.DAT.*
7: /SID88/gcgdata/geneseq/geneseq/AA1986.DAT.*
8: /SID88/gcgdata/geneseq/geneseq/AA1987.DAT.*
9: /SID88/gcgdata/geneseq/geneseq/AA1988.DAT.*
10: /SID88/gcgdata/geneseq/geneseq/AA1989.DAT.*
11: /SID88/gcgdata/geneseq/geneseq/AA1990.DAT.*
12: /SID88/gcgdata/geneseq/geneseq/AA1991.DAT.*
13: /SID88/gcgdata/geneseq/geneseq/AA1992.DAT.*
14: /SID88/gcgdata/geneseq/geneseq/AA1993.DAT.*
15: /SID88/gcgdata/geneseq/geneseq/AA1994.DAT.*
16: /SID88/gcgdata/geneseq/geneseq/AA1995.DAT.*
17: /SID88/gcgdata/geneseq/geneseq/AA1996.DAT.*
18: /SID88/gcgdata/geneseq/geneseq/AA1997.DAT.*
19: /SID88/gcgdata/geneseq/geneseq/AA1998.DAT.*
20: /SID88/gcgdata/geneseq/geneseq/AA1999.DAT.*
21: /SID88/gcgdata/geneseq/geneseq/AA2000.DAT.*
22: /SID88/gcgdata/geneseq/geneseq/AA2001.DAT.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	41	89.1	9	21	AA1980
2	41	89.1	9	22	AA1981
3	41	89.1	10	21	AA1980
4	41	89.1	10	22	AA1981
5	40	87.0	10	22	AA1982
6	40	87.0	10	22	AA1983
7	40	87.0	554	21	AA1984
8	40	87.0	554	21	AA1985
9	40	87.0	554	21	AA1986
10	40	87.0	554	21	AA1987
11	40	87.0	634	11	AA1988

12	40	87.0	640	11	AA1989
13	40	87.0	640	18	AA1990
14	40	87.0	640	21	AA1991
15	40	87.0	640	21	AA1992
16	40	87.0	640	21	AA1993
17	40	87.0	641	14	AA1994
18	40	87.0	641	19	AA1995
19	40	87.0	641	21	AA1996
20	40	87.0	641	22	AA1997
21	40	87.0	642	21	AA1998
22	40	87.0	642	11	AA1999
23	39	84.8	643	18	AA2000
24	39	84.8	665	21	AA2001
25	37	80.4	91	21	AA2002
26	37	80.4	253	21	AA2003
27	37	80.4	279	21	AA2004
28	37	80.4	342	21	AA2005
29	37	80.4	646	11	AA2006
30	37	80.4	646	19	AA2007
31	37	80.4	646	20	AA2008
32	37	80.4	646	20	AA2009
33	37	80.4	646	21	AA2010
34	37	80.4	646	21	AA2011
35	37	80.4	646	22	AA2012
36	37	80.4	656	18	AA2013
37	37	80.4	890	21	AA2014
38	36	78.3	633	14	AA2015
39	35	76.1	412	22	AA2016
40	35	76.1	558	22	AA2017
41	35	76.1	646	11	AA2018
42	35	76.1	647	20	AA2019
43	35	76.1	647	22	AA2020
44	34	73.9	98	19	AA2021
45	34	73.9	100	22	AA2022

ALIGNMENTS

RESULT 1

AA1980
ID AAY44199 standard; peptide; 9 AA.

AC AAY44199;

DT 15-FEB-2000 (first entry)

DE Heat shock protein 70 amino acid residues 286-294.

Human; heat shock protein 70; hsp70; identification; tumour; mutation;
T cell response; amplification; vector; bacterium; cancer; allele;
cytotoxic factor; interleukin; interferon; tumour necrosis factor; HLA;
immune defence; immunogenicity; specificity; human leucocyte antigen.

OS Homo sapiens.

PN WO9954464-A1.

PD 28-OCT-1999.

PF 22-APR-1999; 99WO-FR00957.

PR 22-APR-1998; 98FR-0005033.

PA (INSR) INST ROUSSY GUSTAVE.

PI Triebel F, Gaudin C;

XX WPI; 2000-013251/01.

XX Identifying mutant peptides from heat-shock protein 70, for treatment of cancer -

PS Claim 10; Page 6; 56pp; French.

XX This peptide corresponds to amino acid residues 286-294 of the human
 CC heat shock protein 70 (hsp70). The invention relates to a method of
 CC identifying peptides, derived from hsp70 that stimulate a tumour-specific
 CC T cell response. Identification of the hsp70 peptides that have at least
 CC one mutation or alteration compared with the native sequence, and induce
 CC a tumour-specific T-cell response, comprises: (i) amplifying hsp70
 CC encoding DNA from one or more tumours; (ii) cloning the amplified
 CC sequences into a vector that can be replicated in bacteria;
 CC (iii) sequencing fragments in each cultured bacterial colony to identify
 CC any hsp70 mutations, and (iv) determining the immunogenicity of the
 CC mutant peptides identified. The peptides, optionally formulated with an
 CC agent that induces cellular stress, are used for treatment of cancer,
 CC particularly solid cancers (carcinoma, sarcoma, melanoma, neuroblastoma,
 CC cancers of head and neck, particularly kidney cancer). The peptides may
 CC also be used to increase the proportion of tumour-specific cytotoxic
 CC T lymphocytes in a cell culture and/or induce these cells to secrete
 CC cytotoxic factors (specifically interleukin-2, interferon-gamma and
 CC tumour necrosis factor), particularly where the cells are used to
 CC stimulate immune defences. The method identifies peptides with high
 CC immunogenicity and high specificity for particular HLA (human leucocyte
 CC antigen) alleles.

XX Sequence 9 AA;

Query Match 89.1%; Score 41; DB 21; Length 9;
 Best Local Similarity 88.9%; Pred. No. 4.3e+05;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
 ||||| |
 Db 1 slfegidly 9

RESULT 2

ID AAB97601 standard; peptide; 9 AA.

XX AAB97601;

XX 30-JUL-2001 (first entry)

XX Heat shock protein 70 (HSP70) peptidic fragment 1.

XX HSP; HSP70; heat shock protein 70; cancer; chronic infectious disease;
 KW vaccine; HSP-peptide complex; tumour; peptidic fragment; lymphocyte;
 KW cytotoxic response; epitope; antigen presenting cell; fragment 1.

XX Homo sapiens.

XX WO200129190-A1.

XX 26-APR-2001.

XX 29-SEP-2000; 2000WO-EP09530.

XX 15-OCT-1999; 99EP-0120484.

XX (IDMI-) IDM IMMUNO-DESIGNED MOLECULES.

XX Abastado JP, Bartholeyns J;
 WPI; 2001-290909/30.

XX Lymphocytes useful for treating cancer, recognizes specifically
 PT transformed human cells with induced and increased membrane expression
 PT of heat shock protein -

XX Claim 8; Page 15; 21pp; English.

XX The amino acid sequence of fragment 1 relating to position 286-294 of

CC human, heat shock protein 70 (HSP70) is given. The new invention relates
 CC to lymphocytes which recognise cells of a patient in which overexpression
 CC of HSP has been induced. Overexpression of HSP leads to a substantial
 CC increase in the numbers of HSPs and HSP epitopes presented on the
 CC pericellular membrane. Recognition of increased numbers of HSP epitopes
 CC on cell pericellular membranes by lymphocytes elicits a cytotoxic
 CC response which kills the target cells. As a further embodiment of the
 CC invention, HSP70 epitopes are mutated prior to being loaded into antigen
 CC presenting cells. This has the effect of increasing the immune response
 CC to HSP and helps direct the immune response to specific cells, (e.g.
 CC cancer cells). HSP70 fragments are useful for treating cancer or
 CC intracellular infections by vaccination. The tolerance of the organism to
 CC the tumour or to the virus associated HSP is broken using an immunogenic
 CC mutated form of HSP and induction of a stress on the target tumoural or
 CC intracellular infected cells.

XX Sequence 9 AA;

Query Match 89.1%; Score 41; DB 22; Length 9;
 Best Local Similarity 88.9%; Pred. No. 4.3e+05;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
 ||||| |
 Db 1 slfegidly 9

RESULT 3

ID AAY44200 standard; peptide; 10 AA.

XX AAY44200;

XX 15-FEB-2000 (first entry)

XX Heat shock protein 70 amino acid residues 286-295.

XX Human; heat shock protein 70; hsp70; identification; tumour; mutation;
 KW T cell response; amplification; vector; bacterium; cancer; allele;
 KW cytotoxic factor; interleukin; interferon; tumour necrosis factor; HLA;
 KW immune defence; immunogenicity; specificity; human leucocyte antigen.

XX Homo sapiens.

XX WO9954464-A1.

XX 28-OCT-1999.

XX 22-APR-1999; 99WO-FR00957.

XX 22-APR-1998; 98FR-0005033.

XX (INSR) INST ROUSSY GUSTAVE.

XX Triebel F, Gaudin C;
 WPI; 2000-013251/01.

XX Identifying mutant peptides from heat-shock protein 70, for treatment
 PT of cancer -

XX Claim 10; Page 6; 56pp; French.

XX This peptide corresponds to amino acid residues 286-295 of the human
 CC heat shock protein 70 (hsp70). The invention relates to a method of
 CC identifying peptides, derived from hsp70 that stimulate a tumour-specific
 CC T cell response. Identification of the hsp70 peptides that have at least
 CC one mutation or alteration compared with the native sequence, and induce
 CC a tumour-specific T-cell response, comprises: (i) amplifying hsp70
 CC encoding DNA from one or more tumours; (ii) cloning the amplified
 CC sequences into a vector that can be replicated in bacteria;
 CC (iii) sequencing fragments in each cultured bacterial colony to identify

CC any hsp70 mutations, and (iv) determining the immunogenicity of the
 CC mutant peptides identified. The peptides, optionally formulated with an
 CC agent that induces cellular stress, are used for treatment of cancer,
 CC particularly solid cancers (carcinoma, sarcoma, melanoma, neuroblastoma,
 CC cancers of head and neck, particularly kidney cancer). The peptides may
 CC also be used to increase the proportion of tumour-specific cytotoxic
 CC T lymphocytes in a cell culture and/or induce these cells to secrete
 CC cytotoxic factors (specifically interleukin-2, interferon-gamma and
 CC tumour necrosis factor). Particularly where the cells are used to
 CC stimulate immune defences. The method identifies peptides with high
 CC immunogenicity and high specificity for particular HLA (human leucocyte
 CC antigen) alleles.

XX
 SQ Sequence 10 AA;

Query Match 89.1%; Score 41; DB 21; Length 10;
 Best Local Similarity 88.9%; Pred. No. 0.031;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
 Db | | | | | | |
 1 slifegidiy 9

RESULT 4
 AAB97602
 ID AAB97602 standard; peptide; 10 AA.
 XX
 AC AAB97602;
 XX
 DT 30-JUL-2001 (first entry)
 XX
 DE Heat shock protein 70 (HSP70) peptidic fragment 2.
 XX
 KW HSP; HSP70; heat shock protein 70; cancer; chronic infectious disease;
 KW vaccine; HSP-peptide complex; tumour; peptidic fragment; lymphocyte;
 KW cytotoxic response; epitope; antigen presenting cell; fragment 2.
 XX
 OS Homo sapiens.
 XX
 PN WO200129190-A1.
 XX
 PD 26-APR-2001.
 XX
 PF 29-SEP-2000; 2000WO-EP09530.
 XX
 PR 15-OCT-1999; 99EP-0120484.
 XX
 PA (IDMI-) IDM IMMUNO-DESIGNED MOLECULES.

PI Abastado JP, Bartholeyns J;
 XX WPI; 2001-290909/30.
 DR
 XX
 PT Lymphocytes useful for treating cancer, recognizes specifically
 PT transformed human cells with induced and increased membrane expression
 PT of heat shock protein -
 XX
 PS Claim 8; Page 15; 21pp; English.

CC The amino acid sequence of fragment 2 relating to position 286-295 of
 CC human heat shock protein 70 (HSP70) is given. The new invention relates
 CC to lymphocytes which recognise cells of a patient in which overexpression
 CC of HSP has been induced. Overexpression of HSP leads to a substantial
 CC increase in the numbers of HSPs and HSP epitopes presented on the
 CC pericellular membrane. Recognition of increased numbers of HSP epitopes
 CC on cell pericellular membranes by lymphocytes elicits a cytotoxic
 CC response which kills the target cells. As a further embodiment of the
 CC invention, HSP70 epitopes are mutated prior to being loaded into antigen
 CC presenting cells. This has the effect of increasing the immune response
 CC to HSP and helps direct the immune response to specific cells, (e.g.
 CC cancer cells). HSP70 fragments are useful for treating cancer or

CC intracellular infections by vaccination. The tolerance of the organism to
 CC the tumour or to the virus associated HSP is broken using an immunogenic
 CC mutated form of HSP and induction of a stress on the target tumoural or
 CC intracellular infected cells.

XX
 SQ Sequence 10 AA;

Query Match 89.1%; Score 41; DB 22; Length 10;
 Best Local Similarity 88.9%; Pred. No. 0.031;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
 Db | | | | | | |
 1 slifegidiy 9

RESULT 5
 AAB97603
 ID AAB97603 standard; peptide; 10 AA.
 XX
 AC AAB97603;
 XX
 DT 30-JUL-2001 (first entry)
 XX
 DE Heat shock protein 70 (HSP70) peptidic fragment 3.
 XX
 KW HSP; HSP70; heat shock protein 70; cancer; chronic infectious disease;
 KW vaccine; HSP-peptide complex; tumour; peptidic fragment; lymphocyte;
 KW cytotoxic response; epitope; antigen presenting cell; fragment 3.
 XX
 OS Homo sapiens.
 XX
 PN WO200129190-A1.
 XX
 PD 26-APR-2001.
 XX
 PF 29-SEP-2000; 2000WO-EP09530.
 XX
 PR 15-OCT-1999; 99EP-0120484.
 XX
 PA (IDMI-) IDM IMMUNO-DESIGNED MOLECULES.

PI Abastado JP, Bartholeyns J;
 XX WPI; 2001-290909/30.
 DR
 XX
 PT Lymphocytes useful for treating cancer, recognizes specifically
 PT transformed human cells with induced and increased membrane expression
 PT of heat shock protein -
 XX
 PS Claim 8; Page 15; 21pp; English.

CC The amino acid sequence of fragment 3 relating to position 286-295 of
 CC human heat shock protein 70 (HSP70) is given. The new invention relates
 CC to lymphocytes which recognise cells of a patient in which overexpression
 CC of HSP has been induced. Overexpression of HSP leads to a substantial
 CC increase in the numbers of HSPs and HSP epitopes presented on the
 CC pericellular membrane. Recognition of increased numbers of HSP epitopes
 CC on cell pericellular membranes by lymphocytes elicits a cytotoxic
 CC response which kills the target cells. As a further embodiment of the
 CC invention, HSP70 epitopes are mutated prior to being loaded into antigen
 CC presenting cells. This has the effect of increasing the immune response
 CC to HSP and helps direct the immune response to specific cells, (e.g.
 CC cancer cells). HSP70 fragments are useful for treating cancer or
 CC intracellular infections by vaccination. The tolerance of the organism to
 CC the tumour or to the virus associated HSP is broken using an immunogenic
 CC mutated form of HSP and induction of a stress on the target tumoural or
 CC intracellular infected cells.

Sequence 10 AA;

```
Query Match      87.0%; Score 40; DB 22; Length 10;
Best Local Similarity 88.9%; Pred. No. 0.05;
Matches 8; Conservative 0; Mismatches 1; Indels
```

```
QY      1 SLFEGIDAY 9
        ||||| |
Db      1 slfeqidfy 9
```

RESULT 6
AAAY88409
ID AAAY88409 standard: Protein: 554 AA.

AA
AC
XX
DT

DE Human heat shock protein SHSP70 amino acid sequence.

Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress; chromosome 14q22-24; transcription; rheumatism; schizophrenia; depression; nephrotic syndrome; SHSP70.

XX OS Homo sapiens.
XX
PN JP2000069999-

07-MAR-2000.

AA
PF 01-JUN-1995: 99JP-0257146.

AA
PR 01-JUN-1995: 95JP-0158581.

PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.

WPI; 2000-264458/23.
N-PSDB: AAA15621.

AA
PT
PT
PT

XX
PS
Examples: Fig 2: 11pp: Japanese.

This sequence represents the human heat shock protein HSP70 amino acid sequence. Human heat shock proteins are located on chromosomes 6p21.3-22 and 14q22-24. The invention relates to the abnormal transcription of HSP70 and intracellular HSP70mRNA under acute and chronic stress load in a human. The abnormal transcription of HSP70 can be used in the improvement of stress and response and diagnosis of stress diseases including rheumatisms, schizophrenia, depression and nephrotic syndrome.

Sequence 554 AA:

Query Match 87.0%; Score 40; DB 21; Length 554;
Best Local Similarity 88.9%; Pred. No. 4;
Matches 8: Conservative 0; Mismatches 1; Indels

QY	1	SLEFEGIDAY	9
			1
Db	200	slfegidfv	208

RESULT 7
AAY88410
ID: AAY88410 standard: ProtEjn: 554 AA

XX
X

XX 31-III-2000 (first entry)

XX₁₋₂ Human heat shock protein SHSP70 amino acid sequence

XX Abnormal transcription of intracellular HSP70mRNA under acute and
PT chronic continuous load of stress in a human being and its application
PT
PT
XX
PS Disclosure; Fig 5; 11pp; Japanese.
XX
XX This sequence represents the human heat shock protein SHSP70 amino acid
CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
CC and 14q22-24. The invention relates to the abnormal transcription of
CC intracellular HSP70mRNA under acute and chronic stress load in a human.
CC The abnormal transcription of HSP70 can be used in the improvement of
CC stress and response and diagnosis of stress diseases including
CC rheumatisms, schizophrenia, depression and nephrotic syndrome.
XX
SQ Sequence 554 AA;

Query Match 87.0%; Score 40; DB 21; Length 554;
Best Local Similarity 88.9%; Pred. No. 4;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLEEGIDAY 9
| | | | | | | |
DB 200 slifegidfy 208

RESULT 9
AAY88413
ID AAY88413 standard; Protein; 554 AA.
XX
AC AAY88413;
XX
DT 31-JUL-2000 (first entry)

XX Human heat shock protein SHSP70 amino acid sequence.
DE
XX
KW Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
KW depression; nephrotic syndrome; SHSP70.
XX
OS Homo sapiens.
XX
PN JP2000069999-A.
XX
PD 07-MAR-2000.

XX
PF 01-JUN-1995; 99JP-0257146.
XX
PR 01-JUN-1995; 95JP-0158581.
XX
PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
XX
DR WPI; 2000-264458/23.
XX
XX Abnormal transcription of intracellular HSP70mRNA under acute and
PT chronic continuous load of stress in a human being and its application
PT
PT
PS Disclosure; Fig 6; 11pp; Japanese.
XX
XX This sequence represents the human heat shock protein SHSP70 amino acid
CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
CC and 14q22-24. The invention relates to the abnormal transcription of
CC intracellular HSP70mRNA under acute and chronic stress load in a human.
CC The abnormal transcription of HSP70 can be used in the improvement of
CC stress and response and diagnosis of stress diseases including
CC rheumatisms, schizophrenia, depression and nephrotic syndrome.
XX
SQ Sequence 554 AA;

Query Match 87.0%; Score 40; DB 21; Length 554;

Best Local Similarity 88.9%; Pred. No. 4;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 SLEEGIDAY 9
| | | | | | | |
DB 200 slifegidfy 208

RESULT 10
AAB23252
ID AAB23252 standard; Protein; 624 AA.
XX
AC AAB23252;
XX
DT 29-JAN-2001 (first entry)

XX Human Hsp72 (heat shock protein 72).
DE
XX
KW Human Hsp72; heat shock protein 72; chromosome 6p21.3; Hsp72 inhibitor;
KW expression modulator; JNK phosphatase inhibitor; antiproliferative;
KW drug screening; cancer; leukaemia; lymphoma; solid tumour; sarcoma;
KW carcinoma; breast cancer; prostate cancer; premalignant condition.
XX
OS Homo sapiens.
XX
PN WO200054814-A1.
XX
PD 21-SEP-2000.

XX
PF 17-MAR-2000; 2000WO-US07350.
XX
PR 18-MAR-1999; 99US-0125046.
XX
PA (PHYL-) PHYLOGENY INC.
XX
PI Volloch Vz, Sherman M;
XX
DR WPI; 2000-647056/62.
DR N-PSDB; AAA97541.

XX
PT Identifying compounds that inhibit proliferation of cells and capable
PT of modulating the expression of heat shock protein 72 gene and/or
PT activity of Hsp72 useful for treating cancers such as leukemia,
PT lymphoma
XX
PS Examples; Fig 16B; 77pp; English.
XX
XX The invention relates to a novel method of identifying compounds that
CC inhibit proliferation of cells comprising contacting a test compound with
CC a cell which overexpresses Hsp72 (heat shock protein 72), and determining
CC if the test compound inhibits activity or expression of Hsp72.
CC Optionally, Hsp72 is contacted with the test compound under optimum
CC conditions to allow the two components to interact and bind, forming a
CC complex which is detected. The invention also relates to a method of
CC identifying compounds that inhibit Hsp72-mediated JNK phosphatase
CC activation, comprising contacting a test compound with a cell which
CC expresses Hsp72, exposing the cell to a heat induced stress and
CC determining if the compound inhibits JNK phosphatase activity. The
CC invention additionally encompasses compositions comprising an inhibitor
CC of Hsp72 or JNK phosphatase activity. The compounds identified as
CC inhibitors of Hsp72 or JNK phosphatase activity are useful for
CC inhibiting the proliferation of cells. Modulation of the activity of the
CC JNK phosphatase or Hsp72 is used to treat a proliferative disorder such
CC as cancers (e.g., leukaemia, lymphoma, solid tumours such as sarcomas and
CC carcinomas, breast cancer, prostate cancer). The compounds that inhibit
CC Hsp72 activity can also be administered to treat premalignant conditions
CC and to prevent progression to a neoplastic or malignant state. The
CC compounds that inhibit Hsp72 function are administered to a patient
CC having a disease or disorder mediated by an increase of Hsp72 expression
CC or activity relative to normal levels. The present sequence represents
CC human Hsp72 used in the exemplifications of the invention.
XX
SQ Sequence 624 AA;

Query Match 87.0%; Score 40; DB 21; Length 624;
 Best Local Similarity 88.9%; Pred. No. 4.5;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
 |||||
 Db 286 slfegidfy 294

RESULT 11
 AAR03930
 ID AAR03930 standard; Protein; 634 AA.
 XX
 AC AAR03930;
 XX
 DT 30-AUG-1990 (first entry)
 XX
 DE Gallus gallus HSP (chkhsp70).
 XX
 KW Hsp70; heat shock protein; Trypanosoma cruzi; vaccines; HSP.
 XX
 OS Gallus gallus.
 XX
 FH Key Location/Qualifiers
 FT Misc-difference 634 /note= "residue given as "O" in specification"
 FT

XX W09002564-A.
 XX
 XX 22-MAR-1990.
 XX
 PF 12-SEP-1989; 89WO-0003955.
 XX
 PR 12-SEP-1988; 88US-0243474.
 XX
 XX (CODO-) CODON.
 XX
 PI Dragon E, Faulds D, Sias S;
 XX
 DR WPI; 1990-115820/15.

XX Proteins homologous to heat shock proteins from Trypanosoma cruzi - used
 PT in vaccines and diagnosis for species of eg Mycoplasma or Mycobacteria.
 PT
 XX Disclosure; Fig 2.1-2.14; 86pp; English.

XX According to the legend of Fig 2, the G. gallus HSP sequence has
 CC 635 amino acid residues, the sequence itself has only 634,
 CC including "O" (?) at position 634.
 CC Fig. 2 provides an alignment of heat shock proteins from a variety
 CC of organisms: 1. M.hypneumoninae (Whyhsp70 - AAR03922);
 CC 2. Bacillus megaterium (Bmehsp70 - AAR03923);
 CC 3. E. coli (dnaK - AAR03924);
 CC 4. T. cruzi (tc70kd - AAR03925);
 CC 5. T. cruzi (AAR03926);
 CC 6. Rat rattus (rathsp70 - AAR03927);
 CC 7. Xenopus laevis (xl70 - AAR03928);
 CC 8. Homo sapiens (humhsp70 - AAR03929);
 CC 9. Gallus gallus (chkhsp70 - AAR03930);
 CC 10. Zea mays (mzehsp70 - AAR03931);
 CC 11. Serratia marcescens (smahsp70 - AAR03932).
 CC The proteins having homology to hsp's of T. cruzi can be used in
 CC vaccines and diagnosis involving e.g. Trypanosoma, Mycoplasma and
 CC Mycobacteria species.

XX Sequence 634 AA;

Query Match 87.0%; Score 40; DB 11; Length 634;
 Best Local Similarity 88.9%; Pred. No. 4.6;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
 |||||
 Db 289 slfegidfy 297

RESULT 12
 AAR03929
 ID AAR03929 standard; Protein; 640 AA.
 XX
 AC AAR03929;
 XX
 DT 30-AUG-1990 (first entry)
 XX
 DE Homo sapiens HSP (humhsp70).
 XX
 KW Hsp70; heat shock protein; Trypanosoma cruzi; vaccines; HSP.
 XX
 OS Homo sapiens.
 XX
 FH Key Location/Qualifiers
 FT Misc-difference 640 /note= "residue given as "O" in specification"
 FT

XX W09002564-A.
 XX
 XX 22-MAR-1990.
 XX
 PF 12-SEP-1989; 89WO-0003955.
 XX
 PR 12-SEP-1988; 88US-0243474.
 XX
 XX (CODO-) CODON.
 XX
 PI Dragon E, Faulds D, Sias S;
 XX
 DR WPI; 1990-115820/15.

XX Proteins homologous to heat shock proteins from Trypanosoma cruzi - used
 PT in vaccines and diagnosis for species of eg Mycoplasma or Mycobacteria.
 PT
 XX Disclosure; Fig 2.1-2.14; 86pp; English.

XX According to the legend of Fig 2, the H. sapiens HSP sequence has
 CC 641 amino acid residues, the sequence itself has only 640,
 CC including "O" (?) at position 640.
 CC Fig. 2 provides an alignment of heat shock proteins from a variety
 CC of organisms: 1. M.hypneumoninae (Whyhsp70 - AAR03922);
 CC 2. Bacillus megaterium (Bmehsp70 - AAR03923);
 CC 3. E. coli (dnaK - AAR03924);
 CC 4. T. cruzi (tc70kd - AAR03925);
 CC 5. T. cruzi (AAR03926);
 CC 6. Rat rattus (rathsp70 - AAR03927);
 CC 7. Xenopus laevis (xl70 - AAR03928);
 CC 8. Homo sapiens (humhsp70 - AAR03929);
 CC 9. Gallus gallus (chkhsp70 - AAR03930);
 CC 10. Zea mays (mzehsp70 - AAR03931);
 CC 11. Serratia marcescens (smahsp70 - AAR03932).
 CC The proteins having homology to hsp's of T. cruzi can be used in
 CC vaccines and diagnosis involving e.g. Trypanosoma, Mycoplasma and
 CC Mycobacteria species.

XX Sequence 640 AA;

Query Match 87.0%; Score 40; DB 11; Length 640;
 Best Local Similarity 88.9%; Pred. No. 4.7;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
 |||||
 Db 286 slfegidfy 294

```

RESULT 13
AAW10065
ID AAW10065 standard; Protein; 640 AA.
XX
AC AAW10065;
XX
DT 24-OCT-1997 (first entry)
XX
DE Human heat shock protein 70.
XX
KW Human; heat shock protein 70; HSP70; primer; probe; detection;
KW intracellular; abnormal transcription; acute; chronic; sustained;
KW stress.
XX
OS Homo sapiens.
XX
PN JP08322577-A.
XX
PD 10-DEC-1996.
XX
PF 01-JUN-1995; 95JP-0158581.
XX
PR 01-JUN-1995; 95JP-0158581.
XX
PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
XX
DR WPI; 1997-081088/08.
XX
DR N-PSDB; AAT58086.
XX
PT Detection of abnormal transcription of HSP70 mRNA - using HSP70
PT specific primer or probe, used in detection of human acute and
PT chronic sustained stress load
XX
PS Claim 1; Fig 1; 13pp; Japanese.
XX
CC The cDNA encoding the present sequence, human heat shock protein 70
CC (HSP70), is located on human chromosome 6p 21.3-22 and 14q 22-24
CC and 21. Primers and probes based on the HSP70 cDNA coding
CC sequence can be used to detect the abnormal transcription of
CC intracellular HSP70 mRNA in human acute and chronic sustained
CC stress load.
XX
SQ Sequence 640 AA;

Query Match 87.0%; Score 40; DB 18; Length 640;
Best Local Similarity 88.9%; Pred. No. 4.7;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
DB 286 slfegidfy 294

RESULT 14
AAB23653
ID AAB23653 standard; protein; 640 AA.
XX
AC AAB23653;
XX
DT 05-JAN-2001 (first entry)
XX
DE Human heat shock protein Hsp70 protein sequence SEQ ID NO:5.
XX
KW ATPase; Hsp70; heat shock protein; cytotoxic T lymphocyte; CTL;
KW immune response; infectious disease; malaria; cytotoxic T cell;
KW cytostatic; immunostimulant; cellular immune response inducer;
KW protozoacide; leukaemia; cancer.
XX
OS Homo sapiens.
XX
PN WO200049041-A1.

```

```

XX
PD 24-AUG-2000.
XX
PF 18-FEB-2000; 2000WO-JP00941.
XX
PR 19-FEB-1999; 99JP-0041535.
XX
PA (SUME) SUMITOMO ELECTRIC IND CO.
XX
PI Shinbara N, Uono H, Yui K;
XX
DR WPI; 2000-543748/49.
XX
PT Fused protein capable of inducing cellular immune response, useful as
PT active ingredient for drug compositions in preventing and/or treating
PT infectious diseases such as malaria or cancer
XX
PS Claim 3; Page 49-52; 72pp; Japanese.
XX
CC The present invention describes a fused protein (I) prepared from a
CC peptide containing a CTL (cytotoxic T lymphocyte) epitope recognised by
CC cytotoxic T cells and a protein containing the ATPase domain of a heat
CC shock protein. Also described are: (1) a drug composition containing (I)
CC as active ingredient; (2) a DNA encoding (I); (3) an expression vector
CC containing the DNA of (2); and (4) a transformant which can retain the
CC expression vector of (3). (I) has cytostatic, immunostimulant and
CC protozoacide activities, and can be used as a cellular immune response
CC inducer. The protein is useful as an active ingredient for drug
CC compositions in preventing and/or treating infectious diseases such as
CC malaria or cancer e.g. to provide systemic immunity against leukaemia.
CC The present sequence represents a specifically claimed heat shock
CC protein for use in a fused protein of the present invention.
XX
SQ Sequence 640 AA;

Query Match 87.0%; Score 40; DB 21; Length 640;
Best Local Similarity 88.9%; Pred. No. 4.7;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
DB 286 slfegidfy 294

RESULT 15
AAY88408
ID AAY88408 standard; Protein; 640 AA.
XX
AC AAY88408;
XX
DT 31-JUL-2000 (first entry)
XX
DE Human heat shock protein HSP70 amino acid sequence.
XX
KW Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
KW depression; nephrotic syndrome.
XX
OS Homo sapiens.
XX
PN JP2000069999-A.
XX
PD 07-MAR-2000.
XX
PF 01-JUN-1995; 99JP-0257146.
XX
PR 01-JUN-1995; 95JP-0158581.
XX
PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
XX
DR WPI; 2000-264458/23.
DR N-PSDB; AAA15620.

```

XX
PT
PT
PT
PT
XX
PS
XX
XX
CC
CC
CC
CC
CC
CC
CC
CC
XX
SQ

Abnormal transcription of intracellular HSP70mRNA under acute and chronic continuous load of stress in a human being and its application

Claim 2; Fig 1; 11pp; Japanese.

This sequence represents the human heat shock protein HSP70 amino acid sequence. Human heat shock proteins are located on chromosomes 6p21.3-22 and 14q22-24. The invention relates to the abnormal transcription of intracellular HSP70mRNA under acute and chronic stress load in a human. The abnormal transcription of HSP70 can be used in the improvement of stress and response and diagnosis of stress diseases including rheumatism, schizophrenia, depression and nephrotic syndrome.

Sequence 640 AA;

Query Match 87.0%; Score 40; DB 21; Length 640;
Best Local Similarity 88.9%; Pred. No. 4.7;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 SLFEGIDAY 9
| | | | | | | |
Db 286 slfegidfy 294

Search completed: December 6, 2001, 08:04:02
Job time: 610 sec

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:58:26 ; Search time 88.19 Seconds
(without alignments)
7.774 Million cell updates/sec

Title: PEPI-MOD8A
Perfect score: 46
Sequence: 1 SLFEGIDAY 9

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 219241 seqs, 76174552 residues

Total number of hits satisfying chosen parameters: 219241

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : PIR_58: *
1: pir1: *
2: pir2: *
3: pir3: *
4: pir4: *

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	40	87.0	208	2 B44261	dnak-type molecule
2	40	87.0	209	2 A44261	dnak-type molecule
3	40	87.0	278	2 I51344	dnak-type molecule
4	40	87.0	372	2 P00138	dnak-type molecule
5	40	87.0	420	2 A26283	dnak-type molecule
6	40	87.0	467	2 T45477	heat-shock protein
7	40	87.0	467	2 T45479	heat-shock protein
8	40	87.0	468	2 T45476	heat-shock protein
9	40	87.0	469	2 T45478	heat-shock protein
10	40	87.0	617	2 H96605	probable heat shock
11	40	87.0	632	2 T45471	dnak-type molecule
12	40	87.0	634	2 A25646	dnak-type molecule
13	40	87.0	636	2 A48872	dnak-type molecule
14	40	87.0	638	2 S31765	dnak-type molecule
15	40	87.0	639	2 JCI391	dnak-type molecule
16	40	87.0	639	2 S20139	dnak-type molecule
17	40	87.0	640	1 HHKW7A	dnak-type molecule
18	40	87.0	640	2 A29160	dnak-type molecule
19	40	87.0	640	2 S37394	dnak-type molecule
20	40	87.0	640	2 T21394	dnak-type molecule
21	40	87.0	640	2 T43724	hypothetical prote
22	40	87.0	641	2 S53357	dnak-type molecule
23	40	87.0	641	2 S35718	dnak-type molecule
24	40	87.0	641	2 I54542	dnak-type molecule
25	40	87.0	641	2 A45871	dnak-type molecule
26	40	87.0	642	1 HHBYA1	dnak-type molecule
27	40	87.0	642	2 JH0095	dnak-type molecule
28	40	87.0	642	2 B36590	dnak-type molecule
29	40	87.0	644	2 A45635	dnak-type molecule

30	40	87.0	645	2 I51129	dnak-type molecule
31	40	87.0	646	2 T46650	heat shock protein
32	40	87.0	647	1 HHXL70	dnak-type molecule
33	40	87.0	647	2 S44168	dnak-type molecule
34	40	87.0	647	2 T41121	heat shock protein
35	40	87.0	650	2 JC7088	heat shock protein
36	39	84.8	214	2 A03309	dnak-type molecule
37	39	84.8	379	2 I46588	dnak-type molecule
38	39	84.8	467	2 T45473	heat-shock protein
39	39	84.8	467	2 T45474	heat-shock protein
40	39	84.8	641	2 JN0668	dnak-type molecule
41	39	84.8	641	2 PC7036	heat shock protein
42	39	84.8	643	2 S25585	dnak-type molecule
43	39	84.8	643	2 S09036	dnak-type molecule
44	39	84.8	651	2 T45517	heat shock protein
45	39	84.8	651	2 JC7132	heat shock protein

ALIGNMENTS

RESULT 1
B44261
dnak-type molecular chaperone HSC70 - California sea hare (fragment)
N:Alternate names: heat shock protein 70 homolog HSC70
C:Species: Aplysia californica (California sea hare)
C:Date: 04-Sep-1998 #sequence_revision 04-Sep-1998 #text_change 13-Aug-1999
C:Accession: B44261
R:Kuhl, D.; Kennedy, T.E.; Barzilai, A.; Kandel, E.R.
J. Cell Biol. 119, 1069-1076, 1992
A:Title: Long-term sensitization training in Aplysia leads to an increase in the expr
A:Reference number: A44261; MUID:93077669
A:Accession: B44261
A>Status: preliminary; not compared with conceptual translation
A:Molecule type: nucleic acid
A:Residues: 1-208 <KUH>
A:Note: sequence extracted from NCBI backbone (NCBIP:118950)
C:Genetics:
A:Gene: HSC70
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein co
A:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match 87.0%; Score 40; DB 2; Length 208;
Best Local Similarity 88.9%; Pred. No. 0.72;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
DB 132 SLFEGIDFY 140

RESULT 2
A44261
dnak-type molecular chaperone HSP70a - California sea hare (fragment)
N:Alternate names: heat shock protein 70
C:Species: Aplysia californica (California sea hare)
C:Date: 04-Sep-1998 #sequence_revision 04-Sep-1998 #text_change 13-Aug-1999
C:Accession: A44261
R:Kuhl, D.; Kennedy, T.E.; Barzilai, A.; Kandel, E.R.
J. Cell Biol. 119, 1069-1076, 1992
A:Title: Long-term sensitization training in Aplysia leads to an increase in the expr
A:Reference number: A44261; MUID:93077669
A:Accession: A44261
A>Status: preliminary; not compared with conceptual translation
A:Molecule type: nucleic acid
A:Residues: 1-209 <KUH>
A:Note: sequence extracted from NCBI backbone (NCBIP:118951)
C:Genetics:
A:Gene: HSP70a
C:Function:

A:Description: involved in protein folding and assembling/disassembling of protein comp
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match 87.0%; Score 40; DB 2; Length 209;

Best Local Similarity 88.9%; Pred. No. 0.72;

Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9

|||||||

Db 133 SLFEGIDYY 141

RESULT 3

I51344

dnak-type molecular chaperone (clone pTHS70.7) - rainbow trout (fragment)

N:Alternate names: 70K heat shock protein

C:Species: Oncorhynchus mykiss (rainbow trout)

C>Date: 21-Feb-1997 #sequence_revision 21-Feb-1997 #text_change 20-Aug-1999

C:Accession: I51344

R:Kothary, R.K.; Jones, D.; Candido, E.P.M.

Mol. Cell. Biol. 4, 1785-1791, 1984

A:Title: 70-kilodalton heat shock polypeptides from rainbow trout: Characterization of d

A:Reference number: I51344; MUID:85036330

A:Accession: I51344

A>Status: preliminary; translated from GB/EMBL/DBJ

A:Molecule type: mRNA

A:Residues: 1-278 <KOT>

A:Cross-references: GB:R02549; NID:g213803; PIDN:AAA49562.1; PID:g213804

C:Function:

A:Description: involved in protein folding and assembling/disassembling of protein comp

C:Superfamily: heat shock protein 70

C:Keywords: ATP; molecular chaperone

Query Match

Best Local Similarity 87.0%; Score 40; DB 2; Length 278;

Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9

|||||||

Db 156 SLFEGIDFY 164

RESULT 4

P00138

dnak-type molecular chaperone hsp70 II - sea urchin (Paracentrotus lividus) (fragment)

N:Alternate names: heat shock protein 70

C:Species: Paracentrotus lividus (common urchin)

C>Date: 23-Nov-1991 #sequence_revision 23-Nov-1991 #text_change 20-Aug-1999

C:Accession: P00138

R:Rosa, M.L.; Sconzo, G.; Giudice, G.; Roccheri, M.G.; Carlo, M.D.

Gene 96, 295-300, 1990

A:Title: Sequence of a sea urchin hsp70 gene and its 5' flanking region.

A:Reference number: P00138; MUID:91099690

A:Accession: P00138

A:Molecule type: DNA

A:Residues: 1-372 <ROS>

A:Cross-references: EMBL:X16544; NID:g10000; PIDN:CAA34544.1; PID:g10001

C:Genetics:

A:Gene: hsp70 II

A:Introns: 68/1; 137/1; 188/3; 281/3

C:Function:

A:Description: involved in protein folding and assembling/disassembling of protein comp

C:Superfamily: heat shock protein 70

C:Keywords: ATP; molecular chaperone

Query Match

Best Local Similarity 87.0%; Score 40; DB 2; Length 372;

Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9

|||||||

Db 286 SLFEGIDYY 294

RESULT 5

A26283

dnak-type molecular chaperone - mouse (fragment)

N:Alternate names: heat shock protein 68

C:Species: Mus musculus (house mouse)

C>Date: 19-Nov-1988 #sequence_revision 19-Nov-1988 #text_change 20-Aug-1999

C:Accession: A26283

R:Lowe, D.G.; Moran, L.A.

J. Biol. Chem. 261, 2102-2112, 1986

A:Title: Molecular cloning and analysis of DNA complementary to three mouse Mr=68,000

A:Reference number: A26283; MUID:86111900

A:Accession: A26283

A:Molecule type: mRNA

A:Residues: 1-420 <LOW>

A:Cross-references: GB:M12571; NID:g194014; PIDN:AAA57234.1; PID:g387208

A:Note: the authors translated the codon CTG for residue 173 as Val and CGC for resid

C:Function:

A:Description: involved in protein folding and assembling/disassembling of protein co

C:Superfamily: heat shock protein 70

C:Keywords: ATP; molecular chaperone

Query Match

Best Local Similarity 87.0%; Score 40; DB 2; Length 420;

Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9

|||||||

Db 65 SLFEGIDFY 73

RESULT 6

T45477

heat-shock protein 70 [imported] - Chondrosia reniformis (fragment)

C:Species: Chondrosia reniformis

C>Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000

C:Accession: T45477

R:Borchellini, C.; Le Parco, Y.

submitted to the EMBL Data Library, September 1997

A:Reference number: Z22983

A:Accession: T45477

A>Status: preliminary; translated from GB/EMBL/DBJ

A:Molecule type: mRNA

A:Residues: 1-467 <BOR>

A:Cross-references: EMBL:AF026517; PIDN:AAC05362.1

C:Genetics:

A:Gene: Hsp70

C:Superfamily: heat shock protein 70

Query Match

Best Local Similarity 87.0%; Score 40; DB 2; Length 467;

Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9

|||||||

Db 252 SLFEGIDFY 260

RESULT 7

T45479

heat-shock protein 70 [imported] - Eunicella cavolini (fragment)

C:Species: Eunicella cavolini

C>Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000

C:Accession: T45479

R:Borchellini, C.; Le Parco, Y.

submitted to the EMBL Data Library, September 1997

A:Reference number: Z22983

A:Accession: T45479
 A:Status: preliminary; translated from GB/EMBL/DBBJ
 A:Molecule type: mRNA
 A:Residues: 1-467 <BOR>
 A:Cross-references: EMBL:AF026520; PIDN:AAC05364.1
 C:Genetics:
 A:Gene: Hsp70
 C:Superfamily: heat shock protein 70

Query Match 87.0%; Score 40; DB 2; Length 467;
 Best Local Similarity 88.9%; Pred. No. 1.8;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
 |||||
 Db 252 SLFEGIDFY 260

RESULT 8
 T45476
 heat-shock protein 70 [imported] - Funiculina quadrangularis (fragment)
 C:Species: Funiculina quadrangularis
 C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000
 C:Accession: T45476
 R:Borchelliini, C.; Le Parco, Y.
 submitted to the EMBL Data Library, September 1997
 A:Reference number: Z22983
 A:Accession: T45476
 A:Status: preliminary; translated from GB/EMBL/DBBJ
 A:Molecule type: mRNA
 A:Residues: 1-468 <BOR>
 A:Cross-references: EMBL:AF026516; PIDN:AAC05361.1
 C:Genetics:
 A:Gene: Hsp70
 C:Superfamily: heat shock protein 70

Query Match 87.0%; Score 40; DB 2; Length 468;
 Best Local Similarity 88.9%; Pred. No. 1.8;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
 |||||
 Db 253 SLFEGIDFY 261

RESULT 9
 T45478
 heat-shock protein 70 [imported] - Euniceella cavolini (fragment)
 C:Species: Euniceella cavolini
 C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000
 C:Accession: T45478
 R:Borchelliini, C.; Le Parco, Y.
 submitted to the EMBL Data Library, September 1997
 A:Reference number: Z22983
 A:Accession: T45478
 A:Status: preliminary; translated from GB/EMBL/DBBJ
 A:Molecule type: mRNA
 A:Residues: 1-469 <BOR>
 A:Cross-references: EMBL:AF026518; PIDN:AAC05363.1
 C:Genetics:
 A:Gene: Hsp70
 C:Superfamily: heat shock protein 70

Query Match 87.0%; Score 40; DB 2; Length 469;
 Best Local Similarity 88.9%; Pred. No. 1.8;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
 |||||
 Db 254 SLFEGIDFY 262

RESULT 10
 H96605

probable heat shock protein [imported] - Arabidopsis thaliana
 C:Species: Arabidopsis thaliana (mouse-ear cress)
 C:Date: 02-Mar-2001 #sequence_revision 02-Mar-2001 #text_change 23-Mar-2001
 C:Accession: H96605
 R:Theologis, A.; Ecker, J.R.; Palm, C.J.; Federspiel, N.A.; Kaul, S.; White, O.; Alon
 ansen, N.F.; Chung, M.K.; Conn, L.; Conway, A.B.; Dewar, T.H.; Huizar, L.
 Nature 408, 816-820, 2000
 A:Authors: Hunter, J.L.; Jenkins, J.; Johnson-Hopson, C.; Khan, S.; Khaykin, E.; Kim,
 C.A.; Li, J.H.; Li, Y.; Lin, X.; Liu, S.X.; Liu, Z.A.; Luros, J.S.; Mafti, R.; Marzia
 Rizzo, M.; Rooney, T.; Rowley, D.; Sakano, H.
 A:Authors: Salzberg, S.L.; Schwartz, J.R.; Shinn, P.; Southwick, A.M.; Sun, H.; Tallo
 ker, M.; Wu, D.; Yu, G.; Fraser, C.M.; Venter, J.C.; Davis, R.W.
 A:Title: Sequence and analysis of chromosome 1 of the plant Arabidopsis.
 A:Reference number: AB6141; MUID:21016719
 A:Accession: H96605

A:Status: preliminary
 A:Molecule type: DNA
 A:Residues: 1-617 <STO>
 A:Cross-references: GB:AE005173; NID:g11024845; PIDN:AAG26930.1; GSPDB:GN00141
 C:Genetics:
 A:Gene: FL3N6.9
 A:Map position: 1
 C:Superfamily: heat shock protein 70

Query Match 87.0%; Score 40; DB 2; Length 617;
 Best Local Similarity 88.9%; Pred. No. 2.4;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
 |||||
 Db 292 SLFEGIDFY 300

RESULT 11
 T45471

dnak-type molecular chaperone hsc70 [imported] - slime mold (Dictyostellium discoideum
 N:Alternate names: heat shock cognate protein 70
 C:Species: Dictyostellium discoideum
 C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 18-Feb-2000
 C:Accession: T45471
 R:Boves, H.; Mintert, U.; Dittlich, W.; Faix, J.; Gerisch, G.
 submitted to the EMBL Data Library, September 1997
 A:Reference number: Z22980

A:Accession: T45471
 A:Status: preliminary; translated from GB/EMBL/DBBJ
 A:Molecule type: mRNA
 A:Residues: 1-632 <BOV>
 A:Cross-references: EMBL:AF025951; PIDN:AAB81865.1
 A:Experimental source: strain AX3
 C:Genetics:
 A:Gene: hsc70
 A:Note: localized to filopodias and cortex
 C:Superfamily: heat shock protein 70

Query Match 87.0%; Score 40; DB 2; Length 632;
 Best Local Similarity 88.9%; Pred. No. 2.5;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
 |||||
 Db 285 SLFEGIDFY 293

RESULT 12
 A25646
 dnak-type molecular chaperone - chicken

```
N;Alternate names: heat shock protein 70
C;Species: Gallus gallus (chicken)
C;Date: 19-Nov-1988 #sequence_revision 19-Nov-1988 #text_change 20-Aug-1999
C;Accession: A25646
R;Morimoto, R.I.; Hunt, C.; Huang, S.Y.; Berg, K.L.; Banerji, S.S.
J. Biol. Chem. 261, 12692-12699, 1986
A;Title: Organization, nucleotide sequence, and transcription of the chicken HSP70 gene.
A;Reference number: A25646; MUID:86304452
A;Accession: A25646
A;Molecule type: DNA
A;Residues: 1-634 <MOR>
A;Cross-references: GB:J02579; NID:g211940; PIDN:AAA48825.1; PID:g211941
A;Note: the authors translated the codon TCG for residue 583 as Trp
C;Function:
A;Description: involved in protein folding and assembling/disassembling of protein comp
C;Superfamily: heat shock protein 70
C;Keywords: ATP; molecular chaperone

Query Match      87.0%; Score 40; DB 2; Length 634;
Best Local Similarity 88.9%; Pred. No. 2.5;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
    |||||
Db 289 SLFEGIDFY 297

RESULT 13
A48872
dnak-type molecular chaperone hspB - slime mold (Dictyostellium discoideum) (fragment)
N;Alternate names: 70kd heat shock cognate protein aginactin; F-actin capping protein ag
C;Species: Dictyostellium discoideum
C;Date: 19-May-1995 #sequence_revision 19-May-1995 #text_change 20-Aug-1999
C;Accession: A48872
R;Eddy, R.J.; Sauterer, R.A.; Condeelis, J.S.
J. Biol. Chem. 268, 23267-23274, 1993
A;Title: Aginactin, an agonist-regulated F-actin capping activity is associated with an
A;Reference number: A48872; MUID:94043116
A;Accession: A48872
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-636 <EDD>
A;Cross-references: GB:L22736; NID:g433179; PIDN:AAA33219.1; PID:g433180
A;Note: authors translated the codon ACA for residue 10 as Pro, GCT for residue 60 as Va
C;Function:
A;Description: involved in protein folding and assembling/disassembling of protein comp
C;Superfamily: heat shock protein 70
C;Keywords: ATP; molecular chaperone

Query Match      87.0%; Score 40; DB 2; Length 636;
Best Local Similarity 88.9%; Pred. No. 2.5;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
    |||||
Db 280 SLFEGIDFY 288

RESULT 14
S31766
dnak-type molecular chaperone hsp70 - green monkey
N;Alternate names: heat shock protein 70
C;Species: Cercopithecus aethiops (green monkey, grivet)
C;Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 20-Aug-1999
C;Accession: S31766; I36927
R;Sainis, I.; Angelidis, C.; Pagoulatos, G.; Lazaridis, I.
submitted to the EMBL Data Library, January 1993
A;Description: Nucleotide sequence of the cDNA encoding a monkey 70kd heat shock protein
A;Reference number: S31766
A;Accession: S31766
A;Molecule type: mRNA

N;Alternate names: heat shock protein 70IV - sea urchin (Paracentrotus lividus)
N;Alternate names: heat shock protein 70IV; hsp70IV protein
C;Species: Paracentrotus lividus (common urchin)
C;Date: 10-Jun-1993 #sequence_revision 10-Jun-1993 #text_change 20-Aug-1999
C;Accession: JCI391
R;Sconzo, G.; Scardina, G.; Ferraro, M.G.
Gene 121, 353-358, 1992
A;Title: Characterization of a new member of the sea urchin Paracentrotus lividus hsp
A;Reference number: JCI391; MUID:93077053
A;Accession: JCI391
A;Molecule type: DNA
A;Residues: 1-639 <SCO>
A;Cross-references: EMBL:X61379; NID:g312916; PIDN:CAA43653.1; PID:g312917
C;Genetics:
A;Gene: hsp70IV
A;Introns: 61/2
C;Function:
A;Description: involved in protein folding and assembling/disassembling of protein co
C;Superfamily: heat shock protein 70
C;Keywords: ATP; heat shock; molecular chaperone; stress-induced protein

Query Match      87.0%; Score 40; DB 2; Length 639;
Best Local Similarity 88.9%; Pred. No. 2.5;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
    |||||
Db 286 SLFEGIDFY 294

Search completed: December 6, 2001, 07:58:26
Job time: 274 sec
```

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:58:27 ; Search time 88.19 Seconds
(without alignments)
7.774 Million cell updates/sec

Title: PEP1-MOD8F
Perfect score: 48
Sequence: 1 SLFEGIDFY 9

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 219241 seqs, 76174552 residues

Total number of hits satisfying chosen parameters: 219241

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : PIR_68: *
1: pir1: *
2: pir2: *
3: pir3: *
4: pir4: *

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	48	100.0	208	2 B44261	dnak-type molecule
2	48	100.0	278	2 IS1344	dnak-type molecule
3	48	100.0	420	2 A26283	dnak-type molecule
4	48	100.0	467	2 T45477	heat-shock protein
5	48	100.0	467	2 T45479	heat-shock protein
6	48	100.0	468	2 T45476	heat-shock protein
7	48	100.0	469	2 T45478	heat-shock protein
8	48	100.0	617	2 H96605	probable heat shock
9	48	100.0	632	2 T45471	dnak-type molecule
10	48	100.0	634	2 A25646	dnak-type molecule
11	48	100.0	636	2 A48872	dnak-type molecule
12	48	100.0	638	2 S31766	dnak-type molecule
13	48	100.0	639	2 JCI391	dnak-type molecule
14	48	100.0	639	2 S20139	dnak-type molecule
15	48	100.0	640	1 HHKW7A	dnak-type molecule
16	48	100.0	640	2 A29160	dnak-type molecule
17	48	100.0	640	2 S37394	dnak-type molecule
18	48	100.0	640	2 T21394	hypothetical prote
19	48	100.0	640	2 T43724	dnak-type molecule
20	48	100.0	641	2 S53357	dnak-type molecule
21	48	100.0	641	2 S35718	dnak-type molecule
22	48	100.0	641	2 IS4542	dnak-type molecule
23	48	100.0	641	2 A45871	dnak-type molecule
24	48	100.0	642	1 HBBYAI	dnak-type molecule
25	48	100.0	642	2 JH0095	dnak-type molecule
26	48	100.0	642	2 B36590	dnak-type molecule
27	48	100.0	644	2 A45635	dnak-type molecule
28	48	100.0	645	2 IS1129	dnak-type molecule
29	48	100.0	646	2 T46650	heat shock protein

30 48 100.0 647 1 HHXL70 dnak-type molecule
31 48 100.0 647 2 S44168 dnak-type molecule
32 48 100.0 647 2 T41121 heat shock protein
33 48 100.0 650 2 JC7088 dnak-type molecule
34 47 97.9 214 2 A03309 dnak-type molecule
35 47 97.9 379 2 I46588 heat-shock protein
36 47 97.9 467 2 T45473 heat-shock protein
37 47 97.9 467 2 T45474 heat-shock protein
38 47 97.9 641 2 JN0668 dnak-type molecule
39 47 97.9 641 2 PC7036 heat shock protein
40 47 97.9 643 2 S25585 dnak-type molecule
41 47 97.9 643 2 S09036 dnak-type molecule
42 47 97.9 651 2 T45517 heat shock protein
43 47 97.9 651 2 JC7132 heat shock protein
44 45 93.8 209 2 S48024 dnak-type molecule
45 45 93.8 209 2 S48025 dnak-type molecule

ALIGNMENTS

RESULT 1

B44261
dnak-type molecular chaperone HSC70 - California sea hare (fragment)
N:Alternate names: heat shock protein 70 homolog HSC70
C:Species: Aplysia californica (California sea hare)
C:Date: 04-Sep-1998 #sequence_revision 04-Sep-1998 #text_change 13-Aug-1999
C:Accession: B44261
R:Kuhl, D.; Kennedy, T.E.; Barzilai, A.; Kandel, E.R.
J. Cell Biol. 119, 1069-1076, 1992
A:Title: Long-term sensitization training in Aplysia leads to an increase in the expr
A:Reference number: A44261; MUID:93077669
A:Accession: B44261
A:Status: preliminary; not compared with conceptual translation
A:Molecule type: nucleic acid
A:Residues: 1-208 <KUH>
A:Note: sequence extracted from NCBI backbone (NCBIP:118950)
C:Genetics:
A:Gene: HSC70
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein co
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match 100.0%; Score 48; DB 2; Length 208;
Best Local Similarity 100.0%; Pred. No. 0.028;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 1 SLFEGIDFY 9

DB 132 SLFEGIDFY 140

RESULT 2

IS1344
dnak-type molecular chaperone (clone pHS70.7) - rainbow trout (fragment)
N:Alternate names: 70K heat shock protein
C:Species: Oncorhynchus mykiss (rainbow trout)
C:Date: 21-Feb-1997 #sequence_revision 21-Feb-1997 #text_change 20-Aug-1999
C:Accession: IS1344
R:Kothary, R.K.; Jones, D.; Candido, E.P.M.
Mol. Cell. Biol. 4, 1785-1791, 1984
A:Title: 70-kilodalton heat shock polypeptides from rainbow trout: Characterization o
A:Reference number: IS1344; MUID:85036330
A:Accession: IS1344
A:Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-278 <KOT>
A:Cross-references: GB:K02549; NID:g213803; PIDN:AAA49562.1; PID:g213804
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein co
C:Superfamily: heat shock protein 70

C;Keywords: ATP; molecular chaperone

Query Match 100.0%; Score 48; DB 2; Length 278;
Best Local Similarity 100.0%; Pred. No. 0.039;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
|||||

Db 156 SLFEGIDFY 164

RESULT 3

A26283
dnak-type molecular chaperone - mouse (fragment)

N;Alternate names: heat shock protein 68

C;Species: Mus musculus (house mouse)

C;Date: 19-Nov-1988 #sequence_revision 19-Nov-1988 #text_change 20-Aug-1999

C;Accession: A26283

R;Lowe, D.G.; Moran, L.A.

J. Biol. Chem. 261, 2102-2112, 1986

A;Title: Molecular cloning and analysis of DNA complementary to three mouse Mr=68,000 he

A;Reference number: A26283; MUID:86111900

A;Accession: A26283

A;Molecule type: mRNA

A;Residues: 1-420 <LOW>

A;Cross-references: GB:M12571; NID:g194014; PIDN:AAA57234.1; PID:g387208

A;Note: the authors translated the codon CTG for residue 173 as Val and CGC for residue

C;Function:

A;Description: Involved in protein folding and assembling/disassembling of protein comp

C;Superfamily: heat shock protein 70

C;Keywords: ATP; molecular chaperone

Query Match 100.0%; Score 48; DB 2; Length 420;
Best Local Similarity 100.0%; Pred. No. 0.061;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
|||||

Db 65 SLFEGIDFY 73

RESULT 4

T45477
heat-shock protein 70 [imported] - Chondrosia reniformis (fragment)

C;Species: Chondrosia reniformis

C;Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000

C;Accession: T45477

R;Borchelli, C.; Le Parco, Y.

submitted to the EMBL Data Library, September 1997

A;Reference number: 222983

A;Accession: T45477

A;Status: preliminary; translated from GB/EMBL/DBJ

A;Molecule type: mRNA

A;Residues: 1-467 <BOR>

A;Cross-references: EMBL:AF026517; PIDN:AAC05362.1

C;Genetics:

A;Gene: Hsp70

C;Superfamily: heat shock protein 70

Query Match 100.0%; Score 48; DB 2; Length 467;
Best Local Similarity 100.0%; Pred. No. 0.068;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
|||||

Db 252 SLFEGIDFY 260

RESULT 5

T45479

heat-shock protein 70 [imported] - Eunicella cavolini (fragment)
C;Species: Eunicella cavolini

C;Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000

C;Accession: T45479

R;Borchelli, C.; Le Parco, Y.

submitted to the EMBL Data Library, September 1997

A;Reference number: 222983

A;Accession: T45479

A;Status: preliminary; translated from GB/EMBL/DBJ

A;Molecule type: mRNA

A;Residues: 1-467 <BOR>

A;Cross-references: EMBL:AF026520; PIDN:AAC05364.1

C;Genetics:

A;Gene: Hsp70

C;Superfamily: heat shock protein 70

Query Match 100.0%; Score 48; DB 2; Length 467;
Best Local Similarity 100.0%; Pred. No. 0.068;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
|||||

Db 252 SLFEGIDFY 260

RESULT 6

T45476

heat-shock protein 70 [imported] - Funiculina quadrangularis (fragment)

C;Species: Funiculina quadrangularis

C;Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000

C;Accession: T45476

R;Borchelli, C.; Le Parco, Y.

submitted to the EMBL Data Library, September 1997

A;Reference number: 222983

A;Accession: T45476

A;Status: preliminary; translated from GB/EMBL/DBJ

A;Molecule type: mRNA

A;Residues: 1-468 <BOR>

A;Cross-references: EMBL:AF026516; PIDN:AAC05361.1

C;Genetics:

A;Gene: Hsp70

C;Superfamily: heat shock protein 70

Query Match 100.0%; Score 48; DB 2; Length 468;
Best Local Similarity 100.0%; Pred. No. 0.068;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
|||||

Db 253 SLFEGIDFY 261

RESULT 7

T45478

heat-shock protein 70 [imported] - Eunicella cavolini (fragment)

C;Species: Eunicella cavolini

C;Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000

C;Accession: T45478

R;Borchelli, C.; Le Parco, Y.

submitted to the EMBL Data Library, September 1997

A;Reference number: 222983

A;Accession: T45478

A;Status: preliminary; translated from GB/EMBL/DBJ

A;Molecule type: mRNA

A;Residues: 1-469 <BOR>

A;Cross-references: EMBL:AF026518; PIDN:AAC05363.1

C;Genetics:

A;Gene: Hsp70

C;Superfamily: heat shock protein 70

Query Match 100.0%; Score 48; DB 2; Length 469;
Best Local Similarity 100.0%; Pred. No. 0.069;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
|||||

DB 254 SLFEGIDFY 262

RESULT 8
H96605
Probable heat shock protein [imported] - Arabidopsis thaliana
C:Species: Arabidopsis thaliana (mouse-ear cress)
C:Date: 02-Mar-2001 #sequence_revision 02-Mar-2001 #text_change 23-Mar-2001
C:Accession: H96605
R:Theologos, A.; Ecker, J.R.; Palm, C.J.; Federspiel, N.A.; Kaul, S.; White, O.; Alonso,
Chin, C.W.; Chung, M.K.; Conn, L.; Conway, A.B.; Conway, T.H.; Dewar, K.;
ansen, N.F.; Hughes, B.; Hulzar, L.
Nature 408, 816-820, 2000
A:Authors: Hunter, J.L.; Jenkins, J.; Johnson-Hopson, C.; Khan, S.; Khaykin, E.; Kim, C.
A.; Li, J.H.; Li, Y.; Lin, X.; Liu, S.X.; Liu, Z.A.; Lueros, J.S.; Maiti, R.; Marziani,
Rizzo, M.; Rooney, T.; Rowley, D.; Sakano, H.
A:Authors: Salzberg, S.L.; Schwartz, J.R.; Shinn, P.; Southwick, A.M.; Sun, H.; Tallon,
ker, M.; Wu, D.; Yu, G.; Fraser, C.M.; Venter, J.C.; Davis, R.W.
A:Title: Sequence and analysis of chromosome 1 of the plant Arabidopsis.
A:Reference number: A86141; MUID:21016719
A:Accession: H96605
A:Status: preliminary
A:Molecule type: DNA
A:Residues: 1-617 <STO>
A:Cross-references: GB:AE005173; NID:gil024845; PIDN:AAG26930.1; GSPDB:GN00141
C:Genetics:
A:Gene: F13N6.9
A:Map position: 1
C:Superfamily: heat shock protein 70

Query Match 100.0%; Score 48; DB 2; Length 617;
Best Local Similarity 100.0%; Pred. No. 0.093;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
|||||

DB 292 SLFEGIDFY 300

RESULT 9
T45471
dnaK-type molecular chaperone hsc70 [imported] - slime mold (Dictyostelium discoideum)
N:Alternate names: heat shock cognate protein 70
C:Species: Dictyostelium discoideum
C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 18-Feb-2000
C:Accession: T45471
R:Boves, H.; Mintert, U.; Dittlich, W.; Faix, J.; Gerisch, G.
submitted to the EMBL Data Library, September 1997
A:Reference number: Z22980
A:Accession: T45471
A:Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-632 <BOV>
A:Cross-references: EMBL:AF025951; PIDN:AA81865.1
A:Experimental source: strain AX3
C:Genetics:
A:Gene: hsc70
A:Note: localized to filopodias and cortex
C:Superfamily: heat shock protein 70

Query Match 100.0%; Score 48; DB 2; Length 632;
Best Local Similarity 100.0%; Pred. No. 0.095;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9

DB 285 SLFEGIDFY 293
|||||

RESULT 10
A25646

dnak-type molecular chaperone - chicken
N:Alternate names: heat shock protein 70
C:Species: Gallus gallus (chicken)
C:Date: 19-Nov-1988 #sequence_revision 19-Nov-1988 #text_change 20-Aug-1999
C:Accession: A25646
R:Morimoto, R.I.; Hunt, C.; Huang, S.Y.; Berg, K.L.; Banerji, S.S.
J. Biol. Chem. 261, 12692-12699, 1986
A:Title: Organization, nucleotide sequence, and transcription of the chicken HSP70 ge
A:Reference number: A25646; MUID:86304452
A:Accession: A25646
A:Molecule type: DNA
A:Residues: 1-634 <MOR>
A:Cross-references: GB:J02579; NID:g211940; PIDN:AAA48825.1; PID:g211941
A:Note: the authors translated the codon TCG for residue 583 as Trp
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein co
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match 100.0%; Score 48; DB 2; Length 634;
Best Local Similarity 100.0%; Pred. No. 0.095;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
|||||

DB 289 SLFEGIDFY 297

RESULT 11
A48872
dnak-type molecular chaperone hspB - slime mold (Dictyostelium discoideum) (fragment)
N:Alternate names: 70k heat shock cognate protein aginactin; F-actin capping protein
C:Species: Dictyostelium discoideum
C:Date: 19-May-1995 #sequence_revision 19-May-1995 #text_change 20-Aug-1999
C:Accession: A48872
R:Eddy, R.J.; Sauterer, R.A.; Condeelis, J.S.
J. Biol. Chem. 268, 23267-23274, 1993
A:Title: Aginactin, an agonist-regulated F-actin capping activity is associated with
A:Reference number: A48872; MUID:94043116
A:Accession: A48872
A:Status: preliminary
A:Molecule type: mRNA
A:Residues: 1-636 <EDD>
A:Cross-references: GB:L22736; NID:g433179; PIDN:AAA33219.1; PID:g433180
A:Note: authors translated the codon ACA for residue 10 as Pro, GCT for residue 60 as
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein co
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match 100.0%; Score 48; DB 2; Length 636;
Best Local Similarity 100.0%; Pred. No. 0.096;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
|||||

DB 280 SLFEGIDFY 288

RESULT 12
S31766
dnak-type molecular chaperone hsp70 - green monkey
N:Alternate names: heat shock protein 70
C:Species: Cercopithecus aethiops (green monkey, grivet)
C:Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 20-Aug-1999

C;Accession: S31766; I36927
 R;Sainis, I.; Angelidis, C.; Pagoulatos, G.; Lazaridis, I.
 submitted to the EMBL Data Library, January 1993
 A;Description: Nucleotide sequence of the cDNA encoding a monkey 70kd heat shock protein
 A;Reference number: S31766
 A;Accession: S31766
 A;Molecule type: mRNA
 A;Residues: 1-638 <SAI>
 R;Sainis, I.; Angelidis, C.; Pagoulatos, G.; Lazaridis, I.
 FEBS Lett. 355, 282-286, 1994
 A;Title: The hsc70 gene which is slightly induced by heat is the main virus inducible me
 A;Reference number: I36927; MUID:95080396
 A;Accession: I36927
 A;Status: preliminary; translated from GB/EMBL/DBJ
 A;Molecule type: mRNA
 A;Residues: 1-638 <RES>
 A;Cross-references: EMBL:X70684; NID:g22781; PIDN:CAA50019.1; PID:g22782
 A;Experimental source: kidney; cell line COS-1
 C;Genetics:
 A;Gene: hsp70
 C;Function:
 A;Description: involved in protein folding and assembling/disassembling of protein comp
 C;Superfamily: heat shock protein 70
 C;Keywords: ATP; molecular chaperone

Query Match 100.0%; Score 48; DB 2; Length 638;
 Best Local Similarity 100.0%; Pred. No. 0.096;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 SLFEGIDFY 9
 |||||
 Db 284 SLFEGIDFY 292

RESULT 13
 JC1391
 dnaK-type molecular chaperone 70IV - sea urchin (Paracentrotus lividus)
 N;Alternate names: heat shock protein 70IV; hsp70IV protein
 C;Species: Paracentrotus lividus (common urchin)
 C;Date: 10-Jun-1993 #sequence_revision 10-Jun-1993 #text_change 20-Aug-1999
 C;Accession: JC1391
 R;Sconzo, G.; Scardina, G.; Ferraro, M.G.
 Gene 121, 353-358, 1992
 A;Title: Characterization of a new member of the sea urchin Paracentrotus lividus hsp70
 A;Reference number: JC1391; MUID:93077053
 A;Accession: JC1391
 A;Molecule type: DNA
 A;Residues: 1-639 <SCO>
 C;Genetics:
 A;Gene: hsp70IV
 A;Introns: 61/2
 C;Function:
 A;Description: involved in protein folding and assembling/disassembling of protein comp
 C;Superfamily: heat shock protein 70
 C;Keywords: ATP; heat shock; molecular chaperone; stress-induced protein

Query Match 100.0%; Score 48; DB 2; Length 639;
 Best Local Similarity 100.0%; Pred. No. 0.096;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 SLFEGIDFY 9
 |||||
 Db 286 SLFEGIDFY 294

RESULT 14
 S20139
 dnaK-type molecular chaperone SSA2 - yeast (Saccharomyces cerevisiae)
 N;Alternate names: heat shock protein YG102; protein I0971; protein YLL024c
 C;Species: Saccharomyces cerevisiae

C;Date: 07-May-1993 #sequence_revision 07-May-1993 #text_change 20-Jun-2000
 C;Accession: S20139; S64772; S64775; S69383
 R;Slater, M.R.; Craig, E.A.
 Nucleic Acids Res. 17, 805-806, 1989
 A;Title: The SSA1 and SSA2 genes of the yeast Saccharomyces cerevisiae.
 A;Reference number: S20139; MUID:89128457
 A;Accession: S20139
 A;Status: translation not shown
 A;Molecule type: DNA
 A;Residues: 1-639 <SLA>
 A;Cross-references: EMBL:X12927; NID:g4545; PIDN:CAA31394.1; PID:g4546
 R;Goffeau, A.; Purnelle, B.
 submitted to the Protein Sequence Database, May 1996
 A;Reference number: S64761
 A;Accession: S64772
 A;Molecule type: DNA
 A;Residues: 1-639 <GOF>
 A;Cross-references: EMBL:Z73129; NID:gl360201; PIDN:CAA97472.1; PID:gl360202; MIPS:YL
 A;Experimental source: strain S288C
 R;Purnelle, B.; Goffeau, A.
 submitted to the EMBL Data Library, April 1996
 A;Description: The sequence of 32 kb on the left arm of yeast chromosome XII reveals
 mily and a new ABC transporter homologous to the human multidrug resistance protein.
 A;Reference number: S69380
 A;Accession: S69383
 A;Molecule type: DNA
 A;Residues: 1-639 <PUR>
 A;Cross-references: EMBL:X97560; NID:gl297003; PIDN:CAA66167.1; PID:gl297007
 C;Genetics:
 A;Gene: SGD:SSA2
 A;Cross-references: MIPS:YLL024c; SGB:S0003947
 A;Map position: 12L
 C;Function:
 A;Description: involved in protein folding and assembling/disassembling of protein co
 C;Superfamily: heat shock protein 70
 C;Keywords: ATP; molecular chaperone

Query Match 100.0%; Score 48; DB 2; Length 639;
 Best Local Similarity 100.0%; Pred. No. 0.096;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 SLFEGIDFY 9
 |||||
 Db 283 SLFEGIDFY 291

RESULT 15
 HHKW7A
 dnaK-type molecular chaperone hsp70A - Caenorhabditis elegans
 N;Alternate names: heat shock protein 70 A
 C;Species: Caenorhabditis elegans
 C;Date: 30-Jun-1989 #sequence_revision 30-Jun-1989 #text_change 22-Jun-1999
 C;Accession: JT0285
 R;Snutch, T.P.; Heschl, M.F.P.; Baillie, D.L.
 Gene 64, 241-255, 1988
 A;Title: The Caenorhabditis elegans hsp70 gene family: a molecular genetic characteri
 A;Reference number: JT0285; MUID:88297155
 A;Accession: JT0285
 A;Molecule type: DNA; mRNA
 A;Residues: 1-640 <SNU>
 A;Cross-references: GB:M18540; NID:gl56351; PIDN:AAA28078.1; PID:gl56352
 A;Note: genomic clones representing six distinct members of the hsp70 gene family wer
 A;Note: transcripts of hsp70A are abundant in control worms and also increase two- to
 A;Note: one of the three introns in hsp70A is in a position similar to an intron in D

C:Genetics:
A:Gene: hsp70A
A:Map position: IV
A:Introns: 69/1; 331/3; 558/3
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein complex
C:Superfamily: heat shock protein 70
C:Keywords: ATP; heat shock; molecular chaperone; stress-induced protein

Query Match 100.0%; Score 48; DB 1; Length 640;
Best Local Similarity 100.0%; Pred. No. 0.096;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
Db 287 SLFEGIDFY 295
|||||

Search completed: December 6, 2001, 07:58:27
Job time: 275 sec

THIS PAGE BLANK (USPTO)

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 08:04:03 ; Search time 184.09 Seconds
(without alignments)
3.621 Million cell updates/sec

Title: PEPL-MOD8F
Perfect score: 48
Sequence: 1 SLFEGIDFY 9

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 522463 seqs, 74073290 residues

Total number of hits satisfying chosen parameters: 522463

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

A_Geneseq_1101.*
1: /SID88/gcgdata/geneseq/geneseq/AA1980.DAT.*
2: /SID88/gcgdata/geneseq/geneseq/AA1981.DAT.*
3: /SID88/gcgdata/geneseq/geneseq/AA1982.DAT.*
4: /SID88/gcgdata/geneseq/geneseq/AA1983.DAT.*
5: /SID88/gcgdata/geneseq/geneseq/AA1984.DAT.*
6: /SID88/gcgdata/geneseq/geneseq/AA1985.DAT.*
7: /SID88/gcgdata/geneseq/geneseq/AA1986.DAT.*
8: /SID88/gcgdata/geneseq/geneseq/AA1987.DAT.*
9: /SID88/gcgdata/geneseq/geneseq/AA1988.DAT.*
10: /SID88/gcgdata/geneseq/geneseq/AA1989.DAT.*
11: /SID88/gcgdata/geneseq/geneseq/AA1990.DAT.*
12: /SID88/gcgdata/geneseq/geneseq/AA1991.DAT.*
13: /SID88/gcgdata/geneseq/geneseq/AA1992.DAT.*
14: /SID88/gcgdata/geneseq/geneseq/AA1993.DAT.*
15: /SID88/gcgdata/geneseq/geneseq/AA1994.DAT.*
16: /SID88/gcgdata/geneseq/geneseq/AA1995.DAT.*
17: /SID88/gcgdata/geneseq/geneseq/AA1996.DAT.*
18: /SID88/gcgdata/geneseq/geneseq/AA1997.DAT.*
19: /SID88/gcgdata/geneseq/geneseq/AA1998.DAT.*
20: /SID88/gcgdata/geneseq/geneseq/AA1999.DAT.*
21: /SID88/gcgdata/geneseq/geneseq/AA2000.DAT.*
22: /SID88/gcgdata/geneseq/geneseq/AA2001.DAT.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	48	100.0	10	22	Heat shock protein
2	48	100.0	554	21	Human heat shock p
3	48	100.0	554	21	Human heat shock p
4	48	100.0	554	21	Human heat shock p
5	48	100.0	554	21	Human heat shock p
6	48	100.0	624	21	Human Hsp72 (heat
7	48	100.0	634	11	Gallus gallus Hsp
8	48	100.0	640	11	Human Hsp70
9	48	100.0	640	18	Homo sapiens HSP (
10	48	100.0	640	21	Human heat shock p
11	48	100.0	640	21	Human heat shock p

12	48	100.0	640	21	AA198411	Human heat shock p
13	48	100.0	641	14	AA198404	Mature mouse sperm
14	48	100.0	641	19	AA198439	Human heat shock 7
15	48	100.0	641	21	AA198432	Human heat shock p
16	48	100.0	641	22	AA198434	Human heat shock p
17	48	100.0	642	21	AA198435	Rat heat shock pro
18	48	100.0	642	21	AA198436	Xenopus laevis HSP
19	47	97.9	643	18	AA198437	Marmoset intracell
20	47	97.9	665	21	AA198438	Lung cancer associ
21	45	93.8	91	21	AA198439	Human secreted pro
22	45	93.8	253	21	AA198440	Arabidopsis thalia
23	45	93.8	279	21	AA198441	Arabidopsis thalia
24	45	93.8	342	21	AA198442	Arabidopsis thalia
25	45	93.8	646	11	AA198443	Rat HSP (rathsp70)
26	45	93.8	646	19	AA198444	Heat shock cognate
27	45	93.8	646	20	AA198445	Human heat shock c
28	45	93.8	646	20	AA198446	Mouse heat shock c
29	45	93.8	646	21	AA198447	Mouse heat shock p
30	45	93.8	646	21	AA198448	Human heat shock p
31	45	93.8	646	22	AA198449	Human heat shock p
32	45	93.8	656	18	AA198450	Candida albicans h
33	45	93.8	890	21	AA198451	GFP-HSC70 fusion p
34	44	91.7	633	14	AA198452	Mouse SLIP1 homolo
35	42	87.5	9	21	AA198453	Heat shock protein
36	42	87.5	9	22	AA198454	Heat shock protein
37	42	87.5	10	21	AA198455	Heat shock protein
38	42	87.5	10	22	AA198456	Heat shock protein
39	41	85.4	421	21	AA198457	Arabidopsis thalia
40	41	85.4	542	21	AA198458	Arabidopsis thalia
41	41	85.4	623	21	AA198459	Arabidopsis thalia
42	41	85.4	646	11	AA198460	Zea mays HSP (mzeh
43	41	85.4	646	21	AA198461	Arabidopsis thalia
44	38	79.2	647	20	AA198462	T. gondii antigen
45	38	79.2	647	22	AA198463	Toxoplasma gondii

ALIGNMENTS

RESULT 1

AA198463
ID AAB97603 standard; peptide; 10 AA.

AC AAB97603;

DT 30-JUL-2001 (first entry)

DE Heat shock protein 70 (HSP70) peptidic fragment 3.

KW HSP; HSP70; heat shock protein 70; cancer; chronic infectious disease; vaccine; HSP-peptide complex; tumour; peptidic fragment; lymphocyte; cytotoxic response; epitope; antigen presenting cell; fragment 3.

OS Homo sapiens.

PN WO200129190-A1.

PD 26-APR-2001.

PF 29-SEP-2000; 2000WO-EP09530.

PR 15-OCT-1999; 99EP-0120484.

PA (IDMI-) IDM IMMUNO-DESIGNED MOLECULES.

PI Abastado JP, Bartholeyns J;

DR WPI; 2001-290909/30.

XX Lymphocytes useful for treating cancer, recognizes specifically transformed human cells with induced and increased membrane expression of heat shock protein -

PS Claim 8; Page 15; 2lpp; English.

XX The amino acid sequence of fragment 3 relating to position 286-295 of
XX human heat shock protein 70 (HSP70) is given. The new invention relates
CC to lymphocytes which recognise cells of a patient in which overexpression
CC of HSP has been induced. Overexpression of HSP leads to a substantial
CC increase in the numbers of HSPs and HSP epitopes presented on the
CC pericellular membrane. Recognition of increased numbers of HSP epitopes
CC on cell pericellular membranes by lymphocytes elicits a cytotoxic
CC response which kills the target cells. As a further embodiment of the
CC invention, HSP70 epitopes are mutated prior to being loaded into antigen
CC presenting cells. This has the effect of increasing the immune response
CC to HSP and helps direct the immune response to specific cells, (e.g.
CC cancer cells). HSP70 fragments are useful for treating cancer or
CC intracellular infections by vaccination. The tolerance of the organism to
CC the tumour or to the virus associated HSP is broken using an immunogenic
CC mutated form of HSP and induction of a stress on the target tumoural or
CC intracellular infected cells.

XX Sequence 10 AA;

Query Match 100.0%; Score 48; DB 22; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0012; Indels 0; Gaps 0;
Matches 9; Conservative 0; Mismatches 0;

QY 1 SLFEGIDFY 9
Db | | | | | | | | | |
1 slfegidfy 9

RESULT 2

AAAY88409
ID AAY88409 standard; Protein; 554 AA.

XX AC AAY88409;

XX 31-JUL-2000 (first entry)

XX Human heat shock protein SHSP70 amino acid sequence.

XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
KW depression; nephrotic syndrome; SHSP70.

XX Homo sapiens.

XX JP2000069999-A.

XX 07-MAR-2000.

XX 01-JUN-1995; 99JP-0257146.

XX 01-JUN-1995; 95JP-0158581.

XX (HOKE-) HOKEN KAGAKU KENKYUSHO KK.

XX WPI; 2000-264458/23.

XX N-PSDB; AAA15621.

XX Abnormal transcription of intracellular HSP70mRNA under acute and
PT chronic continuous load of stress in a human being and its application

XX Examples; Fig 2; 1lpp; Japanese.

XX This sequence represents the human heat shock protein SHSP70 amino acid
CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
CC and 14q22-24. The invention relates to the abnormal transcription of
CC intracellular HSP70mRNA under acute and chronic stress load in a human.
CC The abnormal transcription of HSP70 can be used in the improvement of
CC stress and response and diagnosis of stress diseases including
CC rheumatism, schizophrenia, depression and nephrotic syndrome.

XX SQ Sequence 554 AA;

Query Match 100.0%; Score 48; DB 21; Length 554;
Best Local Similarity 100.0%; Pred. No. 0.11; Indels 0; Gaps 0;
Matches 9; Conservative 0; Mismatches 0;

QY 1 SLFEGIDFY 9
Db | | | | | | | | | |
200 slfegidfy 208

RESULT 3

AAAY88410

ID AAY88410 standard; Protein; 554 AA.

XX AC AAY88410;

XX 31-JUL-2000 (first entry)

XX Human heat shock protein SHSP70 amino acid sequence.

XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
KW depression; nephrotic syndrome; SHSP70.

XX Homo sapiens.

XX JP2000069999-A.

XX 07-MAR-2000.

XX 01-JUN-1995; 99JP-0257146.

XX 01-JUN-1995; 95JP-0158581.

XX (HOKE-) HOKEN KAGAKU KENKYUSHO KK.

XX WPI; 2000-264458/23.

XX N-PSDB; AAA15622.

XX Abnormal transcription of intracellular HSP70mRNA under acute and
PT chronic continuous load of stress in a human being and its application

XX Disclosure; Fig 3; 1lpp; Japanese.

XX This sequence represents the human heat shock protein SHSP70 amino acid
CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
CC and 14q22-24. The invention relates to the abnormal transcription of
CC intracellular HSP70mRNA under acute and chronic stress load in a human.
CC The abnormal transcription of HSP70 can be used in the improvement of
CC stress and response and diagnosis of stress diseases including
CC rheumatism, schizophrenia, depression and nephrotic syndrome.

XX SQ Sequence 554 AA;

Query Match 100.0%; Score 48; DB 21; Length 554;
Best Local Similarity 100.0%; Pred. No. 0.11; Indels 0; Gaps 0;
Matches 9; Conservative 0; Mismatches 0;

QY 1 SLFEGIDFY 9
Db | | | | | | | | | |
200 slfegidfy 208

RESULT 4

AAAY88412

ID AAY88412 standard; Protein; 554 AA.

XX AC AAY88412;

```
XX 31-JUL-2000 (first entry)
XX Human heat shock protein SHSP70 amino acid sequence.
DE
DE Human heat shock protein SHSP70 amino acid sequence.
XX
KW Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
KW depression; nephrotic syndrome; SHSP70.
XX
OS Homo sapiens.
XX
XX JP2000069999-A.
XX
XX 07-MAR-2000.
XX
XX 01-JUN-1995; 99JP-0257146.
XX
XX 01-JUN-1995; 95JP-0158581.
XX
XX (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
XX
XX WPI; 2000-264458/23.
XX
XX Abnormal transcription of intracellular HSP70mRNA under acute and
XX chronic continuous load of stress in a human being and its application
XX -
XX Disclosure; Fig 5; 11pp; Japanese.
XX
XX This sequence represents the human heat shock protein SHSP70 amino acid
XX sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
XX and 14q22-24. The invention relates to the abnormal transcription of
XX intracellular HSP70mRNA under acute and chronic stress load in a human.
XX The abnormal transcription of HSP70 can be used in the improvement of
XX stress and response and diagnosis of stress diseases including
XX rheumatism, schizophrenia, depression and nephrotic syndrome.
XX
XX Sequence 554 AA;
XX
XX Query Match 100.0%; Score 48; DB 21; Length 554;
XX Best Local Similarity 100.0%; Pred. No. 0.11;
XX Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
XX
XX 1 SLFEGIDFY 9
XX | | | | | | | |
XX 200 slfegidfy 208
XX
XX RESULT 5
XX AAY88413
XX ID AAY88413 standard; Protein; 554 AA.
XX
XX AC AAY88413;
XX
XX 31-JUL-2000 (first entry)
XX
XX Human heat shock protein SHSP70 amino acid sequence.
XX
XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
XX chromosome 14q22-24; transcription; rheumatism; schizophrenia;
XX depression; nephrotic syndrome; SHSP70.
XX
XX Homo sapiens.
XX
XX JP2000069999-A.
XX
XX 07-MAR-2000.
XX
XX 01-JUN-1995; 99JP-0257146.
XX
XX 01-JUN-1995; 95JP-0158581.
XX
XX (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
XX
XX WPI; 2000-264458/23.
XX
XX Abnormal transcription of intracellular HSP70mRNA under acute and
XX chronic continuous load of stress in a human being and its application
XX -
XX Disclosure; Fig 5; 11pp; Japanese.
XX
XX This sequence represents the human heat shock protein SHSP70 amino acid
XX sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
XX and 14q22-24. The invention relates to the abnormal transcription of
XX intracellular HSP70mRNA under acute and chronic stress load in a human.
XX The abnormal transcription of HSP70 can be used in the improvement of
XX stress and response and diagnosis of stress diseases including
XX rheumatism, schizophrenia, depression and nephrotic syndrome.
XX
XX Sequence 554 AA;
XX
XX Query Match 100.0%; Score 48; DB 21; Length 554;
XX Best Local Similarity 100.0%; Pred. No. 0.11;
XX Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
XX
XX 1 SLFEGIDFY 9
XX | | | | | | | |
XX 200 slfegidfy 208
XX
XX RESULT 5
XX AAY88413
XX ID AAY88413 standard; Protein; 554 AA.
XX
XX AC AAY88413;
XX
XX 31-JUL-2000 (first entry)
XX
XX Human heat shock protein SHSP70 amino acid sequence.
XX
XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
XX chromosome 14q22-24; transcription; rheumatism; schizophrenia;
XX depression; nephrotic syndrome; SHSP70.
XX
XX Homo sapiens.
XX
XX JP2000069999-A.
XX
XX 07-MAR-2000.
XX
XX 01-JUN-1995; 99JP-0257146.
XX
XX 01-JUN-1995; 95JP-0158581.
XX
```

```
PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
XX
XX WPI; 2000-264458/23.
XX
XX Abnormal transcription of intracellular HSP70mRNA under acute and
XX chronic continuous load of stress in a human being and its application
XX -
XX Disclosure; Fig 6; 11pp; Japanese.
XX
XX This sequence represents the human heat shock protein SHSP70 amino acid
XX sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
XX and 14q22-24. The invention relates to the abnormal transcription of
XX intracellular HSP70mRNA under acute and chronic stress load in a human.
XX The abnormal transcription of HSP70 can be used in the improvement of
XX stress and response and diagnosis of stress diseases including
XX rheumatism, schizophrenia, depression and nephrotic syndrome.
XX
XX Sequence 554 AA;
XX
XX Query Match 100.0%; Score 48; DB 21; Length 554;
XX Best Local Similarity 100.0%; Pred. No. 0.11;
XX Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
XX
XX 1 SLFEGIDFY 9
XX | | | | | | | |
XX 200 slfegidfy 208
XX
XX RESULT 6
XX AAB23252
XX ID AAB23252 standard; Protein; 624 AA.
XX
XX AC AAB23252;
XX
XX 29-JAN-2001 (first entry)
XX
XX Human Hsp72 (heat shock protein 72).
XX
XX Human Hsp72; heat shock protein 72; chromosome 6p21.3; Hsp72 inhibitor;
XX expression modulator; JNK phosphatase inhibitor; antiproliferative;
XX drug screening; cancer; leukaemia; lymphoma; solid tumour; sarcoma;
XX carcinoma; breast cancer; prostate cancer; premalignant condition.
XX
XX Homo sapiens.
XX
XX WO200054814-A1.
XX
XX 21-SEP-2000.
XX
XX 17-MAR-2000; 2000WO-US07350.
XX
XX 18-MAR-1999; 99US-0125046.
XX
XX (PHYL-) PHYLOGENY INC.
XX
XX Volloch VZ, Sherman M;
XX
XX WPI; 2000-647056/62.
XX
XX N-PSDB; AAA97541.
XX
XX Identifying compounds that inhibit proliferation of cells and capable
XX of modulating the expression of heat shock protein 72 gene and/or
XX activity of Hsp72 useful for treating cancers such as leukemia,
XX lymphoma -
XX
XX Examples; Fig 16B; 77pp; English.
XX
XX The invention relates to a novel method of identifying compounds that
XX inhibit proliferation of cells comprising contacting a test compound with
XX a cell which overexpresses Hsp72 (heat shock protein 72), and determining
XX if the test compound inhibits activity or expression of Hsp72.
XX
```

Optionally, Hsp72 is contacted with the test compound under optimum conditions to allow the two components to interact and bind, forming a complex which is detected. The invention also relates to a method of identifying compounds that inhibit Hsp72-mediated JNK phosphatase activation, comprising contacting a test compound with a cell which expresses Hsp72, exposing the cell to a heat induced stress and determining if the compound inhibits JNK phosphatase activity. The invention additionally encompasses compositions comprising an inhibitor of Hsp72 or JNK phosphatase activity. The compounds identified as inhibitors of Hsp72 or JNK phosphatase activity are useful for inhibiting the proliferation of cells. Modulation of the activity of the JNK phosphatase or Hsp72 is used to treat a proliferative disorder such as cancers (e.g., leukemia, lymphoma, solid tumours such as sarcomas and carcinomas, breast cancer, prostate cancer). The compounds that inhibit Hsp72 activity can also be administered to treat premalignant conditions and to prevent progression to a neoplastic or malignant state. The compounds that inhibit Hsp72 function are administered to a patient having a disease or disorder mediated by an increase of Hsp72 expression or activity relative to normal levels. The present sequence represents human Hsp72 used in the exemplifications of the invention.

XX Sequence 624 AA;

Query Match 100.0%; Score 48; DB 21; Length 624;
Best Local Similarity 100.0%; Pred. No. 0.12;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLEEGIDFY 9
|||||

Db 286 slfegidfy 294

RESULT 7

AAR03930
ID AAR03930 standard; Protein; 634 AA.

XX AAR03930;

DT 30-AUG-1990 (first entry)

XX Gallus gallus HSP (chkhsp70).

DE Hsp70; heat shock protein; Trypanosoma cruzi; vaccines; HSP.

XX Gallus gallus.

XX Key Location/Qualifiers

FT Misc-difference 634 /note= "residue given as "O" in specification"

XX WO9002564-A.

XX 22-MAR-1990.

XX 12-SEP-1989; 89WO-0003955.

XX 12-SEP-1988; 88US-0243474.

XX (CODO-) CODON.

XX Dragon E, Faulds D, Sias S;

XX WPI; 1990-115820/15.

XX Proteins homologous to heat shock proteins from Trypanosoma cruzi - used in vaccines and diagnosis for species of eg Mycoplasma or Mycobacteria.

XX Disclosure; Fig 2.1-2.14; 86pp; English.

XX According to the legend of Fig 2, the G. gallus HSP sequence has 635 amino acid residues, the sequence itself has only 634, including "O" (?) at position 634.

CC Fig. 2 provides an alignment of heat shock proteins from a variety of organisms: 1. M.hypopneumoniae (Mhyhsp70 - AAR03922);
CC 2. Bacillus megaterium (Bmebsp70 - AAR03923);
CC 3. E. coli (dnaK - AAR03924);
CC 4. T. cruzi (tc70kd - AAR03925);
CC 5. T. cruzi (AAR03926);
CC 6. Rat rattus (rathsp70 - AAR03927);
CC 7. Xenopus laevis (xl70 - AAR03928);
CC 8. Homo sapiens (humhsp70 - AAR03929);
CC 9. Gallus gallus (chkhsp70 - AAR03930);
CC 10. Zea mays (mzebsp70 - AAR03931);
CC 11. Serratia marcescens (smahsp70 - AAR03932).
CC The proteins having homology to hsp's of T. cruzi can be used in vaccines and diagnosis involving e.g. Trypanosoma, Mycoplasma and Mycobacteria species.

XX Sequence 634 AA;

Query Match 100.0%; Score 48; DB 11; Length 634;
Best Local Similarity 100.0%; Pred. No. 0.12;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLEEGIDFY 9
|||||

Db 289 slfegidfy 297

RESULT 8

AAR03929
ID AAR03929 standard; Protein; 640 AA.

XX AAR03929;

DT 30-AUG-1990 (first entry)

XX Homo sapiens HSP (humhsp70).

DE Hsp70; heat shock protein; Trypanosoma cruzi; vaccines; HSP.

XX Homo sapiens.

XX Key Location/Qualifiers

FT Misc-difference 640 /note= "residue given as "O" in specification"

XX WO9002564-A.

XX 22-MAR-1990.

XX 12-SEP-1989; 89WO-0003955.

XX 12-SEP-1988; 88US-0243474.

XX (CODO-) CODON.

XX Dragon E, Faulds D, Sias S;

XX WPI; 1990-115820/15.

XX Proteins homologous to heat shock proteins from Trypanosoma cruzi - used in vaccines and diagnosis for species of eg Mycoplasma or Mycobacteria.

XX Disclosure; Fig 2.1-2.14; 86pp; English.

XX According to the legend of Fig 2, the H. sapiens HSP sequence has 641 amino acid residues, the sequence itself has only 640, including "O" (?) at position 640.

XX Fig. 2 provides an alignment of heat shock proteins from a variety of organisms: 1. M.hypopneumoniae (Mhyhsp70 - AAR03922);

CC 2. Bacillus megaterium (Bmebsp70 - AAR03923);

CC 3. E. coli (dnaK - AAR03924);

CC 4. T. cruzi (tc70kd - AAR03925);

CC 5. T. cruzi (AAR03926);
 CC 6. Rat rattus (rathsp70 - AAR03927);
 CC 7. xenopus laevis (xl70 - AAR03928);
 CC 8. Homo sapiens (humhsp70 - AAR03929);
 CC 9. Gallus gallus (chkhsp70 - AAR03930);
 CC 10. Zea mays (mzhsp70 - AAR03931);
 CC 11. Serratia marcescens (smahsp70 - AAR03932).
 CC The proteins having homology to hsp's of T. cruzi can be used in
 CC vaccines and diagnosis involving e.g. Trypanosoma, Mycoplasma and
 CC Mycobacteria species.
 XX
 SQ Sequence 640 AA;

Query Match 100.0%; Score 48; DB 11; Length 640;
 Best Local Similarity 100.0%; Pred. No. 0.12; Indels 0; Gaps 0;
 Matches 9; Conservative 0; Mismatches 0;

QY 1 SLFEGIDFY 9
 |||||
 Db 286 slfegidfy 294

RESULT 9
 AAW10065
 ID AAW10065 standard; Protein; 640 AA.

XX
 AC AAW10065;

XX
 DT 24-OCT-1997 (first entry)

XX
 DE Human heat shock protein 70.

XX
 KW Human; heat shock protein 70; HSP70; primer; probe; detection;
 KW Intracellular; abnormal transcription; acute; chronic; sustained;
 KW stress.

XX
 OS Homo sapiens.

XX
 PN JP08322577-A.

XX
 PD 10-DEC-1996.

XX
 PF 01-JUN-1995; 95JP-0158581.

XX
 PR 01-JUN-1995; 95JP-0158581.

XX
 PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.

XX
 DR WPI: 1997-081088/08.

XX
 DR N-PSDB; AAT58086.

XX
 PT Detection of abnormal transcription of HSP70 mRNA - using HSP70
 PT specific primer or probe, used in detection of human acute and
 PT chronic sustained stress load

XX
 PS Claim 1; Fig 1; 13pp; Japanese.

XX
 CC The cDNA encoding the present sequence, human heat shock protein 70
 CC (HSP70), is located on human chromosome 6p 21.3-22 and 14q 22-24
 CC and 21. Primers and probes based on the HSP70 cDNA coding
 CC sequence can be used to detect the abnormal transcription of
 CC intracellular HSP70 mRNA in human acute and chronic sustained
 CC stress load.

XX
 SQ Sequence 640 AA;

Query Match 100.0%; Score 48; DB 18; Length 640;
 Best Local Similarity 100.0%; Pred. No. 0.12; Indels 0; Gaps 0;
 Matches 9; Conservative 0; Mismatches 0;

QY 1 SLFEGIDFY 9

Db 286 slfegidfy 294
 |||||
 RESULT 10
 AAB23653
 ID AAB23653 standard; protein; 640 AA.

XX
 AC AAB23653;

XX
 DT 05-JAN-2001 (first entry)

XX
 DE Human heat shock protein Hsp70 protein sequence SEQ ID NO:5.

XX
 KW ATPase; Hsp70; heat shock protein; cytotoxic T lymphocyte; CTL;
 KW immune response; infectious disease; malaria; cytotoxic T cell;
 KW cytotaxic; immunostimulant; cellular immune response inducer;
 KW protozoacide; leukaemia; cancer.

XX
 OS Homo sapiens.

XX
 PN WO200049041-A1.

XX
 PD 24-AUG-2000.

XX
 PF 18-FEB-2000; 2000WO-JP00941.

XX
 PR 19-FEB-1999; 99JP-0041535.

XX
 PA (SUME) SUMITOMO ELECTRIC IND CO.

XX
 PI Shinbara N, Udono H, Yui K;

XX
 DR WPI: 2000-543748/49.

XX
 PT Fused protein capable of inducing cellular immune response, useful as
 PT active ingredient for drug compositions in preventing and/or treating
 PT infectious diseases such as malaria or cancer

XX
 PS Claim 3; Page 49-52; 72pp; Japanese.

XX
 CC The present invention describes a fused protein (I) prepared from a
 CC peptide containing a CTL (cytotoxic T lymphocyte) epitope recognised by
 CC cytotoxic T cells and a protein containing the ATPase domain of a heat
 CC shock protein. Also described are: (1) a drug composition containing (I)
 CC as active ingredient; (2) a DNA encoding (I); (3) an expression vector
 CC containing the DNA of (2); and (4) a transformant which can retain the
 CC expression vector of (3). (I) has cytostatic, immunostimulant and
 CC protozoacide activities, and can be used as a cellular immune response
 CC inducer. The protein is useful as an active ingredient for drug
 CC compositions in preventing and/or treating infectious diseases such as
 CC malaria or cancer e.g. to provide systemic immunity against leukaemia.
 CC The present sequence represents a specifically claimed heat shock
 CC protein for use in a fused protein of the present invention.

XX
 SQ Sequence 640 AA;

Query Match 100.0%; Score 48; DB 21; Length 640;
 Best Local Similarity 100.0%; Pred. No. 0.12; Indels 0; Gaps 0;
 Matches 9; Conservative 0; Mismatches 0;

QY 1 SLFEGIDFY 9
 |||||
 Db 286 slfegidfy 294

RESULT 11
 AAY88408
 ID AAY88408 standard; Protein; 640 AA.
 XX
 AC AAY88408;

DT 31-JUL-2000 (first entry)
 XX Human heat shock protein HSP70 amino acid sequence.
 DE
 XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
 KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
 KW depression; nephrotic syndrome.
 XX
 OS Homo sapiens.
 XX
 XX JP2000069999-A.
 PN
 XX 07-MAR-2000.
 PD
 XX 01-JUN-1995; 99JP-0257146.
 PF
 XX 01-JUN-1995; 95JP-0158581.
 PR
 XX (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
 PA
 XX WPI: 2000-264458/23.
 DR N-PSDB; AAA15620.
 DR
 XX Abnormal transcription of intracellular HSP70mRNA under acute and
 PT chronic continuous load of stress in a human being and its application
 PT
 PT
 XX Claim 2; Fig 1; 1lpp; Japanese.
 PS
 XX This sequence represents the human heat shock protein HSP70 amino acid
 CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
 CC and 14q22-24. The invention relates to the abnormal transcription of
 CC intracellular HSP70mRNA under acute and chronic stress load in a human.
 CC The abnormal transcription of HSP70 can be used in the improvement of
 CC stress and response and diagnosis of stress diseases including
 CC rheumatism, schizophrenia, depression and nephrotic syndrome.
 XX
 XX Sequence 640 AA;
 SQ

Query Match 100.0%; Score 48; DB 21; Length 640;
 Best Local Similarity 100.0%; Pred. No. 0.12;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
 |||||
 Db 286 slfegidfy 294

RESULT 12
 AAY88411
 ID AAY88411 standard; Protein; 640 AA.
 AC AAY88411;
 XX
 XX 31-JUL-2000 (first entry)
 DT
 XX Human heat shock protein LHP70 amino acid sequence.
 DE
 XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
 KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
 KW depression; nephrotic syndrome; LHP70.
 XX
 OS Homo sapiens.
 XX
 XX JP2000069999-A.
 PN
 XX 07-MAR-2000.
 PD
 XX 01-JUN-1995; 99JP-0257146.
 PF
 XX 01-JUN-1995; 95JP-0158581.
 PR
 XX

PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
 XX
 DR WPI: 2000-264458/23.
 XX
 PT Abnormal transcription of intracellular HSP70mRNA under acute and
 PT chronic continuous load of stress in a human being and its application
 PT
 PT
 XX Disclosure; Fig 4; 1lpp; Japanese.
 PS
 XX This sequence represents the human heat shock protein LHP70 amino acid
 CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
 CC and 14q22-24. The invention relates to the abnormal transcription of
 CC intracellular HSP70mRNA under acute and chronic stress load in a human.
 CC The abnormal transcription of HSP70 can be used in the improvement of
 CC stress and response and diagnosis of stress diseases including
 CC rheumatism, schizophrenia, depression and nephrotic syndrome.
 XX
 XX Sequence 640 AA;
 SQ

Query Match 100.0%; Score 48; DB 21; Length 640;
 Best Local Similarity 100.0%; Pred. No. 0.12;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
 |||||
 Db 286 slfegidfy 294

RESULT 13
 AAR43004
 ID AAR43004 standard; protein; 641 AA.
 XX
 AC AAR43004;
 XX
 XX 20-MAY-1994 (first entry)
 DT
 XX Mature mouse sperm 70kd heat shock protein.
 DE
 XX Sulphoglycolipid immobilising protein 1; sperm plasma membrane;
 KW HSC70B; mammalian; infertility; mycoplasma; HSP70.
 KW
 XX Mus musculus.
 OS
 XX Key Location/Qualifiers
 FH 1..385
 FT Region
 FT /label= 44kd.Atpase_fragment
 FT /note= "peptides comprising an intact domain from
 FT the Atpase fragment of hsp70 are claimed;
 FT the peptides are homologous to sequences
 FT conserved between SLIP1 and 74.5kd
 FT mycoplasma protein"
 FT
 FT Domain 1..39
 FT /label= IA
 FT /note= "part"
 FT 40..115
 FT Domain /label= IB
 FT 116..188
 FT Domain /label= IA
 FT /note= "part"
 FT 189..228
 FT Domain /label= IIA
 FT /note= "part"
 FT 229..306
 FT Domain /label= IIB
 FT 307..385
 FT Domain /label= IIA
 FT /note= "part"
 FT
 XX WO9321954-A.
 PN
 XX 11-NOV-1993.
 PD

XX 22-APR-1993; 93WO-US03816.
 XX
 PR 24-APR-1992; 92US-0873961.
 XX
 PA (BERL-) BERLEX LAB INC.
 PA (OTTA-) OTTAWA CIVIC HOSPITAL.
 XX
 PI Faulds DH, Lingwood CA, Tanphaichitr N;
 XX WPI; 1993-368422/46.
 DR
 XX Mammalian fertilisation decrease for detecting and treating
 PT infertility - using sulpho glyco lipid immobilising protein
 PT 1-sulphated-glyco moiety interfering compsn., for mycoplasma
 PT infection treatment
 XX
 PS Claim 2 and Claim 17; Page 60-62; 77pp; English.
 XX
 XX The likelihood of mammalian fertilisation is decreased by contacting
 CC a gamete with a sulphoglycolipid immobilising protein 1 (SLIPI)/
 CC sulphated glyco-moiety interfering composition. The interfering
 CC compsn. is e.g. the heat shock 70kD protein, SLIPI (or analogues
 CC such as the mouse SLIPI analogue "HSC70B" comprising the amino acid
 CC sequence AAR43002) or the 74.5kD mycoplasma protein (AAR43003).
 XX
 XX Sequence 641 AA;
 SQ
 Query Match 100.0%; Score 48; DB 14; Length 641;
 Best Local Similarity 100.0%; Pred. No. 0.12;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 SLFEGIDFY 9
 Db |||||||
 286 slfegidfy 294
 RESULT 14
 AAW54349
 ID AAW54349 standard; protein; 641 AA.
 XX
 AC AAW54349;
 XX
 DT 14-AUG-1998 (first entry)
 XX
 DE Human heat shock 70 kD protein 1.
 XX
 KW Endometrium; hyperplasia; adenocarcinoma; proliferative phase;
 KW 2D gel electrophoresis; detection.
 XX
 OS Homo sapiens.
 XX
 PN WO9810291-A1.
 XX
 PD 12-MAR-1998.
 XX
 PF 05-SEP-1997; 97WO-GB02394.
 XX
 PR 08-APR-1997; 97GB-0007132.
 PR 06-SEP-1996; 96GB-0018600.
 XX
 PA (CLIN-) CENT CLINICAL & BASIC RES.
 XX
 PI Byrjalsen I, Fey SJ, Larsen P;
 XX WPI; 1998-207057/18.
 DR
 XX Biochemical markers of human endometrium - useful for, e.g.
 PT diagnosis of hyperplasia and adenocarcinoma
 XX
 PS Disclosure; Page 19; 77pp; English.
 XX

CC Proteins AAW54349-W54364 are examples of proteins produced in the
 CC endometrium during the hyperplasia, adenocarcinoma or proliferative
 CC phase of the endometrium. The presence and quantities of these proteins
 CC can be detected using 2D gel electrophoresis comparison of cell lysates.
 CC The proteins can be used as biochemical markers to detect the phase of
 CC the endometrium and can be measured in body fluids, obviating the need
 CC for endometrial biopsies.
 XX
 SQ Sequence 641 AA;
 Query Match 100.0%; Score 48; DB 19; Length 641;
 Best Local Similarity 100.0%; Pred. No. 0.12;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 SLFEGIDFY 9
 Db |||||||
 286 slfegidfy 294
 RESULT 15
 AAB23652
 ID AAB23652 standard; protein; 641 AA.
 XX
 AC AAB23652;
 XX
 DT 05-JAN-2001 (first entry)
 XX
 DE Human heat shock protein Hsp70.1 protein sequence SEQ ID NO:4.
 XX
 KW ATPase; Hsp70; heat shock protein; cytotoxic T lymphocyte; CTL;
 KW immune response; infectious disease; malaria; cytotoxic T cell;
 KW cytostatic; immunostimulant; cellular immune response inducer;
 KW protozoacide; leukaemia; cancer.
 XX
 OS Homo sapiens.
 XX
 PN WO200049041-A1.
 XX
 PD 24-AUG-2000.
 XX
 PF 18-FEB-2000; 2000WO-JP00941.
 PR
 PR 19-FEB-1999; 99JP-0041535.
 XX
 PA (SUME) SUMITOMO ELECTRIC IND CO.
 XX
 PI Shinbara N, Udono H, Yui K;
 XX WPI; 2000-543748/49.
 DR
 PT Fused protein capable of inducing cellular immune response, useful as
 PT active ingredient for drug compositions in preventing and/or treating
 PT infectious diseases such as malaria or cancer
 XX
 PS Claim 3; Page 46-48; 72pp; Japanese.
 XX
 CC The present invention describes a fused protein (I) prepared from a
 CC peptide containing a CTL (cytotoxic T lymphocyte) epitope recognised by
 CC cytotoxic T cells and a protein containing the ATPase domain of a heat
 CC shock protein. Also described are: (1) a drug composition containing (I)
 CC as active ingredient; (2) a DNA encoding (I); (3) an expression vector
 CC containing the DNA of (2); and (4) a transformant which can retain the
 CC expression vector of (3). (I) has cytostatic, immunostimulant and
 CC protozoacide activities, and can be used as a cellular immune response
 CC inducer. The protein is useful as an active ingredient for drug
 CC compositions in preventing and/or treating infectious diseases such as
 CC malaria or cancer e.g. to provide systemic immunity against leukaemia.
 CC The present sequence represents a specifically claimed heat shock
 CC protein for use in a fused protein of the present invention.
 XX
 SQ Sequence 641 AA;

Tue Dec 11 08:45:44 2001

Query Match 100.0%; Score 48; DB 21; Length 641;
Best Local Similarity 100.0%; Pred. No. 0.12;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
| | | | | | | |
Db 286 slfegidfy 294

Search completed: December 6, 2001, 08:04:03
Job time: 611 sec

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 08:00:51 ; Search time 50.21 seconds
(without alignments)
6.572 Million cell updates/sec

Title: PEPL-MOD8F
Perfect score: 48
Sequence: 1 SLFEGIDFY 9

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 100059 seqs, 36664827 residues

Total number of hits satisfying chosen parameters: 100059

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : SwissProt_39:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	DB ID	Description
1	48	100.0	322	1 HS70_ONCVO	P11503 onchocerca
2	48	100.0	420	1 HS73_MOUSE	Q61696 mus musculus
3	48	100.0	503	1 HS70_PENCI	Q92260 penicillium
4	48	100.0	634	1 HS70_CHICK	P08106 gallus galli
5	48	100.0	638	1 HS71_CERAE	Q28222 cercopithec
6	48	100.0	638	1 HS72_YEAST	P10592 saccharomyc
7	48	100.0	639	1 HS74_PARLI	Q06248 paracentrot
8	48	100.0	640	1 HS7A_CAEEL	P09446 caenorhabdi
9	48	100.0	640	1 HS7C_DICDI	P36415 dictyosteli
10	48	100.0	641	1 HS71_BOVIN	Q27975 bos taurus
11	48	100.0	641	1 HS71_HUMAN	P08107 homo sapien
12	48	100.0	641	1 HS71_MOUSE	P17879 mus musculus
13	48	100.0	641	1 HS71_PIG	P34930 sus scrofa
14	48	100.0	641	1 HS71_RAT	Q07439 rattus norv
15	48	100.0	641	1 HS71_YEAST	P10591 saccharomyc
16	48	100.0	641	1 HS72_BOVIN	Q27965 bos taurus
17	48	100.0	641	1 HS74_YEAST	P22202 saccharomyc
18	48	100.0	644	1 HS70_BRUMA	P27541 brugia mala
19	48	100.0	644	1 HS70_ONCTS	Q91233 oncorhynchu
20	48	100.0	645	1 HS70_PLEWA	Q01291 pleurodeles
21	48	100.0	645	1 HS70_NEUCR	Q01233 neurospora
22	48	100.0	647	1 HS70_XENLA	P02827 xenopus lae
23	48	100.0	649	1 HS70_BLAEM	P48720 blastoclad
24	48	100.0	652	1 HS7D_MANSE	Q9639 manduca sex
25	47	97.9	214	1 HS7A_DROSI	P02826 drosophila
26	47	97.9	379	1 HS7X_PIG	P34934 sus scrofa
27	47	97.9	641	1 HS7A_DROME	P29843 drosophila
28	47	97.9	643	1 HS76_HUMAN	P17066 homo sapien
29	47	97.9	643	1 HS76_PIG	Q04967 sus scrofa
30	47	97.9	648	1 HS71_PUCGR	Q01877 puccinia gr
31	45	93.8	372	1 HS72_PARLI	P22623 paracentrot
32	45	93.8	641	1 HS73_RAT	P50633 rattus norv
33	45	93.8	641	1 HS7H_HUMAN	P34931 homo sapien

34 45 93.8 641 1 HS7T_MOUSE P16627 mus musculus
35 45 93.8 642 1 HS72_PICAN P53623 pichia angu
36 45 93.8 643 1 HS71_SCHPO O10265 schizosacch
37 45 93.8 644 1 HS71_PICAN P53421 pichia angu
38 45 93.8 644 1 HS72_LYCES P27322 lycopersico
39 45 93.8 645 1 HS70_SOYBN P26413 glycine max
40 45 93.8 646 1 HS7C_CRIGR P19378 cricetulus
41 45 93.8 646 1 HS7C_HUMAN P11142 homo sapien
42 45 93.8 646 1 HS7C_MOUSE P08109 mus musculus
43 45 93.8 649 1 HS70_PARRR P87047 paracoccidi
44 45 93.8 649 1 HS73_ARATH O65719 arabidopsis
45 45 93.8 649 1 HS73_YEAST P09435 saccharomyc

ALIGNMENTS

RESULT 1
HS70_ONCVO STANDARD; PRT; 322 AA.
AC P11503;
DT 01-OCT-1989 (Rel. 12, Created)
DT 01-FEB-1996 (Rel. 33, Last sequence update)
DT 01-FEB-1996 (Rel. 33, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN (HSP70) (FRAGMENT).
OS Onchocerca volvulus.
OC Eukaryota; Metazoa; Nematoda; Chromadorea; Spirurida; Filarioidea;
OC Onchocercidae; Onchocerca.
OX NCBI_TaxID=6282;
RN [1]
RP MEDLINE=89201313; PubMed=2704388;
RA Rothstein N.M., Higashi G., Yates J., Rejan T.V.;
RT Onchocerca volvulus heat shock protein 70 is a major immunogen in
amicrofilaremic individuals from a filariasis-endemic area.;
RL Mol. Biochem. Parasitol. 33:229-236(1989).
CC -!- DISEASE: HEAT SHOCK PROTEIN 70 IS A MAJOR IMMUNOGEN IN A
MICROFILAREMIC INDIVIDUALS FROM A FILARIASIS-ENDEMIC AREA.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
or send an email to license@isb-sib.ch).

CC EMBL; J04006; AAA29417.1; -.
DR HSSP; P19120; IATP.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PROSITE; PS00297; HSP70_1; PARTIAL.
DR PROSITE; PS00329; HSP70_2; PARTIAL.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Heat shock.
FT NON_TER 1
FT NON_TER 322 322
SQ SEQUENCE 322 AA; 35614 MW; 2BA3A2E8155A7180 CRC64;

Query Match 100.0%; Score 48; DB 1; Length 322;
Best Local Similarity 100.0%; Pred. No. 0.022;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
Db 43 SLFEGIDFY 51

RESULT 2
HS73_MOUSE STANDARD; PRT; 420 AA.
ID HS73_MOUSE

AC Q61696; Q61697;
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 3 (HSP70.3) (FRAGMENT).
GN HSP70-3 OR HSP70A1.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=86111900; PubMed=2868009;
RA Lowe D.G., Moran L.A.;
RT "Molecular cloning and analysis of DNA complementary to three mouse
RT Mr = 68,000 heat shock protein mRNAs.",
RL J. Biol. Chem. 261:2102-2112(1986).
RN [2]
RP SEQUENCE OF 155-420 FROM N.A.
RX MEDLINE=94357449; PubMed=8076831;
RA Perry M.D., Aujame L., Shtang S., Moran L.A.;
RT "Structure and expression of an inducible HSP70-encoding gene from
RT Mus musculus.",
RL Gene 146:273-278(1994).
CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDIANE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC -!- INDUCTION: BY HEAT SHOCK.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).

DR EMBL; M12571; AAA57234.1; --
DR EMBL; M12572; AAA57235.1; --
DR HSP; P19120; 1A7R.
DR MGD; MGI:96244; Hsp70-3.
DR InterPro: IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PROSITE; PS00297; HSP70_1; PARTIAL.
DR PROSITE; PS00329; HSP70_2; PARTIAL.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Chaperone; Heat shock; Multigene family.
FT NON_TER 1
FT VARIANT 188 188 V -> G.
SQ SEQUENCE 420 AA; 46292 MW; 5DA1C6155C7B16B5 CRC64;

Query Match 100.0%; Score 48; DB 1; Length 420;
Best Local Similarity 100.0%; Pred. No. 0.029;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
Db 65 SLFEGIDFY 73
|||||

RESULT 3
HS70_PENCI STANDARD; PRT; 503 AA.
ID HS70_PENCI
AC Q92260;
DT 20-AUG-2001 (Rel. 40, Created)
DT 20-AUG-2001 (Rel. 40, Last sequence update)

DT 20-AUG-2001 (Rel. 40, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN (ALLERGEN PEN C 19) (FRAGMENT).
GN HSP70;
OS Penicillium citrinum.
OC Eukaryota; Fungi; Ascomycota; Pezizomycotina; Eurotiomycetes;
OC Eurotiales; Trichocomaceae; mitosporic Trichocomaceae; Penicillium.
OX NCBI_TaxID=5077;
RN [1]
RP SEQUENCE FROM N.A.
RA Shen H.D., Au L.C., Lin W.L., Liaw S.F., Tsai J.J., Han S.H.;
RT "Molecular cloning and expression of a Penicillium citrinum
RT allergen with sequence homology and antigenic cross-reactivity to
RT a hsp70 human heat shock protein.",
RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).

DR EMBL; U64207; AAB06397.1; --
DR HSP; P19120; 3HSC.
DR InterPro: IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Chaperone; Heat shock; Allergen.
FT NON_TER 1
SQ SEQUENCE 503 AA; 55125 MW; B7433C11FAEA1320 CRC64;

Query Match 100.0%; Score 48; DB 1; Length 503;
Best Local Similarity 100.0%; Pred. No. 0.035;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
Db 154 SLFEGIDFY 162
|||||

RESULT 4
HS70_CHICK STANDARD; PRT; 634 AA.
ID HS70_CHICK
AC P08106;
DT 01-AUG-1988 (Rel. 08, Created)
DT 01-AUG-1988 (Rel. 08, Last sequence update)
DT 01-FEB-1994 (Rel. 28, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN (HSP70).
OS Gallus gallus (Chicken).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;
OC Gallus.
OX NCBI_TaxID=9031;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=86304452; PubMed=3017985;
RA Morimoto R.I., Hunt C., Huang S.-Y., Berg K.L., Banerji S.S.;
RT "Organization, nucleotide sequence, and transcription of the chicken
RT HSP70 gene.",
RL J. Biol. Chem. 261:12692-12699(1986).
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>

or send an email to license@isb-sib.ch).

CC EMBL: J02579; AAA48825.1; -
CC PIR: A25646; A25646.
DR HSPF: P19120; IATP.
DR Pfam: PF00012; HSP70; 1.
DR PRINTS: PR00301; HEATSHOCK70.
DR PROSITE: PS00297; HSP70_1; 1.
DR PROSITE: PS00329; HSP70_2; 1.
DR PROSITE: PS01036; HSP70_3; 1.
KW ATP-binding; Heat shock; Multigene family.
SQ SEQUENCE 634 AA; 69750 MW; 4270F7F08D365AEB CRC64;

Query Match 100.0%; Score 48; DB 1; Length 634;
Best Local Similarity 100.0%; Pred. No. 0.045;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Oy 1 SLFEGIDFY 9
|||||
Db 289 SLFEGIDFY 297

RESULT 5
HS71_CERAE STANDARD; PRT; 638 AA.
AC Q28222;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DE HEAT SHOCK 70 KDA PROTEIN 1.
GN HSPAL.
OS Cercopithecus aethiops (Green monkey) (Grivet).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Cercopithecoidea;
OC Cercopithecinae; Cercopithecus.
OX NCBI_TaxID=9534;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Kidney;
RX MEDLINE=95080396; PubMed=7988690;
RA Sainis I., Angelidis C., Pagoulatos G., Lazaridis I.;
RT "The hsc70 gene which is slightly induced by heat is the main virus
RT inducible member of the hsp70 gene family";
RL FEBS Lett. 355:282-286(1994).
CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC
CC RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR
CC PROTEIN TRANSLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION
CC PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE
CC PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE
CC CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE
CC SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES
CC DURING TRANSLATION AND MEMBRANE TRANSLOCATION, OR FOLLOWING
CC STRESS-INDUCED DAMAGE.
CC -1- INDUCTION: BY HEAT SHOCK.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (see <http://www.isb-sib.ch/announce/>)
CC or send an email to license@isb-sib.ch).

EMBL: X70684; CAA50019.1; -
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70; 1.
DR PRINTS: PR00301; HEATSHOCK70.

DR PROSITE: PS00297; HSP70_1; 1.
DR PROSITE: PS00329; HSP70_2; 1.
DR PROSITE: PS01036; HSP70_3; 1.
KW ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
SQ SEQUENCE 638 AA; 69920 MW; D55076A0FFAB6AB3 CRC64;

Query Match 100.0%; Score 48; DB 1; Length 638;
Best Local Similarity 100.0%; Pred. No. 0.046;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Oy 1 SLFEGIDFY 9
|||||
Db 284 SLFEGIDFY 292

RESULT 6
HS72_YEAST STANDARD; PRT; 638 AA.
AC P10592;
DT 01-JUL-1989 (Rel. 11, Created)
DT 01-OCT-1994 (Rel. 30, Last sequence update)
DT 01-OCT-1996 (Rel. 34, Last annotation update)
DE HEAT SHOCK PROTEIN SSA2.
GN SSA2 OR YLL024C OR I0931.
OS Saccharomyces cerevisiae (Baker's yeast).
OC Eukaryota; Fungi; Ascomycota; Saccharomycotina; Saccharomycetes;
OC Saccharomycetales; Saccharomycetaceae; Saccharomycetes.
OX NCBI_TaxID=4932;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=S288C;
RX MEDLINE=89128457; PubMed=2644626;
RA Slater M.R., Craig E.A.;
RT "The SSA1 and SSA2 genes of the yeast Saccharomyces cerevisiae";
RL Nucleic Acids Res. 17:805-806(1989).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=S288C;
RA Purnelle B., Goffeau A.;
RN Submitted (APR-1996) to the EMBL/GenBank/DBJ databases.
RN [3]
RP SEQUENCE OF 71-638 FROM N.A.
RA Duesterhoeft A., Floeth M., Heuss-Neitzel D., Hilbert H., Moestl D.;
RN Submitted (MAY-1996) to the EMBL/GenBank/DBJ databases.
RN [4]
RP SEQUENCE OF 91-97 AND 325-341.
RC STRAIN=S288C;
RX MEDLINE=95203288; PubMed=7895733;
RA Garrels J.I., Futcher B., Kobayashi R., Latter G.I., Schwender B.,
RA Volpe T., Warner J.R., McLaughlin C.S.;
RT "Protein identifications for a Saccharomyces cerevisiae protein
RT database";
RL Electrophoresis 15:1466-1486(1994).
RN [5]
RP SEQUENCE OF 186-195.
RC STRAIN=ATCC 38531 / Y41;
RX MEDLINE=97089742; PubMed=8935650;
RA Norbeck J., Blomberg A.;
RT "Protein expression during exponential growth in 0.7 M NaCl medium of
RT Saccharomyces cerevisiae";
RL FEBS Microbiol. Lett. 137:1-8(1996).
RN [6]
RP ACETYLATION, AND PHOSPHORYLATION.
RA Garrels J.I., Futcher B., Kobayashi R., Latter G.I., Schwender B.,
RA Volpe T., Warner J.R., McLaughlin C.S.;
RN Submitted (SEP-1994) to the SWISS-PROT data bank.
CC -1- FUNCTION: SSA2 MAY PLAY A ROLE IN THE TRANSPORT OF POLYPEPTIDES
CC BOTH ACROSS THE MITOCHONDRIAL MEMBRANES AND INTO THE
CC ENDOPLASMIC RETICULUM. A FUNCTIONAL DIFFERENCE BETWEEN YEAST
CC SSA1 AND SSA2 PROTEINS IS EXPECTED. SSA2 CAN PARTICIPATE IN THE
CC ATP-DEPENDENT DISASSEMBLY OF CLATHRIN-COATED VESICLES.
CC -1- SUBCELLULAR LOCATION: CYTOPLASMIC.

```
CC -1- PTM: PHOSPHORYLATED.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; X12927; CAA31394.1; -.
CC EMBL; Z73129; CAA37472.1; -.
CC EMBL; X97560; CAA66167.1; -.
CC PIR; S20139; S20139.
CC HSP; P19120; INGI.
CC SWISS-2DPAGE; P10592; YEAST.
CC YEPD; 9800; -.
CC SGD; S0003947; SSA2.
CC InterPro; IPR001023; HSP70.
CC Pfam; PF00012; HSP70.1.
CC PRINTS; PR00301; HEATSHOCK70.
CC PROSITE; PS00297; HSP70_1; 1.
CC PROSITE; PS00329; HSP70_2; 1.
CC PROSITE; PS01036; HSP70_3; 1.
CC Heat shock; ATP-binding; Multigene family; Acetylation;
CC Phosphorylation.
CC INIT_MET 0
CC MOD_RES 1 1 ACETYLATION.
CC SEQUENCE 638 AA; 69338 MW; 23BDD120C194912 CRC64;

Query Match 100.0%; Score 48; DB 1; Length 638;
Best Local Similarity 100.0%; Pred. No. 0.046;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
Db 282 SLFEGIDFY 290
|||||

RESULT 7
HS74_PARLI STANDARD; PRT; 639 AA.
AC Q06248;
DT 01-JUN-1994 (Rel. 29, Created)
DT 01-JUN-1994 (Rel. 29, Last sequence update)
DT 01-JUN-1994 (Rel. 29, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN IV (HSP70 IV).
GN HSP70IV.
OS Paracentrotus lividus (Common sea urchin).
OC Eukaryota; Metazoa; Echinodermata; Eleutherozoa; Echinozoa;
OC Echinoidea; Euechinoidea; Echinacea; Echinoidea; Echinidae;
OC Paracentrotus.
OX NCBI_TaxID=7656;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=93077053; PubMed=1339375;
RA Sconzo G., Scardina G., Ferraro M.G.;
RT "Characterization of a new member of the sea urchin Paracentrotus
RT lividus hsp70 gene family and its expression."
RL Gene 121:353-358(1992).
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; X61379; CAA43653.1; -.

```

```
DR PIR; JCI391; JCI391.
DR HSP; P19120; INGI.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70.1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Heat shock; Multigene family.
SQ SEQUENCE 639 AA; 69749 MW; 40E2F29570808DCC CRC64;

Query Match 100.0%; Score 48; DB 1; Length 639;
Best Local Similarity 100.0%; Pred. No. 0.046;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
Db 286 SLFEGIDFY 294
|||||

RESULT 8
HS7A_CAEL STANDARD; PRT; 640 AA.
AC P09446;
DT 01-MAR-1989 (Rel. 10, Created)
DT 01-MAR-1989 (Rel. 10, Last sequence update)
DT 01-FEB-1994 (Rel. 28, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN A.
GN HSP-1 OR HSP70A.
OS Caenorhabditis elegans.
OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidea;
OC Rhabditidae; Peloderinae; Caenorhabditis.
OX NCBI_TaxID=6239;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=88297155; PubMed=2841196;
RA Snutch T.P., Heschl M.F., Baillie D.L.;
RT "The Caenorhabditis elegans hsp70 gene family: a molecular genetic
RT characterization."
RL Gene 64:241-255(1988).
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; M18540; AAA28078.1; -.
DR PIR; JI0285; HHKW7A.
DR HSP; P19120; INGI.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70.1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Heat shock; Multigene family.
SQ SEQUENCE 640 AA; 69823 MW; ED15409D06C500C2.CRC64;

Query Match 100.0%; Score 48; DB 1; Length 640;
Best Local Similarity 100.0%; Pred. No. 0.046;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
Db 287 SLFEGIDFY 295
|||||

```

```
RESULT 9
HS7C_DICDI ID HS7C_DICDI STANDARD; PRT; 640 AA.
AC P36415;
DT 01-JUN-1994 (Rel. 29, Created)
DT 01-JUN-1994 (Rel. 29, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HEAT SHOCK COGNATE PROTEIN (AGINACTIN).
GN HSPB OR HSC70.
OS Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
OC Bovidae; Bovinae; Bos.
OX NCBI_TaxID=9913;
RN [1]
RP SEQUENCE FROM N.A.
RC MEDLINE=94043116; PubMed=8226849;
RA Eddy R.J., Sauter R.A., Condeelis J.S.;
RT "Aginactin, an agonist-regulated F-actin capping activity is
associated with an hsc70 in Dictyostelium.";
RL J. Biol. Chem. 268:23267-23274(1993).
CC -!- FUNCTION: AFFECTS ACTIN POLYMERIZATION THROUGH INTERACTION WITH
THE ACTIN-BINDING PROTEIN CAP32/34. ACTS AS A CHAPERONE BY
STIMULATING THE REFOLDING OF DENATURATED CAP32 AND CAP34.
CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC. FOUND IN F-ACTIN-RICH REGIONS
OF THE CELL CORTEX AND CELL PROTRUSIONS.
CC -!- DEVELOPMENTAL STAGE: HEAT SHOCK COGNATE PROTEINS ARE EXPRESSED
CONSTITUTIVELY DURING NORMAL DEVELOPMENT.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See http://www.isb-sib.ch/announce/
or send an email to license@isb-sib.ch).
CC
DR EMBL; X75263; CAA53039.1; -
DR EMBL; L22736; AAA33219.1; -
DR PIR; S37394; S37394.
DR HSP; P19120; INGT.
DR SWISS-2DPAGE; P36415; DICTY.
DR DictyDb; DD01078; hspB.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Chaperone.
FT FT 1 29
FT FT 32 32
FT FT 64 64
FT FT 180 180
FT FT 237 237
FT FT 240 240
FT FT 341 341
FT FT 352 352
FT FT 640 AA; 70499 MW; 2E6BDC2DB96A9F5D CRC64;
SQ SEQUENCE 640 AA; 100.0%; Score 48; DB 1; Length 640;

MSSIGDLGTYSCVGVWQNDRVEIAND ->
THHHNGNATWVSESGPVSEVLSFN (IN REF. 2).
N -> T (IN REF. 2).
V -> A (IN REF. 2).
R -> A (IN REF. 2).
S -> A (IN REF. 2).
V -> A (IN REF. 2).
I -> L (IN REF. 2).
F -> P (IN REF. 2).

BEST LOCAL SIMILARITY 100.0%; Pred. No. 0.046;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
DB 284 SLFEGIDFY 292

RESULT 10
HS7L_BOVIN ID HS7L_BOVIN STANDARD; PRT; 641 AA.
AC Q27975; Q27964;
DT 01-NOV-1997 (Rel. 35, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70-1).
GN HSP70-1.
OS Bos taurus (Bovine).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
OC Bovidae; Bovinae; Bos.
OX NCBI_TaxID=9913;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Skeletal muscle;
RX MEDLINE=95126904; PubMed=7826329;
RA Gutierrez J.A., Guerriero V.;
RT "Chemical modifications of a recombinant bovine stress-inducible 70
kDa heat-shock protein (Hsp70) mimics Hsp70 isoforms from tissues.";
RL Biochem. J. 305:197-203(1995).
RN [2]
RP SEQUENCE OF 212-641 FROM N.A.
RC STRAIN=ANGUS;
RX MEDLINE=95030563; PubMed=7943958;
RA Grosz M.D., Skow L.C., Stone R.T.;
RT "An AluI polymorphism at the bovine 70 kD heat-shock protein-1
(HSP70-1) locus.";
RL Anim. Genet. 25:196-196(1994).
CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC
RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR
PROTEIN TRANSLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION
PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE
PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE
CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE
SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES
DURING TRANSLATION AND MEMBRANE TRANSLOCATION, OR FOLLOWING
STRESS-INDUCED DAMAGE.
CC -!- INDUCTION: BY HEAT SHOCK.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See http://www.isb-sib.ch/announce/
or send an email to license@isb-sib.ch).
CC
DR EMBL; U09861; AAA73914.1; -
DR EMBL; U02891; AAA03450.1; -
DR HSP; P19120; INGT.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Chaperone; Heat shock; Multigene family.
SQ SEQUENCE 641 AA; 70250 MW; 6D548263E98780F9 CRC64;
```

```
Query Match          100.0%; Score 48; DB 1; Length 641;
Best Local Similarity 100.0%; Pred. No. 0.046;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
Db 286 SLFEGIDFY 294

RESULT 11
HS71_HUMAN
ID HS71_HUMAN STANDARD; PRT; 641 AA.
AC P08107; P19790; Q9UQ00; Q9UQL9;
DT 01-AUG-1988 (Rel. 08, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 20-AUG-2001 (Rel. 40, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70.1) (HSP70-1/HSP70-2).
GN (HSPA1A OR HSPA1) AND HSPA1B.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
[1]
RN SEQUENCE FROM N.A.
RP MEDLINE=91055806; PubMed=1700760;
RA Milner C.M., Campbell R.D.;
RT "Structure and expression of the three MHC-linked HSP70 genes.";
RL Immunogenetics 32:242-251(1990).
[2]
RN SEQUENCE FROM N.A.
RP MEDLINE=86016721; PubMed=3931075;
RA Hunt C., Morimoto R.I.;
RT "Conserved features of eukaryotic hsp70 genes revealed by comparison with the nucleotide sequence of human hsp70.";
RL Proc. Natl. Acad. Sci. U.S.A. 82:6455-6459(1985).
[3]
RN SEQUENCE FROM N.A. (HSPA1A AND HSPA1B).
RA Rowen L., Qin S., Madan A., Dickhoff R., Dors M., Madan A., Hicks P.,
RA Loretz C., Ratcliffe A., Abbasi N., Shaffer T., Hood L.;
RT "Sequence of the human major histocompatibility complex class III region.";
RL Submitted (MAR-1999) to the EMBL/GenBank/DBJ databases.
[4]
RN SEQUENCE OF 1-36 AND 360-424 FROM N.A.
RP MEDLINE=99184548; PubMed=2538825;
RA Sargent C.A., Dunham I., Trowsdale J., Campbell R.D.;
RT "Human major histocompatibility complex contains genes for the major heat shock protein HSP70.";
RL Proc. Natl. Acad. Sci. U.S.A. 86:1968-1972(1989).
[5]
RN SEQUENCE OF 1-22 AND 618-641 FROM N.A.
RP MEDLINE=87066768; PubMed=3786141;
RA Drabant B., Genthe A., Benecke B.-J.;
RT "In vitro transcription of a human hsp 70 heat shock gene by extracts prepared from heat-shocked and non-heat-shocked human cells.";
RL Nucleic Acids Res. 14:8933-8949(1986).
[6]
RN X-RAY CRYSTALLOGRAPHY (2.3 ANGSTROMS) OF 1-382.
RP MEDLINE=99234376; PubMed=10216320;
RA Osipiuk J., Walsh M.A., Freeman B.C., Morimoto R.I., Joachimiak A.;
RT "Structure of a new crystal form of human hsp70 ATPase domain.";
RL Acta Crystallogr. D 55:1105-1107(1999).
CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR PROTEIN TRANSLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES
```

```
CC DURING TRANSLATION AND MEMBRANE TRANSLOCATION, OR FOLLOWING
CC STRESS-INDUCED DAMAGE.
CC -!- INDUCTION: BY HEAT SHOCK.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC THIS SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; M59828; AAAG3226.1; -
CC EMBL; M59830; AAAG3227.1; -
CC EMBL; AF134726; AAD21816.1; -
CC EMBL; AF134726; AAD21815.1; -
CC EMBL; M11717; AAAS2697.1; -
CC EMBL; M24743; AAA59844.1; -
CC EMBL; M24744; AAA59845.1; -
CC EMBL; X04676; CAA28381.1; -
CC EMBL; X04677; CAA28382.1; -
CC PIR; A29160; A29160.
CC PIR; A45871; A45871.
CC PIR; A25773; A25773.
CC PDB; 1HJO; 21-OCT-98.
CC SWISS-2DPAGE; P08107; HUMAN.
CC MIM; 603012; -
CC InterPro; IPR001023; HSP70.
CC Pfam; PF00012; HSP70; 1.
CC PRINTS; PR00301; HEATSHOCK70.
CC PROSITE; PS00297; HSP70_1; 1.
CC PROSITE; PS00329; HSP70_2; 1.
CC PROSITE; PS10136; HSP70_3; 1.
CC ATP-binding; Chaperone; Heat shock; Multigene family; MHC III;
KW 3D-structure. 7 7 I -> V (IN REF. 2).
FT CONFLICT 110 110 E -> D (IN REF. 3; AAD21816).
FT CONFLICT 370 370 A -> G (IN REF. 2).
FT CONFLICT 469 469 MISSING (IN REF. 2).
FT CONFLICT 499 499 N -> S (IN REF. 3; AAD21815).
FT SEQUENCE 641 AA; 70052 MW; 78F513118C96DE66 CRC64;
SQ
Query Match          100.0%; Score 48; DB 1; Length 641;
Best Local Similarity 100.0%; Pred. No. 0.046;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
Db 286 SLFEGIDFY 294

RESULT 12
HS71_MOUSE
ID HS71_MOUSE STANDARD; PRT; 641 AA.
AC P17879; O61689;
DT 01-AUG-1990 (Rel. 15, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70.1) (HSP70-1/HSP70-2).
GN HSPA1 OR HSP70A1 OR HSP70-1 OR HCP70.1.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
[1]
RN SEQUENCE FROM N.A.
RP MEDLINE=90236310; PubMed=2332169;
RA Hunt C., Calderwood S.;
RT "Characterization and sequence of a mouse hsp70 gene and its
RT expression in mouse cell lines.";
```

```

RL Gene 87:199-204(1990).
RP [2]
RN SEQUENCE FROM N.A.
RC TISSUE=Liver;
RX MEDLINE=94357449; PubMed=8076831;
RA Perry M.D., Aujame L., Shtang S., Moran L.A.;
RT "Structure and expression of an inducible HSP70-encoding gene from
RT Mus musculus.";
RL Gene 146:273-278(1994).
CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC EMBL; M35021; AAA37864.1; -
CC EMBL; M76613; AAA57233.1; -
CC PIR; JH0095; JH0095.
CC HSSP; P19120; INGC.
CC MGD; MGI:99517; Hsp70-1.
CC InterPro; IPR001023; HSP70.
CC Pfam; PF00012; HSP70; 1.
CC PRINTS; PR00301; HEATSHOCK70.
CC PROSITE; PS00297; HSP70_1; 1.
CC PROSITE; PS00329; HSP70_2; 1.
CC PROSITE; PS01036; HSP70_3; 1.
CC ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
FT CONFLICT 342 342 A -> R (IN REF. 1).
FT CONFLICT 627 627 P -> PP (IN REF. 1).
SQ SEQUENCE 641 AA; 69994 MW; 41475360F6749F2F CRC64;

Query Match 100.0%; Score 48; DB 1; Length 641;
Best Local Similarity 100.0%; Pred. No. 0.046;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
Db 286 SLFEGIDFY 294
|||||
286 SLFEGIDFY 294

RESULT 13
HSP1_PIG STANDARD; PRT; 641 AA.
AC P34930.
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70.1).
GN HSPAL.
OS Sus scrofa (Pig).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.
OX NCBI_TaxID=9823;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=92175874; PubMed=1339404;
RA Peelman L.J., de Weghe A.R., Coppieters W.R., van Zeveren A.J.,
RA Bouquet Y.H.;
RT "Complete nucleotide sequence of a porcine HSP70 gene.";
RT Immunogenetics 35:286-289(1992).

Gene 87:199-204(1990).
RP [2]
RN SEQUENCE FROM N.A.
RC TISSUE=Liver;
RX MEDLINE=94357449; PubMed=8076831;
RA Perry M.D., Aujame L., Shtang S., Moran L.A.;
RT "Structure and expression of an inducible HSP70-encoding gene from
RT Mus musculus.";
RL Gene 146:273-278(1994).
CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; M69100; -; NOT_ANNOTATED_CDS.
CC PIR; S35718; S35718.
CC HSSP; P19120; INGC.
CC InterPro; IPR001023; HSP70.
CC Pfam; PF00012; HSP70; 1.
CC PRINTS; PR00301; HEATSHOCK70.
CC PROSITE; PS00297; HSP70_1; 1.
CC PROSITE; PS00329; HSP70_2; 1.
CC PROSITE; PS01036; HSP70_3; 1.
CC ATP-binding; Chaperone; Heat shock; Multigene family.
KW ATP-binding; Chaperone; Heat shock; Multigene family.
SQ SEQUENCE 641 AA; 70083 MW; FE77BB20A03E0A33 CRC64;

Query Match 100.0%; Score 48; DB 1; Length 641;
Best Local Similarity 100.0%; Pred. No. 0.046;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
Db 286 SLFEGIDFY 294
|||||
286 SLFEGIDFY 294

RESULT 14
HSP1_RAT STANDARD; PRT; 641 AA.
AC Q07439; P42853;
DT 01-FEB-1995 (Rel. 31, Created)
DT 01-FEB-1995 (Rel. 31, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1/2 (HSP70.1/2).
GN HSP70-1 AND HSP70-2.
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX NCBI_TaxID=10116;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Brain;
RX MEDLINE=94096443; PubMed=8271311;
RA Longo F.M., Wang S., Narasimhan P., Zhang J.S., Chen J.,
RA Massa S.M., Sharp F.R.;
RT "cDNA cloning and expression of stress-inducible rat hsp70 in normal
RT and injured rat brain.";
RL J. Neurosci. Res. 36:325-335(1993).
RN [2]
RP SEQUENCE FROM N.A.
RX MEDLINE=95012453; PubMed=7927536;
RA Walter L., Rauh F., Guenther E.;
RT "Comparative analysis of the three major histocompatibility complex-
RT linked heat shock protein 70 (Hsp70) genes of the rat.";
RL Immunogenetics 40:325-330(1994).
RN [3]
RP SEQUENCE FROM N.A.
RX STRAIN=SPRAGUE-DAWLEY; TISSUE=Liver;

```

```

RX MEDLINE-94368874; PubMed-8086479;
RA Lisowska K., Krawczyk Z., Widlak W., Wolniczka P., Wisniewski J.;
RT "Cloning, nucleotide sequence and expression of rat heat inducible
RL hsp70 gene.";
CC Biochim. Biophys. Acta 1219:64-72(1994).
CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDIANE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC -1- INDUCTION: BY HEAT SHOCK.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; L16764; AAA17441.1; -
CC EMBL; X77208; CAA54423.1; -
CC EMBL; X77207; CAA54422.1; -
CC EMBL; X74271; CAA52328.1; -
CC HSP; P19120; INGC.
CC InterPro; IPR001023; HSP70.
CC Pfam; PF00012; HSP70; 1.
CC PRINTS; PR00301; HEATSHOCK70.
CC PROSITE; PS00297; HSP70_1; 1.
CC PROSITE; PS00329; HSP70_2; 1.
CC PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
FT CONFLICT 71 72 KR -> NG (IN REF. 3).
FT CONFLICT 227 227 D -> H (IN REF. 2 AND 3).
FT CONFLICT 408 408 G -> A (IN REF. 3).
SQ SEQUENCE 641 AA; 70163 MW; D02D96751C868583 CRC64;

Query Match 100.0%; Score 48; DB 1; Length 641;
Best Local Similarity 100.0%; Pred. No. 0.046;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 SLFEGIDPY 9
Db 286 SLFEGIDPY 294

RESULT 15
ID HS71_YEAST STANDARD; PRT; 641 AA.
AC P10591;
DT 01-JUL-1989 (Rel. 11, Created)
DE 01-OCT-1994 (Rel. 30, Last sequence update)
DE 01-OCT-1996 (Rel. 34, Last annotation update)
DE HEAT SHOCK PROTEIN SSAL (HEAT SHOCK PROTEIN YG100).
GN SSAL OR YAL005C.
OS Saccharomyces cerevisiae (Baker's yeast).
OC Eukaryota; Fungi; Ascomycota; Saccharomycotina; Saccharomycetes;
OC Saccharomycetales; Saccharomycetaceae; Saccharomyces.
OX NCBI_Taxid=4932;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-S288C;
RX MEDLINE-89128457; PubMed-2644626;
RA Slater M.R., Craig E.A.;
RT "The SSAL and SSA2 genes of the yeast Saccharomyces cerevisiae.";
RL Nucleic Acids Res. 17:805-806(1989).
RN [2]
RP SEQUENCE FROM N.A.

```

```

RC STRAIN-S288C / AB972;
RX MEDLINE-95028152; PubMed-7941740;
RA Clark M.W., Keng T., Storms R.K., Zhong W., Fortin N., Zeng B.,
RT Delaney S., Ouellette B.F.F., Barton A.B., Kaback D.B., Bussey H.;
RT "Sequencing of chromosome I of Saccharomyces cerevisiae: analysis of
RL the 42 kbp SP07-CEN1-CDCL5 region.";
RN Yeast 10:535-541(1994).
RX SEQUENCE OF 590-641 FROM N.A.
RX MEDLINE-85087943; PubMed=6096826;
RA Ogden R.C., Lee M.-C., Knapp G.;
RT "Transfer RNA splicing in Saccharomyces cerevisiae: defining the
RT substrates.";
RL Nucleic Acids Res. 12:9367-9382(1984).
RN [4]
RP REVISIONS TO 207; 417 AND 421.
RA Slater M.R.;
RL Submitted (JUN-1993) to the EMBL/GenBank/DBJ databases.
RN [5]
RP SEQUENCE OF 91-97 AND 325-341.
RC STRAIN-S288C;
RX MEDLINE-95203288; PubMed-7895733;
RA Garrels J.I., Fitcher B., Kobayashi R., Latter G.I., Schwender B.,
RT Volpe T., Warner J.R., McLaughlin C.S.;
RT "Protein identifications for a Saccharomyces cerevisiae protein
RL database.";
RL Electrophoresis 15:1466-1486(1994).
RN [6]
RP SEQUENCE OF 186-195.
RC STRAIN-ATCC 38331 / Y41;
RX MEDLINE-97089742; PubMed-8935650;
RA Norbeck J., Blomberg A.;
RT "Protein expression during exponential growth in 0.7 M NaCl medium of
RL Saccharomyces cerevisiae.";
RN FEMS Microbiol. Lett. 137:1-8(1996).
RN [7]
RP ACETYLATION.
RA Garrels J.I., Fitcher B., Kobayashi R., Latter G.I., Schwender B.,
RA Volpe T., Warner J.R., McLaughlin C.S.;
RL Submitted (SEP-1994) to the SWISS-PROT data bank.
CC -1- FUNCTION: SSAL MAY PLAY A ROLE IN THE TRANSPORT OF POLYPEPTIDES
CC BOTH ACROSS THE MITOCHONDRIAL MEMBRANES AND INTO THE
CC ENDOPLASMATIC RETICULUM. A FUNCTIONAL DIFFERENCE BETWEEN YEAST
CC SSAL AND SSA2 PROTEINS IS EXPECTED. SSAL CAN PARTICIPATE IN THE
CC ATP-DEPENDENT DISASSEMBLY OF CLATHRIN-COATED VESICLES.
CC -1- SUBCELLULAR LOCATION: CYTOPLASMIC.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; X12926; CAA31393.1; -
CC EMBL; L22015; AAC04952.1; ALT_SEQ.
CC PIR; S25438; HHB1A1.
CC HSP; P19120; 1ATR.
CC SWISS-2DPAGE; P10591; YEAST.
CC YEPD; 9788; -.
CC SGD; S000004; SSAL.
CC InterPro; IPR001023; HSP70.
CC Pfam; PF00012; HSP70; 1.
CC PRINTS; PR00301; HEATSHOCK70.
CC PROSITE; PS00297; HSP70_1; 1.
CC PROSITE; PS00329; HSP70_2; 1.
CC PROSITE; PS01036; HSP70_3; 1.
KW Heat shock; ATP-binding; Multigene family; Acetylation.
FT INIT_MET 0 0
FT MOD_RES 1 1 ACETYLATION.

```


SQ SEQUENCE 641 AA; 69526 MW; FA9389BAE9B1D7DA CRC64;
Query Match 100.0%; Score 48; DB 1; Length 641;
Best Local Similarity 100.0%; Pred. No. 0.046;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 SLFEGIDFY 9
|||||
Db 282 SLFEGIDFY 290

Search completed: December 6, 2001, 08:00:51
Job time: 419 sec

THIS PAGE BLANK (USPTO)

THIS PAGE BLANK (use 70)

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 08:04:02 ; Search time 184.09 seconds
(without alignments)
3.621 Million cell updates/sec

Title: PEPL-MOD8G

Perfect score: 48

Sequence: 1 SLFEGIDCY 9

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 522463 seqs, 74073290 residues

Total number of hits satisfying chosen parameters: 522463

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

A_Geneseq_1101.*
1: /SIDSS/gcgdata/geneseq/geneseq/AA1980.DAT.*
2: /SIDSS/gcgdata/geneseq/geneseq/AA1981.DAT.*
3: /SIDSS/gcgdata/geneseq/geneseq/AA1982.DAT.*
4: /SIDSS/gcgdata/geneseq/geneseq/AA1983.DAT.*
5: /SIDSS/gcgdata/geneseq/geneseq/AA1984.DAT.*
6: /SIDSS/gcgdata/geneseq/geneseq/AA1985.DAT.*
7: /SIDSS/gcgdata/geneseq/geneseq/AA1986.DAT.*
8: /SIDSS/gcgdata/geneseq/geneseq/AA1987.DAT.*
9: /SIDSS/gcgdata/geneseq/geneseq/AA1988.DAT.*
10: /SIDSS/gcgdata/geneseq/geneseq/AA1989.DAT.*
11: /SIDSS/gcgdata/geneseq/geneseq/AA1990.DAT.*
12: /SIDSS/gcgdata/geneseq/geneseq/AA1991.DAT.*
13: /SIDSS/gcgdata/geneseq/geneseq/AA1992.DAT.*
14: /SIDSS/gcgdata/geneseq/geneseq/AA1993.DAT.*
15: /SIDSS/gcgdata/geneseq/geneseq/AA1994.DAT.*
16: /SIDSS/gcgdata/geneseq/geneseq/AA1995.DAT.*
17: /SIDSS/gcgdata/geneseq/geneseq/AA1996.DAT.*
18: /SIDSS/gcgdata/geneseq/geneseq/AA1997.DAT.*
19: /SIDSS/gcgdata/geneseq/geneseq/AA1998.DAT.*
20: /SIDSS/gcgdata/geneseq/geneseq/AA1999.DAT.*
21: /SIDSS/gcgdata/geneseq/geneseq/AA2000.DAT.*
22: /SIDSS/gcgdata/geneseq/geneseq/AA2001.DAT.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Query Match	Score	Length	DB ID	Description
1	39	81.2	10	22	Heat shock protein
2	39	81.2	554	21	Human heat shock p
3	39	81.2	554	21	Human heat shock p
4	39	81.2	554	21	Human heat shock p
5	39	81.2	554	21	Human heat shock p
6	39	81.2	624	21	Human Hsp72 (heat
7	39	81.2	634	11	Gallus gallus HSP
8	39	81.2	640	11	Homo sapiens HSP
9	39	81.2	640	18	Human heat shock p
10	39	81.2	640	21	Human heat shock p
11	39	81.2	640	21	Human heat shock p

12	39	81.2	640	21	AA198411	Human heat shock p
13	39	81.2	641	14	AA198411	Mature mouse sperm
14	39	81.2	641	19	AA198411	Human heat shock p
15	39	81.2	641	21	AA198411	Human heat shock p
16	39	81.2	641	22	AA198411	Human heat shock p
17	39	81.2	642	21	AA198411	Rat heat shock pro
18	39	81.2	647	11	AA198411	Xenopus laevis HSP
19	38	79.2	9	21	AA198411	Heat shock protein
20	38	79.2	9	22	AA198411	Heat shock protein
21	38	79.2	10	21	AA198411	Heat shock protein
22	38	79.2	10	22	AA198411	Heat shock protein
23	38	79.2	303	18	AA198411	Pyrodicticum aerop
24	38	79.2	643	18	AA198411	Marmoset intracell
25	38	79.2	665	21	AA198411	Lung cancer associ
26	36	75.0	83	21	AA198411	Arabidopsis thalia
27	36	75.0	91	21	AA198411	Human secreted pro
28	36	75.0	160	22	AA198411	C glutamicum prote
29	36	75.0	160	22	AA198411	Corynebacterium gl
30	36	75.0	200	21	AA198411	Arabidopsis thalia
31	36	75.0	225	21	AA198411	Arabidopsis thalia
32	36	75.0	229	21	AA198411	Arabidopsis thalia
33	36	75.0	253	21	AA198411	Arabidopsis thalia
34	36	75.0	279	21	AA198411	Arabidopsis thalia
35	36	75.0	342	21	AA198411	Arabidopsis thalia
36	36	75.0	646	11	AA198411	Rat HSP (rathsp70)
37	36	75.0	646	19	AA198411	Heat shock cognate
38	36	75.0	646	20	AA198411	Human heat shock c
39	36	75.0	646	20	AA198411	Mouse heat shock c
40	36	75.0	646	21	AA198411	Mouse heat shock p
41	36	75.0	646	21	AA198411	Human heat shock p
42	36	75.0	646	22	AA198411	Human heat shock p
43	36	75.0	656	18	AA198411	Candida albicans h
44	36	75.0	890	21	AA198411	GFP-HSC70 fusion p
45	35	72.9	180	18	AA198411	H. pylori cytoplas

ALIGNMENTS

RESULT 1
AAB97603
ID : AAB97603 standard; peptide; 10 AA.
XX
AC AAB97603;
XX
DT 30-JUL-2001 (first entry)
XX
DE Heat shock protein 70 (HSP70) peptidic fragment 3.

XX HSP; HSP70; heat shock protein 70; cancer; chronic infectious disease;
KW vaccine; HSP-peptide complex; tumour; peptidic fragment; lymphocyte;
KW cytotoxic response; epitope; antigen presenting cell; fragment 3.

XX Homo sapiens.

XX WO200129190-A1.

PD 26-APR-2001.

XX 29-SEP-2000; 2000WO-EP09530.

XX 15-OCT-1999; 99EP-0120484.

XX (IDMI-) IDM IMMUNO-DESIGNED MOLECULES.

XX Abastado JP, Bartholeyns J;

XX WPI; 2001-290909/30.

XX Lymphocytes useful for treating cancer, recognizes specifically
PT transformed human cells with induced and increased membrane expression
PT of heat shock protein -

PS Claim 8; Page 15; 21pp; English.

XX The amino acid sequence of fragment 3 relating to position 286-295 of
CC human heat shock protein 70 (HSP70) is given. The new invention relates
CC to lymphocytes which recognise cells of a patient in which overexpression
CC of HSP has been induced. Overexpression of HSP leads to a substantial
CC increase in the numbers of HSPs and HSP epitopes presented on the
CC pericellular membrane. Recognition of increased numbers of HSP epitopes
CC on cell pericellular membranes by lymphocytes elicits a cytotoxic
CC response which kills the target cells. As a further embodiment of the
CC invention, HSP70 epitopes are mutated prior to being loaded into antigen
CC presenting cells. This has the effect of increasing the immune response
CC to HSP and helps direct the immune response to specific cells, (e.g.
CC cancer cells). HSP70 fragments are useful for treating cancer or
CC intracellular infections by vaccination. The tolerance of the organism to
CC the tumour or to the virus associated HSP is broken using an immunogenic
CC mutated form of HSP and induction of a stress on the target tumoural or
CC intracellular infected cells.

XX Sequence 10 AA;

Query Match 81.2%; Score 39; DB 22; Length 10;
Best Local Similarity 88.9%; Pred. No. 0.24;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
| | | | | | | |
Db 1 slfegidfy 9

RESULT 2

AY88409
ID AAY88409 standard; Protein; 554 AA.

XX AC AAY88409;

XX 31-JUL-2000 (first entry)

XX Human heat shock protein SHSP70 amino acid sequence.

XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
KW depression; nephrotic syndrome; SHSP70.

XX Homo sapiens.

XX JP2000069999-A.

XX 07-MAR-2000.

XX 01-JUN-1995; 99JP-0257146.

XX 01-JUN-1995; 95JP-0158581.

XX (HOKE-) HOKEN KAGAKU KENKYUSHO KK.

XX WPI; 2000-264458/23.

XX N-PSDB; AAA15621.

XX Abnormal transcription of intracellular HSP70mRNA under acute and
PT chronic continuous load of stress in a human being and its application

XX Examples; Fig 2; 11pp; Japanese.

XX This sequence represents the human heat shock protein SHSP70 amino acid
CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
CC and 14q22-24. The invention relates to the abnormal transcription of
CC intracellular HSP70mRNA under acute and chronic stress load in a human.
CC The abnormal transcription of HSP70 can be used in the improvement of
CC stress and response and diagnosis of stress diseases including
CC rheumatism, schizophrenia, depression and nephrotic syndrome.

XX Sequence 554 AA;

Query Match 81.2%; Score 39; DB 21; Length 554;
Best Local Similarity 88.9%; Pred. No. 19;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
| | | | | | | |
Db 200 slfegidfy 208

RESULT 3

AY88410
ID AAY88410 standard; Protein; 554 AA.

XX AC AAY88410;

XX 31-JUL-2000 (first entry)

XX Human heat shock protein SHSP70 amino acid sequence.

XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
KW depression; nephrotic syndrome; SHSP70.

XX Homo sapiens.

XX JP2000069999-A.

XX 07-MAR-2000.

XX 01-JUN-1995; 99JP-0257146.

XX 01-JUN-1995; 95JP-0158581.

XX (HOKE-) HOKEN KAGAKU KENKYUSHO KK.

XX WPI; 2000-264458/23.

XX N-PSDB; AAA15622.

XX Abnormal transcription of intracellular HSP70mRNA under acute and
PT chronic continuous load of stress in a human being and its application

XX Disclosure; Fig 3; 11pp; Japanese.

XX This sequence represents the human heat shock protein SHSP70 amino acid
CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
CC and 14q22-24. The invention relates to the abnormal transcription of
CC intracellular HSP70mRNA under acute and chronic stress load in a human.
CC The abnormal transcription of HSP70 can be used in the improvement of
CC stress and response and diagnosis of stress diseases including
CC rheumatism, schizophrenia, depression and nephrotic syndrome.

XX Sequence 554 AA;

Query Match 81.2%; Score 39; DB 21; Length 554;
Best Local Similarity 88.9%; Pred. No. 19;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
| | | | | | | |
Db 200 slfegidfy 208

RESULT 4

AY88412
ID AAY88412 standard; Protein; 554 AA.

XX AC AAY88412;

JUL-2000 (first entry)

Human heat shock protein SHSP70 amino acid sequence.

Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress; chromosome 14q22-24; transcription; rheumatism; schizophrenia; depression; nephrotic syndrome; SHSP70.

Homo sapiens.

JP2000069999-A.

07-MAR-2000.

01-JUN-1995; 99JP-0257146.

01-JUN-1995; 95JP-0158581.

(HOKE-) HOKEN KAGAKU KENKYUSHO KK.

WPI; 2000-264458/23.

Abnormal transcription of intracellular HSP70mRNA under acute and chronic continuous load of stress in a human being and its application

Disclosure; Fig 5; 11pp; Japanese.

This sequence represents the human heat shock protein SHSP70 amino acid sequence. Human heat shock proteins are located on chromosomes 6p21.3-22 and 14q22-24. The invention relates to the abnormal transcription of intracellular HSP70mRNA under acute and chronic stress load in a human. The abnormal transcription of HSP70 can be used in the improvement of stress and response and diagnosis of stress diseases including rheumatism, schizophrenia, depression and nephrotic syndrome.

Sequence 554 AA;

Query Match 81.2%; Score 39; DB 21; Length 554;

Best Local Similarity 88.9%; Pred. No. 19;

Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9

|||||||

Db 200 slifegidfy 208

RESULT 5

AA588413
ID AA588413 standard; Protein; 554 AA.

AC AA588413;

DT 31-JUL-2000 (first entry)

Human heat shock protein SHSP70 amino acid sequence.

Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress; chromosome 14q22-24; transcription; rheumatism; schizophrenia; depression; nephrotic syndrome; SHSP70.

Homo sapiens.

JP2000069999-A.

07-MAR-2000.

01-JUN-1995; 99JP-0257146.

01-JUN-1995; 95JP-0158581.

(HOKE-) HOKEN KAGAKU KENKYUSHO KK.

WPI; 2000-264458/23.

Abnormal transcription of intracellular HSP70mRNA under acute and chronic continuous load of stress in a human being and its application

Disclosure; Fig 6; 11pp; Japanese.

This sequence represents the human heat shock protein SHSP70 amino acid sequence. Human heat shock proteins are located on chromosomes 6p21.3-22 and 14q22-24. The invention relates to the abnormal transcription of intracellular HSP70mRNA under acute and chronic stress load in a human. The abnormal transcription of HSP70 can be used in the improvement of stress and response and diagnosis of stress diseases including rheumatism, schizophrenia, depression and nephrotic syndrome.

Sequence 554 AA;

Query Match 81.2%; Score 39; DB 21; Length 554;

Best Local Similarity 88.9%; Pred. No. 19;

Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9

|||||||

Db 200 slifegidfy 208

RESULT 6

ID AAB23252 standard; Protein; 624 AA.

AC AAB23252;

DT 29-JAN-2001 (first entry)

Human Hsp72 (heat shock protein 72).

Human Hsp72; heat shock protein 72; chromosome 6p21.3; Hsp72 inhibitor; expression modulator; JNK phosphatase inhibitor; antiproliferative; drug screening; cancer; leukaemia; lymphoma; solid tumour; sarcoma; carcinoma; breast cancer; prostate cancer; premalignant condition.

Homo sapiens.

WO200054814-A1.

PD 21-SEP-2000.

PF 17-MAR-2000; 2000WO-US07350.

PR 18-MAR-1999; 99US-0125046.

PA (PHYL-) PHYLOGENY INC.

PI Volloch Vz, Sherman M;

WPI; 2000-647056/62.

N-PSDB; AAA97541.

Identifying compounds that inhibit proliferation of cells and capable of modulating the expression of heat shock protein 72 gene and/or activity of Hsp72 useful for treating cancers such as leukemia, lymphoma

Examples; Fig 16B; 77pp; English.

The invention relates to a novel method of identifying compounds that inhibit proliferation of cells comprising contacting a test compound with a cell which overexpresses Hsp72 (heat shock protein 72), and determining if the test compound inhibits activity or expression of Hsp72.

CC Optionally, Hsp72 is contacted with the test compound under optimum
 CC conditions to allow the two components to interact and bind, forming a
 CC complex which is detected. The invention also relates to a method of
 CC identifying compounds that inhibit Hsp72-mediated JNK phosphatase
 CC activation, comprising contacting a test compound with a cell which
 CC expresses Hsp72, exposing the cell to a heat induced stress and
 CC determining if the compound inhibits JNK phosphatase activity. The
 CC invention additionally encompasses compositions comprising an inhibitor
 CC of Hsp72 or JNK phosphatase activity. The compounds identified as
 CC inhibitors of Hsp72 or JNK phosphatase activity are useful for
 CC inhibiting the proliferation of cells. Modulation of the activity of the
 CC JNK phosphatase or Hsp72 is used to treat a proliferative disorder such
 CC as cancers (e.g., leukaemia, lymphoma, solid tumours such as sarcomas and
 CC carcinomas, breast cancer, prostate cancer). The compounds that inhibit
 CC Hsp72 activity can also be administered to treat premalignant conditions
 CC and to prevent progression to a neoplastic or malignant state. The
 CC compounds that inhibit Hsp72 function are administered to a patient
 CC having a disease or disorder mediated by an increase of Hsp72 expression
 CC or activity relative to normal levels. The present sequence represents
 CC human Hsp72 used in the exemplifications of the invention.

XX SQ Sequence 624 AA;

Query Match 81.2%; Score 39; DB 21; Length 624;
 Best Local Similarity 88.9%; Pred. No. 22;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
 |||||
 Db 286 slfegidfy 294

RESULT 7
 AAR03930
 ID AAR03930 standard; Protein; 634 AA.

XX AC AAR03930;

DT 30-AUG-1990 (first entry)

XX Gallus gallus HSP (chkhsp70).

XX Hsp70; heat shock protein; Trypanosoma cruzi; vaccines; HSP.

XX OS Gallus gallus.

XX Key Location/Qualifiers

FT Misc-difference 634
 FT /note= "residue given as "O" in specification"

XX WO9002564-A.

XX 22-MAR-1990.

XX 12-SEP-1989; 89WO-0003955.

XX 12-SEP-1988; 88US-0243474.

XX (CODO-) CODON.

XX Dragon E, Faulds D, Sias S;

XX WPI; 1990-115820/15.

XX Proteins homologous to heat shock proteins from Trypanosoma cruzi - used
 in vaccines and diagnosis for species of eg Mycoplasma or Mycobacteria.

XX Disclosure; Fig 2.1-2.14; 86pp; English.

XX According to the legend of Fig 2, the G. gallus HSP sequence has
 635 amino acid residues, the sequence itself has only 634,
 including "O" (?) at position 634.

CC Fig. 2 provides an alignment of heat shock proteins from a variety
 of organisms: 1. M.hypopneumoniae (Mhysp70 - AAR03922);
 2. Bacillus megaterium (Bmebsp70 - AAR03923);
 3. E. coli (dnaK - AAR03924);

CC 4. T. cruzi (tc70kd - AAR03925);

CC 5. T. cruzi (AAR03926);

CC 6. Rat rattus (rathsp70 - AAR03927);

CC 7. Xenopus laevis (xl70 - AAR03928);

CC 8. Homo sapiens (humhsp70 - AAR03929);

CC 9. Gallus gallus (chkhsp70 - AAR03930);

CC 10. Zea mays (mzeshp70 - AAR03931);

CC 11. Serratia marcescens (smahsp70 - AAR03932).

CC The proteins having homology to hsp's of T. cruzi can be used in
 vaccines and diagnosis involving e.g. Trypanosoma, Mycoplasma and
 Mycobacteria species.

XX SQ Sequence 634 AA;

Query Match 81.2%; Score 39; DB 11; Length 634;
 Best Local Similarity 88.9%; Pred. No. 22;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
 |||||
 Db 289 slfegidfy 297

RESULT 8

AAR03929

ID AAR03929 standard; Protein; 640 AA.

XX AC AAR03929;

DT 30-AUG-1990 (first entry)

XX Homo sapiens HSP (humhsp70).

XX Hsp70; heat shock protein; Trypanosoma cruzi; vaccines; HSP.

XX OS Homo sapiens.

XX Key Location/Qualifiers

FT Misc-difference 640

FT /note= "residue given as "O" in specification"

XX WO9002564-A.

XX 22-MAR-1990.

XX 12-SEP-1989; 89WO-0003955.

XX 12-SEP-1988; 88US-0243474.

XX (CODO-) CODON.

XX Dragon E, Faulds D, Sias S;

XX WPI; 1990-115820/15.

XX Proteins homologous to heat shock proteins from Trypanosoma cruzi - used
 in vaccines and diagnosis for species of eg Mycoplasma or Mycobacteria.

XX Disclosure; Fig 2.1-2.14; 86pp; English.

XX According to the legend of Fig 2, the H. sapiens HSP sequence has
 641 amino acid residues, the sequence itself has only 640,
 including "O" (?) at position 640.

XX Fig. 2 provides an alignment of heat shock proteins from a variety
 of organisms: 1. M.hypopneumoniae (Mhysp70 - AAR03922);
 2. Bacillus megaterium (Bmebsp70 - AAR03923);

CC 3. E. coli (dnaK - AAR03924);

CC 4. T. cruzi (tc70kd - AAR03925);

CC 5. T. cruzi (AAR03926);
 CC 6. Rat rattus (rathsp70 - AAR03927);
 CC 7. Xenopus laevis (xl70 - AAR03928);
 CC 8. Homo sapiens (humsp70 - AAR03929);
 CC 9. Gallus gallus (chkhsp70 - AAR03930);
 CC 10. Zea mays (mzehsp70 - AAR03931);
 CC 11. Serratia marcescens (smahsp70 - AAR03932).
 CC The proteins having homology to hsp's of T. cruzi can be used in
 CC vaccines and diagnosis involving e.g. Trypanosoma, Mycoplasma and
 CC Mycobacteria species.
 XX
 SQ Sequence 640 AA;

Query Match 81.2%; Score 39; DB 11; Length 640;
 Best Local Similarity 88.9%; Pred. No. 22;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 SLFEGIDGY 9
 |||||
 Db 286 slfegidfy 294

RESULT 9
 AAW10065
 ID AAW10065 standard; Protein; 640 AA.

XX AC AAW10065;
 XX DT 24-OCT-1997 (first entry)
 XX DE Human heat shock protein 70.
 XX KW Human; heat shock protein 70; HSP70; primer; probe; detection;
 KW intracellular; abnormal transcription; acute; chronic; sustained;
 XX stress.
 XX OS Homo sapiens.
 XX PN JP08322577-A.
 XX PD 10-DEC-1996.
 XX PF 01-JUN-1995; 95JP-0158581.
 XX PR 01-JUN-1995; 95JP-0158581.
 XX PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
 XX DR WPI: 1997-081088/08.
 XX N-PSDB: AAT58086.

PT Detection of abnormal transcription of HSP70 mRNA - using HSP70
 PT specific primer or probe, used in detection of human acute and
 PT chronic sustained stress load
 XX
 PS Claim 1; Fig 1; 13pp; Japanese.
 XX

CC The cDNA encoding the present sequence, human heat shock protein 70
 CC (HSP70), is located on human chromosome 6p 21.3-22 and 14q 22-24
 CC and 21. Primers and probes based on the HSP70 cDNA coding
 CC sequence can be used to detect the abnormal transcription of
 CC intracellular HSP70 mRNA in human acute and chronic sustained
 CC stress load.
 XX
 SQ Sequence 640 AA;

Query Match 81.2%; Score 39; DB 18; Length 640;
 Best Local Similarity 88.9%; Pred. No. 22;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 SLFEGIDGY 9

Db 286 slfegidfy 294
 |||||
 RESULT 10
 AAB23653
 ID AAB23653 standard; protein; 640 AA.
 XX AC AAB23653;
 XX DT 05-JAN-2001 (first entry)
 XX DE Human heat shock protein Hsp70 protein sequence SEQ ID NO:5.

XX KW ATPase; Hsp70; heat shock protein; cytotoxic T lymphocyte; CTL;
 KW immune response; infectious disease; malaria; cytotoxic T cell;
 KW cytosolic; immunostimulant; cellular immune response inducer;
 KW protozoacide; leukaemia; cancer.

XX OS Homo sapiens.
 XX PN WO200049041-A1.
 XX PD 24-AUG-2000.
 XX PF 18-FEB-2000; 2000WO-JP00941.
 XX PR 19-FEB-1999; 99JP-0041535.
 XX PA (SUME) SUMITOMO ELECTRIC IND CO.
 XX PI Shinbara N, Udono H, Yui K;
 XX WPI: 2000-543748/49.

PT Fused protein capable of inducing cellular immune response, useful as
 PT active ingredient for drug compositions in preventing and/or treating
 PT infectious diseases such as malaria or cancer
 XX
 PS Claim 3; Page 49-52; 72pp; Japanese.

CC The present invention describes a fused protein (I) prepared from a
 CC peptide containing a CTL (cytotoxic T lymphocyte) epitope recognised by
 CC cytotoxic T cells and a protein containing the ATPase domain of a heat
 CC shock protein. Also described are: (1) a drug composition containing (1)
 CC as active ingredient; (2) a DNA encoding (1); (3) an expression vector
 CC containing the DNA of (2); and (4) a transformant which can retain the
 CC expression vector of (3). (I) has cytostatic, immunostimulant and
 CC protozoacide activities, and can be used as a cellular immune response
 CC inducer. The protein is useful as an active ingredient for drug
 CC compositions in preventing and/or treating infectious diseases such as
 CC malaria or cancer e.g. to provide systemic immunity against leukaemia.
 CC The present sequence represents a specifically claimed heat shock
 CC protein for use in a fused protein of the present invention.

XX SQ Sequence 640 AA;

Query Match 81.2%; Score 39; DB 21; Length 640;
 Best Local Similarity 88.9%; Pred. No. 22;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
 |||||
 Db 286 slfegidfy 294

RESULT 11
 AAY88408
 ID AAY88408 standard; Protein; 640 AA.
 XX AC AAY88408;
 XX

DT 31-JUL-2000 (first entry)
XX Human heat shock protein HSP70 amino acid sequence.
DE
XX
KW Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
KW depression; nephrotic syndrome.
XX
OS Homo sapiens.
XX
XX JP2000069999-A.
PN
XX
XX 07-MAR-2000.
PD
XX
XX 01-JUN-1995; 99JP-0257146.
PF
XX
XX 01-JUN-1995; 95JP-0158581.
PR
XX
XX (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
PA
XX
XX WPI; 2000-264458/23.
DR
XX
XX N-PSDB; AAA15620.
DR
XX
XX Abnormal transcription of intracellular HSP70mRNA under acute and
PT chronic continuous load of stress in a human being and its application
PT
XX
XX Claim 2; Fig 1; 11pp; Japanese.
PS
XX
XX This sequence represents the human heat shock protein HSP70 amino acid
CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
CC and 14q22-24. The invention relates to the abnormal transcription of
CC intracellular HSP70mRNA under acute and chronic stress load in a human.
CC The abnormal transcription of HSP70 can be used in the improvement of
CC stress and response and diagnosis of stress diseases including
CC rheumatism, schizophrenia, depression and nephrotic syndrome.
XX
XX Sequence 640 AA;
SQ

Query Match 81.2%; Score 39; DB 21; Length 640;
Best Local Similarity 88.9%; Pred. No. 22;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 SLFEGIDGY 9
DB 286 slfegidfy 294

RESULT 12
AAY88411
ID AAY88411 standard; Protein; 640 AA.
XX
XX AAY88411;
AC
XX
XX 31-JUL-2000 (first entry)
DT
XX
XX Human heat shock protein LHSP70 amino acid sequence.
DE
XX
XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
KW depression; nephrotic syndrome; LHSP70.
XX
XX Homo sapiens.
OS
XX
XX JP2000069999-A.
PN
XX
XX 07-MAR-2000.
PD
XX
XX 01-JUN-1995; 99JP-0257146.
PF
XX
XX 01-JUN-1995; 95JP-0158581.
PR
XX
XX

PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
XX
XX WPI; 2000-264458/23.
DR
XX
XX Abnormal transcription of intracellular HSP70mRNA under acute and
PT chronic continuous load of stress in a human being and its application
PT
XX
XX Disclosure; Fig 4; 11pp; Japanese.
PS
XX
XX This sequence represents the human heat shock protein LHSP70 amino acid
CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
CC and 14q22-24. The invention relates to the abnormal transcription of
CC intracellular HSP70mRNA under acute and chronic stress load in a human.
CC The abnormal transcription of HSP70 can be used in the improvement of
CC stress and response and diagnosis of stress diseases including
CC rheumatism, schizophrenia, depression and nephrotic syndrome.
XX
XX Sequence 640 AA;
SQ

Query Match 81.2%; Score 39; DB 21; Length 640;
Best Local Similarity 88.9%; Pred. No. 22;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 SLFEGIDGY 9
DB 286 slfegidfy 294

RESULT 13
AAR43004
ID AAR43004 standard; protein; 641 AA.
XX
XX AAR43004;
AC
XX
XX 20-MAY-1994 (first entry)
DT
XX
XX Mature mouse sperm 70kD heat shock protein.
DE
XX
XX Sulphoglycolipid immobilising protein 1; sperm plasma membrane;
KW HSC70B; mammalian; infertility; mycoplasma; HSP70.
KW
XX
XX Mus musculus.
OS
XX
XX Key Location/Qualifiers
FH 1..385
FT Region /label= 44kD_Atpase_fragment
FT /note= "peptides comprising an intact domain from
FT the Atpase fragment of hsp70 are claimed;
FT the peptides are homologous to sequences
FT conserved between Stip1 and 74.5kD
FT mycoplasma protein"
FT
FT Domain 1..39
FT /label= IA
FT /note= "part"
FT 40..115
FT Domain /label= IB
FT 116..188
FT Domain /label= IA
FT /note= "part"
FT 189..228
FT Domain /label= IIA
FT /note= "part"
FT 229..306
FT Domain /label= IIB
FT 307..385
FT Domain /label= IIA
FT /note= "part"
FT
XX WO9321954-A.
PN
XX 11-NOV-1993.
PD

Query Match 81.2%; Score 39; DB 21; Length 641;
Best Local Similarity 88.9%; Pred. No. 22;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 SLEPIDGY 9
DB 286 slfegidfy 294

Search completed: December 6, 2001, 08:04:03
Job time: 611 sec

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 08:04:01 ; Search time 184.09 seconds

(without alignments)
3.621 Million cell updates/sec

Title: PEPL-MOD81

Perfect score: 46

Sequence: 1 SLFEGIDLY 9

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 522463 seqs, 74073290 residues

Total number of hits satisfying chosen parameters: 522463

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

A_Geneseq_1101.*
1: /SID88/gcgdata/geneseq/geneseq/AA1980.DAT.*
2: /SID88/gcgdata/geneseq/geneseq/AA1981.DAT.*
3: /SID88/gcgdata/geneseq/geneseq/AA1982.DAT.*
4: /SID88/gcgdata/geneseq/geneseq/AA1983.DAT.*
5: /SID88/gcgdata/geneseq/geneseq/AA1984.DAT.*
6: /SID88/gcgdata/geneseq/geneseq/AA1985.DAT.*
7: /SID88/gcgdata/geneseq/geneseq/AA1986.DAT.*
8: /SID88/gcgdata/geneseq/geneseq/AA1987.DAT.*
9: /SID88/gcgdata/geneseq/geneseq/AA1988.DAT.*
10: /SID88/gcgdata/geneseq/geneseq/AA1989.DAT.*
11: /SID88/gcgdata/geneseq/geneseq/AA1990.DAT.*
12: /SID88/gcgdata/geneseq/geneseq/AA1991.DAT.*
13: /SID88/gcgdata/geneseq/geneseq/AA1992.DAT.*
14: /SID88/gcgdata/geneseq/geneseq/AA1993.DAT.*
15: /SID88/gcgdata/geneseq/geneseq/AA1994.DAT.*
16: /SID88/gcgdata/geneseq/geneseq/AA1995.DAT.*
17: /SID88/gcgdata/geneseq/geneseq/AA1996.DAT.*
18: /SID88/gcgdata/geneseq/geneseq/AA1997.DAT.*
19: /SID88/gcgdata/geneseq/geneseq/AA1998.DAT.*
20: /SID88/gcgdata/geneseq/geneseq/AA1999.DAT.*
21: /SID88/gcgdata/geneseq/geneseq/AA2000.DAT.*
22: /SID88/gcgdata/geneseq/geneseq/AA2001.DAT.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	44	95.7	9	21	AAV44199
2	44	95.7	9	22	AB97601
3	44	95.7	10	22	AAV44200
4	44	95.7	10	22	AB97602
5	42	91.3	10	22	AAV44200
6	42	91.3	554	21	AAV88409
7	42	91.3	554	21	AAV88410
8	42	91.3	554	21	AAV88412
9	42	91.3	554	21	AAV88413
10	42	91.3	624	21	AAV23252
11	42	91.3	634	11	AAV03930

12	42	91.3	640	11	AAV03929	Homo sapiens HSP
13	42	91.3	640	18	AAV10065	Human heat shock p
14	42	91.3	640	21	AAV23653	Human heat shock p
15	42	91.3	640	21	AAV88408	Human heat shock p
16	42	91.3	640	21	AAV88411	Human heat shock p
17	42	91.3	641	14	AAV43004	Mature mouse sperm
18	42	91.3	641	19	AAV54349	Human heat shock 7
19	42	91.3	641	21	AAV23652	Human heat shock p
20	42	91.3	641	22	AAV82534	Human heat shock p
21	42	91.3	642	21	AAV23650	Rat heat shock pro
22	42	91.3	642	11	AAV03928	Xenopus laevis HSP
23	41	89.1	643	18	AAV22895	Marmoset intracell
24	41	89.1	665	21	AAV58386	Lung cancer associ
25	39	84.8	91	21	AAV02174	Human secreted pro
26	39	84.8	253	21	AAV24333	Arabidopsis thalia
27	39	84.8	279	21	AAV24332	Arabidopsis thalia
28	39	84.8	342	21	AAV24331	Arabidopsis thalia
29	39	84.8	646	11	AAV03927	Rat HSP (rathsp70)
30	39	84.8	646	19	AAV54364	Heat shock cognate
31	39	84.8	646	20	AAV17407	Human heat shock c
32	39	84.8	646	20	AAV17408	Mouse heat shock c
33	39	84.8	646	21	AAV23649	Mouse heat shock p
34	39	84.8	646	21	AAV23651	Human heat shock p
35	39	84.8	646	22	AAV82535	Human heat shock p
36	39	84.8	656	18	AAV01638	Candida albicans h
37	39	84.8	890	21	AAV22938	GFP-HSC70 fusion p
38	38	82.6	412	22	AAV61974	S. avermitilis ORF
39	38	82.6	633	14	AAV43002	Mouse SLIPI homolo
40	36	78.3	134	22	AAV72082	Human olfactory re
41	36	78.3	134	22	AAV72333	Human OR-like poly
42	35	76.1	188	21	AAV40410	Human ORF ORF174
43	35	76.1	421	21	AAV27768	Arabidopsis thalia
44	35	76.1	515	21	AAV41383	Arabidopsis thalia
45	35	76.1	542	21	AAV53606	Arabidopsis thalia

ALIGNMENTS

RESULT 1

AAV44199
ID AAY44199 standard; peptide; 9 AA.

XX
AC AAY44199;

XX
DT 15-FEB-2000 (first entry)

XX
DE Heat shock protein 70 amino acid residues 286-294.

XX
KW Human; heat shock protein 70; hsp70; identification; tumour; mutation;
KW T cell response; amplification; vector; bacterium; cancer; allele;
KW cytotoxic factor; interleukin; interferon; tumour necrosis factor; HLA;
KW Immune defence; immunogenicity; specificity; human leucocyte antigen.

XX
OS Homo sapiens.

XX
PN WO9954464-A1.

XX
PD 28-OCT-1999.

XX
PF 22-APR-1999; 99WO-FR00957.

XX
PR 22-APR-1998; 98FR-0005033.

XX
PA (INSR) INST ROUSSY GUSTAVE.

XX
PI Triebel F, Gaudin C;

XX
PI WPI; 2000-013251/01.

XX
DR Identifying mutant peptides from heat-shock protein 70, for treatment
XX
PT of cancer -
XX

PS Claim 10; Page 6; 56pp; French.

XX This peptide corresponds to amino acid residues 286-294 of the human

CC heat shock protein 70 (hsp70). The invention relates to a method of

CC identifying peptides, derived from hsp70 that stimulate a tumour-specific

CC T cell response. Identification of the hsp70 peptides that have at least

CC one mutation or alteration compared with the native sequence, and induce

CC a tumour-specific T-cell response, comprises: (i) amplifying hsp70

CC encoding DNA from one or more tumours; (ii) cloning the amplified

CC sequences into a vector that can be replicated in bacteria;

CC (iii) sequencing fragments in each cultured bacterial colony to identify

CC any hsp70 mutations; and (iv) determining the immunogenicity of the

CC mutant peptides identified. The peptides, optionally formulated with an

CC agent that induces cellular stress, are used for treatment of cancer,

CC particularly solid cancers (carcinoma, sarcoma, melanoma, neuroblastoma,

CC cancers of head and neck, particularly kidney cancer). The peptides may

CC also be used to increase the proportion of tumour-specific cytotoxic

CC T lymphocytes in a cell culture and/or induce these cells to secrete

CC cytotoxic factors (specifically interleukin-2, interferon-gamma and

CC tumour necrosis factor), particularly where the cells are used to

CC stimulate immune defences. The method identifies peptides with high

CC immunogenicity and high specificity for particular HLA (human leucocyte

XX antigen) alleles.

SQ Sequence 9 AA;

Query Match 95.7%; Score 44; DB 21; Length 9;

Best Local Similarity 88.9%; Pred. No. 4.3e+05;

Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9

DB 1 slfegidly 9

RESULT 2

ID AAB97601

XX AAB97601 standard; peptide; 9 AA.

AC AAB97601;

XX 30-JUL-2001 (first entry)

DE Heat shock protein 70 (HSP70) peptidic fragment 1.

KW HSP; HSP70; heat shock protein 70; cancer; chronic infectious disease;

KW vaccine; HSP-peptide complex; tumour; peptidic fragment; lymphocyte;

KW cytotoxic response; epitope; antigen presenting cell; fragment 1.

OS Homo sapiens.

XX WO200129190-A1.

PN 26-APR-2001.

XX 29-SEP-2000; 2000WO-EP09530.

PF 15-OCT-1999; 99EP-0120484.

PR (IDMI-) IDM IMMUNO-DESIGNED MOLECULES.

PA Abastado JP, Bartholeyns J;

PI WPI; 2001-290909/30.

XX Lymphocytes useful for treating cancer, recognizes specifically

PT transformed human cells with induced and increased membrane expression

PT of heat shock protein -

XX Claim 8; Page 15; 21pp; English.

XX The amino acid sequence of fragment 1 relating to position 286-294 of

CC human heat shock protein 70 (HSP70) is given. The new invention relates

CC to lymphocytes which recognise cells of a patient in which overexpression

CC of HSP has been induced. Overexpression of HSP leads to a substantial

CC increase in the numbers of HSPs and HSP epitopes presented on the

CC pericellular membrane. Recognition of increased numbers of HSP epitopes

CC on cell pericellular membranes by lymphocytes elicits a cytotoxic

CC response which kills the target cells. As a further embodiment of the

CC invention, HSP70 epitopes are mutated prior to being loaded into antigen

CC presenting cells. This has the effect of increasing the immune response

CC to HSP and helps direct the immune response to specific cells, (e.g.

CC cancer cells). HSP70 fragments are useful for treating cancer or

CC intracellular infections by vaccination. The tolerance of the organism to

CC the tumour or to the virus associated HSP is broken using an immunogenic

CC mutated form of HSP and induction of a stress on the target tumoural or

CC intracellular infected cells.

XX Sequence 9 AA;

SQ

Query Match 95.7%; Score 44; DB 22; Length 9;

Best Local Similarity 88.9%; Pred. No. 4.3e+05;

Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9

DB 1 slfegidly 9

RESULT 3

AAAY44200

ID AAY44200 standard; peptide; 10 AA.

XX AAY44200;

AC AAY44200;

XX 15-FEB-2000 (first entry)

DE Heat shock protein 70 amino acid residues 286-295.

XX Human; heat shock protein 70; hsp70; identification; tumour; mutation;

KW T cell response; amplification; vector; bacterium; cancer; allele;

KW cytotoxic factor; interleukin; interferon; tumour necrosis factor; HLA;

KW immune defence; immunogenicity; specificity; human leucocyte antigen.

OS Homo sapiens.

XX WO9954464-A1.

PN 28-OCT-1999.

XX 22-APR-1999; 99WO-FR00957.

PF 22-APR-1998; 98FR-0005033.

PR (INSR) INST ROUSSY GUSTAVE.

PA Triebel F, Gaudin C;

PI WPI; 2000-013251/01.

DR Identifying mutant peptides from heat-shock protein 70, for treatment

XX of cancer -

XX Claim 10; Page 6; 56pp; French.

XX This peptide corresponds to amino acid residues 286-295 of the human

CC heat shock protein 70 (hsp70). The invention relates to a method of

CC identifying peptides, derived from hsp70 that stimulate a tumour-specific

CC T cell response. Identification of the hsp70 peptides that have at least

CC one mutation or alteration compared with the native sequence, and induce

CC a tumour-specific T-cell response, comprises: (i) amplifying hsp70

CC encoding DNA from one or more tumours; (ii) cloning the amplified

CC sequences into a vector that can be replicated in bacteria;

CC (iii) sequencing fragments in each cultured bacterial colony to identify

CC any hsp70 mutations, and (iv) determining the immunogenicity of the
 CC mutant peptides identified. The peptides, optionally formulated with an
 CC agent that induces cellular stress, are used for treatment of cancer,
 CC particularly solid cancers (carcinoma, sarcoma, melanoma, neuroblastoma,
 CC cancers of head and neck, particularly kidney cancer). The peptides may
 CC also be used to increase the proportion of tumour-specific cytotoxic
 CC T lymphocytes in a cell culture and/or induce these cells to secrete
 CC cytotoxic factors (specifically interleukin-2, interferon-gamma and
 CC tumour necrosis factor), particularly where the cells are used to
 CC stimulate immune defences. The method identifies peptides with high
 CC immunogenicity and high specificity for particular HLA (human leucocyte
 CC antigen) alleles.
 XX
 SQ Sequence 10 AA;

Query Match 95.7%; Score 44; DB 21; Length 10;
 Best Local Similarity 88.9%; Pred. No. 0.013;
 Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
 Db 1 slfegidly 9

RESULT 4

AAB97602
 ID AAB97602 standard; peptide; 10 AA.

AC AAB97602;

DT 30-JUL-2001 (first entry)

DE Heat shock protein 70 (HSP70) peptidic fragment 2.

XX HSP; HSP70; heat shock protein 70; cancer; chronic infectious disease;
 KW vaccine; HSP-peptide complex; tumour; peptidic fragment; lymphocyte;
 KW cytotoxic response; epitope; antigen presenting cell; fragment 2.

OS Homo sapiens.

XX WO200129190-A1.

XX 26-APR-2001.

XX 29-SEP-2000; 2000WO-EP09530.

XX 15-OCT-1999; 99EP-0120484.

XX (IDMI-) IDM IMMUNO-DESIGNED MOLECULES.

XX Abastado JP, Bartholeyns J;

XX WPI; 2001-290909/30.

XX Lymphocytes useful for treating cancer, recognizes specifically
 PT transformed human cells with induced and increased membrane expression
 PT of heat shock protein -

XX Claim 8; Page 15; 21pp; English.

XX The amino acid sequence of fragment 2 relating to position 286-295 of
 CC human heat shock protein 70 (HSP70) is given. The new invention relates
 CC to lymphocytes which recognise cells of a patient in which overexpression
 CC of HSP has been induced. Overexpression of HSP leads to a substantial
 CC increase in the numbers of HSPs and HSP epitopes presented on the
 CC pericellular membrane. Recognition of increased numbers of HSP epitopes
 CC on cell pericellular membranes by lymphocytes elicits a cytotoxic
 CC response which kills the target cells. As a further embodiment of the
 CC invention, HSP70 epitopes are mutated prior to being loaded into antigen
 CC presenting cells. This has the effect of increasing the immune response
 CC to HSP and helps direct the immune response to specific cells, (e.g.
 CC cancer cells). HSP70 fragments are useful for treating cancer or

CC intracellular infections by vaccination. The tolerance of the organism to
 CC the tumour or to the virus associated HSP is broken using an immunogenic
 CC mutated form of HSP and induction of a stress on the target tumoural or
 CC intracellular infected cells.
 XX
 SQ Sequence 10 AA;

Query Match 95.7%; Score 44; DB 22; Length 10;
 Best Local Similarity 88.9%; Pred. No. 0.013;
 Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
 Db 1 slfegidly 9

RESULT 5

AAB97603
 ID AAB97603 standard; peptide; 10 AA.

AC AAB97603;

DT 30-JUL-2001 (first entry)

DE Heat shock protein 70 (HSP70) peptidic fragment 3.

XX HSP; HSP70; heat shock protein 70; cancer; chronic infectious disease;
 KW vaccine; HSP-peptide complex; tumour; peptidic fragment; lymphocyte;
 KW cytotoxic response; epitope; antigen presenting cell; fragment 3.

OS Homo sapiens.

XX WO200129190-A1.

XX 26-APR-2001.

XX 29-SEP-2000; 2000WO-EP09530.

XX 15-OCT-1999; 99EP-0120484.

XX (IDMI-) IDM IMMUNO-DESIGNED MOLECULES.

XX Abastado JP, Bartholeyns J;

XX WPI; 2001-290909/30.

XX Lymphocytes useful for treating cancer, recognizes specifically
 PT transformed human cells with induced and increased membrane expression
 PT of heat shock protein -

XX Claim 8; Page 15; 21pp; English.

XX The amino acid sequence of fragment 3 relating to position 286-295 of
 CC human heat shock protein 70 (HSP70) is given. The new invention relates
 CC to lymphocytes which recognise cells of a patient in which overexpression
 CC of HSP has been induced. Overexpression of HSP leads to a substantial
 CC increase in the numbers of HSPs and HSP epitopes presented on the
 CC pericellular membrane. Recognition of increased numbers of HSP epitopes
 CC on cell pericellular membranes by lymphocytes elicits a cytotoxic
 CC response which kills the target cells. As a further embodiment of the
 CC invention, HSP70 epitopes are mutated prior to being loaded into antigen
 CC presenting cells. This has the effect of increasing the immune response
 CC to HSP and helps direct the immune response to specific cells, (e.g.
 CC cancer cells). HSP70 fragments are useful for treating cancer or
 CC intracellular infections by vaccination. The tolerance of the organism to
 CC the tumour or to the virus associated HSP is broken using an immunogenic
 CC mutated form of HSP and induction of a stress on the target tumoural or
 CC intracellular infected cells.

XX Sequence 10 AA;

Query Match 91.3%; Score 42; DB 22; Length 10;
Best Local Similarity 88.9%; Pred. No. 0.032;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
DB 1 slfegidfy 9

RESULT 6

AA188409
ID AAY88409 standard; Protein; 554 AA.

XX AC AAY88409;

XX DT 31-JUL-2000 (first entry)

DE Human heat shock protein SHSP70 amino acid sequence.

XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
KW depression; nephrotic syndrome; SHSP70.

XX OS Homo sapiens.

XX PN JP2000069999-A.

XX PD 07-MAR-2000.

XX PF 01-JUN-1995; 99JP-0257146.

XX PR 01-JUN-1995; 95JP-0158581.

XX PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.

XX DR WPI: 2000-264458/23.

XX N-PSDB; AAA15621.

XX Abnormal transcription of intracellular HSP70mRNA under acute and
PT chronic continuous load of stress in a human being and its application

XX Examples; Fig 2; l1pp; Japanese.

XX This sequence represents the human heat shock protein SHSP70 amino acid
CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
CC and 14q22-24. The invention relates to the abnormal transcription of
CC intracellular HSP70mRNA under acute and chronic stress load in a human.
CC The abnormal transcription of HSP70 can be used in the improvement of
CC stress and response and diagnosis of stress diseases including
CC rheumatism, schizophrenia, depression and nephrotic syndrome.

XX Sequence 554 AA;

Query Match 91.3%; Score 42; DB 21; Length 554;
Best Local Similarity 88.9%; Pred. No. 2.3;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 SLFEGIDLY 9
Db 200 slfegidfy 208

RESULT 7

AA188410
ID AAY88410 standard; Protein; 554 AA.

XX AC AAY88410;

XX DT 31-JUL-2000 (first entry)

XX Human heat shock protein SHSP70 amino acid sequence.

XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
KW depression; nephrotic syndrome; SHSP70.

XX OS Homo sapiens.

XX PN JP2000069999-A.

XX PD 07-MAR-2000.

XX PF 01-JUN-1995; 99JP-0257146.

XX PR 01-JUN-1995; 95JP-0158581.

XX PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.

XX WPI: 2000-264458/23.

XX N-PSDB; AAA15622.

XX Abnormal transcription of intracellular HSP70mRNA under acute and
PT chronic continuous load of stress in a human being and its application

XX Disclosure; Fig 3; l1pp; Japanese.

XX This sequence represents the human heat shock protein SHSP70 amino acid
CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
CC and 14q22-24. The invention relates to the abnormal transcription of
CC intracellular HSP70mRNA under acute and chronic stress load in a human.
CC The abnormal transcription of HSP70 can be used in the improvement of
CC stress and response and diagnosis of stress diseases including
CC rheumatism, schizophrenia, depression and nephrotic syndrome.

XX Sequence 554 AA;

Query Match 91.3%; Score 42; DB 21; Length 554;
Best Local Similarity 88.9%; Pred. No. 2.3;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
DB 200 slfegidfy 208

RESULT 8

AA188412
ID AAY88412 standard; Protein; 554 AA.

XX AC AAY88412;

XX DT 31-JUL-2000 (first entry)

XX Human heat shock protein SHSP70 amino acid sequence.

XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
KW depression; nephrotic syndrome; SHSP70.

XX OS Homo sapiens.

XX PN JP2000069999-A.

XX PD 07-MAR-2000.

XX PF 01-JUN-1995; 99JP-0257146.

XX PR 01-JUN-1995; 95JP-0158581.

XX PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.

XX WPI: 2000-264458/23.

XX Abnormal transcription of intracellular HSP70mRNA under acute and
PT chronic continuous load of stress in a human being and its application
PT
XX
XX Disclosure; Fig 5; 11pp; Japanese.
XX
CC This sequence represents the human heat shock protein SHSP70 amino acid
CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
CC and 14q22-24. The invention relates to the abnormal transcription of
CC intracellular HSP70mRNA under acute and chronic stress load in a human.
CC The abnormal transcription of HSP70 can be used in the improvement of
CC stress and response and diagnosis of stress diseases including
CC rheumatisms, schizophrenia, depression and nephrotic syndrome.
XX
XX Sequence 554 AA;
XX

Query Match 91.3%; Score 42; DB 21; Length 554;
Best Local Similarity 88.9%; Pred. No. 2.3;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
XX

QY 1 SLFEGIDLY 9
DB 200 slfegidfy 208
XXXXXXXXXX

RESULT 9
AAY88413
XX ID AAY88413 standard; Protein; 554 AA.
XX AC AAY88413;
XX DT 31-JUL-2000 (first entry)
XX DE Human heat shock protein SHSP70 amino acid sequence.
XX KW Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
XX KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
XX KW depression; nephrotic syndrome; SHSP70.
XX OS Homo sapiens.
XX PN JP2000069999-A.
XX PD 07-MAR-2000.
XX PF 01-JUN-1995; 99JP-0257146.
XX PR 01-JUN-1995; 95JP-0158581.
XX PA (HOKE-) HOKEN KAGAKU KENYUSHO KK.
XX DR WPI; 2000-264458/23.
XX
XX Abnormal transcription of intracellular HSP70mRNA under acute and
PT chronic continuous load of stress in a human being and its application
PT
XX
XX Disclosure; Fig 6; 11pp; Japanese.
XX
CC This sequence represents the human heat shock protein SHSP70 amino acid
CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
CC and 14q22-24. The invention relates to the abnormal transcription of
CC intracellular HSP70mRNA under acute and chronic stress load in a human.
CC The abnormal transcription of HSP70 can be used in the improvement of
CC stress and response and diagnosis of stress diseases including
CC rheumatisms, schizophrenia, depression and nephrotic syndrome.
XX
XX Sequence 554 AA;
XX

Query Match 91.3%; Score 42; DB 21; Length 554;
Best Local Similarity 88.9%; Pred. No. 2.3;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
XX

QY 1 SLFEGIDLY 9
DB 200 slfegidfy 208
XXXXXXXXXX

RESULT 9
AAY88413
XX ID AAY88413 standard; Protein; 554 AA.
XX AC AAY88413;
XX DT 31-JUL-2000 (first entry)
XX DE Human heat shock protein SHSP70 amino acid sequence.
XX KW Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
XX KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
XX KW depression; nephrotic syndrome; SHSP70.
XX OS Homo sapiens.
XX PN JP2000069999-A.
XX PD 07-MAR-2000.
XX PF 01-JUN-1995; 99JP-0257146.
XX PR 01-JUN-1995; 95JP-0158581.
XX PA (HOKE-) HOKEN KAGAKU KENYUSHO KK.
XX DR WPI; 2000-264458/23.
XX
XX Abnormal transcription of intracellular HSP70mRNA under acute and
PT chronic continuous load of stress in a human being and its application
PT
XX
XX Disclosure; Fig 6; 11pp; Japanese.
XX
CC This sequence represents the human heat shock protein SHSP70 amino acid
CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
CC and 14q22-24. The invention relates to the abnormal transcription of
CC intracellular HSP70mRNA under acute and chronic stress load in a human.
CC The abnormal transcription of HSP70 can be used in the improvement of
CC stress and response and diagnosis of stress diseases including
CC rheumatisms, schizophrenia, depression and nephrotic syndrome.
XX
XX Sequence 554 AA;
XX

Query Match 91.3%; Score 42; DB 21; Length 554;
Best Local Similarity 88.9%; Pred. No. 2.3;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
XX

QY 1 SLFEGIDLY 9
DB 200 slfegidfy 208
XXXXXXXXXX

RESULT 10
AAB23252
XX ID AAB23252 standard; Protein; 624 AA.
XX AC AAB23252;
XX DT 29-JAN-2001 (first entry)
XX DE Human Hsp72 (heat shock protein 72).
XX KW Human Hsp72; heat shock protein 72; chromosome 6p21.3; Hsp72 inhibitor;
XX KW expression modulator; JNK phosphatase inhibitor; antiproliferative;
XX KW drug screening; cancer; leukaemia; lymphoma; solid tumour; sarcoma;
XX KW carcinoma; breast cancer; prostate cancer; premalignant condition.
XX OS Homo sapiens.
XX PN WO200054814-A1.
XX PD 21-SEP-2000.
XX PF 17-MAR-2000; 2000WO-US07350.
XX PR 18-MAR-1999; 99US-0125046.
XX PA (PHYL-) PHYLOGENY INC.
XX PI Volloch VZ, Sherman M;
XX WPI; 2000-647056/62.
XX DR N-PSDB; AAA97541.
XX
XX Identifying compounds that inhibit proliferation of cells and capable
PT of modulating the expression of heat shock protein 72 gene and/or
PT activity of Hsp72 useful for treating cancers such as leukemia,
PT lymphoma
PT
XX Examples; Fig 16B; 77pp; English.
XX
CC The invention relates to a novel method of identifying compounds that
CC inhibit proliferation of cells comprising contacting a test compound with
CC a cell which overexpresses Hsp72 (heat shock protein 72), and determining
CC if the test compound inhibits activity or expression of Hsp72.
CC Optionally, Hsp72 is contacted with the test compound under optimum
CC conditions to allow the two components to interact and bind, forming a
CC complex which is detected. The invention also relates to a method of
CC identifying compounds that inhibit Hsp72-mediated JNK phosphatase
CC activation, comprising contacting a test compound with a cell which
CC expresses Hsp72, exposing the cell to a heat induced stress and
CC determining if the compound inhibits JNK phosphatase activity. The
CC invention additionally encompasses compositions comprising an inhibitor
CC of Hsp72 or JNK phosphatase activity. The compounds identified as
CC inhibitors of Hsp72 or JNK phosphatase activity are useful for
CC inhibiting the proliferation of cells. Modulation of the activity of the
CC JNK phosphatase or Hsp72 is used to treat a proliferative disorder such
CC as cancers (e.g., leukaemia, lymphoma, solid tumours such as sarcomas and
CC carcinomas, breast cancer, prostate cancer). The compounds that inhibit
CC Hsp72 activity can also be administered to treat premalignant conditions
CC and to prevent progression to a neoplastic or malignant state. The
CC compounds that inhibit Hsp72 function are administered to a patient
CC having a disease or disorder mediated by an increase of Hsp72 expression
CC or activity relative to normal levels. The present sequence represents
CC human Hsp72 used in the exemplifications of the invention.
XX
XX Sequence 624 AA;
XX

Query Match 91.3%; Score 42; DB 21; Length 624;
Best Local Similarity 88.9%; Pred. No. 2.6;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
| | | | | | | |
Db 286 slfegidfy 294

RESULT 11
AAR03930
ID AAR03930 standard; Protein; 634 AA.

AC AAR03930;
XX
XX 30-AUG-1990 (first entry)
DT
DE Gallus gallus HSP (chkhsp70).
XX

XX Hsp70; heat shock protein; Trypanosoma cruzi; vaccines; HSP.
KW
XX Gallus gallus.
OS

XX Key Location/Qualifiers
FH Misc-difference 634
FT /note= "residue given as "O" in specification"
FT

XX W09002564-A.
XX
XX 22-MAR-1990.
XX
XX 12-SEP-1989; 89WO-0003955.
XX
XX 12-SEP-1988; 88US-0243474.
XX

(CODO-) CODON.

XX Dragon E, Faulds D, Sias S;
XX
XX WPI; 1990-115820/15.

Proteins homologous to heat shock proteins from Trypanosoma cruzi - used in vaccines and diagnosis for species of eg Mycoplasma or Mycobacteria.
XX
XX Disclosure; Fig 2.1-2.14; 86pp; English.

XX According to the legend of Fig 2, the G. gallus HSP sequence has 635 amino acid residues, the sequence itself has only 634, including "O" (?) at position 634.
XX Fig. 2 provides an alignment of heat shock proteins from a variety of organisms: 1. M.hypopneumoniae (Mhyhsp70 - AAR03922);
XX 2. Bacillus megaterium (Bmeahsp70 - AAR03923);
XX 3. E. coli (dnaK - AAR03924);
XX 4. T. cruzi (tc70kd - AAR03925);
XX 5. T. cruzi (AAR03926);
XX 6. Rat rattus (rathsp70 - AAR03927);
XX 7. Xenopus laevis (xl70 - AAR03928);
XX 8. Homo sapiens (humhsp70 - AAR03929);
XX 9. Gallus gallus (chkhsp70 - AAR03930);
XX 10. Zea mays (mzeahsp70 - AAR03931);
XX 11. Serratia marcescens (smahsp70 - AAR03932).

XX The proteins having homology to hsp's of T. cruzi can be used in vaccines and diagnosis involving e.g. Trypanosoma, Mycoplasma and Mycobacteria species.

XX Sequence 634 AA;

Query Match 91.3%; Score 42; DB 11; Length 634;
Best Local Similarity 88.9%; Pred. No. 2.7;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
| | | | | | | |
Db 289 slfegidfy 297

RESULT 12
AAR03929
ID AAR03929 standard; Protein; 640 AA.

XX AAR03929;
XX
XX 30-AUG-1990 (first entry)
DT
DE Homo sapiens HSP (humhsp70).
XX

XX Hsp70; heat shock protein; Trypanosoma cruzi; vaccines; HSP.
KW
XX Homo sapiens.
OS

XX Key Location/Qualifiers
FH Misc-difference 640
FT /note= "residue given as "O" in specification"
FT

XX W09002564-A.
XX
XX 22-MAR-1990.
XX
XX 12-SEP-1989; 89WO-0003955.
XX
XX 12-SEP-1988; 88US-0243474.
XX

(CODO-) CODON.

XX Dragon E, Faulds D, Sias S;
XX
XX WPI; 1990-115820/15.

Proteins homologous to heat shock proteins from Trypanosoma cruzi - used in vaccines and diagnosis for species of eg Mycoplasma or Mycobacteria.

XX Disclosure; Fig 2.1-2.14; 86pp; English.

XX According to the legend of Fig 2, the H. sapiens HSP sequence has 641 amino acid residues, the sequence itself has only 640, including "O" (?) at position 640.

XX Fig. 2 provides an alignment of heat shock proteins from a variety of organisms: 1. M.hypopneumoniae (Mhyhsp70 - AAR03922);
XX 2. Bacillus megaterium (Bmeahsp70 - AAR03923);
XX 3. E. coli (dnaK - AAR03924);
XX 4. T. cruzi (tc70kd - AAR03925);
XX 5. T. cruzi (AAR03926);
XX 6. Rat rattus (rathsp70 - AAR03927);
XX 7. Xenopus laevis (xl70 - AAR03928);
XX 8. Homo sapiens (humhsp70 - AAR03929);
XX 9. Gallus gallus (chkhsp70 - AAR03930);
XX 10. Zea mays (mzeahsp70 - AAR03931);
XX 11. Serratia marcescens (smahsp70 - AAR03932).

XX The proteins having homology to hsp's of T. cruzi can be used in vaccines and diagnosis involving e.g. Trypanosoma, Mycoplasma and Mycobacteria species.

XX Sequence 640 AA;

Query Match 91.3%; Score 42; DB 11; Length 640;
Best Local Similarity 88.9%; Pred. No. 2.7;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
| | | | | | | |
Db 286 slfegidfy 294


```

RESULT 13
AAW10065
ID AAW10065 standard; Protein; 640 AA.
XX
XX AAW10065;
AC
XX
XX 24-OCT-1997 (first entry)
XX
XX Human heat shock protein 70.
DE
XX
XX Human; heat shock protein 70; HSP70; primer; probe; detection;
KW intracellular; abnormal transcription; acute; chronic; sustained;
KW stress.
XX
XX Homo sapiens.
OS
XX
XX JP08322577-A.
PN
XX
XX 10-DEC-1996.
PD
XX
XX 01-JUN-1995; 95JP-0158581.
PF
XX
XX 01-JUN-1995; 95JP-0158581.
PR
XX
XX (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
PA
XX
XX WPI; 1997-081088/08.
DR
XX
XX N-PSDB; AAT58086.
DR
XX
XX Detection of abnormal transcription of HSP70 mRNA - using HSP70
PT specific primer or probe, used in detection of human acute and
PT chronic sustained stress load
PT
XX
XX Claim 1; Fig 1; 13pp; Japanese.
PS
XX
XX The cDNA encoding the present sequence, human heat shock protein 70
CC (HSP70), is located on human chromosome 6p 21.3-22 and 14q 22-24
CC and 21. primers and probes based on the HSP70 cDNA coding
CC sequence can be used to detect the abnormal transcription of
CC intracellular HSP70 mRNA in human acute and chronic sustained
CC stress load.
XX
XX Sequence 640 AA;
SQ

Query Match 91.3%; Score 42; DB 18; Length 640;
Best Local Similarity 88.9%; Pred. No. 2.7;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
Db |||||
286 slfegidfy 294

RESULT 14
AAB23653
ID AAB23653 standard; protein; 640 AA.
XX
XX AAB23653;
AC
XX
XX 05-JAN-2001 (first entry)
DT
XX
XX Human heat shock protein Hsp70 protein sequence SEQ ID NO:5.
DE
XX
XX ATPase; Hsp70; heat shock protein; cytotoxic T lymphocyte; CTL;
KW immune response; infectious disease; malaria; cytotoxic T cell;
KW cytostatic; immunostimulant; cellular immune response inducer;
KW protozoacide; leukaemia; cancer.
XX
XX Homo sapiens.
OS
XX
XX WO200049041-A1.
PN

```

```

XX
PD
XX
XX 24-AUG-2000.
PF
XX
XX 18-FEB-2000; 2000WO-JP00941.
XX
XX 19-FEB-1999; 99JP-0041535.
XX
XX (SUME ) SUMITOMO ELECTRIC IND CO.
PA
XX
XX Shinbara N, Uono H, Yui K;
PI
XX
XX WPI; 2000-543748/49.
DR
XX
XX Fused protein capable of inducing cellular immune response, useful as
PT active ingredient for drug compositions in preventing and/or treating
PT infectious diseases such as malaria or cancer -
XX
XX Claim 3; Page 49-52; 72pp; Japanese.
PS
XX
XX The present invention describes a fused protein (I) prepared from a
CC peptide containing a CTL (cytotoxic T lymphocyte) epitope recognised by
CC cytotoxic T cells and a protein containing the Appase domain of a heat
CC shock protein. Also described are: (1) a drug composition containing (I)
CC as active ingredient; (2) a DNA encoding (I); (3) an expression vector
CC containing the DNA of (2); and (4) a transformant which can retain the
CC expression vector of (3). (I) has cytostatic, immunostimulant and
CC protozoacide activities, and can be used as a cellular immune response
CC inducer. The protein is useful as an active ingredient for drug
CC compositions in preventing and/or treating infectious diseases such as
CC malaria or cancer e.g. to provide systemic immunity against leukaemia.
CC The present sequence represents a specifically claimed heat shock
CC protein for use in a fused protein of the present invention.
XX
XX Sequence 640 AA;
SQ

Query Match 91.3%; Score 42; DB 21; Length 640;
Best Local Similarity 88.9%; Pred. No. 2.7;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
Db |||||
286 slfegidfy 294

RESULT 15
AAY88408
ID AAY88408 standard; Protein; 640 AA.
XX
XX AAY88408;
AC
XX
XX 31-JUL-2000 (first entry)
DT
XX
XX Human heat shock protein HSP70 amino acid sequence.
DE
XX
XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
KW depression; nephrotic syndrome.
XX
XX Homo sapiens.
OS
XX
XX JP2000069999-A.
PN
XX
XX 07-MAR-2000.
PD
XX
XX 01-JUN-1995; 99JP-0257146.
PF
XX
XX 01-JUN-1995; 95JP-0158581.
PR
XX
XX (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
PA
XX
XX WPI; 2000-264458/23.
DR
XX
XX N-PSDB; AAA15620.
DR

```

XX
PT Abnormal transcription of intracellular HSP70mRNA under acute and
PT chronic continuous load of stress in a human being and its application
PT
XX
PS Claim 2; Fig 1; llpp; Japanese.
XX
CC This sequence represents the human heat shock protein 'HSP70 amino acid
CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
CC and 14q22-24. The invention relates to the abnormal transcription of
CC intracellular HSP70mRNA under acute and chronic stress load in a human.
CC The abnormal transcription of HSP70 can be used in the improvement of
CC stress and response and diagnosis of stress diseases including
CC rheumatism, schizophrenia, depression and nephrotic syndrome.
XX
SQ Sequence 640 AA;

Query Match 91.3%; Score 42; DB 21; Length 640;
Best Local Similarity 88.9%; Pred. NO. 2.7;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 SLFEGIDL 9
Db 286 slfegidfy 294
|||||||

Search completed: December 6, 2001, 08:04:02
Job time: 610 sec

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 08:04:02 ; Search time 184.09 Seconds
(without alignments)
3.621 Million cell updates/sec

Title: PEPL-MOD8V

Perfect score: 46

Sequence: 1 SLFEGIDVY 9

Scoring table:

BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 522463 seqs, 74073290 residues

Total number of hits satisfying chosen parameters: 522463

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

A_Geneseq_1101.*
1: /SIDS8/gcgdata/geneseq/geneseq/AA1980.DAT.*
2: /SIDS8/gcgdata/geneseq/geneseq/AA1981.DAT.*
3: /SIDS8/gcgdata/geneseq/geneseq/AA1982.DAT.*
4: /SIDS8/gcgdata/geneseq/geneseq/AA1983.DAT.*
5: /SIDS8/gcgdata/geneseq/geneseq/AA1984.DAT.*
6: /SIDS8/gcgdata/geneseq/geneseq/AA1985.DAT.*
7: /SIDS8/gcgdata/geneseq/geneseq/AA1986.DAT.*
8: /SIDS8/gcgdata/geneseq/geneseq/AA1987.DAT.*
9: /SIDS8/gcgdata/geneseq/geneseq/AA1988.DAT.*
10: /SIDS8/gcgdata/geneseq/geneseq/AA1989.DAT.*
11: /SIDS8/gcgdata/geneseq/geneseq/AA1990.DAT.*
12: /SIDS8/gcgdata/geneseq/geneseq/AA1991.DAT.*
13: /SIDS8/gcgdata/geneseq/geneseq/AA1992.DAT.*
14: /SIDS8/gcgdata/geneseq/geneseq/AA1993.DAT.*
15: /SIDS8/gcgdata/geneseq/geneseq/AA1994.DAT.*
16: /SIDS8/gcgdata/geneseq/geneseq/AA1995.DAT.*
17: /SIDS8/gcgdata/geneseq/geneseq/AA1996.DAT.*
18: /SIDS8/gcgdata/geneseq/geneseq/AA1997.DAT.*
19: /SIDS8/gcgdata/geneseq/geneseq/AA1998.DAT.*
20: /SIDS8/gcgdata/geneseq/geneseq/AA1999.DAT.*
21: /SIDS8/gcgdata/geneseq/geneseq/AA2000.DAT.*
22: /SIDS8/gcgdata/geneseq/geneseq/AA2001.DAT.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	45	97.8	9	AAV44199	Heat shock protein
2	45	97.8	9	AAB97601	Heat shock protein
3	45	97.8	10	AAV44200	Heat shock protein
4	45	97.8	10	AAB97602	Heat shock protein
5	41	89.1	10	AAB97603	Heat shock protein
6	41	89.1	554	AAV88409	Human heat shock p
7	41	89.1	554	AAV88410	Human heat shock p
8	41	89.1	554	AAV88412	Human heat shock p
9	41	89.1	554	AAV88413	Human heat shock p
10	41	89.1	624	AAV88413	Human Hsp72 (heat
11	41	89.1	634	AAV88413	Gallus gallus HSP

12	41	89.1	640	11	AAV03929	Homo sapiens HSP (
13	41	89.1	640	18	AAV10065	Human heat shock p
14	41	89.1	640	21	AAB23653	Human heat shock p
15	41	89.1	640	21	AAV88408	Human heat shock p
16	41	89.1	640	21	AAV88411	Human heat shock p
17	41	89.1	641	14	AAV43004	Mature mouse sperm
18	41	89.1	641	19	AAV54349	Human heat shock 7
19	41	89.1	641	21	AAV23652	Human heat shock p
20	41	89.1	641	22	AAB82534	Human heat shock p
21	41	89.1	642	21	AAB23650	Rat heat shock pro
22	41	89.1	647	11	AAV03928	Xenopus laevis HSP
23	40	87.0	643	18	AAV22895	Marumet intracell
24	40	87.0	665	21	AAB58386	Lung cancer associ
25	38	82.6	91	21	AAG02174	Human secreted pro
26	38	82.6	253	21	AAG24333	Arabidopsis thalia
27	38	82.6	279	21	AAG24332	Arabidopsis thalia
28	38	82.6	342	21	AAG24331	Arabidopsis thalia
29	38	82.6	646	11	AAV03927	Rat HSP (rathsp70)
30	38	82.6	646	19	AAV54364	Heat shock cognate
31	38	82.6	646	20	AAV17407	Human heat shock c
32	38	82.6	646	20	AAV17408	Mouse heat shock c
33	38	82.6	646	21	AAB23649	Mouse heat shock p
34	38	82.6	646	21	AAB23651	Human heat shock p
35	38	82.6	646	22	AAB82535	Human heat shock p
36	38	82.6	656	18	AAV01638	Candida albicans h
37	38	82.6	890	21	AAB22938	GFP-HSC70 fusion p
38	37	80.4	214	19	AAV85808	S. pneumoniae deri
39	37	80.4	221	19	AAV80645	S. pneumoniae prot
40	37	80.4	412	22	AAB61974	S. avermitilis ORF
41	37	80.4	633	14	AAV43002	Mouse SLIP1 homolo
42	35	76.1	646	11	AAV03931	Zea mays HSP (mzeh
43	35	76.1	647	20	AAV31380	T. gondii antigen
44	35	76.1	647	22	AAB49099	Toxoplasma gondii
45	34	73.9	421	21	AAG27768	Arabidopsis thalia

ALIGNMENTS

RESULT 1

AAV44199
ID AAV44199 standard; peptide: 9 AA.
AC AAV44199;
XX
XX
DT 15-FEB-2000 (first entry)
XX
XX Heat shock protein 70 amino acid residues 286-294.
DE
DE Human; heat shock protein 70; hsp70; identification; tumour; mutation;
KW T cell response; amplification; vector; bacterium; cancer; allele;
KW cytotoxic factor; interleukin; interferon; tumour necrosis factor; HLA;
KW immune defence; immunogenicity; specificity; human leucocyte antigen.
XX
XX Homo sapiens.
XX
XX WO9954464-A1.
XX
XX 28-OCT-1999.
XX
XX 22-APR-1999; 99WO-FR00957.
XX
XX 22-APR-1998; 98FR-0005033.
XX
XX (INSR) INST ROUSSY GUSTAVE.
XX
XX Triebel F, Gaudin C;
XX
XX WPI; 2000-013251/01.
XX
XX Identifying mutant peptides from heat-shock protein 70, for treatment of cancer -

PS Claim 10; Page 6; 56pp; French.

XX This peptide corresponds to amino acid residues 286-294 of the human heat shock protein 70 (hsp70). The invention relates to a method of identifying peptides, derived from hsp70 that stimulate a tumour-specific T cell response. Identification of the hsp70 peptides that have at least one mutation or alteration compared with the native sequence, and induce a tumour-specific T-cell response, comprises: (i) amplifying hsp70 encoding DNA from one or more tumours; (ii) cloning the amplified sequences into a vector that can be replicated in bacteria; (iii) sequencing fragments in each cultured bacterial colony to identify any hsp70 mutations, and (iv) determining the immunogenicity of the mutant peptides identified. The peptides, optionally formulated with an agent that induces cellular stress, are used for treatment of cancer, particularly solid cancers (carcinoma, sarcoma, melanoma, neuroblastoma, cancers of head and neck, particularly kidney cancer). The peptides may also be used to increase the proportion of tumour-specific cytotoxic T lymphocytes in a cell culture and/or induce these cells to secrete cytotoxic factors (specifically interleukin-2, interferon-gamma and tumour necrosis factor), particularly where the cells are used to stimulate immune defences. The method identifies peptides with high immunogenicity and high specificity for particular HLA (human leucocyte antigen) alleles.

XX Sequence 9 AA;

Query Match 97.8%; Score 45; DB 21; Length 9;
Best Local Similarity 88.9%; Pred. No. 4.3e+05;
Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
| | | | | | | | | |
Db 1 slfegidiy 9

RESULT 2

AA97601

ID AAB97601 standard; peptide; 9 AA.

XX AAB97601;

AC AAB97601;

XX 30-JUL-2001 (first entry)

XX Heat shock protein 70 (HSP70) peptidic fragment 1.

DE HSP; HSP70; heat shock protein 70; cancer; chronic infectious disease; vaccine; HSP-peptide complex; tumour; peptidic fragment; lymphocyte; cytotoxic response; epitope; antigen presenting cell; fragment 1.

XX Homo sapiens.

OS WO200129190-A1.

PN 26-APR-2001.

XX 29-SEP-2000; 2000WO-EP09530.

XX 15-OCT-1999; 99EP-0120484.

XX (IDMI-) IDM IMMUNO-DESIGNED MOLECULES.

PA Abastado JP, Bartholeyns J;

PI WPI; 2001-290909/30.

XX Lymphocytes useful for treating cancer, recognizes specifically transformed human cells with induced and increased membrane expression of heat shock protein -

PS Claim 8; Page 15; 21pp; English.

XX The amino acid sequence of fragment 1 relating to position 286-294 of

CC human heat shock protein 70 (HSP70) is given. The new invention relates to lymphocytes which recognise cells of a patient in which overexpression of HSP has been induced. Overexpression of HSP leads to a substantial increase in the numbers of HSPs and HSP epitopes presented on the pericellular membrane. Recognition of increased numbers of HSP epitopes on cell pericellular membranes by lymphocytes elicits a cytotoxic response which kills the target cells. As a further embodiment of the invention, HSP70 epitopes are mutated prior to being loaded into antigen presenting cells. This has the effect of increasing the immune response to HSP and helps direct the immune response to specific cells, (e.g. cancer cells). HSP70 fragments are useful for treating cancer or intracellular infections by vaccination. The tolerance of the organism to the tumour or to the virus associated HSP is broken using an immunogenic mutated form of HSP and induction of a stress on the target tumoural or intracellular infected cells.

XX Sequence 9 AA;

Query Match 97.8%; Score 45; DB 22; Length 9;
Best Local Similarity 88.9%; Pred. No. 4.3e+05;
Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
| | | | | | | | | |
Db 1 slfegidiy 9

RESULT 3

AA44200

ID AAY44200 standard; peptide; 10 AA.

XX AAY44200;

AC AAY44200;

XX 15-FEB-2000 (first entry)

DE Heat shock protein 70 amino acid residues 286-295.

XX Human; heat shock protein 70; hsp70; identification; tumour; mutation; T cell response; amplification; vector; bacterium; cancer; allele; cytotoxic factor; interleukin; interferon; tumour necrosis factor; HLA; immune defence; immunogenicity; specificity; human leucocyte antigen.

XX Homo sapiens.

OS WO9954464-A1.

PN 28-OCT-1999.

XX 22-APR-1999; 99WO-FR00957.

XX 22-APR-1998; 98FR-0005033.

XX (INSR) INST ROUSSY GUSTAVE.

PA Triebel F, Gaudin C;

PI WPI; 2000-013251/01.

XX Identifying mutant peptides from heat-shock protein 70, for treatment of cancer -

PS Claim 10; Page 6; 56pp; French.

XX This peptide corresponds to amino acid residues 286-295 of the human heat shock protein 70 (hsp70). The invention relates to a method of identifying peptides, derived from hsp70 that stimulate a tumour-specific T cell response. Identification of the hsp70 peptides that have at least one mutation or alteration compared with the native sequence, and induce a tumour-specific T-cell response, comprises: (i) amplifying hsp70 encoding DNA from one or more tumours; (ii) cloning the amplified sequences into a vector that can be replicated in bacteria; (iii) sequencing fragments in each cultured bacterial colony to identify

CC any hsp70 mutations, and (iv) determining the immunogenicity of the
 CC mutant peptides identified. The peptides, optionally formulated with an
 CC agent that induces cellular stress, are used for treatment of cancer,
 CC particularly solid cancers (carcinoma, sarcoma, melanoma, neuroblastoma,
 CC cancers of head and neck, particularly kidney cancer). The peptides may
 CC also be used to increase the proportion of tumour-specific cytotoxic
 CC T lymphocytes in a cell culture and/or induce these cells to secrete
 CC cytotoxic factors (specifically interleukin-2, interferon-gamma and
 CC tumour necrosis factor), particularly where the cells are used to
 CC stimulate immune defences. The method identifies peptides with high
 CC immunogenicity and high specificity for particular HLA (human leucocyte
 CC antigen) alleles.
 XX
 SQ Sequence 10 AA;

Query Match 97.8%; Score 45; DB 21; Length 10;
 Best Local Similarity 88.9%; Pred. No. 0.0046;
 Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
 Db | | | | | | | | | |
 1 slfegidiv 9

RESULT 4
 AAB97602
 ID AAB97602 standard; peptide; 10 AA.

AC AAB97602;

DT 30-JUL-2001 (first entry)

DE Heat shock protein 70 (HSP70) peptidic fragment 2.

KW HSP; HSP70; heat shock protein 70; cancer; chronic infectious disease;
 KW vaccine; HSP-peptide complex; tumour; peptidic fragment; lymphocyte;
 KW cytotoxic response; epitope; antigen presenting cell; fragment 2.

OS Homo sapiens.

PN WO200129190-A1.

PD 26-APR-2001.

PF 29-SEP-2000; 2000WO-EP09530.

PR 15-OCT-1999; 99EP-0120484.

PA (IDMI-) IDM IMMUNO-DESIGNED MOLECULES.

PI Abastado JP, Bartholeyns J;

PS WPI; 2001-290909/30.

PT Lymphocytes useful for treating cancer, recognizes specifically
 PT transformed human cells with induced and increased membrane expression
 PT of heat shock protein -

PS Claim 8; Page 15; 21pp; English.

CC The amino acid sequence of fragment 2 relating to position 286-295 of
 CC human heat shock protein 70 (HSP70) is given. The new invention relates
 CC to lymphocytes which recognise cells of a patient in which overexpression
 CC of HSP has been induced. Overexpression of HSP leads to a substantial
 CC increase in the numbers of HSPs and HSP epitopes presented on the
 CC pericellular membrane. Recognition of increased numbers of HSP epitopes
 CC on cell pericellular membranes by lymphocytes elicits a cytotoxic
 CC response which kills the target cells. As a further embodiment of the
 CC invention, HSP70 epitopes are mutated prior to being loaded into antigen
 CC presenting cells. This has the effect of increasing the immune response
 CC to HSP and helps direct the immune response to specific cells, (e.g.
 CC cancer cells). HSP70 fragments are useful for treating cancer or

CC intracellular infections by vaccination. The tolerance of the organism to
 CC the tumour or to the virus associated HSP is broken using an immunogenic
 CC mutated form of HSP and induction of a stress on the target tumoural or
 CC intracellular infected cells.

SQ Sequence 10 AA;

Query Match 97.8%; Score 45; DB 22; Length 10;
 Best Local Similarity 88.9%; Pred. No. 0.0046;
 Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
 Db | | | | | | | | | |
 1 slfegidiv 9

RESULT 5
 AAB97603
 ID AAB97603 standard; peptide; 10 AA.

AC AAB97603;

DT 30-JUL-2001 (first entry)

DE Heat shock protein 70 (HSP70) peptidic fragment 3.

KW HSP; HSP70; heat shock protein 70; cancer; chronic infectious disease;
 KW vaccine; HSP-peptide complex; tumour; peptidic fragment; lymphocyte;
 KW cytotoxic response; epitope; antigen presenting cell; fragment 3.

OS Homo sapiens.

PN WO200129190-A1.

PD 26-APR-2001.

PF 29-SEP-2000; 2000WO-EP09530.

PR 15-OCT-1999; 99EP-0120484.

PA (IDMI-) IDM IMMUNO-DESIGNED MOLECULES.

PI Abastado JP, Bartholeyns J;

PS WPI; 2001-290909/30.

PT Lymphocytes useful for treating cancer, recognizes specifically
 PT transformed human cells with induced and increased membrane expression
 PT of heat shock protein -

PS Claim 8; Page 15; 21pp; English.

CC The amino acid sequence of fragment 3 relating to position 286-295 of
 CC human heat shock protein 70 (HSP70) is given. The new invention relates
 CC to lymphocytes which recognise cells of a patient in which overexpression
 CC of HSP has been induced. Overexpression of HSP leads to a substantial
 CC increase in the numbers of HSPs and HSP epitopes presented on the
 CC pericellular membrane. Recognition of increased numbers of HSP epitopes
 CC on cell pericellular membranes by lymphocytes elicits a cytotoxic
 CC response which kills the target cells. As a further embodiment of the
 CC invention, HSP70 epitopes are mutated prior to being loaded into antigen
 CC presenting cells. This has the effect of increasing the immune response
 CC to HSP and helps direct the immune response to specific cells, (e.g.
 CC cancer cells). HSP70 fragments are useful for treating cancer or
 CC intracellular infections by vaccination. The tolerance of the organism to
 CC the tumour or to the virus associated HSP is broken using an immunogenic
 CC mutated form of HSP and induction of a stress on the target tumoural or
 CC intracellular infected cells.

SQ Sequence 10 AA;

Query Match 89.1%; Score 41; DB 22; Length 10;
Best Local Similarity 88.9%; Pred. No. 0.031;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
| | | | | | | |
Db 1 slfegidfy 9

RESULT 6

AAV88409
ID AAY88409 standard; Protein; 554 AA.

XX AC AAY88409;

DT 31-JUL-2000 (first entry)

XX Human heat shock protein SHSP70 amino acid sequence.

XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
KW depression; nephrotic syndrome; SHSP70.

XX Homo sapiens.

PN JP2000069999-A.

PD 07-MAR-2000.

PF 01-JUN-1995; 99JP-0257146.

PR 01-JUN-1995; 95JP-0158581.

PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.

DR WPI; 2000-264458/23.

DR N-PSDB; AAA15621.

XX Abnormal transcription of intracellular HSP70mRNA under acute and
PT chronic continuous load of stress in a human being and its application

PT

XX Examples; Fig 2; liipp; Japanese.

XX This sequence represents the human heat shock protein SHSP70 amino acid
CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
CC and 14q22-24. The invention relates to the abnormal transcription of
CC intracellular HSP70mRNA under acute and chronic stress load in a human.
CC The abnormal transcription of HSP70 can be used in the improvement of
CC stress and response and diagnosis of stress diseases including
CC rheumatism, schizophrenia, depression and nephrotic syndrome.

XX Sequence 554 AA;

Query Match 89.1%; Score 41; DB 21; Length 554;

Best Local Similarity 88.9%; Pred. No. 2.6;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
| | | | | | | |
Db 200 slfegidfy 208

RESULT 7

AAV88410
ID AAY88410 standard; Protein; 554 AA.

XX AC AAY88410;

DT 31-JUL-2000 (first entry)

XX Human heat shock protein SHSP70 amino acid sequence.

XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
KW depression; nephrotic syndrome; SHSP70.

XX Homo sapiens.

PN JP2000069999-A.

PD 07-MAR-2000.

PF 01-JUN-1995; 99JP-0257146.

PR 01-JUN-1995; 95JP-0158581.

PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.

DR WPI; 2000-264458/23.

DR N-PSDB; AAA15622.

XX Abnormal transcription of intracellular HSP70mRNA under acute and
PT chronic continuous load of stress in a human being and its application

PT

XX Disclosure; Fig 3; liipp; Japanese.

XX This sequence represents the human heat shock protein SHSP70 amino acid
CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
CC and 14q22-24. The invention relates to the abnormal transcription of
CC intracellular HSP70mRNA under acute and chronic stress load in a human.
CC The abnormal transcription of HSP70 can be used in the improvement of
CC stress and response and diagnosis of stress diseases including
CC rheumatism, schizophrenia, depression and nephrotic syndrome.

XX Sequence 554 AA;

Query Match 89.1%; Score 41; DB 21; Length 554;

Best Local Similarity 88.9%; Pred. No. 2.6;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
| | | | | | | |
Db 200 slfegidfy 208

RESULT 8

AAV88412
ID AAY88412 standard; Protein; 554 AA.

XX AC AAY88412;

DT 31-JUL-2000 (first entry)

DE Human heat shock protein SHSP70 amino acid sequence.

XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
KW depression; nephrotic syndrome; SHSP70.

XX Homo sapiens.

PN JP2000069999-A.

PD 07-MAR-2000.

PF 01-JUN-1995; 99JP-0257146.

PR 01-JUN-1995; 95JP-0158581.

PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.

DR WPI; 2000-264458/23.

XX Abnormal transcription of intracellular HSP70mRNA under acute and
PT chronic continuous load of stress in a human being and its application
PT
PT
XX
PS Disclosure; Fig 5; 1lpp; Japanese.
XX
CC This sequence represents the human heat shock protein SHSP70 amino acid
CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
CC and 14q22-24. The invention relates to the abnormal transcription of
CC intracellular HSP70mRNA under acute and chronic stress load in a human.
CC The abnormal transcription of HSP70 can be used in the improvement of
CC stress and response and diagnosis of stress diseases including
CC rheumatisms, schizophrenia, depression and nephrotic syndrome.
XX
XX Sequence 554 AA;

Query Match 89.1%; Score 41; DB 21; Length 554;
Best Local Similarity 88.9%; Pred. No. 2.6;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
Db 200 slfegidfy 208
|||||||

RESULT 9
AY88413
ID AAY88413 standard; Protein; 554 AA.
AC AAY88413;
DT 31-JUL-2000 (first entry)
XX
XX Human heat shock protein SHSP70 amino acid sequence.
XX
XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
KW depression; nephrotic syndrome; SHSP70.
XX
OS Homo sapiens.
XX
PN JP2000069999-A.
XX
XX 07-MAR-2000.
PD
XX
PF 01-JUN-1995; 99JP-0257146.
XX
PR 01-JUN-1995; 95JP-0158581.
XX
PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
XX
XX WPI; 2000-264458/23.
DR
XX
XX Abnormal transcription of intracellular HSP70mRNA under acute and
PT chronic continuous load of stress in a human being and its application
PT
PT
XX
PS Disclosure; Fig 6; 1lpp; Japanese.
XX
CC This sequence represents the human heat shock protein SHSP70 amino acid
CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
CC and 14q22-24. The invention relates to the abnormal transcription of
CC intracellular HSP70mRNA under acute and chronic stress load in a human.
CC The abnormal transcription of HSP70 can be used in the improvement of
CC stress and response and diagnosis of stress diseases including
CC rheumatisms, schizophrenia, depression and nephrotic syndrome.
XX
XX Sequence 554 AA;

Query Match 89.1%; Score 41; DB 21; Length 554;
Best Local Similarity 88.9%; Pred. No. 2.6;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
Db 200 slfegidfy 208
|||||||

RESULT 10
AB23252
ID AAB23252 standard; Protein; 624 AA.
XX
AC AAB23252;
DT 29-JAN-2001 (first entry)
XX
XX Human Hsp72 (heat shock protein 72).
XX
XX Human Hsp72; heat shock protein 72; chromosome 6p21.3; Hsp72 inhibitor;
KW expression modulator; JNK phosphatase inhibitor; antiproliferative;
KW drug screening; cancer; leukaemia; lymphoma; solid tumour; sarcoma;
KW carcinoma; breast cancer; prostate cancer; premalignant condition.
XX
OS Homo sapiens.
XX
PN WO200054814-A1.
XX
XX 21-SEP-2000.
PD
XX
PF 17-MAR-2000; 2000WO-US07350.
XX
PR 18-MAR-1999; 99US-0125046.
XX
XX (PHYL-) PHYLOGENY INC.
PA
XX
PI Volloch Vz, Sherman M;
XX
XX WPI; 2000-647056/62.
DR N-PSDB; AA97541.
DR
XX
XX Identifying compounds that inhibit proliferation of cells and capable
PT of modulating the expression of heat shock protein 72 gene and/or
PT activity of Hsp72 useful for treating cancers such as leukemia,
PT lymphoma
PT
XX
PS Examples; Fig 16B; 77pp; English.
XX
CC The invention relates to a novel method of identifying compounds that
CC inhibit proliferation of cells comprising contacting a test compound with
CC a cell which overexpresses Hsp72 (heat shock protein 72), and determining
CC if the test compound inhibits activity or expression of Hsp72.
CC Optionally, Hsp72 is contacted with the test compound under optimum
CC conditions to allow the two components to interact and bind, forming a
CC complex which is detected. The invention also relates to a method of
CC identifying compounds that inhibit Hsp72-mediated JNK phosphatase
CC activation, comprising contacting a test compound with a cell which
CC expresses Hsp72, exposing the cell to a heat induced stress and
CC determining if the compound inhibits JNK phosphatase activity. The
CC invention additionally encompasses compositions comprising an inhibitor
CC of Hsp72 or JNK phosphatase activity. The compounds identified as
CC inhibitors of Hsp72 or JNK phosphatase activity are useful for
CC inhibiting the proliferation of cells. Modulation of the activity of the
CC JNK phosphatase or Hsp72 is used to treat a proliferative disorder such
CC as cancers (e.g., leukaemia, lymphoma, solid tumours such as sarcomas and
CC carcinomas, breast cancer, prostate cancer). The compounds that inhibit
CC Hsp72 activity can also be administered to treat premalignant conditions
CC and to prevent progression to a neoplastic or malignant state. The
CC compounds that inhibit Hsp72 function are administered to a patient
CC having a disease or disorder mediated by an increase of Hsp72 expression
CC or activity relative to normal levels. The present sequence represents
CC human Hsp72 used in the exemplifications of the invention.
XX
XX Sequence 624 AA;

Query Match 89.1%; Score 41; DB 21; Length 624;
 Best Local Similarity 88.9%; Pred. No. 2.9;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
 |||||
 Db 286 sifegidfy 294

RESULT 11

AAR03930
 ID AAR03930 standard; Protein; 634 AA.

XX AAR03930;

DT 30-AUG-1990 (first entry)

XX Gallus gallus HSP (chkhsp70).

XX Hsp70; heat shock protein; Trypanosoma cruzi; vaccines; HSP.

XX Gallus gallus.

XX Key Location/Qualifiers

FT Misc-difference 634

FT /note= "residue given as "O" in specification"

XX WO9002564-A.

XX 22-MAR-1990.

XX 12-SEP-1989; 89WO-0003955.

XX 12-SEP-1988; 88US-0243474.

XX (CODO-) CODON.

XX Dragon E, Faulds D, Sias S;

XX WPI; 1990-115820/15.

XX Proteins homologous to heat shock proteins from Trypanosoma cruzi - used
 in vaccines and diagnosis for species of eg Mycoplasma or Mycobacteria.

XX Disclosure; Fig 2.1-2.14; 86pp; English.

XX According to the legend of Fig 2, the G. gallus HSP sequence has
 635 amino acid residues, the sequence itself has only 634,
 including "O" (?) at position 634.

XX Fig. 2 provides an alignment of heat shock proteins from a variety
 of organisms:

CC 1. M.hyponeumoniae (Mhyhsp70 - AAR03922);

CC 2. Bacillus megaterium (Bmebsp70 - AAR03923);

CC 3. E. coli (dnaK - AAR03924);

CC 4. T. cruzi (tc70kd - AAR03925);

CC 5. T. cruzi (AAR03926);

CC 6. Rat rattus (rathsp70 - AAR03927);

CC 7. Xenopus laevis (xl70 - AAR03928);

CC 8. Homo sapiens (humhsp70 - AAR03929);

CC 9. Gallus gallus (chkhsp70 - AAR03930);

CC 10. Zea mays (mzehsp70 - AAR03931);

CC 11. Serratia marcescens (smahsp70 - AAR03932).

CC The proteins having homology to hsp's of T. cruzi can be used in
 vaccines and diagnosis involving e.g. Trypanosoma, Mycoplasma and
 Mycobacteria species.

XX Sequence 634 AA;

Query Match

Best Local Similarity 89.1%; Score 41; DB 11; Length 634;

Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9

|||||
 Db 289 sifegidfy 297

RESULT 12

AAR03929
 ID AAR03929 standard; Protein; 640 AA.

XX AAR03929;

XX 30-AUG-1990 (first entry)

XX Homo sapiens HSP (humhsp70).

XX Hsp70; heat shock protein; Trypanosoma cruzi; vaccines; HSP.

XX Homo sapiens.

XX Key Location/Qualifiers

FT Misc-difference 640

FT /note= "residue given as "O" in specification"

XX WO9002564-A.

XX 22-MAR-1990.

XX 12-SEP-1989; 89WO-0003955.

XX 12-SEP-1988; 88US-0243474.

XX (CODO-) CODON.

XX Dragon E, Faulds D, Sias S;

XX WPI; 1990-115820/15.

XX Proteins homologous to heat shock proteins from Trypanosoma cruzi - used
 in vaccines and diagnosis for species of eg Mycoplasma or Mycobacteria.

XX Disclosure; Fig 2.1-2.14; 86pp; English.

XX According to the legend of Fig 2, the H. sapiens HSP sequence has
 641 amino acid residues, the sequence itself has only 640,
 including "O" (?) at position 640.

XX Fig. 2 provides an alignment of heat shock proteins from a variety
 of organisms:

CC 1. M.hyponeumoniae (Mhyhsp70 - AAR03922);

CC 2. Bacillus megaterium (Bmebsp70 - AAR03923);

CC 3. E. coli (dnaK - AAR03924);

CC 4. T. cruzi (tc70kd - AAR03925);

CC 5. T. cruzi (AAR03926);

CC 6. Rat rattus (rathsp70 - AAR03927);

CC 7. Xenopus laevis (xl70 - AAR03928);

CC 8. Homo sapiens (humhsp70 - AAR03929);

CC 9. Gallus gallus (chkhsp70 - AAR03930);

CC 10. Zea mays (mzehsp70 - AAR03931);

CC 11. Serratia marcescens (smahsp70 - AAR03932).

CC The proteins having homology to hsp's of T. cruzi can be used in
 vaccines and diagnosis involving e.g. Trypanosoma, Mycoplasma and
 Mycobacteria species.

XX Sequence 640 AA;

Query Match

Best Local Similarity 89.1%; Score 41; DB 11; Length 640;

Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9

|||||
 Db 286 sifegidfy 294

RESULT 13
AAW10065
ID AAW10065 standard; Protein; 640 AA.
XX
XX
AC AAW10065;
XX
DT 24-OCT-1997 (first entry)
XX
XX Human heat shock protein 70.
DE
XX
XX Human; heat shock protein 70; HSP70; primer; probe; detection;
KW intracellular; abnormal transcription; acute; chronic; sustained;
KW stress.
XX
OS Homo sapiens.
XX
XX JP08322577-A.
PN
XX
PD 10-DEC-1996.
XX
XX 01-JUN-1995; 95JP-0158581.
PF
XX
XX 01-JUN-1995; 95JP-0158581.
PR
XX (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
PA
XX WPI; 1997-081088/08.
DR N-PSDB; AAT58086.
XX
XX Detection of abnormal transcription of HSP70 mRNA - using HSP70
PT specific primer or probe, used in detection of human acute and
PT chronic sustained stress load
XX
XX Claim 1; Fig 1; 13pp; Japanese.
PS
XX The cDNA encoding the present sequence, human heat shock protein 70
CC (HSP70), is located on human chromosome 6p 21.3-22 and 14q 22-24
CC and 21. Primers and probes based on the HSP70 cDNA coding
CC sequence can be used to detect the abnormal transcription of
CC intracellular HSP70 mRNA in human acute and chronic sustained
CC stress load.
XX
XX Sequence 640 AA;
SQ

Query Match 89.1%; Score 41; DB 18; Length 640;
Best Local Similarity 88.9%; Pred. No. 3;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 SLFEGIDVY 9
DB 286 slfegidfy 294

RESULT 14
AAB23653
ID AAB23653 standard; protein; 640 AA.
XX
XX AAB23653;
AC
XX
DT 05-JAN-2001 (first entry)
XX
XX Human heat shock protein Hsp70 protein sequence SEQ ID NO:5.
DE
XX ATPase; Hsp70; heat shock protein; cytotoxic T lymphocyte; CTL;
KW immune response; infectious disease; malaria; cytotoxic T cell;
KW cytosolic; immunostimulant; cellular immune response inducer;
KW protozoacide; leukaemia; cancer.
XX
OS Homo sapiens.
XX
XX WO200049041-A1.
PN

XX
PD 24-AUG-2000.
XX
PF 18-FEB-2000; 2000WO-JP00941.
XX
PR 19-FEB-1999; 99JP-0041535.
XX
XX (SUME) SUMITOMO ELECTRIC IND CO.
PA
XX Shinbara N, Uono H, Yui K;
XX WPI; 2000-543748/49.
DR
XX Fused protein capable of inducing cellular immune response, useful as
PT active ingredient for drug compositions in preventing and/or treating
PT infectious diseases such as malaria or cancer
XX
XX Claim 3; Page 49-52; 72pp; Japanese.
PS
XX The present invention describes a fused protein (I) prepared from a
CC peptide containing a CTL (cytotoxic T lymphocyte) epitope recognised by
CC cytotoxic T cells and a protein containing the ATPase domain of a heat
CC shock protein. Also described are: (1) a drug composition containing (I)
CC as active ingredient; (2) a DNA encoding (I); (3) an expression vector
CC containing the DNA of (2); and (4) a transformant which can retain the
CC expression vector of (3). (I) has cytostatic, immunostimulant and
CC protozoacide activities, and can be used as a cellular immune response
CC inducer. The protein is useful as an active ingredient for drug
CC compositions in preventing and/or treating infectious diseases such as
CC malaria or cancer e.g. to provide systemic immunity against leukaemia.
CC The present sequence represents a specifically claimed heat shock
CC protein for use in a fused protein of the present invention.
XX
XX Sequence 640 AA;
SQ

Query Match 89.1%; Score 41; DB 21; Length 640;
Best Local Similarity 88.9%; Pred. No. 3;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 SLFEGIDVY 9
DB 286 slfegidfy 294

RESULT 15
AAY88408
ID AAY88408 standard; Protein; 640 AA.
XX
XX AAY88408;
AC
XX 31-JUL-2000 (first entry)
DT
XX Human heat shock protein HSP70 amino acid sequence.
DE
XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
KW depression; nephrotic syndrome.
XX
OS Homo sapiens.
XX
XX JP2000069999-A.
PN
XX 07-MAR-2000.
PD
XX 01-JUN-1995; 99JP-0257146.
PF
XX 01-JUN-1995; 95JP-0158581.
PR
XX (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
PA
XX WPI; 2000-264458/23.
DR N-PSDB; AAA15620.
DR

XX
PT Abnormal transcription of intracellular HSP70mRNA under acute and
PT chronic continuous load of stress in a human being and its application
XX
XX
PS Claim 2; Fig 1; 1lpp; Japanese.
XX
CC This sequence represents the human heat shock protein HSP70 amino acid
CC sequence. Human heat shock proteins are located on chromosomes 9p21.3-22
CC and 14q22-24. The invention relates to the abnormal transcription of
CC intracellular HSP70mRNA under acute and chronic stress load in a human.
CC The abnormal transcription of HSP70 can be used in the improvement of
CC stress and response and diagnosis of stress diseases including
CC rheumatisms, schizophrenia, depression and nephrotic syndrome.
XX
SQ Sequence 640 AA;

Query Match 89.1%; Score 41; DB 21; Length 640;
Best Local Similarity 88.9%; Pred. No. 3;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
| | | | | | | |
Db 286 slfegidfy 294

Search completed: December 6, 2001, 08:04:02
Job time: 610 sec

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 08:04:04 ; Search time 184.09 Seconds
(without alignments)
4.024 Million cell updates/sec

Title: PEP2-MOD8A

Perfect score: 51

Sequence: 1 SLFEGIDAVT 10

Scoring table:

BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 522463 seqs, 74073290 residues

Total number of hits satisfying chosen parameters: 522463

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

A_Geneseq_1101.*
1: /SID88/gcgdata/geneseq/geneseq/AA1980.DAT.*
2: /SID88/gcgdata/geneseq/geneseq/AA1981.DAT.*
3: /SID88/gcgdata/geneseq/geneseq/AA1982.DAT.*
4: /SID88/gcgdata/geneseq/geneseq/AA1983.DAT.*
5: /SID88/gcgdata/geneseq/geneseq/AA1984.DAT.*
6: /SID88/gcgdata/geneseq/geneseq/AA1985.DAT.*
7: /SID88/gcgdata/geneseq/geneseq/AA1986.DAT.*
8: /SID88/gcgdata/geneseq/geneseq/AA1987.DAT.*
9: /SID88/gcgdata/geneseq/geneseq/AA1988.DAT.*
10: /SID88/gcgdata/geneseq/geneseq/AA1989.DAT.*
11: /SID88/gcgdata/geneseq/geneseq/AA1990.DAT.*
12: /SID88/gcgdata/geneseq/geneseq/AA1991.DAT.*
13: /SID88/gcgdata/geneseq/geneseq/AA1992.DAT.*
14: /SID88/gcgdata/geneseq/geneseq/AA1993.DAT.*
15: /SID88/gcgdata/geneseq/geneseq/AA1994.DAT.*
16: /SID88/gcgdata/geneseq/geneseq/AA1995.DAT.*
17: /SID88/gcgdata/geneseq/geneseq/AA1996.DAT.*
18: /SID88/gcgdata/geneseq/geneseq/AA1997.DAT.*
19: /SID88/gcgdata/geneseq/geneseq/AA1998.DAT.*
20: /SID88/gcgdata/geneseq/geneseq/AA1999.DAT.*
21: /SID88/gcgdata/geneseq/geneseq/AA2000.DAT.*
22: /SID88/gcgdata/geneseq/geneseq/AA2001.DAT.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	46	90.2	10	21 AAY44200	Heat shock protein
2	46	90.2	10	22 AAB37602	Heat shock protein
3	45	88.2	10	22 AAB37603	Heat shock protein
4	45	88.2	554	21 AAY88409	Human heat shock p
5	45	88.2	554	21 AAY88410	Human heat shock p
6	45	88.2	554	21 AAY88412	Human heat shock p
7	45	88.2	554	21 AAY88413	Human heat shock p
8	45	88.2	624	21 AAB32522	Human Hsp72 (heat
9	45	88.2	634	11 AAR03930	Gallus gallus HSP
10	45	88.2	640	11 AAR03929	Homo sapiens HSP
11	45	88.2	640	18 AAW10065	Human heat shock p

12	45	88.2	640	21	AAB23653	Human heat shock p
13	45	88.2	640	21	AAY88408	Human heat shock p
14	45	88.2	640	21	AAY88411	Human heat shock p
15	45	88.2	641	14	AAR43004	Mature mouse sperm
16	45	88.2	641	19	AAW54349	Human heat shock 7
17	45	88.2	641	21	AAB23652	Human heat shock p
18	45	88.2	641	22	AAB82534	Human heat shock p
19	45	88.2	642	21	AAB23650	Rat heat shock pro
20	45	88.2	647	11	AAR03928	Xenopus laevis HSP
21	44	86.3	643	18	AAR22895	Marmoset intracell
22	44	86.3	665	21	AAB58386	Lung cancer associ
23	42	82.4	91	21	AAG02174	Human secreted pro
24	42	82.4	646	11	AAR03927	Rat HSP (rathsp70)
25	42	82.4	646	19	AAW54364	Heat shock cognate
26	42	82.4	646	20	AAW17407	Human heat shock c
27	42	82.4	646	20	AAW17408	Mouse heat shock c
28	42	82.4	646	21	AAB23649	Mouse heat shock p
29	42	82.4	646	21	AAB23651	Human heat shock p
30	42	82.4	646	22	AAB82535	Human heat shock p
31	42	82.4	656	18	AAW01638	Candida albicans h
32	42	82.4	890	21	AAB22938	GFP-HSC70 fusion p
33	41	80.4	9	21	AAY44199	Heat shock protein
34	41	80.4	9	22	AAB97601	Heat shock protein
35	41	80.4	633	14	AAW43002	Mouse SLIP1 homolo
36	38	74.5	214	19	AAY85808	S. pneumoniae deri
37	38	74.5	221	19	AAW80645	S. pneumoniae prot
38	38	74.5	253	21	AAG24333	Arabidopsis thalia
39	38	74.5	279	21	AAG24332	Arabidopsis thalia
40	38	74.5	342	21	AAG24331	Arabidopsis thalia
41	36	70.6	495	18	AAW31629	Aspergillus oryzae
42	36	70.6	533	14	AAW44433	Subtilisin-like se
43	35	68.6	412	22	AAB61974	S. avermitilis ORF
44	35	68.6	558	22	AAU01251	B. subtilis dihydr
45	35	68.6	646	11	AAR03931	Zea mays HSP (mzeh

ALIGNMENTS

RESULT 1

AAW44200

ID AAY44200 standard; peptide: 10 AA.

XX AC AAY44200;

XX DT 15-FEB-2000 (first entry)

XX DE Heat shock protein 70 amino acid residues 286-295.

XX KW Human; heat shock protein 70; hsp70; identification; tumour; mutation;

XX KW T cell response; amplification; vector; bacterium; cancer; allele;

XX KW cytotoxic factor; interleukin; interferon; tumour necrosis factor; HLA;

XX KW immune defence; immunogenicity; specificity; human leucocyte antigen.

XX OS Homo sapiens.

XX PN WO9954464-A1.

XX PD 28-OCT-1999.

XX PF 22-APR-1999; 99WO-FR00957.

XX PR 22-APR-1998; 98FR-0005033.

XX PA (INSR) INST ROUSSY GUSTAVE.

XX PI Triebel F, Gaudin C;

XX XX WPI; 2000-013251/01.

XX XX Identifying mutant peptides from heat-shock protein 70, for treatment

XX PT of cancer -

XX XX

PS Claim 10; Page 6; 56pp; French.

XX This peptide corresponds to amino acid residues 286-295 of the human

CC heat shock protein 70 (hsp70). The invention relates to a method of

CC identifying peptides, derived from hsp70 that stimulate a tumour-specific

CC T cell response. Identification of the hsp70 peptides that have at least

CC one mutation or alteration compared with the native sequence, and induce

CC a tumour-specific T-cell response, comprises: (i) amplifying hsp70

CC encoding DNA from one or more tumours; (ii) cloning the amplified

CC sequences into a vector that can be replicated in bacteria;

CC (iii) sequencing fragments in each cultured bacterial colony to identify

CC any hsp70 mutations; and (iv) determining the immunogenicity of the

CC mutant peptides identified. The peptides, optionally formulated with an

CC agent that induces cellular stress, are used for treatment of cancer,

CC particularly solid cancers (carcinoma, sarcoma, melanoma, neuroblastoma,

CC cancers of head and neck, particularly kidney cancer). The peptides may

CC also be used to increase the proportion of tumour-specific cytotoxic

CC cytotoxic factors in a cell culture and/or induce these cells to secrete

CC T lymphocytes in a cell culture and/or induce these cells to secrete

CC tumour necrosis factor), particularly interleukin-2, interferon-gamma and

CC stimulate immune defences. The method identifies peptides with high

CC immunogenicity and high specificity for particular HLA (human leucocyte

XX antigen) alleles.

SQ Sequence 10 AA;

Query Match 90.2%; Score 46; DB 21; Length 10;

Best Local Similarity 90.0%; Pred. No. 0.0031;

Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10

DB 1 slfegidiyt 10

RESULT 2

ID AAB97602 standard; peptide; 10 AA.

XX AAB97602;

XX 30-JUL-2001 (first entry)

DE Heat shock protein 70 (HSP70) peptidic fragment 2.

XX HSP: HSP70; heat shock protein 70; cancer; chronic infectious disease;

KW vaccine; HSP-peptide complex; tumour; peptidic fragment; lymphocyte;

KW cytotoxic response; epitope; antigen presenting cell; fragment 2.

OS Homo sapiens.

XX WO200129190-A1.

PN 26-APR-2001.

XX 29-SEP-2000; 2000WO-EP09530.

XX 15-OCT-1999; 99EP-0120484.

PA (IDMI-) IDM IMMUNO-DESIGNED MOLECULES.

XX Abastado JP, Bartholeyns J;

PI WPI; 2001-290909/30.

DR Lymphocytes useful for treating cancer, recognizes specifically

XX transformed human cells with induced and increased membrane expression

PT of heat shock protein -

PS Claim 8; Page 15; 21pp; English.

XX The amino acid sequence of fragment 2 relating to position 286-295 of

CC human heat shock protein 70 (HSP70) is given. The new invention relates

CC to lymphocytes which recognise cells of a patient in which overexpression

CC of HSP has been induced. Overexpression of HSP leads to a substantial

CC increase in the numbers of HSPs and HSP epitopes presented on the

CC pericellular membrane. Recognition of increased numbers of HSP epitopes

CC on cell pericellular membranes by lymphocytes elicits a cytotoxic

CC response which kills the target cells. As a further embodiment of the

CC invention, HSP70 epitopes are mutated prior to being loaded into antigen

CC presenting cells. This has the effect of increasing the immune response

CC to HSP and helps direct the immune response to specific cells, (e.g.

CC cancer cells). HSP70 fragments are useful for treating cancer or

CC intracellular infections by vaccination. The tolerance of the organism to

CC the tumour or to the virus associated HSP is broken using an immunogenic

CC mutated form of HSP and induction of a stress on the target tumoural or

XX intracellular infected cells.

SQ Sequence 10 AA;

Query Match 90.2%; Score 46; DB 22; Length 10;

Best Local Similarity 90.0%; Pred. No. 0.0031;

Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10

DB 1 slfegidiyt 10

RESULT 3

AAB97603

ID AAB97603 standard; peptide; 10 AA.

XX AAB97603;

XX 30-JUL-2001 (first entry)

DE Heat shock protein 70 (HSP70) peptidic fragment 3.

XX HSP: HSP70; heat shock protein 70; cancer; chronic infectious disease;

KW vaccine; HSP-peptide complex; tumour; peptidic fragment; lymphocyte;

KW cytotoxic response; epitope; antigen presenting cell; fragment 3.

OS Homo sapiens.

XX WO200129190-A1.

PN 26-APR-2001.

XX 29-SEP-2000; 2000WO-EP09530.

XX 15-OCT-1999; 99EP-0120484.

PA (IDMI-) IDM IMMUNO-DESIGNED MOLECULES.

XX Abastado JP, Bartholeyns J;

PI WPI; 2001-290909/30.

DR Lymphocytes useful for treating cancer, recognizes specifically

XX transformed human cells with induced and increased membrane expression

PT of heat shock protein -

PS Claim 8; Page 15; 21pp; English.

XX The amino acid sequence of fragment 3 relating to position 286-295 of

CC human heat shock protein 70 (HSP70) is given. The new invention relates

CC to lymphocytes which recognise cells of a patient in which overexpression

CC of HSP has been induced. Overexpression of HSP leads to a substantial

CC increase in the numbers of HSPs and HSP epitopes presented on the

CC pericellular membrane. Recognition of increased numbers of HSP epitopes

CC on cell pericellular membranes by lymphocytes elicits a cytotoxic

CC response which kills the target cells. As a further embodiment of the

CC invention, HSP70 epitopes are mutated prior to being loaded into antigen

CC presenting cells. This has the effect of increasing the immune response
 CC to HSP and helps direct the immune response to specific cells, (e.g.
 CC cancer cells). HSP70 fragments are useful for treating cancer or
 CC intracellular infections by vaccination. The tolerance of the organism to
 CC the tumour or to the virus associated HSP is broken using an immunogenic
 CC mutated form of HSP and induction of a stress on the target tumoural or
 CC intracellular infected cells.

XX
 SQ Sequence 10 AA;

Query Match 88.2%; Score 45; DB 22; Length 10;
 Best Local Similarity 90.0%; Pred. No. 0.005;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
 |||||
 Db 1 slfegidft 10

RESULT 4

AAAY88409
 ID AAY88409 standard; Protein; 554 AA.

XX
 AC AAY88409;

XX
 DT 31-JUL-2000 (first entry)

XX
 DE Human heat shock protein SHSP70 amino acid sequence.

XX
 KW Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
 KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
 KW depression; nephrotic syndrome; SHSP70.

XX
 OS Homo sapiens.

XX
 PN JP2000069999-A.

XX
 PD 07-MAR-2000.

XX
 PF 01-JUN-1995; 99JP-0257146.

XX
 PR 01-JUN-1995; 95JP-0158581.

XX
 PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.

XX
 DR WPI; 2000-264458/23.

XX
 DR N-PSDB; AAA15621.

XX
 PT Abnormal transcription of intracellular HSP70mRNA under acute and

XX
 PT chronic continuous load of stress in a human being and its application

XX
 PT -

XX
 PS Examples; Fig 2; 1lpp; Japanese.

XX
 CC This sequence represents the human heat shock protein SHSP70 amino acid
 CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
 CC and 14q22-24. The invention relates to the abnormal transcription of
 CC intracellular HSP70mRNA under acute and chronic stress load in a human.
 CC The abnormal transcription of HSP70 can be used in the improvement of
 CC stress and response and diagnosis of stress diseases including
 CC rheumatism, schizophrenia, depression and nephrotic syndrome.

XX
 SQ Sequence 554 AA;

Query Match 88.2%; Score 45; DB 21; Length 554;

Best Local Similarity 90.0%; Pred. No. 0.49;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
 |||||
 Db 200 slfegidft 209

RESULT 5

AAAY88410

ID AAY88410 standard; Protein; 554 AA.

XX
 AC AAY88410;

XX
 DT 31-JUL-2000 (first entry)

XX
 DE Human heat shock protein SHSP70 amino acid sequence.

XX
 KW Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
 KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
 KW depression; nephrotic syndrome; SHSP70.

XX
 OS Homo sapiens.

XX
 PN JP2000069999-A.

XX
 PD 07-MAR-2000.

XX
 PF 01-JUN-1995; 99JP-0257146.

XX
 PR 01-JUN-1995; 95JP-0158581.

XX
 PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.

XX
 DR WPI; 2000-264458/23.

XX
 DR N-PSDB; AAA15622.

XX
 PT Abnormal transcription of intracellular HSP70mRNA under acute and
 XX
 PT chronic continuous load of stress in a human being and its application

XX
 PT -

XX
 PS Disclosure; Fig 3; 1lpp; Japanese.

XX
 CC This sequence represents the human heat shock protein SHSP70 amino acid
 CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
 CC and 14q22-24. The invention relates to the abnormal transcription of
 CC intracellular HSP70mRNA under acute and chronic stress load in a human.
 CC The abnormal transcription of HSP70 can be used in the improvement of
 CC stress and response and diagnosis of stress diseases including
 CC rheumatism, schizophrenia, depression and nephrotic syndrome.

XX
 SQ Sequence 554 AA;

Query Match 88.2%; Score 45; DB 21; Length 554;

Best Local Similarity 90.0%; Pred. No. 0.49;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10

|||||
 Db 200 slfegidft 209

RESULT 6

AAAY88412

ID AAY88412 standard; Protein; 554 AA.

XX
 AC AAY88412;

XX
 DT 31-JUL-2000 (first entry)

XX
 DE Human heat shock protein SHSP70 amino acid sequence.

XX
 KW Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
 KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
 KW depression; nephrotic syndrome; SHSP70.

XX
 OS Homo sapiens.

PN JP2000069999-A.
 XX 07-MAR-2000.
 XX 01-JUN-1995; 99JP-0257146.
 PF 01-JUN-1995; 95JP-0158581.
 PR 01-JUN-1995; 95JP-0158581.
 XX (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
 PA WPI; 2000-264458/23.
 DR Abnormal transcription of intracellular HSP70mRNA under acute and
 XX chronic continuous load of stress in a human being and its application
 PT
 PT
 XX Disclosure; Fig 5; 11pp; Japanese.
 PS This sequence represents the human heat shock protein SHSP70 amino acid
 XX sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
 CC and 14q22-24. The invention relates to the abnormal transcription of
 CC intracellular HSP70mRNA under acute and chronic stress load in a human.
 CC The abnormal transcription of HSP70 can be used in the improvement of
 CC stress and response and diagnosis of stress diseases including
 CC rheumatism, schizophrenia, depression and nephrotic syndrome.
 CC
 XX Sequence 554 AA;
 SQ

Query Match 88.2%; Score 45; DB 21; Length 554;
 Best Local Similarity 90.0%; Pred. NO. 0.49;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 SLFEGIDAYT 10
 DB 200 sifegidft 209
 |||||

RESULT 7
 AAY88413
 ID AAY88413 standard; Protein; 554 AA.
 XX
 AC AAY88413;
 XX
 DT 31-JUL-2000 (first entry)
 XX
 DE Human heat shock protein SHSP70 amino acid sequence.
 XX
 KW Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
 KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
 KW depression; nephrotic syndrome; SHSP70.
 XX
 OS Homo sapiens.
 XX
 PN JP2000069999-A.
 XX
 PD 07-MAR-2000.
 XX
 PF 01-JUN-1995; 99JP-0257146.
 XX
 PR 01-JUN-1995; 95JP-0158581.
 XX
 PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
 XX
 DR WPI; 2000-264458/23.
 XX
 XX Abnormal transcription of intracellular HSP70mRNA under acute and
 PT chronic continuous load of stress in a human being and its application
 PT
 PT
 XX Disclosure; Fig 6; 11pp; Japanese.
 PS This sequence represents the human heat shock protein SHSP70 amino acid

CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
 CC and 14q22-24. The invention relates to the abnormal transcription of
 CC intracellular HSP70mRNA under acute and chronic stress load in a human.
 CC The abnormal transcription of HSP70 can be used in the improvement of
 CC stress and response and diagnosis of stress diseases including
 CC rheumatism, schizophrenia, depression and nephrotic syndrome.
 CC
 XX Sequence 554 AA;
 SQ

Query Match 88.2%; Score 45; DB 21; Length 554;
 Best Local Similarity 90.0%; Pred. NO. 0.49;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 SLFEGIDAYT 10
 DB 200 sifegidft 209
 |||||

RESULT 8
 AAB23252
 ID AAB23252 standard; Protein; 624 AA.
 XX
 AC AAB23252;
 XX
 DT 29-JAN-2001 (first entry)
 XX
 DE Human Hsp72 (heat shock protein 72).
 XX
 KW Human Hsp72; heat shock protein 72; chromosome 6p21.3; Hsp72 inhibitor;
 KW expression modulator; JNK phosphatase inhibitor; antiproliferative;
 KW drug screening; cancer; leukaemia; lymphoma; solid tumour; sarcoma;
 KW carcinoma; breast cancer; prostate cancer; premalignant condition.
 XX
 OS Homo sapiens.
 XX
 PN WO200054814-A1.
 XX
 PD 21-SEP-2000.
 XX
 PF 17-MAR-2000; 2000WO-US07350.
 XX
 PR 18-MAR-1999; 99US-0125046.
 XX
 PA (PHYL-) PHYLOGENY INC.
 XX
 PI Volloch VZ, Sherman M;
 XX
 DR WPI; 2000-647056/62.
 DR N-PSDB; AAA97541.
 XX
 PT Identifying compounds that inhibit proliferation of cells and capable
 PT of modulating the expression of heat shock protein 72 gene and/or
 PT activity of Hsp72 useful for treating cancers such as leukemia,
 PT lymphoma
 XX
 PS Examples; Fig 16B; 77pp; English.
 XX
 CC The invention relates to a novel method of identifying compounds that
 CC inhibit proliferation of cells comprising contacting a test compound with
 CC a cell which overexpresses Hsp72 (heat shock protein 72), and determining
 CC if the test compound inhibits activity or expression of Hsp72.
 CC Optionally, Hsp72 is contacted with the test compound under optimum
 CC conditions to allow the two components to interact and bind, forming a
 CC complex which is detected. The invention also relates to a method of
 CC identifying compounds that inhibit Hsp72-mediated JNK phosphatase
 CC activation, comprising contacting a test compound with a cell which
 CC expresses Hsp72, exposing the cell to a heat induced stress and
 CC determining if the compound inhibits JNK phosphatase activity. The
 CC invention additionally encompasses compositions comprising an inhibitor
 CC of Hsp72 or JNK phosphatase activity. The compounds identified as
 CC inhibitors of Hsp72 or JNK phosphatase activity are useful for
 CC inhibiting the proliferation of cells. Modulation of the activity of the

CC JNK phosphatase or Hsp72 is used to treat a proliferative disorder such
 CC as cancers (e.g., leukemia, lymphoma, solid tumours such as sarcomas and
 CC carcinomas, breast cancer, prostate cancer). The compounds that inhibit
 CC Hsp72 activity can also be administered to treat premalignant conditions
 CC and to prevent progression to a neoplastic or malignant state. The
 CC compounds that inhibit Hsp72 function are administered to a patient
 CC having a disease or disorder mediated by an increase of Hsp72 expression
 CC or activity relative to normal levels. The present sequence represents
 CC human Hsp72 used in the exemplifications of the invention.
 XX
 SQ Sequence 624 AA;

Query Match 88.2%; Score 45; DB 21; Length 624;
 Best Local Similarity 90.0%; Pred. No. 0.56;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDAYT 10
 ||||| ||

DB 286 slfegidft 295

RESULT 9

AAR03930
 ID AAR03930 standard; Protein; 634 AA.

XX AAR03930;

DT 30-AUG-1990 (first entry)

DE Gallus gallus HSP (chkhsp70).

KW Hsp70; heat shock protein; Trypanosoma cruzi; vaccines; HSP.

XX Gallus gallus.

XX Key Location/Qualifiers

FT Misc-difference 634
 /note= "residue given as "O" in specification"

XX WO9002564-A.

XX 22-MAR-1990.

PF 12-SEP-1989; 89WO-0003955.

PR 12-SEP-1988; 88US-0243474.

XX (CODO-) CODON.

XX Dragon E, Faulds D, Sias S;

XX WPI; 1990-115820/15.

XX Proteins homologous to heat shock proteins from Trypanosoma cruzi - used
 XX in vaccines and diagnosis for species of eg Mycoplasma or Mycobacteria.

XX Disclosure; Fig 2.1-2.14; 86pp; English.

XX According to the legend of Fig 2, the G. gallus HSP sequence has
 CC 635 amino acid residues, the sequence itself has only 634,
 CC including "O" (?) at position 634.

XX Fig. 2 provides an alignment of heat shock proteins from a variety

CC of organisms: 1. M.hypneumoniae (Mhyhsp70 - AAR03922);

CC 2. Bacillus megaterium (Bmebsp70 - AAR03923);

CC 3. E. coli (dnaK - AAR03924);

CC 4. T. cruzi (tc70kd - AAR03925);

CC 5. Rat rattus (rathsp70 - AAR03926);

CC 6. Xenopus laevis (xl70 - AAR03928);

CC 7. Homo sapiens (humbsp70 - AAR03929);

CC 8. Gallus gallus (chkhsp70 - AAR03930);

CC 10. Zea mays (mzeshp70 - AAR03931);

CC 11. Serratia marcescens (smahsp70 - AAR03932).
 CC The proteins having homology to hsp's of T. cruzi can be used in
 CC vaccines and diagnosis involving e.g. Trypanosoma, Mycoplasma and
 CC Mycobacteria species.

XX Sequence 634 AA;

Query Match 88.2%; Score 45; DB 11; Length 634;
 Best Local Similarity 90.0%; Pred. No. 0.57;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDAYT 10

DB 289 slfegidft 298

RESULT 10

AAR03929
 ID AAR03929 standard; Protein; 640 AA.

XX AAR03929;

DT 30-AUG-1990 (first entry)

DE Homo sapiens HSP (humbsp70).

KW Hsp70; heat shock protein; Trypanosoma cruzi; vaccines; HSP.

XX Homo sapiens.

XX Key Location/Qualifiers

FT Misc-difference 640
 /note= "residue given as "O" in specification"

XX WO9002564-A.

XX 22-MAR-1990.

PF 12-SEP-1989; 89WO-0003955.

PR 12-SEP-1988; 88US-0243474.

XX (CODO-) CODON.

XX Dragon E, Faulds D, Sias S;

XX WPI; 1990-115820/15.

XX Proteins homologous to heat shock proteins from Trypanosoma cruzi - used
 XX in vaccines and diagnosis for species of eg Mycoplasma or Mycobacteria.

XX Disclosure; Fig 2.1-2.14; 86pp; English.

XX According to the legend of Fig 2, the H. sapiens HSP sequence has
 CC 641 amino acid residues, the sequence itself has only 640,
 CC including "O" (?) at position 640.

XX Fig. 2 provides an alignment of heat shock proteins from a variety

CC of organisms: 1. M.hypneumoniae (Mhyhsp70 - AAR03922);

CC 2. Bacillus megaterium (Bmebsp70 - AAR03923);

CC 3. E. coli (dnaK - AAR03924);

CC 4. T. cruzi (tc70kd - AAR03925);

CC 5. Rat rattus (rathsp70 - AAR03926);

CC 6. Xenopus laevis (xl70 - AAR03928);

CC 7. Homo sapiens (humbsp70 - AAR03929);

CC 8. Gallus gallus (chkhsp70 - AAR03930);

CC 10. Zea mays (mzeshp70 - AAR03931);

CC 11. Serratia marcescens (smahsp70 - AAR03932).

XX The proteins having homology to hsp's of T. cruzi can be used in
 XX vaccines and diagnosis involving e.g. Trypanosoma, Mycoplasma and
 XX Mycobacteria species.

SQ Sequence 640 AA;

Query Match 88.2%; Score 45; DB 11; Length 640;
 Best Local Similarity 90.0%; Pred. No. 0.58;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
 ||||| ||
 Db 286 slfegidft 295

RESULT 11
 AAW10065
 ID AAW10065 standard; Protein; 640 AA.
 XX
 AC AAW10065;
 XX
 DT 24-OCT-1997 (first entry)
 XX
 DE Human heat shock protein 70.
 XX
 KW Human; heat shock protein 70; HSP70; primer; probe; detection;
 KW intracellular; abnormal transcription; acute; chronic; sustained;
 KW stress.
 XX
 OS Homo sapiens.
 XX
 PN JP08322577-A.
 XX
 PD 10-DEC-1996.
 XX
 PF 01-JUN-1995; 95JP-0158581.
 XX
 PR 01-JUN-1995; 95JP-0158581.
 XX
 PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
 XX
 XX WPI; 1997-081088/08.
 DR N-PSDB; AAT58086.
 DR
 XX
 PT Detection of abnormal transcription of HSP70 mRNA - using HSP70
 PT specific primer or probe, used in detection of human acute and
 PT chronic sustained stress load
 XX
 PS Claim 1; Fig 1; 13pp; Japanese.
 XX
 CC The cDNA encoding the present sequence, human heat shock protein 70
 CC (HSP70), is located on human chromosome 6p 21.3-22 and 14q 22-24
 CC and 21. Primers and probes based on the HSP70 cDNA coding
 CC sequence can be used to detect the abnormal transcription of
 CC intracellular HSP70 mRNA in human acute and chronic sustained
 CC stress load.
 XX
 SQ Sequence 640 AA;

Query Match 88.2%; Score 45; DB 18; Length 640;
 Best Local Similarity 90.0%; Pred. No. 0.58;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
 ||||| ||
 Db 286 slfegidft 295

RESULT 12
 AAB23653
 ID AAB23653 standard; protein; 640 AA.
 XX
 AC AAB23653;
 XX
 DT 05-JAN-2001 (first entry)

XX Human heat shock protein Hsp70 protein sequence SEQ ID NO:5.
 DE
 XX
 KW ATPase; Hsp70; heat shock protein; cytotoxic T lymphocyte; CTL;
 KW immune response; infectious disease; malaria; cytotoxic T cell;
 KW cytotatic; immunostimulant; cellular immune response inducer;
 KW protozoacide; leukaemia; cancer.
 XX
 OS Homo sapiens.
 XX
 PN WO200049041-A1.
 XX
 PD 24-AUG-2000.
 XX
 PF 18-FEB-2000; 2000WO-JP00941.
 XX
 PR 19-FEB-1999; 99JP-0041535.
 XX
 PA (SUME) SUMITOMO ELECTRIC IND CO.
 XX
 PI Shinbara N, Udono H, Yui K;
 XX
 WPI; 2000-543748/49.
 XX
 PT Fused protein capable of inducing cellular immune response, useful as
 PT active ingredient for drug compositions in preventing and/or treating
 PT infectious diseases such as malaria or cancer -
 XX
 PS Claim 3; Page 49-52; 72pp; Japanese.
 XX
 CC The present invention describes a fused protein (I) prepared from a
 CC peptide containing a CTL (cytotoxic T lymphocyte) epitope recognised by
 CC cytotoxic T cells and a protein containing the ATPase domain of a heat
 CC shock protein. Also described are: (1) a drug composition containing (I)
 CC as active ingredient; (2) a DNA encoding (I); (3) an expression vector
 CC containing the DNA of (2); and (4) a transformant which can retain the
 CC expression vector of (3). (1) has cytostatic, immunostimulant and
 CC protozoacide activities, and can be used as a cellular immune response
 CC inducer. The protein is useful as an active ingredient for drug
 CC compositions in preventing and/or treating infectious diseases such as
 CC malaria or cancer e.g. to provide systemic immunity against leukaemia.
 CC The present sequence represents a specifically claimed heat shock
 CC protein for use in a fused protein of the present invention.
 XX
 SQ Sequence 640 AA;

Query Match 88.2%; Score 45; DB 21; Length 640;
 Best Local Similarity 90.0%; Pred. No. 0.58;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
 ||||| ||
 Db 286 slfegidft 295

RESULT 13
 AAY88408
 ID AAY88408 standard; Protein; 640 AA.
 XX
 AC AAY88408;
 XX
 DT 31-JUL-2000 (first entry)
 XX
 DE Human heat shock protein HSP70 amino acid sequence.
 XX
 KW Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
 KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
 KW depression; nephrotic syndrome.
 XX
 OS Homo sapiens.
 XX
 PN JP2000069999-A.


```

XX PD 07-MAR-2000.
XX PF 01-JUN-1995; 99JP-0257146.
XX PR 01-JUN-1995; 95JP-0158581.
XX PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
XX WPI; 2000-264458/23.
XX DR N-PSDB; AAA15620.
XX PT Abnormal transcription of intracellular HSP70mRNA under acute and
XX PT chronic continuous load of stress in a human being and its application
XX PT -
XX PS Claim 2; Fig 1; 1lpp; Japanese.
XX CC This sequence represents the human heat shock protein HSP70 amino acid
XX CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
XX CC and 14q22-24. The invention relates to the abnormal transcription of
XX CC intracellular HSP70mRNA under acute and chronic stress load in a human.
XX CC The abnormal transcription of HSP70 can be used in the improvement of
XX CC stress and response and diagnosis of stress diseases including
XX CC rheumatism, schizophrenia, depression and nephrotic syndrome.
XX SQ Sequence 640 AA;

Query Match 88.2%; Score 45; DB 21; Length 640;
Best Local Similarity 90.0%; Pred. No. 0.58;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 SLFEGIDAYT 10
Db 286 slfegidft 295

RESULT 15
AAR43004
ID AAR43004 standard; protein; 641 AA.
XX AC AAR43004;
XX DT 20-MAY-1994 (first entry)
XX DE Mature mouse sperm 70kD heat shock protein.
XX KW Sulphoglycolipid immobilising protein 1; sperm plasma membrane;
XX KW HSC70B; mammalian; infertility; mycoplasma; HSP70.
XX OS Mus musculus.
XX FH Key
XX FT Region
XX FT Location/Qualifiers
XX FT 1..385
XX FT /label= 44kD ATPase fragment
XX FT /note= "peptides comprising an intact domain from
XX FT the ATPase fragment of hsp70 are claimed;
XX FT the peptides are homologous to sequences
XX FT conserved between Slp1 and 74.5kD
XX FT mycoplasma protein"
XX FT Domain
XX FT 1..39
XX FT /label= IA
XX FT /note= "part"
XX FT Domain
XX FT 40..115
XX FT /label= IB
XX FT Domain
XX FT 116..188
XX FT /label= IA
XX FT /note= "part"
XX FT Domain
XX FT 189..228
XX FT /label= IIA
XX FT /note= "part"
XX FT Domain
XX FT 229..306
XX FT /label= IIB
XX FT Domain
XX FT 307..385
XX FT /label= IIA
XX FT /note= "part"
XX PN WO9321954-A.
XX PD 11-NOV-1993.
XX PF 22-APR-1993; 93WO-US03816.
XX PR 24-APR-1992; 92US-0873961.
XX PA (BERL-) BERLEX LAB INC.
XX PA (OTTA-) OTTAWA CIVIC HOSPITAL.
XX PI Faulds DH, Lingwood CA, Tanphaichitr N;
XX DR WPI; 1993-368422/46.

Query Match 88.2%; Score 45; DB 21; Length 640;
Best Local Similarity 90.0%; Pred. No. 0.58;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 SLFEGIDAYT 10
Db 286 slfegidft 295

RESULT 14
AAY88411
ID AAY88411 standard; Protein; 640 AA.
XX AC AAY88411;
XX DT 31-JUL-2000 (first entry)
XX DE Human heat shock protein LHSP70 amino acid sequence.
XX KW Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
XX KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
XX KW depression; nephrotic syndrome; LHSP70.
XX OS Homo sapiens.
XX PN JP2000069999-A.
XX PD 07-MAR-2000.
XX PF 01-JUN-1995; 99JP-0257146.
XX PR 01-JUN-1995; 95JP-0158581.
XX PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
XX DR WPI; 2000-264458/23.
XX PT Abnormal transcription of intracellular HSP70mRNA under acute and
XX PT chronic continuous load of stress in a human being and its application
XX PT -
XX PS Disclosure; Fig 4; 1lpp; Japanese.
XX CC This sequence represents the human heat shock protein LHSP70 amino acid

```

```

CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
CC and 14q22-24. The invention relates to the abnormal transcription of
CC intracellular HSP70mRNA under acute and chronic stress load in a human.
CC The abnormal transcription of HSP70 can be used in the improvement of
CC stress and response and diagnosis of stress diseases including
CC rheumatism, schizophrenia, depression and nephrotic syndrome.
XX SQ Sequence 640 AA;

Query Match 88.2%; Score 45; DB 21; Length 640;
Best Local Similarity 90.0%; Pred. No. 0.58;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 SLFEGIDAYT 10
Db 286 slfegidft 295

RESULT 15
AAR43004
ID AAR43004 standard; protein; 641 AA.
XX AC AAR43004;
XX DT 20-MAY-1994 (first entry)
XX DE Mature mouse sperm 70kD heat shock protein.
XX KW Sulphoglycolipid immobilising protein 1; sperm plasma membrane;
XX KW HSC70B; mammalian; infertility; mycoplasma; HSP70.
XX OS Mus musculus.
XX FH Key
XX FT Region
XX FT Location/Qualifiers
XX FT 1..385
XX FT /label= 44kD ATPase fragment
XX FT /note= "peptides comprising an intact domain from
XX FT the ATPase fragment of hsp70 are claimed;
XX FT the peptides are homologous to sequences
XX FT conserved between Slp1 and 74.5kD
XX FT mycoplasma protein"
XX FT Domain
XX FT 1..39
XX FT /label= IA
XX FT /note= "part"
XX FT Domain
XX FT 40..115
XX FT /label= IB
XX FT Domain
XX FT 116..188
XX FT /label= IA
XX FT /note= "part"
XX FT Domain
XX FT 189..228
XX FT /label= IIA
XX FT /note= "part"
XX FT Domain
XX FT 229..306
XX FT /label= IIB
XX FT Domain
XX FT 307..385
XX FT /label= IIA
XX FT /note= "part"
XX PN WO9321954-A.
XX PD 11-NOV-1993.
XX PF 22-APR-1993; 93WO-US03816.
XX PR 24-APR-1992; 92US-0873961.
XX PA (BERL-) BERLEX LAB INC.
XX PA (OTTA-) OTTAWA CIVIC HOSPITAL.
XX PI Faulds DH, Lingwood CA, Tanphaichitr N;
XX DR WPI; 1993-368422/46.

```

XX Mammalian fertilisation decrease for detecting and treating
PT infertility - using sulpho glyco lipid immobilising protein
PT 1-sulphated-glyco moiety interfering compsn., for mycoplasma
PT infection treatment
XX
PS Claim 2 and Claim 17; Page 60-62; 77pp; English.
XX
CC The likelihood of mammalian fertilisation is decreased by contacting
CC a gamete with a sulphoglycolipid immobilising protein 1 (SLIPI)/
CC sulphated glyco-moiety interfering composition. The interfering
CC compsn. is e.g. the heat shock 70KD protein, SLIPI (or analogues
CC such as the mouse SLIPI analogue "HSC70B" comprising the amino acid
CC sequence AAR43002) or the 74.5KD mycoplasma protein (AAR43003).
XX
SQ Sequence 641 AA;

Query Match 88.2%; Score 45; DB 14; Length 641;
Best Local Similarity 90.0%; Pred. No. 0.58;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
DB 286 slfegidfy 295

Search completed: December 6, 2001, 08:04:04
Job time: 612 sec

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 08:04:05 ; Search time 184.09 Seconds
(without alignments)
4.024 Million cell updates/sec

Title: PEP2-MOD8F

Perfect score: 53

Sequence: 1 SLFEGIDFYT 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 522463 seqs, 74073290 residues

Total number of hits satisfying chosen parameters: 522463

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

A_Geneseq_1101.*
1: /SID88/gcgdata/geneseq/geneseq/AA1980.DAT.*
2: /SID88/gcgdata/geneseq/geneseq/AA1981.DAT.*
3: /SID88/gcgdata/geneseq/geneseq/AA1982.DAT.*
4: /SID88/gcgdata/geneseq/geneseq/AA1983.DAT.*
5: /SID88/gcgdata/geneseq/geneseq/AA1984.DAT.*
6: /SID88/gcgdata/geneseq/geneseq/AA1985.DAT.*
7: /SID88/gcgdata/geneseq/geneseq/AA1986.DAT.*
8: /SID88/gcgdata/geneseq/geneseq/AA1987.DAT.*
9: /SID88/gcgdata/geneseq/geneseq/AA1988.DAT.*
10: /SID88/gcgdata/geneseq/geneseq/AA1989.DAT.*
11: /SID88/gcgdata/geneseq/geneseq/AA1990.DAT.*
12: /SID88/gcgdata/geneseq/geneseq/AA1991.DAT.*
13: /SID88/gcgdata/geneseq/geneseq/AA1992.DAT.*
14: /SID88/gcgdata/geneseq/geneseq/AA1993.DAT.*
15: /SID88/gcgdata/geneseq/geneseq/AA1994.DAT.*
16: /SID88/gcgdata/geneseq/geneseq/AA1995.DAT.*
17: /SID88/gcgdata/geneseq/geneseq/AA1996.DAT.*
18: /SID88/gcgdata/geneseq/geneseq/AA1997.DAT.*
19: /SID88/gcgdata/geneseq/geneseq/AA1998.DAT.*
20: /SID88/gcgdata/geneseq/geneseq/AA1999.DAT.*
21: /SID88/gcgdata/geneseq/geneseq/AA2000.DAT.*
22: /SID88/gcgdata/geneseq/geneseq/AA2001.DAT.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	ID	Description
1	53	100.0	10	22	Heat shock protein
2	53	100.0	554	21	Human heat shock p
3	53	100.0	554	21	Human heat shock p
4	53	100.0	554	21	Human heat shock p
5	53	100.0	554	21	Human heat shock p
6	53	100.0	624	21	Human Hsp72 (heat
7	53	100.0	634	11	Gallus gallus HSP
8	53	100.0	640	11	Homo sapiens HSP
9	53	100.0	640	18	Human heat shock p
10	53	100.0	640	21	Human heat shock p
11	53	100.0	640	21	Human heat shock p

12	53	100.0	640	21	AAAY88411	Human heat shock p
13	53	100.0	641	14	AAAR43004	Mature mouse sperm
14	53	100.0	641	19	AAW54349	Human heat shock 7
15	53	100.0	641	21	AAAB23652	Human heat shock p
16	53	100.0	641	22	AAAB82534	Human heat shock p
17	53	100.0	642	21	AAAB23650	Rat heat shock pro
18	53	100.0	647	11	AAAR03928	Xenopus laevis HSP
19	52	98.1	643	18	AAW22895	Marmoset intracell
20	52	98.1	665	21	AAAB58386	Lung cancer associ
21	50	94.3	91	21	AAAG02174	Human secreted pro
22	50	94.3	646	11	AAAR03927	Rat HSP (rathsp70)
23	50	94.3	646	19	AAW54364	Heat shock cognate
24	50	94.3	646	20	AAAY17407	Human heat shock c
25	50	94.3	646	20	AAAY17408	Mouse heat shock c
26	50	94.3	646	20	AAAB23649	Mouse heat shock p
27	50	94.3	646	21	AAAB23651	Human heat shock p
28	50	94.3	646	22	AAAB82535	Human heat shock p
29	50	94.3	656	18	AAW01638	Candida albicans h
30	50	94.3	890	21	AAAB22938	GFP-HSC70 fusion p
31	49	92.5	633	14	AAAR43002	Mouse SLTP1 homolo
32	47	88.7	10	21	AAAY44200	Heat shock protein
33	47	88.7	10	22	AAAB97602	Heat shock protein
34	46	86.8	253	21	AAAG24333	Arabidopsis thalia
35	46	86.8	279	21	AAAG24332	Arabidopsis thalia
36	46	86.8	342	21	AAAG24331	Arabidopsis thalia
37	42	79.2	9	21	AAAY44199	Heat shock protein
38	42	79.2	9	22	AAAB97601	Heat shock protein
39	42	79.2	620	11	AAAR03932	Serratia marcescen
40	41	77.4	421	21	AAAG27768	Arabidopsis thalia
41	41	77.4	542	21	AAAG53606	Arabidopsis thalia
42	41	77.4	623	21	AAAG53605	Arabidopsis thalia
43	41	77.4	646	11	AAAR03931	Zea mays HSP (mzeh
44	41	77.4	646	21	AAAG53604	Arabidopsis thalia
45	39	73.6	187	21	AAAB54038	Human pancreatic c

ALIGNMENTS

RESULT 1

AAAB97603
ID AAB97603 standard; peptide; 10 AA.

XX AAB97603;

XX 30-JUL-2001 (first entry)

XX Heat shock protein 70 (HSP70) peptidic fragment 3.

XX HSP: HSP70; heat shock protein 70; cancer; chronic infectious disease;
KW vaccine; HSP-peptide complex; tumour; peptidic fragment; lymphocyte;
KW cytotoxic response; epitope; antigen presenting cell; fragment 3.

XX Homo sapiens.

XX WO200129190-A1.

XX 26-APR-2001.

XX 29-SEP-2000; 2000WO-EP09530.

XX 15-OCT-1999; 99EP-0120484.

XX (IDMI-) IDM IMMUNO-DESIGNED MOLECULES.

XX Abastado JP, Bartholeyns J;

XX WPI; 2001-290909/30.

XX Lymphocytes useful for treating cancer, recognizes specifically
PT transformed human cells with induced and increased membrane expression
PT of heat shock protein -

PS Claim 8; Page 15; 21pp; English.

XX The amino acid sequence of fragment 3 relating to position 286-295 of
 CC human heat shock protein 70 (HSP70) is given. The new invention relates
 CC to lymphocytes which recognise cells of a patient in which overexpression
 CC of HSP has been induced. Overexpression of HSP leads to a substantial
 CC increase in the numbers of HSPs and HSP epitopes presented on the
 CC pericellular membrane. Recognition of increased numbers of HSP epitopes
 CC on cell pericellular membranes by lymphocytes elicits a cytotoxic
 CC response which kills the target cells. As a further embodiment of the
 CC invention, HSP70 epitopes are mutated prior to being loaded into antigen
 CC presenting cells. This has the effect of increasing the immune response
 CC to HSP and helps direct the immune response to specific cells, (e.g.
 CC cancer cells). HSP70 fragments are useful for treating cancer or
 CC intracellular infections by vaccination. The tolerance of the organism to
 CC the tumour or to the virus associated HSP is broken using an immunogenic
 CC mutated form of HSP and induction of a stress on the target tumoural or
 CC intracellular infected cells.

XX Sequence 10 AA;

Query Match 100.0%; Score 53; DB 22; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.00031; Mismatches 0; Indels 0; Gaps 0;
 Matches 10; Conservative 0;

QY 1 SLFEGIDFYT 10
 |||||

Db 1 slfegidfy 10

RESULT 2

AY88409
 ID AAY88409 standard; Protein; 554 AA.

XX AC AAY88409;

XX 31-JUL-2000 (first entry)

XX Human heat shock protein SHSP70 amino acid sequence.

XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
 KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
 KW depression; nephrotic syndrome; SHSP70.

XX Homo sapiens.

XX JP2000069999-A.

XX 07-MAR-2000.

XX 01-JUN-1995; 99JP-0257146.

XX 01-JUN-1995; 95JP-0158581.

XX (HOKU-) HOKEN KAGAKU KENKYUSHO KK.

XX WPI: 2000-264458/23.

XX N-PSDB; AAA15621.

XX Abnormal transcription of intracellular HSP70mRNA under acute and
 PT chronic continuous load of stress in a human being and its application

XX Examples; Fig 2; 11pp; Japanese.

XX This sequence represents the human heat shock protein SHSP70 amino acid
 CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
 CC and 14q22-24. The invention relates to the abnormal transcription of
 CC intracellular HSP70mRNA under acute and chronic stress load in a human.
 CC The abnormal transcription of HSP70 can be used in the improvement of
 CC stress and response and diagnosis of stress diseases including
 CC -rheumatism, schizophrenia, depression and nephrotic syndrome.

XX Sequence 554 AA;

Query Match 100.0%; Score 53; DB 21; Length 554;
 Best Local Similarity 100.0%; Pred. No. 0.023;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
 |||||

Db 200 slfegidfy 209

RESULT 3

AY88410
 ID AAY88410 standard; Protein; 554 AA.

XX AC AAY88410;

XX 31-JUL-2000 (first entry)

XX Human; heat shock protein SHSP70 amino acid sequence.

XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
 KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
 KW depression; nephrotic syndrome; SHSP70.

XX Homo sapiens.

XX JP2000069999-A.

XX 07-MAR-2000.

XX 01-JUN-1995; 99JP-0257146.

XX 01-JUN-1995; 95JP-0158581.

XX (HOKU-) HOKEN KAGAKU KENKYUSHO KK.

XX WPI: 2000-264458/23.

XX N-PSDB; AAA15622.

XX Abnormal transcription of intracellular HSP70mRNA under acute and
 PT chronic continuous load of stress in a human being and its application

XX Disclosure; Fig 3; 11pp; Japanese.

XX This sequence represents the human heat shock protein SHSP70 amino acid
 CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
 CC and 14q22-24. The invention relates to the abnormal transcription of
 CC intracellular HSP70mRNA under acute and chronic stress load in a human.
 CC The abnormal transcription of HSP70 can be used in the improvement of
 CC stress and response and diagnosis of stress diseases including
 CC rheumatism, schizophrenia, depression and nephrotic syndrome.

XX Sequence 554 AA;

Query Match 100.0%; Score 53; DB 21; Length 554;
 Best Local Similarity 100.0%; Pred. No. 0.023;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
 |||||

Db 200 slfegidfy 209

RESULT 4

AY88412
 ID AAY88412 standard; Protein; 554 AA.

XX AC AAY88412;

```

XX 31-JUL-2000 (first entry)
XX Human heat shock protein SHSP70 amino acid sequence.
XX
XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
XX chromosome 14q22-24; transcription; rheumatism; schizophrenia;
XX depression; nephrotic syndrome; SHSP70.
XX
XX Homo sapiens.
XX
XX JP2000069999-A.
XX
XX 07-MAR-2000.
XX
XX 01-JUN-1995; 99JP-0257146.
XX
XX 01-JUN-1995; 95JP-0158581.
XX
XX (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
XX
XX WPI; 2000-264458/23.
XX
XX Abnormal transcription of intracellular HSP70mRNA under acute and
XX chronic continuous load of stress in a human being and its application
XX .
XX
XX Disclosure; Fig 5; 11pp; Japanese.
XX
XX This sequence represents the human heat shock protein SHSP70 amino acid
XX sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
XX and 14q22-24. The invention relates to the abnormal transcription of
XX intracellular HSP70mRNA under acute and chronic stress load in a human.
XX The abnormal transcription of HSP70 can be used in the improvement of
XX stress and response and diagnosis of stress diseases including
XX rheumatism, schizophrenia, depression and nephrotic syndrome.
XX
XX Sequence 554 AA;
XX
XX Query Match 100.0%; Score 53; DB 21; Length 554;
XX Best Local Similarity 100.0%; Pred. No. 0.023;
XX Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
XX
XX QY 1 SLFEGIDFYT 10
XX | | | | |
XX Db 200 slfegidfy 209
XX
XX RESULT 5
XX AAY88413
XX ID AAY88413 standard; Protein; 554 AA.
XX
XX AC AAY88413;
XX
XX 31-JUL-2000 (first entry)
XX
XX Human heat shock protein SHSP70 amino acid sequence.
XX
XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
XX chromosome 14q22-24; transcription; rheumatism; schizophrenia;
XX depression; nephrotic syndrome; SHSP70.
XX
XX Homo sapiens.
XX
XX JP2000069999-A.
XX
XX 07-MAR-2000.
XX
XX 01-JUN-1995; 99JP-0257146.
XX
XX 01-JUN-1995; 95JP-0158581.
XX
XX (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
XX
XX WPI; 2000-264458/23.
XX
XX Abnormal transcription of intracellular HSP70mRNA under acute and
XX chronic continuous load of stress in a human being and its application
XX .
XX
XX Disclosure; Fig 5; 11pp; Japanese.
XX
XX This sequence represents the human heat shock protein SHSP70 amino acid
XX sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
XX and 14q22-24. The invention relates to the abnormal transcription of
XX intracellular HSP70mRNA under acute and chronic stress load in a human.
XX The abnormal transcription of HSP70 can be used in the improvement of
XX stress and response and diagnosis of stress diseases including
XX rheumatism, schizophrenia, depression and nephrotic syndrome.
XX
XX Sequence 554 AA;
XX
XX Query Match 100.0%; Score 53; DB 21; Length 554;
XX Best Local Similarity 100.0%; Pred. No. 0.023;
XX Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
XX
XX QY 1 SLFEGIDFYT 10
XX | | | | |
XX Db 200 slfegidfy 209
XX
XX RESULT 5
XX AAY88413
XX ID AAY88413 standard; Protein; 554 AA.
XX
XX AC AAY88413;
XX
XX 31-JUL-2000 (first entry)
XX
XX Human heat shock protein SHSP70 amino acid sequence.
XX
XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
XX chromosome 14q22-24; transcription; rheumatism; schizophrenia;
XX depression; nephrotic syndrome; SHSP70.
XX
XX Homo sapiens.
XX
XX JP2000069999-A.
XX
XX 07-MAR-2000.
XX
XX 01-JUN-1995; 99JP-0257146.
XX
XX 01-JUN-1995; 95JP-0158581.
XX
XX (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
XX
XX WPI; 2000-264458/23.
XX
XX Abnormal transcription of intracellular HSP70mRNA under acute and
XX chronic continuous load of stress in a human being and its application
XX .
XX
XX Disclosure; Fig 6; 11pp; Japanese.
XX
XX This sequence represents the human heat shock protein SHSP70 amino acid
XX sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
XX and 14q22-24. The invention relates to the abnormal transcription of
XX intracellular HSP70mRNA under acute and chronic stress load in a human.
XX The abnormal transcription of HSP70 can be used in the improvement of
XX stress and response and diagnosis of stress diseases including
XX rheumatism, schizophrenia, depression and nephrotic syndrome.
XX
XX Sequence 554 AA;
XX
XX Query Match 100.0%; Score 53; DB 21; Length 554;
XX Best Local Similarity 100.0%; Pred. No. 0.023;
XX Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
XX
XX QY 1 SLFEGIDFYT 10
XX | | | | |
XX Db 200 slfegidfy 209
XX
XX RESULT 6
XX AAB23252
XX ID AAB23252 standard; Protein; 624 AA.
XX
XX AC AAB23252;
XX
XX 29-JAN-2001 (first entry)
XX
XX Human Hsp72 (heat shock protein 72).
XX
XX Human Hsp72; heat shock protein 72; chromosome 6p21.3; Hsp72 inhibitor;
XX expression modulator; JNK phosphatase inhibitor; antiproliferative;
XX drug screening; cancer; leukaemia; lymphoma; solid tumour; sarcoma;
XX carcinoma; breast cancer; prostate cancer; premalignant condition.
XX
XX Homo sapiens.
XX
XX WO200054814-A1.
XX
XX 21-SEP-2000.
XX
XX 17-MAR-2000; 2000WO-US07350.
XX
XX 18-MAR-1999; 99US-0125046.
XX
XX (PHYL-) PHYLOGENY INC.
XX
XX Volloch VZ, Sherman M;
XX
XX WPI; 2000-647056/62.
XX
XX N-PSDB; AAA97541.
XX
XX Identifying compounds that inhibit proliferation of cells and capable
XX of modulating the expression of heat shock protein 72 gene and/or
XX activity of Hsp72 useful for treating cancers such as leukemia,
XX lymphoma .
XX
XX Examples; Fig 16B; 77pp; English.
XX
XX The invention relates to a novel method of identifying compounds that
XX inhibit proliferation of cells comprising contacting a test compound with
XX a cell which overexpresses Hsp72 (heat shock protein 72), and determining
XX if the test compound inhibits activity or expression of Hsp72.

```

```

PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
XX
XX WPI; 2000-264458/23.
XX
XX Abnormal transcription of intracellular HSP70mRNA under acute and
XX chronic continuous load of stress in a human being and its application
XX .
XX
XX Disclosure; Fig 6; 11pp; Japanese.
XX
XX This sequence represents the human heat shock protein SHSP70 amino acid
XX sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
XX and 14q22-24. The invention relates to the abnormal transcription of
XX intracellular HSP70mRNA under acute and chronic stress load in a human.
XX The abnormal transcription of HSP70 can be used in the improvement of
XX stress and response and diagnosis of stress diseases including
XX rheumatism, schizophrenia, depression and nephrotic syndrome.
XX
XX Sequence 554 AA;
XX
XX Query Match 100.0%; Score 53; DB 21; Length 554;
XX Best Local Similarity 100.0%; Pred. No. 0.023;
XX Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
XX
XX QY 1 SLFEGIDFYT 10
XX | | | | |
XX Db 200 slfegidfy 209
XX
XX RESULT 6
XX AAB23252
XX ID AAB23252 standard; Protein; 624 AA.
XX
XX AC AAB23252;
XX
XX 29-JAN-2001 (first entry)
XX
XX Human Hsp72 (heat shock protein 72).
XX
XX Human Hsp72; heat shock protein 72; chromosome 6p21.3; Hsp72 inhibitor;
XX expression modulator; JNK phosphatase inhibitor; antiproliferative;
XX drug screening; cancer; leukaemia; lymphoma; solid tumour; sarcoma;
XX carcinoma; breast cancer; prostate cancer; premalignant condition.
XX
XX Homo sapiens.
XX
XX WO200054814-A1.
XX
XX 21-SEP-2000.
XX
XX 17-MAR-2000; 2000WO-US07350.
XX
XX 18-MAR-1999; 99US-0125046.
XX
XX (PHYL-) PHYLOGENY INC.
XX
XX Volloch VZ, Sherman M;
XX
XX WPI; 2000-647056/62.
XX
XX N-PSDB; AAA97541.
XX
XX Identifying compounds that inhibit proliferation of cells and capable
XX of modulating the expression of heat shock protein 72 gene and/or
XX activity of Hsp72 useful for treating cancers such as leukemia,
XX lymphoma .
XX
XX Examples; Fig 16B; 77pp; English.
XX
XX The invention relates to a novel method of identifying compounds that
XX inhibit proliferation of cells comprising contacting a test compound with
XX a cell which overexpresses Hsp72 (heat shock protein 72), and determining
XX if the test compound inhibits activity or expression of Hsp72.

```

CC Optionally, Hsp72 is contacted with the test compound under optimum
 CC conditions to allow the two components to interact and bind, forming a
 CC complex which is detected. The invention also relates to a method of
 CC identifying compounds that inhibit Hsp72-mediated JNK phosphatase
 CC activation, comprising contacting a test compound with a cell which
 CC expresses Hsp72, exposing the cell to a heat induced stress and
 CC determining if the compound inhibits JNK phosphatase activity. The
 CC invention additionally encompasses compositions comprising an inhibitor
 CC of Hsp72 or JNK phosphatase activity. The compounds identified as
 CC inhibitors of Hsp72 or JNK phosphatase activity are useful for
 CC inhibiting the proliferation of cells. Modulation of the activity of the
 CC JNK phosphatase or Hsp72 is used to treat a proliferative disorder such
 CC as cancers (e.g., leukemia, lymphoma, solid tumours such as sarcomas and
 CC carcinomas, breast cancer, prostate cancer). The compounds that inhibit
 CC Hsp72 activity can also be administered to treat premalignant conditions
 CC and to prevent progression to a neoplastic or malignant state. The
 CC compounds that inhibit Hsp72 function are administered to a patient
 CC having a disease or disorder mediated by an increase of Hsp72 expression
 CC or activity relative to normal levels. The present sequence represents
 CC human Hsp72 used in the exemplifications of the invention.

XX
 SQ Sequence 624 AA;

Query Match 100.0%; Score 53; DB 21; Length 624;
 Best Local Similarity 100.0%; Pred. No. 0.027;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
 |||||
 DB 286 slfegidfyf 295

RESULT 7
 AAR03930
 ID AAR03930 standard; Protein; 634 AA.

XX
 AC AAR03930;

XX 30-AUG-1990 (first entry)

DE Gallus gallus HSP (chkhsp70).

XX Hsp70; heat shock protein; Trypanosoma cruzi; vaccines; HSP.

XX Gallus gallus.

XX Key Location/Qualifiers
 FH Misc-difference 634

FT /note= "residue given as "O" in specification"

XX WO9002564-A.

XX 22-MAR-1990.

XX 12-SEP-1989; 89WO-0003955.

XX 12-SEP-1988; 88US-0243474.

XX (CODO-) CODON.

XX Dragon E, Faulds D, Sias S;

XX WPI; 1990-115820/15.

XX Proteins homologous to heat shock proteins from Trypanosoma cruzi - used
 PT in vaccines and diagnosis for species of eg Mycoplasma or Mycobacteria.

XX Disclosure; Fig 2.1-2.14; 86pp; English.

XX According to the legend of Fig 2, the G. gallus HSP sequence has

CC 635 amino acid residues, the sequence itself has only 634,

CC "including "O" (?) at position 634.

CC Fig. 2 provides an alignment of heat shock proteins from a variety
 CC of organisms: 1. M.hyopneumoniae (Mhyhsp70 - AAR03922);
 CC 2. Bacillus megaterium (Bmebsp70 - AAR03923);
 CC 3. E. coli (dnaK - AAR03924);
 CC 4. T. cruzi (tc70kd - AAR03925);
 CC 5. T. cruzi (AAR03926);
 CC 6. Rat rattus (rathsp70 - AAR03927);
 CC 7. Xenopus laevis (xl70 - AAR03928);
 CC 8. Homo sapiens (humhsp70 - AAR03929);
 CC 9. Gallus gallus (chkhsp70 - AAR03930);
 CC 10. Zea mays (zmehsp70 - AAR03931);
 CC 11. Serratia marcescens (smahsp70 - AAR03932).

CC The proteins having homology to hsp's of T. cruzi can be used in
 CC vaccines and diagnosis involving e.g. Trypanosoma, Mycoplasma and
 CC Mycobacteria species.

XX Sequence 634 AA;

Query Match 100.0%; Score 53; DB 11; Length 634;
 Best Local Similarity 100.0%; Pred. No. 0.027;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
 |||||
 DB 289 slfegidfyf 298

RESULT 8

AAR03929
 ID AAR03929 standard; Protein; 640 AA.

XX
 AC AAR03929;

XX 30-AUG-1990 (first entry)

XX Homo sapiens HSP (humhsp70).

XX Hsp70; heat shock protein; Trypanosoma cruzi; vaccines; HSP.

XX Homo sapiens.

XX Key Location/Qualifiers

FT Misc-difference 640

FT /note= "residue given as "O" in specification"

XX WO9002564-A.

XX 22-MAR-1990.

XX 12-SEP-1989; 89WO-0003955.

XX 12-SEP-1988; 88US-0243474.

XX (CODO-) CODON.

XX Dragon E, Faulds D, Sias S;

XX WPI; 1990-115820/15.

XX Proteins homologous to heat shock proteins from Trypanosoma cruzi - used
 PT in vaccines and diagnosis for species of eg Mycoplasma or Mycobacteria.

XX Disclosure; Fig 2.1-2.14; 86pp; English.

XX According to the legend of Fig 2, the H. sapiens HSP sequence has
 CC 641 amino acid residues, the sequence itself has only 640,
 CC including "O" (?) at position 640.

CC Fig. 2 provides an alignment of heat shock proteins from a variety
 CC of organisms: 1. M.hyopneumoniae (Mhyhsp70 - AAR03922);
 CC 2. Bacillus megaterium (Bmebsp70 - AAR03923);
 CC 3. E. coli (dnaK - AAR03924);
 CC 4. T. cruzi (tc70kd - AAR03925);

CC 5. T. cruzi (AAR03926);
 CC 6. Rat rattus (rathsp70 - AAR03927);
 CC 7. Xenopus laevis (xl70 - AAR03928);
 CC 8. Homo sapiens (humhsp70 - AAR03929);
 CC 9. Gallus gallus (chkhsp70 - AAR03930);
 CC 10. Zea mays (mzehsp70 - AAR03931);
 CC 11. Serratia marcescens (smahsp70 - AAR03932).
 CC The proteins having homology to hsp's of T. cruzi can be used in
 CC vaccines and diagnosis involving e.g. Trypanosoma, Mycoplasma and
 CC Mycobacteria species.
 XX
 SQ Sequence 640 AA;

Query Match 100.0%; Score 53; DB 11; Length 640;
 Best Local Similarity 100.0%; Pred. No. 0.027; 0; Indels 0; Gaps 0;
 Matches 10; Conservative 0; Mismatches 0;
 QY 1 SLFEGIDFYT 10
 |||||
 Db 286 slfegidft 295

RESULT 9
 AAW10065
 ID AAW10065 standard; Protein; 640 AA.
 XX
 AC AAW10065;
 XX
 DT 24-OCT-1997 (first entry)
 XX
 DE Human heat shock protein 70.
 XX
 KW Human; heat shock protein 70; HSP70; primer; probe; detection;
 KW intracellular; abnormal transcription; acute; chronic; sustained;
 KW stress.
 XX
 OS Homo sapiens.
 XX
 PN JP08322577-A.
 PD 10-DEC-1996.
 XX
 PF 01-JUN-1995; 95JP-0158581.
 XX
 PR 01-JUN-1995; 95JP-0158581.
 XX
 PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
 XX
 DR WPI: 1997-081088/08.
 XX
 N-PSDB; AAT58086.
 XX
 PT Detection of abnormal transcription of HSP70 mRNA - using HSP70
 PT specific primer or probe, used in detection of human acute and
 PT chronic sustained stress load
 XX
 PS Claim 1; Fig 1; 13pp; Japanese.
 XX

CC The cDNA encoding the present sequence, human heat shock protein 70
 CC (HSP70), is located on human chromosome 6p 21.3-22 and 14q 22-24
 CC and 21. Primers and probes based on the HSP70 cDNA coding
 CC sequence can be used to detect the abnormal transcription of
 CC intracellular HSP70 mRNA in human acute and chronic sustained
 CC stress load.
 XX
 SQ Sequence 640 AA;

Query Match 100.0%; Score 53; DB 18; Length 640;
 Best Local Similarity 100.0%; Pred. No. 0.027;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 SLFEGIDFYT 10

Db 286 slfegidft 295
 |||||
 RESULT 10
 AAB23653
 ID AAB23653 standard; Protein; 640 AA.
 XX
 AC AAB23653;
 XX
 DT 05-JAN-2001 (first entry)
 XX
 DE Human heat shock protein Hsp70 protein sequence SEQ ID NO:5.
 XX
 KW ATPase; Hsp70; heat shock protein; cytotoxic T lymphocyte; CTL;
 KW immune response; infectious disease; malaria; cytotoxic T cell;
 KW cytostatic; immunostimulant; cellular immune response inducer;
 KW protozoa; leukaemia; cancer.
 XX
 OS Homo sapiens.
 XX
 PN WO200049041-A1.
 XX
 PD 24-AUG-2000.
 XX
 PF 18-FEB-2000; 2000WO-JP00941.
 XX
 PR 19-FEB-1999; 99JP-0041535.
 XX
 PA (SUME) SUMITOMO ELECTRIC IND CO.
 XX
 PI Shinbara N, Udono H, Yui K;
 XX
 DR WPI: 2000-543748/49.
 XX
 PT Fused protein capable of inducing cellular immune response, useful as
 PT active ingredient for drug compositions in preventing and/or treating
 PT infectious diseases such as malaria or cancer .
 XX
 PS Claim 3; Page 49-52; 72pp; Japanese.
 XX
 CC The present invention describes a fused protein (I) prepared from a
 CC peptide containing a CTL (cytotoxic T lymphocyte) epitope recognised by
 CC cytotoxic T cells and a protein containing the ATPase domain of a heat
 CC shock protein. Also described are: (1) a drug composition containing (I)
 CC as active ingredient; (2) a DNA encoding (I); (3) an expression vector
 CC containing the DNA of (3); and (4) a transformant which can retain the
 CC expression vector of (3). (I) has cytostatic, immunostimulant and
 CC protozoa; leukaemia, and can be used as a cellular immune response
 CC inducer. The protein is useful as an active ingredient for drug
 CC compositions in preventing and/or treating infectious diseases such as
 CC malaria or cancer e.g. to provide systemic immunity against leukaemia.
 CC The present sequence represents a specifically claimed heat shock
 CC protein for use in a fused protein of the present invention.
 XX
 SQ Sequence 640 AA;

Query Match 100.0%; Score 53; DB 21; Length 640;
 Best Local Similarity 100.0%; Pred. No. 0.027;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 SLFEGIDFYT 10
 |||||
 Db 286 slfegidft 295

RESULT 11
 AAY88408
 ID AAY88408 standard; Protein; 640 AA.
 XX
 AC AAY88408;
 XX

```

DT 31-JUL-2000 (first entry)
XX Human heat shock protein HSP70 amino acid sequence.
DE
XX
KW Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
KW depression; nephrotic syndrome.
XX
OS Homo sapiens.
XX
XX JP2000069999-A.
XX
XX 07-MAR-2000.
XX
XX 01-JUN-1995; 99JP-0257146.
XX
XX 01-JUN-1995; 95JP-0158581.
XX
XX (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
XX
XX WPI: 2000-264458/23.
XX N-PSDB; AAA15620.
XX
XX Abnormal transcription of intracellular HSP70mRNA under acute and
XX chronic continuous load of stress in a human being and its application
XX
XX Claim 2; Fig 1; 11pp; Japanese.
XX
XX This sequence represents the human heat shock protein HSP70 amino acid
XX sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
XX and 14q22-24. The invention relates to the abnormal transcription of
XX intracellular HSP70mRNA under acute and chronic stress load in a human.
XX The abnormal transcription of HSP70 can be used in the improvement of
XX stress and response and diagnosis of stress diseases including
XX rheumatism, schizophrenia, depression and nephrotic syndrome.
XX
XX Sequence 640 AA;
XX
XX Query Match 100.0%; Score 53; DB 21; Length 640;
XX Best Local Similarity 100.0%; Pred. No. 0.027;
XX Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
XX
XX 1 SLFEGIDFYT 10
XX |||||
XX Db 286 slfegidfy 295
XX
XX RESULT 12
XX AAY88411
XX ID AAY88411 standard; Protein; 640 AA.
XX
XX AC AAY88411;
XX
XX DT 31-JUL-2000 (first entry)
XX
XX DE Human heat shock protein LHSP70 amino acid sequence.
XX
XX KW Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
XX KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
XX KW depression; nephrotic syndrome; LHSP70.
XX
XX OS Homo sapiens.
XX
XX XX JP2000069999-A.
XX
XX PD 07-MAR-2000.
XX
XX PF 01-JUN-1995; 99JP-0257146.
XX
XX PR 01-JUN-1995; 95JP-0158581.
XX
XX PN WO9321954-A.
XX
XX PD 11-NOV-1993.

```

```

PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
XX
XX WPI: 2000-264458/23.
XX
XX Abnormal transcription of intracellular HSP70mRNA under acute and
XX chronic continuous load of stress in a human being and its application
XX
XX Disclosure; Fig 4; 11pp; Japanese.
XX
XX This sequence represents the human heat shock protein LHSP70 amino acid
XX sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
XX and 14q22-24. The invention relates to the abnormal transcription of
XX intracellular HSP70mRNA under acute and chronic stress load in a human.
XX The abnormal transcription of HSP70 can be used in the improvement of
XX stress and response and diagnosis of stress diseases including
XX rheumatism, schizophrenia, depression and nephrotic syndrome.
XX
XX Sequence 640 AA;
XX
XX Query Match 100.0%; Score 53; DB 21; Length 640;
XX Best Local Similarity 100.0%; Pred. No. 0.027;
XX Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
XX
XX 1 SLFEGIDFYT 10
XX |||||
XX Db 286 slfegidfy 295
XX
XX RESULT 13
XX AAR43004
XX ID AAR43004 standard; protein; 641 AA.
XX
XX AC AAR43004;
XX
XX DT 20-MAY-1994 (first entry)
XX
XX DE Mature mouse sperm 70KD heat shock protein.
XX
XX KW Sulphoglycolipid immobilising protein 1; sperm plasma membrane;
XX KW HSC70B; mammalian; infertility; mycoplasma; HSP70.
XX
XX OS Mus musculus.
XX
XX FH Key Location/Qualifiers
XX FT Region 1..385
XX FT /label= 44KD ATPase_fragment
XX FT /note= "peptides comprising an intact domain from
XX FT the ATPase fragment of hsp70 are claimed;
XX FT the peptides are homologous to sequences
XX FT conserved between SLIPI and 74.5KD
XX FT mycoplasma protein"
XX FT Domain 1..39
XX FT /label= IA
XX FT /note= "part"
XX FT Domain 40..115
XX FT /label= IB
XX FT /label= IA
XX FT /note= "part"
XX FT Domain 189..228
XX FT /label= IIA
XX FT /note= "part"
XX FT Domain 229..306
XX FT /label= IIB
XX FT /label= IIA
XX FT /note= "part"
XX FT Domain 307..385
XX FT /label= IIA
XX FT /note= "part"
XX
XX PN WO9321954-A.
XX
XX PD 11-NOV-1993.

```


XX 22-APR-1993; 93WO-US03816.
 XX
 PR 24-APR-1992; 92US-0873961.
 XX
 PA (BERL-) BERLEX LAB INC.
 PA (OTTA-) OTTAWA CIVIC HOSPITAL.
 XX
 PI Faulds DH, Lingwood CA, Tanphaichitr N;
 XX WPI; 1993-368422/46.
 DR
 XX Mammalian fertilisation decrease for detecting and treating
 PT infertility - using sulpho glyco lipid immobilising protein
 PT 1-sulphated-glyco moiety interfering compsn., for mycoplasma
 PT infection treatment
 XX
 PS Claim 2 and Clalim 17; Page 60-62; 77pp; English.
 XX
 CC The likelihood of mammalian fertilisation is decreased by contacting
 CC a gamete with a sulphoglycolipid immobilising protein 1 (SLIP1)/
 CC sulphated glyco-moiety interfering composition. The interfering
 CC compsn. is e.g. the heat shock 70kD protein, SLIP1 (or analogues
 CC such as the mouse SLIP1 analogue "HSC70B" comprising the amino acid
 CC sequence AAR43002) or the 74.5kD mycoplasma protein (AAR43003).
 XX
 XX Sequence 641 AA;
 SQ

Query Match 100.0%; Score 53; DB 14; Length 641;
 Best Local Similarity 100.0%; Pred. No. 0.027;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 0;
 QY 1 SLFEGIDFYT 10
 |||||
 DB 286 slfegidft 295

RESULT 14
 AAW54349
 ID AAW54349 standard; protein; 641 AA.
 XX
 AC AAW54349;
 XX
 DT 14-AUG-1998 (first entry)
 XX
 DE Human heat shock 70 kD protein 1.
 XX
 KW Endometrium; hyperplasia; adenocarcinoma; proliferative phase;
 KW 2D gel electrophoresis; detection.
 XX
 OS Homo sapiens.
 XX
 PN WO9810291-A1.
 XX
 PD 12-MAR-1998.
 XX
 PF 05-SEP-1997; 97WO-GB02394.
 XX
 PR 08-APR-1997; 97GB-0007132.
 PR 06-SEP-1996; 96GB-0018600.
 XX
 PA (CLIN-) CENT CLINICAL & BASIC RES.
 XX
 PI Byrjalsen I, Fey SJ, Larsen P;
 XX WPI; 1998-207057/18.
 DR
 XX Biochemical markers of human endometrium - useful for, e.g.
 PT diagnosis of hyperplasia and adenocarcinoma
 XX
 PS Disclosure; Page 19; 77pp; English.
 XX

CC Proteins AAW54349-W54364 are examples of proteins produced in the
 CC endometrium during the hyperplasia, adenocarcinoma or proliferative
 CC phase of the endometrium. The presence and quantities of these proteins
 CC can be detected using 2D gel electrophoresis comparison of cell lysates.
 CC The proteins can be used as biochemical markers to detect the phase of
 CC the endometrium and can be measured in body fluids, obviating the need
 CC for endometrial biopsies.
 XX
 SQ Sequence 641 AA;
 Query Match 100.0%; Score 53; DB 19; Length 641;
 Best Local Similarity 100.0%; Pred. No. 0.027;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 SLFEGIDFYT 10
 |||||
 DB 286 slfegidft 295

RESULT 15
 AAB23652
 ID AAB23652 standard; protein; 641 AA.
 XX
 AC AAB23652;
 XX
 DT 05-JAN-2001 (first entry)
 XX
 DE Human heat shock protein Hsp70.1 protein sequence SEQ ID NO:4.
 XX
 KW ATPase; Hsp70; heat shock protein; cytotoxic T lymphocyte; CTL;
 KW immune response; infectious disease; malaria; cytotoxic T cell;
 KW cytostatic; immunostimulant; cellular immune response inducer;
 KW protozoacide; leukaemia; cancer.
 XX
 OS Homo sapiens.
 XX
 PN WO2000049041-A1.
 XX
 PD 24-AUG-2000.
 XX
 PF 18-FEB-2000; 2000WO-JP00941.
 XX
 PR 19-FEB-1999; 99JP-0041535.
 XX
 PA (SUME) SUMITOMO ELECTRIC IND CO.
 XX
 PI Shinbara N, Uono H, Yui K;
 XX WPI; 2000-543748/49.
 DR
 XX Fused protein capable of inducing cellular immune response, useful as
 PT active ingredient for drug compositions in preventing and/or treating
 PT infectious diseases such as malaria or cancer
 XX
 PS Claim 3; Page 46-48; 72pp; Japanese.
 XX
 CC The present invention describes a fused protein (I) prepared from a
 CC peptide containing a CTL (cytotoxic T lymphocyte) epitope recognised by
 CC cytotoxic T cells and a protein containing the ATPase domain of a heat
 CC shock protein. Also described are: (1) a drug composition containing (1)
 CC as active ingredient; (2) a DNA encoding (1); (3) an expression vector
 CC containing the DNA of (2); and (4) a transformant which can retain the
 CC expression vector of (3). (I) has cytostatic, immunostimulant and
 CC protozoacide activities, and can be used as a cellular immune response
 CC inducer. The protein is useful as an active ingredient for drug
 CC compositions in preventing and/or treating infectious diseases such as
 CC malaria or cancer e.g. to provide systemic immunity against leukaemia.
 CC The present sequence represents a specifically claimed heat shock
 CC protein for use in a fused protein of the present invention.
 XX
 SQ Sequence 641 AA;

Query Match 100.0%; Score 53; DB 21; Length 641;
Best Local Similarity 100.0%; Pred. No. 0.027;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 SLFEGIDFYT 10
Db 286 slfegidfyt 295

Search completed: December 6, 2001, 08:04:05
Job time: 613 sec

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 08:04:04 ; Search time 184.09 Seconds
(without alignments)
4.024 Million cell updates/sec

Title: PEP2-MOD8G

Perfect score: 53

Sequence: 1 SLFEGIDGYT 10

Scoring table:

BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 522463 seqs, 74073290 residues

Total number of hits satisfying chosen parameters: 522463

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

A_Geneseq_1101.*
1: /SID88/gcgdata/geneseq/geneseq/AA1980.DAT.*
2: /SID88/gcgdata/geneseq/geneseq/AA1981.DAT.*
3: /SID88/gcgdata/geneseq/geneseq/AA1982.DAT.*
4: /SID88/gcgdata/geneseq/geneseq/AA1983.DAT.*
5: /SID88/gcgdata/geneseq/geneseq/AA1984.DAT.*
6: /SID88/gcgdata/geneseq/geneseq/AA1985.DAT.*
7: /SID88/gcgdata/geneseq/geneseq/AA1986.DAT.*
8: /SID88/gcgdata/geneseq/geneseq/AA1987.DAT.*
9: /SID88/gcgdata/geneseq/geneseq/AA1988.DAT.*
10: /SID88/gcgdata/geneseq/geneseq/AA1989.DAT.*
11: /SID88/gcgdata/geneseq/geneseq/AA1990.DAT.*
12: /SID88/gcgdata/geneseq/geneseq/AA1991.DAT.*
13: /SID88/gcgdata/geneseq/geneseq/AA1992.DAT.*
14: /SID88/gcgdata/geneseq/geneseq/AA1993.DAT.*
15: /SID88/gcgdata/geneseq/geneseq/AA1994.DAT.*
16: /SID88/gcgdata/geneseq/geneseq/AA1995.DAT.*
17: /SID88/gcgdata/geneseq/geneseq/AA1996.DAT.*
18: /SID88/gcgdata/geneseq/geneseq/AA1997.DAT.*
19: /SID88/gcgdata/geneseq/geneseq/AA1998.DAT.*
20: /SID88/gcgdata/geneseq/geneseq/AA1999.DAT.*
21: /SID88/gcgdata/geneseq/geneseq/AA2000.DAT.*
22: /SID88/gcgdata/geneseq/geneseq/AA2001.DAT.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Query	Score	Match	Length	ID	Description
1	44	83.0	10	22	AAB97603	Heat shock protein
2	44	83.0	554	21	AAW88409	Human heat shock p
3	44	83.0	554	21	AAW88410	Human heat shock p
4	44	83.0	554	21	AAW88412	Human heat shock p
5	44	83.0	554	21	AAW88413	Human heat shock p
6	44	83.0	624	21	AAW23252	Human Hsp72 (heat
7	44	83.0	634	11	AAW03930	Gallus gallus HSP
8	44	83.0	640	11	AAW03929	Homo sapiens HSP (
9	44	83.0	640	18	AAW10065	Human heat shock p
10	44	83.0	640	21	AAW23653	Human heat shock p
11	44	83.0	640	21	AAW88408	Human heat shock p

12	44	83.0	640	21	AAW88411	Human heat shock p
13	44	83.0	641	14	AAW43004	Mature mouse sperm
14	44	83.0	641	19	AAW54349	Human heat shock 7
15	44	83.0	641	21	AAW23652	Human heat shock p
16	44	83.0	641	22	AAW82534	Human heat shock p
17	44	83.0	642	21	AAW23650	Rat heat shock p
18	44	83.0	647	11	AAW03928	Xenopus laevis HSP
19	43	81.1	10	21	AAW44200	Heat shock protein
20	43	81.1	10	22	AAW97602	Heat shock protein
21	43	81.1	643	18	AAW22895	Marmoset intracell
22	43	81.1	665	21	AAW58386	Lung cancer associ
23	41	77.4	91	21	AAW02174	Human secreted pro
24	41	77.4	646	11	AAW03927	Rat HSP (rathsp70)
25	41	77.4	646	19	AAW54364	Heat shock cognate
26	41	77.4	646	20	AAW17407	Human heat shock c
27	41	77.4	646	20	AAW17408	Mouse heat shock c
28	41	77.4	646	21	AAW23649	Mouse heat shock p
29	41	77.4	646	21	AAW23651	Human heat shock p
30	41	77.4	646	22	AAW82535	Human heat shock p
31	41	77.4	656	18	AAW01638	Candida albicans h
32	41	77.4	890	21	AAW22938	GFP-HSC70 fusion p
33	40	75.5	633	14	AAW43002	Mouse SLP1 homolo
34	38	71.7	9	21	AAW44199	Heat shock protein
35	38	71.7	9	22	AAW97601	Heat shock protein
36	38	71.7	303	18	AAW24255	Pyrobaculum aerop
37	37	69.8	117	16	AAW66617	Hepatitis C virus
38	37	69.8	117	16	AAW66622	Hepatitis C virus
39	37	69.8	117	20	AAW01616	Protein encoded by
40	37	69.8	117	20	AAW01611	Protein encoded by
41	37	69.8	117	20	AAW30585	Hepatitis C virus
42	37	69.8	205	13	AAW41081	Non-A non-B hepati
43	37	69.8	253	21	AAW24333	Arabidopsis thalia
44	37	69.8	269	14	AAW34001	JH-1 E2/NS1 protei
45	37	69.8	279	21	AAW24332	Arabidopsis thalia

ALIGNMENTS

RESULT 1

AAB97603

ID AAB97603 standard; peptide; 10 AA.

XX AC AAB97603;

XX DT 30-JUL-2001 (first entry)

XX DE Heat shock protein 70 (HSP70) peptidic fragment 3.

XX HSP; HSP70; heat shock protein 70; cancer; chronic infectious disease;
KW vaccine; HSP-peptide complex; tumour; peptidic fragment; lymphocyte;
KW cytotoxic response; epitope; antigen presenting cell; fragment 3.

XX OS Homo sapiens.

XX PN WO200129190-A1.

XX PD 26-APR-2001.

XX PF 29-SEP-2000; 2000WO-EP09530.

XX PR 15-OCT-1999; 99EP-0120484.

XX PA (IDMI-) IDM IMMUNO-DESIGNED MOLECULES.

XX PI Abastado JP, Bartholeyns J;

XX DR WPI; 2001-290909/30.

XX Lymphocytes useful for treating cancer, recognizes specifically
PT transformed human cells with induced and increased membrane expression
PT of heat shock protein -

PS Claim 8; Page 15; 2lpp; English.

XX The amino acid sequence of fragment 3 relating to position 286-295 of
 CC human heat shock protein 70 (HSP70) is given. The new invention relates
 CC to lymphocytes which recognise cells of a patient in which overexpression
 CC of HSP has been induced. Overexpression of HSP leads to a substantial
 CC increase in the numbers of HSPs and HSP epitopes presented on the
 CC pericellular membrane. Recognition of increased numbers of HSP epitopes
 CC on cell pericellular membranes by lymphocytes elicits a cytotoxic
 CC response which kills the target cells. As a further embodiment of the
 CC invention, HSP70 epitopes are mutated prior to being loaded into antigen
 CC presenting cells. This has the effect of increasing the immune response
 CC to HSP and helps direct the immune response to specific cells, (e.g.
 CC cancer cells). HSP70 fragments are useful for treating cancer or
 CC intracellular infections by vaccination. The tolerance of the organism to
 CC the tumour or to the virus associated HSP is broken using an immunogenic
 CC mutated form of HSP and induction of a stress on the target tumoural or
 CC intracellular infected cells.

SQ Sequence 10 AA;

Query Match 83.0%; Score 44; DB 22; Length 10;
 Best Local Similarity 90.0%; Pred. No. 0.043; 1; Indels 0; Gaps 0;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGYT 10
 Db 1 slfegidgyt 10
 |||||

RESULT 2
 AAY88409
 ID AAY88409 standard; Protein; 554 AA.
 XX AC AAY88409;
 XX 31-JUL-2000 (first entry)
 XX Human heat shock protein SHSP70 amino acid sequence.
 XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
 KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
 KW depression; nephrotic syndrome; SHSP70.
 XX Homo sapiens.
 OS
 PN JP2000069999-A.
 XX PD 07-MAR-2000.
 XX PF 01-JUN-1995; 99JP-0257146.
 XX PR 01-JUN-1995; 95JP-0158581.
 XX PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
 XX DR WPI: 2000-264458/23.
 XX DR N-PSDB; AAA15622.
 XX Abnormal transcription of intracellular HSP70mRNA under acute and
 PT chronic continuous load of stress in a human being and its application
 PT -
 XX Disclosure; Fig 2; 1lpp; Japanese.
 PS This sequence represents the human heat shock protein SHSP70 amino acid
 CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
 CC and 14q22-24. The invention relates to the abnormal transcription of
 CC intracellular HSP70mRNA under acute and chronic stress load in a human.
 CC The abnormal transcription of HSP70 can be used in the improvement of
 CC stress and response and diagnosis of stress diseases including
 CC rheumatism, schizophrenia, depression and nephrotic syndrome.

XX WPI: 2000-264458/23.
 XX DR N-PSDB; AAA15622.
 XX Abnormal transcription of intracellular HSP70mRNA under acute and
 PT chronic continuous load of stress in a human being and its application
 PT -
 XX Examples; Fig 2; 1lpp; Japanese.
 PS This sequence represents the human heat shock protein SHSP70 amino acid
 CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
 CC and 14q22-24. The invention relates to the abnormal transcription of
 CC intracellular HSP70mRNA under acute and chronic stress load in a human.
 CC The abnormal transcription of HSP70 can be used in the improvement of
 CC stress and response and diagnosis of stress diseases including
 CC rheumatism, schizophrenia, depression and nephrotic syndrome.

XX SQ Sequence 554 AA;
 Query Match 83.0%; Score 44; DB 21; Length 554;
 Best Local Similarity 90.0%; Pred. No. 3.4;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGYT 10
 Db 200 slfegidgyt 209
 |||||

RESULT 3
 AAY88410
 ID AAY88410 standard; Protein; 554 AA.
 XX AC AAY88410;
 XX 31-JUL-2000 (first entry)
 XX Human heat shock protein SHSP70 amino acid sequence.
 XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
 KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
 KW depression; nephrotic syndrome; SHSP70.
 XX Homo sapiens.
 OS
 PN JP2000069999-A.
 XX PD 07-MAR-2000.
 XX PF 01-JUN-1995; 99JP-0257146.
 XX PR 01-JUN-1995; 95JP-0158581.
 XX PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
 XX DR WPI: 2000-264458/23.
 XX DR N-PSDB; AAA15622.
 XX Abnormal transcription of intracellular HSP70mRNA under acute and
 PT chronic continuous load of stress in a human being and its application
 PT -
 XX Disclosure; Fig 3; 1lpp; Japanese.
 PS This sequence represents the human heat shock protein SHSP70 amino acid
 CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
 CC and 14q22-24. The invention relates to the abnormal transcription of
 CC intracellular HSP70mRNA under acute and chronic stress load in a human.
 CC The abnormal transcription of HSP70 can be used in the improvement of
 CC stress and response and diagnosis of stress diseases including
 CC rheumatism, schizophrenia, depression and nephrotic syndrome.

XX WPI: 2000-264458/23.
 XX DR N-PSDB; AAA15622.
 XX Abnormal transcription of intracellular HSP70mRNA under acute and
 PT chronic continuous load of stress in a human being and its application
 PT -
 XX Examples; Fig 3; 1lpp; Japanese.
 PS This sequence represents the human heat shock protein SHSP70 amino acid
 CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
 CC and 14q22-24. The invention relates to the abnormal transcription of
 CC intracellular HSP70mRNA under acute and chronic stress load in a human.
 CC The abnormal transcription of HSP70 can be used in the improvement of
 CC stress and response and diagnosis of stress diseases including
 CC rheumatism, schizophrenia, depression and nephrotic syndrome.

XX WPI: 2000-264458/23.
 XX DR N-PSDB; AAA15622.
 XX Abnormal transcription of intracellular HSP70mRNA under acute and
 PT chronic continuous load of stress in a human being and its application
 PT -
 XX Examples; Fig 2; 1lpp; Japanese.
 PS This sequence represents the human heat shock protein SHSP70 amino acid
 CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
 CC and 14q22-24. The invention relates to the abnormal transcription of
 CC intracellular HSP70mRNA under acute and chronic stress load in a human.
 CC The abnormal transcription of HSP70 can be used in the improvement of
 CC stress and response and diagnosis of stress diseases including
 CC rheumatism, schizophrenia, depression and nephrotic syndrome.

[illegible]

CC 5. T. cruzi (AAR03926);
 CC 6. Rat rattus (rathsp70 - AAR03927);
 CC 7. xenopus laevis (xl170 - AAR03928);
 CC 8. Homo sapiens (humhsp70 - AAR03929);
 CC 9. Gallus gallus (chkhsp70 - AAR03930);
 CC 10. Zea mays (mzhsp70 - AAR03931);
 CC 11. Serratia marcescens (smahsp70 - AAR03932).
 CC The proteins having homology to hsp's of T. cruzi can be used in
 CC vaccines and diagnosis involving e.g. Trypanosoma, Mycoplasma and
 CC Mycobacteria species.
 XX
 SQ Sequence 640 AA;

Query Match 83.0%; Score 44; DB 11; Length 640;
 Best Local Similarity 90.0%; Pred. No. 3.9;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 SLFEGIDGYT 10
 |||||
 Db 286 slfegidfyf 295

RESULT 9
 AAW10065
 ID AAW10065 standard; Protein; 640 AA.
 AC AAW10065;
 XX
 DT 24-OCT-1997 (first entry)
 XX
 DE Human heat shock protein 70.
 XX
 KW Human; heat shock protein 70; HSP70; primer; probe; detection;
 KW intracellular; abnormal transcription; acute; chronic; sustained;
 KW stress.
 XX
 OS Homo sapiens.
 XX
 PN JP08322577-A.
 XX

PD 10-DEC-1996.
 XX
 PF 01-JUN-1995; 95JP-0158581.
 XX
 PR 01-JUN-1995; 95JP-0158581.
 XX
 PA (HORE-) HOKEN KAGAKU KENKYUSHO KK.
 XX
 DR WPI; 1997-081088/08.
 XX
 N-PSDB; AAT58086.
 XX
 PT Detection of abnormal transcription of HSP70 mRNA - using HSP70
 PT specific primer or probe, used in detection of human acute and
 PT chronic sustained stress load
 XX
 PS Claim 1; Fig 1; 13pp; Japanese.
 XX

CC The cDNA encoding the present sequence, human heat shock protein 70
 CC (HSP70), is located on human chromosome 6p 21.3-22 and 14q 22-24
 CC and 21. Primers and probes based on the HSP70 cDNA coding
 CC sequence can be used to detect the abnormal transcription of
 CC intracellular HSP70 mRNA in human acute and chronic sustained
 CC stress load.
 XX
 SQ Sequence 640 AA;

Query Match 83.0%; Score 44; DB 18; Length 640;
 Best Local Similarity 90.0%; Pred. No. 3.9;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 SLFEGIDGYT 10

Db 286 slfegidfyf 295
 |||||
 RESULT 10
 AAB23653
 ID AAB23653 standard; protein; 640 AA.
 AC AAB23653;
 XX
 DT 05-JAN-2001 (first entry)
 XX
 DE Human heat shock protein Hsp70 protein sequence SEQ ID NO:5.
 XX
 KW ATPase; Hsp70; heat shock protein; cytotoxic T lymphocyte; CTL;
 KW immune response; infectious disease; malaria; cytotoxic T cell;
 KW cytotaxtic; immunostimulant; cellular immune response inducer;
 KW protozoacide; leukaemia; cancer.
 XX
 OS Homo sapiens.
 XX
 PN WO200049041-A1.
 XX
 PD 24-AUG-2000.
 XX
 PF 18-FEB-2000; 2000WO-JP00941.
 XX
 PR 19-FEB-1999; 99JP-0041535.
 XX
 PA (SUME) SUMITOMO ELECTRIC IND CO.
 XX
 PI Shinbara N, Udono H, Yui K;
 XX
 DR WPI; 2000-543748/49.

PT Fused protein capable of inducing cellular immune response, useful as
 PT active ingredient for drug compositions in preventing and/or treating
 PT infectious diseases such as malaria or cancer -
 XX
 PS Claim 3; Page 49-52; 72pp; Japanese.
 XX

CC The present invention describes a fused protein (I) prepared from a
 CC peptide containing a CTL (cytotoxic T lymphocyte) epitope recognised by
 CC cytotoxic T cells and a protein containing the ATPase domain of a heat
 CC shock protein. Also described are: (1) a drug composition containing (I)
 CC as active ingredient; (2) a DNA encoding (I); (3) an expression vector
 CC containing the DNA of (2); and (4) a transformant which can retain the
 CC expression vector of (3). (I) has cytostatic, immunostimulant and
 CC protozoacide activities, and can be used as a cellular immune response
 CC inducer. The protein is useful as an active ingredient for drug
 CC compositions in preventing and/or treating infectious diseases such as
 CC malaria or cancer e.g. to provide systemic immunity against leukaemia.
 CC The present sequence represents a specifically claimed heat shock
 CC protein for use in a fused protein of the present invention.
 XX
 SQ Sequence 640 AA;

Query Match 83.0%; Score 44; DB 21; Length 640;
 Best Local Similarity 90.0%; Pred. No. 3.9;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 SLFEGIDGYT 10
 |||||
 Db 286 slfegidfyf 295

RESULT 11
 AAY88408
 ID AAY88408 standard; Protein; 640 AA.
 AC AAY88408;
 XX

DT 31-JUL-2000 (first entry)
XX Human heat shock protein HSP70 amino acid sequence.
XX
XX
KW Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
KW depression; nephrotic syndrome.
XX
OS Homo sapiens.
XX
XX JP2000069999-A.
XX
XX 07-MAR-2000.
XX
XX 01-JUN-1995; 99JP-0257146.
XX
XX 01-JUN-1995; 95JP-0158581.
XX
XX (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
XX
XX WPI: 2000-264458/23.
XX N-PSDB; AAI15620.
XX
XX Abnormal transcription of intracellular HSP70mRNA under acute and
XX chronic continuous load of stress in a human being and its application
XX
XX Claim 2; Fig 1; 1lpp; Japanese.
XX
XX This sequence represents the human heat shock protein HSP70 amino acid
XX sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
XX and 14q22-24. The invention relates to the abnormal transcription of
XX intracellular HSP70mRNA under acute and chronic stress load in a human.
XX The abnormal transcription of HSP70 can be used in the improvement of
XX stress and response and diagnosis of stress diseases including
XX rheumatism, schizophrenia, depression and nephrotic syndrome.
XX
XX Sequence 640 AA;
XX
XX Query Match 83.0%; Score 44; DB 21; Length 640;
XX Best Local Similarity 90.0%; Pred. No. 3.9;
XX Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
XX
XX 1 SLFEGIDGYT 10
XX ||||||| ||
XX Db 286 slfegidfyt 295
XX
XX RESULT 12
XX AAY88411
XX ID AAY88411 standard; Protein; 640 AA.
XX
XX AC AAY88411;
XX
XX 31-JUL-2000 (first entry)
XX
XX Human heat shock protein LHP70 amino acid sequence.
XX
XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
KW depression; nephrotic syndrome; LHP70.
XX
XX Homo sapiens.
XX
XX JP2000069999-A.
XX
XX 07-MAR-2000.
XX
XX 01-JUN-1995; 99JP-0257146.
XX
XX 01-JUN-1995; 95JP-0158581.
XX
XX AAY88411 standard; Protein; 640 AA.
XX
XX AC AAY88411;
XX
XX 31-JUL-2000 (first entry)
XX
XX Human heat shock protein LHP70 amino acid sequence.
XX
XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
KW depression; nephrotic syndrome; LHP70.
XX
XX Homo sapiens.
XX
XX JP2000069999-A.
XX
XX 07-MAR-2000.
XX
XX 01-JUN-1995; 99JP-0257146.
XX
XX 01-JUN-1995; 95JP-0158581.
XX
XX

PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
XX
XX WPI: 2000-264458/23.
XX
XX Abnormal transcription of intracellular HSP70mRNA under acute and
XX chronic continuous load of stress in a human being and its application
XX
XX Disclosure; Fig 4; 1lpp; Japanese.
XX
XX This sequence represents the human heat shock protein LHP70 amino acid
XX sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
XX and 14q22-24. The invention relates to the abnormal transcription of
XX intracellular HSP70mRNA under acute and chronic stress load in a human.
XX The abnormal transcription of HSP70 can be used in the improvement of
XX stress and response and diagnosis of stress diseases including
XX rheumatism, schizophrenia, depression and nephrotic syndrome.
XX
XX Sequence 640 AA;
XX
XX Query Match 83.0%; Score 44; DB 21; Length 640;
XX Best Local Similarity 90.0%; Pred. No. 3.9;
XX Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
XX
XX 1 SLFEGIDGYT 10
XX ||||||| ||
XX Db 286 slfegidfyt 295
XX
XX RESULT 13.
XX AAR43004
XX ID AAR43004 standard; protein; 641 AA.
XX
XX AC AAR43004;
XX
XX 20-MAY-1994 (first entry)
XX
XX Mature mouse sperm 70kD heat shock protein.
XX
XX Sulphoglycolipid immobilising protein 1; sperm plasma membrane;
KW HSC70B; mammalian; infertility; mycoplasma; HSP70.
XX
XX Mus musculus.
XX
XX Key Location/Qualifiers
XX Region 1..385
XX /label= 44kD ATPase fragment
XX /note= "peptides comprising an intact domain from
XX the ATPase fragment of hsp70 are claimed;
XX the peptides are homologous to sequences
XX conserved between SLIP1 and 74.5kD
XX mycoplasma protein"
XX
XX Domain 1..39
XX /label= IA
XX /note= "part"
XX Domain 40..115
XX /label= IB
XX Domain 116..188
XX /label= IA
XX /note= "part"
XX Domain 189..228
XX /label= IIA
XX /note= "part"
XX Domain 229..306
XX /label= IIB
XX Domain 307..385
XX /label= IIA
XX /note= "part"
XX
XX WO9321954-A.
XX
XX 11-NOV-1993.
XX
XX PD


```

XX PF 22-APR-1993; 93WO-US03816.
XX PR 24-APR-1992; 92US-0873961.
XX PA (BERL-) BERLEX LAB INC.
XX PA (OTTA-) OTTAWA CIVIC HOSPITAL.
XX PI Faulds DH, Lingwood CA, Tanphaichitr N;
XX DR WPI; 1993-368422/46.
XX MM Mammalian fertilisation decrease for detecting and treating
PT infertility - using sulpho glyco lipid immobilising protein
PT 1-sulphated-glyco moiety interfering compsn., for mycoplasma
PT infection treatment
XX PS Claim 2 and Clalim 17; Page 60-62; 77pp; English.
XX The likelihood of mammalian fertilisation is decreased by contacting
CC a gamete with a sulphoglycolipid immobilising protein 1 (SLIPI)/
CC sulphated glyco-moiety interfering composition. The interfering
CC compsn. is e.g. the heat shock 70kD protein, SLIPI (or analogues
CC such as the mouse SLIPI analogue "HSC70B" comprising the amino acid
CC sequence AAR43002) or the 74.5kD mycoplasma protein (AAR43003).
XX SQ Sequence 641 AA;

Query Match 83.0%; Score 44; DB 14; Length 641;
Best Local Similarity 90.0%; Pred. No. 3.9;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGYT 10
DB 286 slfegidfy 295

RESULT 14
AAW54349
ID AAW54349 standard; protein; 641 AA.
XX AC AAW54349;
XX DT 14-AUG-1998 (first entry)
XX DE Human heat shock 70 kD protein 1.
XX KW Endometrium; hyperplasia; adenocarcinoma; proliferative phase;
XX KW 2D gel electrophoresis; detection.
XX OS Homo sapiens.
XX PN WO9810291-A1.
XX PD 12-MAR-1998.
XX PF 05-SEP-1997; 97WO-GB02394.
XX PR 08-APR-1997; 97GB-0007132.
XX PR 06-SEP-1996; 96GB-0018600.
XX PA (CLIN-) CENT CLINICAL & BASIC RES.
XX PI Byrjalsen I, Fey SJ, Larsen P;
XX WPI; 1998-207057/18.
XX Biochemical markers of human endometrium - useful for, e.g.
PT diagnosis of hyperplasia and adenocarcinoma
XX PS Disclosure; Page 19; 77pp; English.

Query Match 83.0%; Score 44; DB 19; Length 641;
Best Local Similarity 90.0%; Pred. No. 3.9;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGYT 10
DB 286 slfegidfy 295

RESULT 15
AAB23652
ID AAB23652 standard; protein; 641 AA.
XX AC AAB23652;
XX DT 05-JAN-2001 (first entry)
XX DE Human heat shock protein Hsp70.1 protein sequence SEQ ID NO:4.
XX KW ATPase; Hsp70; heat shock protein; cytotoxic T lymphocyte; CTL;
XX KW Immune response; infectious disease; malaria; cytotoxic T cell;
XX KW cytostatic; immunostimulant; cellular immune response inducer;
XX KW protozoacide; leukaemia; cancer.
XX OS Homo sapiens.
XX PN WO200049041-A1.
XX PD 24-AUG-2000.
XX PF 18-FEB-2000; 2000WO-JP00941.
XX PR 19-FEB-1999; 99JP-0041535.
XX PA (SUME ) SUMITOMO ELECTRIC IND CO.
XX PI Shinbara N, Udono H, Yui K;
XX DR WPI; 2000-543748/49.
XX PT Fused protein capable of inducing cellular immune response, useful as
XX PT active ingredient for drug compositions in preventing and/or treating
XX PT infectious diseases such as malaria or cancer
XX PS Claim 3; Page 46-48; 72pp; Japanese.
XX The present invention describes a fused protein (I) prepared from a
XX peptide containing a CTL (cytotoxic T lymphocyte) epitope recognised by
XX cytotoxic T cells and a protein containing the ATPase domain of a heat
XX shock protein. Also described are: (1) a drug composition containing (I)
XX as active ingredient; (2) a DNA encoding (I); (3) an expression vector
XX containing the DNA of (2); and (4) a transformant which can retain the
XX expression vector of (3). (I) has cytostatic, immunostimulant and
XX protozoacide activities, and can be used as a cellular immune response
XX inducer. The protein is useful as an active ingredient for drug
XX compositions in preventing and/or treating infectious diseases such as
XX malaria or cancer e.g. to provide systemic immunity against leukaemia.
XX The present sequence represents a specifically claimed heat shock
XX protein for use in a fused protein of the present invention.
XX SQ Sequence 641 AA;

```

Query Match 83.0%; Score 44; DB 21; Length 641;
Best Local Similarity 90.0%; Pred. No. 3.9;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGYT 10
|||||
Db 286 slfegidfyt 295

Search completed: December 6, 2001, 08:04:05
Job time: 613 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 08:04:03 ; Search time 184.09 Seconds
(without alignments)
4.024 Million cell updates/sec

Title: PEP2-MOD8L

Perfect score: 51

Sequence: 1 SLFEGIDLVT 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 522463 seqs, 74073290 residues

Total number of hits satisfying chosen parameters: 522463

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : A_Geneseq_1101.*

1: /SIDS8/gcgdata/geneseq/geneseq/AA1980.DAT.*
2: /SIDS8/gcgdata/geneseq/geneseq/AA1981.DAT.*
3: /SIDS8/gcgdata/geneseq/geneseq/AA1982.DAT.*
4: /SIDS8/gcgdata/geneseq/geneseq/AA1983.DAT.*
5: /SIDS8/gcgdata/geneseq/geneseq/AA1984.DAT.*
6: /SIDS8/gcgdata/geneseq/geneseq/AA1985.DAT.*
7: /SIDS8/gcgdata/geneseq/geneseq/AA1986.DAT.*
8: /SIDS8/gcgdata/geneseq/geneseq/AA1987.DAT.*
9: /SIDS8/gcgdata/geneseq/geneseq/AA1988.DAT.*
10: /SIDS8/gcgdata/geneseq/geneseq/AA1989.DAT.*
11: /SIDS8/gcgdata/geneseq/geneseq/AA1990.DAT.*
12: /SIDS8/gcgdata/geneseq/geneseq/AA1991.DAT.*
13: /SIDS8/gcgdata/geneseq/geneseq/AA1992.DAT.*
14: /SIDS8/gcgdata/geneseq/geneseq/AA1993.DAT.*
15: /SIDS8/gcgdata/geneseq/geneseq/AA1994.DAT.*
16: /SIDS8/gcgdata/geneseq/geneseq/AA1995.DAT.*
17: /SIDS8/gcgdata/geneseq/geneseq/AA1996.DAT.*
18: /SIDS8/gcgdata/geneseq/geneseq/AA1997.DAT.*
19: /SIDS8/gcgdata/geneseq/geneseq/AA1998.DAT.*
20: /SIDS8/gcgdata/geneseq/geneseq/AA1999.DAT.*
21: /SIDS8/gcgdata/geneseq/geneseq/AA2000.DAT.*
22: /SIDS8/gcgdata/geneseq/geneseq/AA2001.DAT.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Match	Length, DB	ID	Description
1	49	96.1	10	21	Heat shock protein
2	49	96.1	10	22	Heat shock protein
3	47	92.2	10	22	Heat shock protein
4	47	92.2	554	21	Human heat shock p
5	47	92.2	554	21	Human heat shock p
6	47	92.2	554	21	Human heat shock p
7	47	92.2	554	21	Human heat shock p
8	47	92.2	624	21	Human Hsp72 (heat
9	47	92.2	634	11	Gallus gallus HSP
10	47	92.2	640	11	Homo sapiens HSP
11	47	92.2	640	18	Human heat shock p

12	47	92.2	640	21	AAB23653
13	47	92.2	640	21	AAV88408
14	47	92.2	640	21	AAV88411
15	47	92.2	641	14	AAV3004
16	47	92.2	641	19	AAV54349
17	47	92.2	641	21	AAB23652
18	47	92.2	641	22	AAB82534
19	47	92.2	642	21	AAB23650
20	47	92.2	647	11	AAV03928
21	46	90.2	643	18	AAW22895
22	46	90.2	665	21	AAV58386
23	44	86.3	9	21	AAV44199
24	44	86.3	9	22	AAV97601
25	44	86.3	91	21	AAV02174
26	44	86.3	646	11	AAV03927
27	44	86.3	646	19	AAV54364
28	44	86.3	646	20	AAV17407
29	44	86.3	646	20	AAV17408
30	44	86.3	646	21	AAV23649
31	44	86.3	646	21	AAB23651
32	44	86.3	646	22	AAB2535
33	44	86.3	656	18	AAW01638
34	44	86.3	890	21	AAV22938
35	43	84.3	633	14	AAV43002
36	40	78.4	253	21	AAV24333
37	40	78.4	279	21	AAV24332
38	40	78.4	342	21	AAV24331
39	39	76.5	214	19	AAV5808
40	38	74.5	221	19	AAV80645
41	38	74.5	412	22	AAV61974
42	36	70.6	134	22	AAV72082
43	36	70.6	134	22	AAV72333
44	36	70.6	620	11	AAV03932
45	35	66.6	187	21	AAV54038

ALIGNMENTS

RESULT 1

AAV44200
ID AAV44200 standard; peptide; 10 AA.

XX AAV44200;

XX 15-FEB-2000 (first entry)

XX Heat shock protein 70 amino acid residues 286-295.

XX Human; heat shock protein 70; hsp70; identification; tumour; mutation;
KW T cell response; amplification; vector; bacterium; cancer; allele;
KW cytotoxic factor; interleukin; interferon; tumour necrosis factor; HLA;
KW immune defence; immunogenicity; specificity; human leucocyte antigen.

OS Homo sapiens.

XX Homo sapiens.

PN WO9954464-A1.

XX 28-OCT-1999.

XX 22-APR-1999; 99WO-FR00957.

XX 22-APR-1998; 98FR-0005033.

XX (INSR) INST ROUSSY GUSTAVE.

XX Triebel F, Gaudin C;

XX WPI; 2000-013251/01.

XX Identifying mutant peptides from heat-shock protein 70, for treatment of cancer -

PS Claim 10; Page 6; 56pp; French.

XX This peptide corresponds to amino acid residues 286-295 of the human

CC heat shock protein 70 (hsp70). The invention relates to a method of

CC identifying peptides, derived from hsp70 that stimulate a tumour-specific

CC T cell response. Identification of the hsp70 peptides that have at least

CC one mutation or alteration compared with the native sequence, and induce

CC a tumour-specific T-cell response, comprises: (i) amplifying hsp70

CC encoding DNA from one or more tumours; (ii) cloning the amplified

CC sequences into a vector that can be replicated in bacteria;

CC (iii) sequencing fragments in each cultured bacterial colony to identify

CC any hsp70 mutations, and (iv) determining the immunogenicity of the

CC mutant peptides identified. The peptides, optionally formulated with an

CC agent that induces cellular stress, are used for treatment of cancer,

CC particularly solid cancers (carcinoma, sarcoma, melanoma, neuroblastoma,

CC cancers of head and neck, particularly kidney cancer). The peptides may

CC also be used to increase the proportion of tumour-specific cytotoxic

CC T lymphocytes in a cell culture and/or induce these cells to secrete

CC cytotoxic factors (specifically interleukin-2, interferon-gamma and

CC tumour necrosis factor), particularly where the cells are used to

CC stimulate immune defences. The method identifies peptides with high

CC immunogenicity and high specificity for particular HLA (human leucocyte

XX antigen) alleles.

SQ Sequence 10 AA;

Query Match 96.1%; Score 49; DB 21; Length 10;

Best Local Similarity 90.0%; Pred. No. 0.0015;

Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDLYT 10

DB 1 slfegidiyt 10

|||||:|

RESULT 2

AAB97602

ID AAB97602 standard; peptide; 10 AA.

AC AAB97602;

DT 30-JUL-2001 (first entry)

DE Heat shock protein 70 (HSP70) peptidic fragment 2.

DE HSP: HSP70; heat shock protein 70; cancer; chronic infectious disease;

KW vaccine; HSP-peptide complex; tumour; peptidic fragment; lymphocyte;

KW cytotoxic response; epitope; antigen presenting cell; fragment 2.

OS Homo sapiens.

PN WO200129190-A1.

PD 26-APR-2001.

PF 29-SEP-2000; 2000WO-EP09530.

PR 15-OCT-1999; 99EP-0120484.

PA (IDMI-) IDM IMMUNO-DESIGNED MOLECULES.

PI Abastado JP, Bartholeyns J;

XX WPI; 2001-290909/30.

XX Lymphocytes useful for treating cancer, recognizes specifically

XX transformed human cells with induced and increased membrane expression

XX of heat shock protein -

PS Claim 8; Page 15; 21pp; English.

XX The amino acid sequence of fragment 2 relating to position 286-295 of

CC human heat shock protein 70 (HSP70) is given. The new invention relates

CC to lymphocytes which recognise cells of a patient in which overexpression

CC of HSP has been induced. Overexpression of HSP leads to a substantial

CC increase in the numbers of HSPs and HSP epitopes presented on the

CC pericellular membrane. Recognition of increased numbers of HSP epitopes

CC on cell pericellular membranes by lymphocytes elicits a cytotoxic

CC response which kills the target cells. As a further embodiment of the

CC invention, HSP70 epitopes are mutated prior to being loaded into antigen

CC presenting cells. This has the effect of increasing the immune response

CC to HSP and helps direct the immune response to specific cells, (e.g.

CC cancer cells). HSP70 fragments are useful for treating cancer or

CC intracellular infections by vaccination. The tolerance of the organism to

CC the tumour or to the virus associated HSP is broken using an immunogenic

CC mutated form of HSP and induction of a stress on the target tumoural or

XX intracellular infected cells.

SQ Sequence 10 AA;

Query Match 96.1%; Score 49; DB 22; Length 10;

Best Local Similarity 90.0%; Pred. No. 0.0015;

Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDLYT 10

DB 1 slfegidiyt 10

|||||:|

RESULT 3

AAB97603

ID AAB97603 standard; peptide; 10 AA.

AC AAB97603;

DT 30-JUL-2001 (first entry)

DE Heat shock protein 70 (HSP70) peptidic fragment 3.

DE HSP: HSP70; heat shock protein 70; cancer; chronic infectious disease;

KW vaccine; HSP-peptide complex; tumour; peptidic fragment; lymphocyte;

KW cytotoxic response; epitope; antigen presenting cell; fragment 3.

OS Homo sapiens.

PN WO200129190-A1.

PD 26-APR-2001.

PF 29-SEP-2000; 2000WO-EP09530.

PR 15-OCT-1999; 99EP-0120484.

PA (IDMI-) IDM IMMUNO-DESIGNED MOLECULES.

PI Abastado JP, Bartholeyns J;

XX WPI; 2001-290909/30.

XX Lymphocytes useful for treating cancer, recognizes specifically

XX transformed human cells with induced and increased membrane expression

XX of heat shock protein -

PS Claim 8; Page 15; 21pp; English.

XX The amino acid sequence of fragment 3 relating to position 286-295 of

CC human heat shock protein 70 (HSP70) is given. The new invention relates

CC to lymphocytes which recognise cells of a patient in which overexpression

CC of HSP has been induced. Overexpression of HSP leads to a substantial

CC increase in the numbers of HSPs and HSP epitopes presented on the

CC pericellular membrane. Recognition of increased numbers of HSP epitopes

CC on cell pericellular membranes by lymphocytes elicits a cytotoxic

CC response which kills the target cells. As a further embodiment of the

CC invention, HSP70 epitopes are mutated prior to being loaded into antigen

CC presenting cells. This has the effect of increasing the immune response
 CC to HSP and helps direct the immune response to specific cells, (e.g.
 CC cancer cells). HSP70 fragments are useful for treating cancer or
 CC intracellular infections by vaccination. The tolerance of the organism to
 CC the tumour or to the virus associated HSP is broken using an immunogenic
 CC mutated form of HSP and induction of a stress on the target tumoural or
 CC intracellular infected cells.

XX Sequence 10 AA;

Query Match 92.2%; Score 47; DB 22; Length 10;
 Best Local Similarity 90.0%; Pred. No. 0.0038;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLTYT 10
 |||||
 Db 1 slfegidfty 10

RESULT 4
 AAY88409
 ID AAY88409 standard; Protein; 554 AA.

XX AC AAY88409;
 XX DT 31-JUL-2000 (first entry)
 XX DE Human heat shock protein SHSP70 amino acid sequence.

XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
 KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
 KW depression; nephrotic syndrome; SHSP70.
 XX Homo sapiens.

OS

XX JP2000069999-A.

XX PD 07-MAR-2000.

XX PF 01-JUN-1995; 99JP-0257146.

XX PR 01-JUN-1995; 95JP-0158581.

XX PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.

XX DR WPI; 2000-264458/23.

DR N-PSDB; AAA15621.

XX Abnormal transcription of intracellular HSP70mRNA under acute and
 PT chronic continuous load of stress in a human being and its application

PT

XX Examples; Fig 2; 11pp; Japanese.

XX This sequence represents the human heat shock protein SHSP70 amino acid
 CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
 CC and 14q22-24. The invention relates to the abnormal transcription of
 CC intracellular HSP70mRNA under acute and chronic stress load in a human.
 CC The abnormal transcription of HSP70 can be used in the improvement of
 CC stress and response and diagnosis of stress diseases including
 CC rheumatism, schizophrenia, depression and nephrotic syndrome.

XX Sequence 554 AA;

Query Match 92.2%; Score 47; DB 21; Length 554;
 Best Local Similarity 90.0%; Pred. No. 0.29;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLTYT 10
 |||||
 Db 200 slfegidfty 209

RESULT 5
 AAY88410
 ID AAY88410 standard; Protein; 554 AA.

XX AC AAY88410;

XX DT 31-JUL-2000 (first entry)

XX DE Human heat shock protein SHSP70 amino acid sequence.

XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
 KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
 KW depression; nephrotic syndrome; SHSP70.

XX OS Homo sapiens.

XX PN JP2000069999-A.

XX PD 07-MAR-2000.

XX PF 01-JUN-1995; 99JP-0257146.

XX PR 01-JUN-1995; 95JP-0158581.

XX PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.

XX DR WPI; 2000-264458/23.

DR N-PSDB; AAA15622.

XX Abnormal transcription of intracellular HSP70mRNA under acute and
 PT chronic continuous load of stress in a human being and its application

PT

XX Disclosure; Fig 3; 11pp; Japanese.

XX This sequence represents the human heat shock protein SHSP70 amino acid
 CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
 CC and 14q22-24. The invention relates to the abnormal transcription of
 CC intracellular HSP70mRNA under acute and chronic stress load in a human.
 CC The abnormal transcription of HSP70 can be used in the improvement of
 CC stress and response and diagnosis of stress diseases including
 CC rheumatism, schizophrenia, depression and nephrotic syndrome.

XX Sequence 554 AA;

Query Match 92.2%; Score 47; DB 21; Length 554;
 Best Local Similarity 90.0%; Pred. No. 0.29;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLTYT 10
 |||||
 Db 200 slfegidfty 209

RESULT 6
 AAY88412
 ID AAY88412 standard; Protein; 554 AA.

XX AC AAY88412;

XX DT 31-JUL-2000 (first entry)

XX DE Human heat shock protein SHSP70 amino acid sequence.

XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
 KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
 KW depression; nephrotic syndrome; SHSP70.

XX OS Homo sapiens.

PN JP2000069999-A.
 XX 07-MAR-2000.
 XX 01-JUN-1995; 99JP-0257146.
 XX 01-JUN-1995; 95JP-0158581.
 XX (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
 XX WPI; 2000-264458/23.
 XX Abnormal transcription of intracellular HSP70mRNA under acute and
 PT chronic continuous load of stress in a human being and its application
 PT -
 XX Disclosure; Fig 5; 11pp; Japanese.
 XX This sequence represents the human heat shock protein SHSP70 amino acid
 CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
 CC and 14q22-24. The invention relates to the abnormal transcription of
 CC intracellular HSP70mRNA under acute and chronic stress load in a human.
 CC The abnormal transcription of HSP70 can be used in the improvement of
 CC stress and response and diagnosis of stress diseases including
 CC rheumatism, schizophrenia, depression and nephrotic syndrome.
 XX Sequence . 554 AA;
 SQ

Query Match 92.2%; Score 47; DB 21; Length 554;
 Best Local Similarity 90.0%; Pred. No. 0.29;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 SLFEGIDLTYT 10
 DB 200 slfegidfty 209
 |||||

RESULT 7
 AAY88413
 ID AAY88413 standard; Protein; 554 AA.
 XX AAY88413;
 XX 31-JUL-2000 (first entry)
 XX Human heat shock protein SHSP70 amino acid sequence.
 DE Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
 KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
 KW depression; nephrotic syndrome; SHSP70.
 OS Homo sapiens.
 XX JP2000069999-A.
 XX 07-MAR-2000.
 XX 01-JUN-1995; 99JP-0257146.
 XX 01-JUN-1995; 95JP-0158581.
 XX (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
 XX WPI; 2000-264458/23.
 XX Abnormal transcription of intracellular HSP70mRNA under acute and
 PT chronic continuous load of stress in a human being and its application
 PT -
 XX Disclosure; Fig 6; 11pp; Japanese.
 XX This sequence represents the human heat shock protein SHSP70 amino acid

CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
 CC and 14q22-24. The invention relates to the abnormal transcription of
 CC intracellular HSP70mRNA under acute and chronic stress load in a human.
 CC The abnormal transcription of HSP70 can be used in the improvement of
 CC stress and response and diagnosis of stress diseases including
 CC rheumatism, schizophrenia, depression and nephrotic syndrome.
 XX Sequence 554 AA;
 SQ

Query Match 92.2%; Score 47; DB 21; Length 554;
 Best Local Similarity 90.0%; Pred. No. 0.29;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 SLFEGIDLTYT 10
 DB 200 slfegidfty 209
 |||||

RESULT 8
 AAB23252
 ID AAB23252 standard; Protein; 624 AA.
 XX AAB23252;
 XX 29-JAN-2001 (first entry)
 XX Human Hsp72 (heat shock protein 72).
 XX Human Hsp72; heat shock protein 72; chromosome 6p21.3; Hsp72 inhibitor;
 KW expression modulator; JNK phosphatase inhibitor; antiproliferative;
 KW drug screening; cancer; leukaemia; lymphoma; solid tumour; sarcoma;
 KW carcinoma; breast cancer; prostate cancer; premalignant condition.
 XX Homo sapiens.
 XX WO200054814-A1.
 XX 21-SEP-2000.
 XX 17-MAR-2000; 2000WO-US07350.
 XX 18-MAR-1999; 99US-0125046.
 XX (PHYL-) PHYLOGENY INC.
 XX Volloch VZ, Sherman M;
 XX WPI; 2000-647056/62.
 XX N-PSDB; AAA97541.
 XX Identifying compounds that inhibit proliferation of cells and capable
 PT of modulating the expression of heat shock protein 72 gene and/or
 PT activity of Hsp72 useful for treating cancers such as leukemia,
 PT lymphoma -
 XX Examples; Fig 16B; 77pp; English.
 XX The invention relates to a novel method of identifying compounds that
 CC inhibit proliferation of cells comprising contacting a test compound with
 CC a cell which overexpresses Hsp72 (heat shock protein 72), and determining
 CC if the test compound inhibits activity or expression of Hsp72.
 CC Optionally, Hsp72 is contacted with the test compound under optimum
 CC conditions to allow the two components to interact and bind, forming a
 CC complex which is detected. The invention also relates to a method of
 CC identifying compounds that inhibit Hsp72-mediated JNK phosphatase
 CC activation, comprising contacting a test compound with a cell which
 CC expresses Hsp72, exposing the cell to a heat induced stress and
 CC determining if the compound inhibits JNK phosphatase activity. The
 CC invention additionally encompasses compositions comprising an inhibitor
 CC of Hsp72 or JNK phosphatase activity. The compounds identified as
 CC inhibitors of Hsp72 or JNK phosphatase activity are useful for
 CC inhibiting the proliferation of cells. Modulation of the activity of the

CC JNK phosphatase or Hsp72 is used to treat a proliferative disorder such
 CC as cancers (e.g., leukaemia, lymphoma, solid tumours such as sarcomas and
 CC carcinomas, breast cancer, prostate cancer). The compounds that inhibit
 CC Hsp72 activity can also be administered to treat premalignant conditions
 CC and to prevent progression to a neoplastic or malignant state. The
 CC compounds that inhibit Hsp72 function are administered to a patient
 CC having a disease or disorder mediated by an increase of Hsp72 expression
 CC or activity relative to normal levels. The present sequence represents
 CC human Hsp72 used in the exemplifications of the invention.
 XX
 SQ Sequence 624 AA;

Query Match 92.2%; Score 47; DB 21; Length 624;
 Best Local Similarity 90.0%; Pred. No. 0.33; Mismatches 0; Indels 0; Gaps 0;
 Matches 9; Conservative 0;

OY 1 SLFEGIDLYT 10
 Db 286 slfegidlyt 295
 |||||||

RESULT 9
 AAR03930
 ID AAR03930 standard; Protein; 634 AA.
 AC AAR03930;

DT 30-AUG-1990 (first entry)
 DE Gallus gallus HSP (chkhsp70).
 KW Hsp70; heat shock protein; Trypanosoma cruzi; vaccines; HSP.
 XX Gallus gallus.
 OS

FX Key Location/Qualifiers
 FT Misc-difference 634
 FT /note= "residue given as "O" in specification"
 XX

PN WO9002564-A.
 PD 22-MAR-1990.

PF 12-SEP-1989; 89WO-0003955.
 PR 12-SEP-1988; 88US-0243474.

PA (CODON-) CODON.

PI Dragon E, Faulds D, Sias S;

XX WPI; 1990-115820/15.

XX Proteins homologous to heat shock proteins from Trypanosoma cruzi - used
 PT in vaccines and diagnosis for species of eg Mycoplasma or Mycobacteria.

PS Disclosure; Fig 2.1-2.14; 86pp; English.

CC According to the legend of Fig 2, the G. gallus HSP sequence has
 CC 635 amino acid residues, the sequence itself has only 634,
 CC including "O" (?) at position 634.

CC Fig. 2 provides an alignment of heat shock proteins from a variety
 CC of organisms: 1. M.hypneumoniae (Mhyhsp70 - AAR03922);
 CC 2. Bacillus megaterium (Bmebsp70 - AAR03923);

CC 3. E. coli (dnaK - AAR03924);

CC 4. T. cruzi (tc70kd - AAR03925);

CC 5. T. cruzi (AAR03926);

CC 6. Rat rattus (rathsp70 - AAR03927);

CC 7. Xenopus laevis (xl70 - AAR03928);

CC 8. Homo sapiens (humhsp70 - AAR03929);

CC 9. Gallus gallus (chkhsp70 - AAR03930);

CC 10. Zea mays (mzhsp70 - AAR03931);

CC 11. Serratia marcescens (smahsp70 - AAR03932).
 CC The proteins having homology to hsp's of T. cruzi can be used in
 CC vaccines and diagnosis involving e.g. Trypanosoma, Mycoplasma and
 CC Mycobacteria species.

XX Sequence 634 AA;

Query Match 92.2%; Score 47; DB 11; Length 634;
 Best Local Similarity 90.0%; Pred. No. 0.34; Mismatches 0; Indels 0; Gaps 0;
 Matches 9; Conservative 0;

OY 1 SLFEGIDLYT 10
 Db 289 slfegidlyt 298
 |||||||

RESULT 10
 AAR03929
 ID AAR03929 standard; Protein; 640 AA.
 XX AAR03929;

DT 30-AUG-1990 (first entry)
 DE Homo sapiens HSP (humhsp70).

KW Hsp70; heat shock protein; Trypanosoma cruzi; vaccines; HSP.

XX Homo sapiens.

FX Key Location/Qualifiers

FT Misc-difference 640

FT /note= "residue given as "O" in specification"

XX WO9002564-A.

PD 22-MAR-1990.

PF 12-SEP-1989; 89WO-0003955.

PR 12-SEP-1988; 88US-0243474.

PA (CODON-) CODON.

PI Dragon E, Faulds D, Sias S;

XX WPI; 1990-115820/15.

XX Proteins homologous to heat shock proteins from Trypanosoma cruzi - used
 PT in vaccines and diagnosis for species of eg Mycoplasma or Mycobacteria.
 PS Disclosure; Fig 2.1-2.14; 86pp; English.
 CC According to the legend of Fig 2, the H. sapiens HSP sequence has
 CC 641 amino acid residues, the sequence itself has only 640,
 CC including "O" (?) at position 640.

CC Fig. 2 provides an alignment of heat shock proteins from a variety
 CC of organisms: 1. M.hypneumoniae (Mhyhsp70 - AAR03922);
 CC 2. Bacillus megaterium (Bmebsp70 - AAR03923);

CC 3. E. coli (dnaK - AAR03924);

CC 4. T. cruzi (tc70kd - AAR03925);

CC 5. T. cruzi (AAR03926);

CC 6. Rat rattus (rathsp70 - AAR03927);

CC 7. Xenopus laevis (xl70 - AAR03928);

CC 8. Homo sapiens (humhsp70 - AAR03929);

CC 9. Gallus gallus (chkhsp70 - AAR03930);

CC 10. Zea mays (mzhsp70 - AAR03931);

CC 11. Serratia marcescens (smahsp70 - AAR03932).

CC The proteins having homology to hsp's of T. cruzi can be used in
 CC vaccines and diagnosis involving e.g. Trypanosoma, Mycoplasma and
 CC Mycobacteria species.

SQ Sequence 640 AA;

Query Match 92.2%; Score 47; DB 11; Length 640;
Best Local Similarity 90.0%; Pred. No. 0.34;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLYT 10
|||||||
Db 286 slfegidlyt 295

RESULT 11

AAW10065
ID AAW10065 standard; Protein; 640 AA.

XX AC AAW10065;

DT 24-OCT-1997 (first entry)

XX Human heat shock protein 70.

XX Human; heat shock protein 70; HSP70; primer; probe; detection;
KW intracellular; abnormal transcription; acute; chronic; sustained;
KW stress.

XX Homo sapiens.

XX JP08322577-A.

PN 10-DEC-1996.

XX 01-JUN-1995; 95JP-0158581.

XX 01-JUN-1995; 95JP-0158581.

XX (HOKE-) HOKEN KAGAKU KENKYUSHO KK.

XX WPI; 1997-081088/08.

DR N-PSDB; AAT58086.

XX Detection of abnormal transcription of HSP70 mRNA - using HSP70
PT specific primer or probe, used in detection of human acute and
PT chronic sustained stress load

XX Claim 1; Fig 1; 13pp; Japanese.

XX The cDNA encoding the present sequence, human heat shock protein 70
CC (HSP70), is located on human chromosome 6p 21.3-22 and 14q 22-24
CC and 21. Primers and probes based on the HSP70 cDNA coding
CC sequence can be used to detect the abnormal transcription of
CC intracellular HSP70 mRNA in human acute and chronic sustained
CC stress load.

SQ Sequence 640 AA;

Query Match 92.2%; Score 47; DB 18; Length 640;
Best Local Similarity 90.0%; Pred. No. 0.34;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLYT 10
|||||||
Db 286 slfegidlyt 295

RESULT 12

AAB23653

ID AAB23653 standard; protein; 640 AA.

XX AC AAB23653;

XX 05-JAN-2001 (first entry)

XX

DE Human heat shock protein Hsp70 protein sequence SEQ ID NO:5.

XX ATPase; Hsp70; heat shock protein; cytotoxic T lymphocyte; CTL;

KW immune response; infectious disease; malaria; cytotoxic T cell;

KW cytostatic; immunostimulant; cellular immune response inducer;

KW protozoacide; leukaemia; cancer.

XX Homo sapiens.

XX WO200049041-A1.

PN 24-AUG-2000.

XX 18-FEB-2000; 2000WO-JP00941.

XX 19-FEB-1999; 99JP-0041535.

XX (SUME) SUMITOMO ELECTRIC IND CO.

XX Shinbara N, Uono H, Yui K;

XX WPI; 2000-543748/49.

XX Fused protein capable of inducing cellular immune response, useful as
PT active ingredient for drug compositions in preventing and/or treating
PT infectious diseases such as malaria or cancer -

XX Claim 3; Page 49-52; 72pp; Japanese.

XX The present invention describes a fused protein (1) prepared from a
CC peptide containing a CTL (cytotoxic T lymphocyte) epitope recognised by
CC cytotoxic T cells and a protein containing the ATPase domain of a heat
CC shock protein. Also described are: (1) a drug composition containing (1)
CC as active ingredient; (2) a DNA encoding (1); (3) an expression vector
CC containing the DNA of (2); and (4) a transfectant which can retain the
CC expression vector of (3). (1) has cytostatic, immunostimulant and
CC protozoacide activities, and can be used as a cellular immune response
CC inducer. The protein is useful as an active ingredient for drug
CC compositions in preventing and/or treating infectious diseases such as
CC malaria or cancer e.g. to provide systemic immunity against leukaemia.
CC The present sequence represents a specifically claimed heat shock
CC protein for use in a fused protein of the present invention.

XX Sequence 640 AA;

Query Match 92.2%; Score 47; DB 21; Length 640;
Best Local Similarity 90.0%; Pred. No. 0.34;

Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLYT 10

|||||||
Db 286 slfegidlyt 295

RESULT 13

AAV88408

ID AAV88408 standard; Protein; 640 AA.

XX AC AAV88408;

XX 31-JUL-2000 (first entry)

XX Human heat shock protein HSP70 amino acid sequence.

XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
KW depression; nephrotic syndrome.

XX Homo sapiens.

XX JP2000069999-A.

CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
 CC and 14q22-24. The invention relates to the abnormal transcription of
 CC intracellular HSP70mRNA under acute and chronic stress load in a human.
 CC The abnormal transcription of HSP70 can be used in the improvement of
 CC stress and response and diagnosis of stress diseases including
 CC rheumatism, schizophrenia, depression and nephrotic syndrome.
 XX
 XX Sequence 640 AA;
 SQ

Query Match 92.2%; Score 47; DB 21; Length 640;
 Best Local Similarity 90.0%; Pred. No. 0.34;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 SLFEGIDLYT 10
 DB 286 slfegidlyt 295
 |||||||

RESULT 15
 AAR43004
 ID AAR43004 standard; protein; 641 AA.
 XX
 AC AAR43004;
 XX
 DT 20-MAY-1994 (first entry)
 XX
 DE Mature mouse sperm 70kD heat shock protein.
 XX
 KW Sulphoglycolipid immobilising protein 1; sperm plasma membrane;
 KW HSC70B; mammalian; infertility; mycoplasma; HSP70.
 XX
 OS Mus musculus.
 XX

FH Key Location/Qualifiers
 FT Region 1..385
 FT /label= 44KD_ATPase_fragment
 FT /note= "peptides comprising an intact domain from
 FT the ATPase fragment of hsp70 are claimed;
 FT the peptides are homologous to sequences
 FT conserved between Su1P1 and 74.5KD
 FT mycoplasma protein"
 FT Domain 1..39
 FT /label= IA
 FT /note= "part"
 FT Domain 40..115
 FT /label= IB
 FT Domain 116..188
 FT /label= IA
 FT /note= "part"
 FT Domain 189..228
 FT /label= IIA
 FT /note= "part"
 FT Domain 229..306
 FT /label= IIB
 FT Domain 307..385
 FT /label= IIA
 FT /note= "part"
 XX
 PN WO9321954-A.
 PD 11-NOV-1993.
 XX
 PF 22-APR-1993; 93WO-US03816.
 XX
 PR 24-APR-1992; 92US-0873961.
 XX
 PA (BERL-) BERLEX LAB INC.
 PA (OTTA-) OTTAWA CIVIC HOSPITAL.
 XX
 PI Faulds DH, Lingwood CA, Tanphaichitr N;
 XX WPI; 1993-368422/46.
 DR

CC This sequence represents the human heat shock protein HSP70 amino acid
 CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
 CC and 14q22-24. The invention relates to the abnormal transcription of
 CC intracellular HSP70mRNA under acute and chronic stress load in a human.
 CC The abnormal transcription of HSP70 can be used in the improvement of
 CC stress and response and diagnosis of stress diseases including
 CC rheumatism, schizophrenia, depression and nephrotic syndrome.
 XX
 XX Sequence 640 AA;
 SQ

Query Match 92.2%; Score 47; DB 21; Length 640;
 Best Local Similarity 90.0%; Pred. No. 0.34;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 SLFEGIDLYT 10
 DB 286 slfegidlyt 295
 |||||||

RESULT 14
 AAY88411
 ID AAY88411 standard; Protein; 640 AA.
 XX
 AC AAY88411;
 XX
 DT 31-JUL-2000 (first entry)
 XX
 DE Human heat shock protein LHS70 amino acid sequence.
 XX
 KW Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
 KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
 KW depression; nephrotic syndrome; LHS70.
 XX
 OS Homo sapiens.
 XX
 PN JP2000069999-A.
 PD 07-MAR-2000.
 XX
 PF 01-JUN-1995; 99JP-0257146.
 XX
 PR 01-JUN-1995; 95JP-0158581.
 XX
 PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
 XX
 WPI; 2000-264458/23.
 DR
 Abnormal transcription of intracellular HSP70mRNA under acute and
 chronic continuous load of stress in a human being and its application
 -
 XX
 PS Disclosure; Fig 4; 1lpp; Japanese.
 XX
 CC This sequence represents the human heat shock protein LHS70 amino acid

XX Mammalian fertilisation decrease for detecting and treating
PT infertility - using sulpho glyco lipid immobilising protein
PT 1-sulphated-glyco moiety interfering compsn., for mycoplasma
PT infection treatment
XX
PS Claim 2 and Claim 17; Page 60-62; 77pp; English.
XX
CC The likelihood of mammalian fertilisation is decreased by contacting
CC a gamete with a sulphoglycolipid immobilising protein 1 (SLIPI)/
CC sulphated glyco-moiety interfering composition. The interfering
CC compsn. is e.g. the heat shock 70kd protein, SLIPI (or analogues
CC such as the mouse SLIPI analogue "HSC70B" comprising the amino acid
CC sequence AAR43002) or the 74.5kd mycoplasma protein (AAR43003).
XX
SQ Sequence 641 AA;

Query Match 92.2%; Score 47; DB 14; Length 641;
Best Local Similarity 90.0%; Pred. No. 0.34;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLYT 10
Db ||||||| II
286 slfegidlyt 295

Search completed: December 6, 2001, 08:04:04
Job time: 612 sec

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 08:04:04 ; Search time 184.09 seconds
(without alignments)
4.024 Million cell updates/sec

Title: PEP2-MOD8V

Perfect score: 51

Sequence: 1 SLFEGIDVYT 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 522463 seqs, 74073290 residues

Total number of hits satisfying chosen parameters: 522463

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

A_Geneseq_1101.*
1: /SID88/gcgdata/geneseq/geneseqp/AA1980.DAT.*
2: /SID88/gcgdata/geneseq/geneseqp/AA1981.DAT.*
3: /SID88/gcgdata/geneseq/geneseqp/AA1982.DAT.*
4: /SID88/gcgdata/geneseq/geneseqp/AA1983.DAT.*
5: /SID88/gcgdata/geneseq/geneseqp/AA1984.DAT.*
6: /SID88/gcgdata/geneseq/geneseqp/AA1985.DAT.*
7: /SID88/gcgdata/geneseq/geneseqp/AA1986.DAT.*
8: /SID88/gcgdata/geneseq/geneseqp/AA1987.DAT.*
9: /SID88/gcgdata/geneseq/geneseqp/AA1988.DAT.*
10: /SID88/gcgdata/geneseq/geneseqp/AA1989.DAT.*
11: /SID88/gcgdata/geneseq/geneseqp/AA1990.DAT.*
12: /SID88/gcgdata/geneseq/geneseqp/AA1991.DAT.*
13: /SID88/gcgdata/geneseq/geneseqp/AA1992.DAT.*
14: /SID88/gcgdata/geneseq/geneseqp/AA1993.DAT.*
15: /SID88/gcgdata/geneseq/geneseqp/AA1994.DAT.*
16: /SID88/gcgdata/geneseq/geneseqp/AA1995.DAT.*
17: /SID88/gcgdata/geneseq/geneseqp/AA1996.DAT.*
18: /SID88/gcgdata/geneseq/geneseqp/AA1997.DAT.*
19: /SID88/gcgdata/geneseq/geneseqp/AA1998.DAT.*
20: /SID88/gcgdata/geneseq/geneseqp/AA1999.DAT.*
21: /SID88/gcgdata/geneseq/geneseqp/AA2000.DAT.*
22: /SID88/gcgdata/geneseq/geneseqp/AA2001.DAT.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	DB ID	Description
1	50	98.0	10	21	AA44200
2	50	98.0	10	22	AA97602
3	46	90.2	10	22	AA97603
4	46	90.2	554	21	AA98409
5	46	90.2	554	21	AA98410
6	46	90.2	554	21	AA98411
7	46	90.2	554	21	AA98412
8	46	90.2	554	21	AA98413
9	46	90.2	624	21	AA98414
10	46	90.2	634	11	AA98415
11	46	90.2	640	11	AA98416
12	46	90.2	640	18	AA98417

12	46	90.2	640	21	AA98418
13	46	90.2	640	21	AA98419
14	46	90.2	640	21	AA98420
15	46	90.2	641	14	AA98421
16	46	90.2	641	19	AA98422
17	46	90.2	641	21	AA98423
18	46	90.2	641	22	AA98424
19	46	90.2	642	21	AA98425
20	46	90.2	642	21	AA98426
21	45	88.2	647	11	AA98427
22	45	88.2	9	21	AA98428
23	45	88.2	9	22	AA98429
24	45	88.2	643	18	AA98430
25	43	84.3	665	21	AA98431
26	43	84.3	91	21	AA98432
27	43	84.3	646	11	AA98433
28	43	84.3	646	19	AA98434
29	43	84.3	646	20	AA98435
30	43	84.3	646	21	AA98436
31	43	84.3	646	21	AA98437
32	43	84.3	646	22	AA98438
33	43	84.3	656	18	AA98439
34	43	84.3	890	21	AA98440
35	42	82.4	214	19	AA98441
36	42	82.4	221	19	AA98442
37	42	82.4	633	14	AA98443
38	39	76.5	253	21	AA98444
39	39	76.5	279	21	AA98445
40	39	76.5	342	21	AA98446
41	37	72.5	412	22	AA98447
42	35	68.6	91	21	AA98448
43	35	68.6	126	21	AA98449
44	35	68.6	187	21	AA98450
45	35	68.6	620	11	AA98451

ALIGNMENTS

RESULT 1

AA44200

ID AAY44200 standard; peptide; 10 AA.

XX AC AAY44200;

XX DT 15-FEB-2000 (first entry)

XX DE Heat shock protein 70 amino acid residues 286-295.

XX KW Human; heat shock protein 70; hsp70; identification; tumour; mutation;
KW T cell response; amplification; vector; bacterium; cancer; allele;
KW cytotoxic factor; interleukin; interferon; tumour necrosis factor; HLA;
KW immune defence; immunogenicity; specificity; human leucocyte antigen.

XX OS Homo sapiens.

XX PN WO954464-A1.

XX PD 28-OCT-1999.

XX PF 22-APR-1999; 99WO-FR00957.

XX PR 22-APR-1998; 98FR-0005033.

XX PA (INSR) INST ROUSSY GUSTAVE.

XX PI Triebel F, Gaudin C;

XX DR WPI; 2000-013251/01.

XX PT Identifying mutant peptides from heat-shock protein 70, for treatment

XX PT of cancer -

XX

PS Claim 10; Page 6; 56pp; French.

XX This peptide corresponds to amino acid residues 286-295 of the human
CC heat shock protein 70 (hsp70). The invention relates to a method of
CC identifying peptides, derived from hsp70 that stimulate a tumour-specific
CC T cell response. Identification of the hsp70 peptides that have at least
CC one mutation or alteration compared with the native sequence, and induce
CC a tumour-specific T-cell response, comprises: (i) amplifying hsp70
CC encoding DNA from one or more tumours; (ii) cloning the amplified
CC sequences into a vector that can be replicated in bacteria;
CC (iii) sequencing fragments in each cultured bacterial colony to identify
CC any hsp70 mutations, and (iv) determining the immunogenicity of the
CC mutant peptides identified. The peptides, optionally formulated with an
CC agent that induces cellular stress, are used for treatment of cancer,
CC particularly solid cancers (carcinoma, sarcoma, melanoma, neuroblastoma,
CC cancers of head and neck, particularly kidney cancer). The peptides may
CC also be used to increase the proportion of tumour-specific cytotoxic
CC T lymphocytes in a cell culture and/or induce these cells to secrete
CC cytotoxic factors (specifically interleukin-2, interferon-gamma and
CC tumour necrosis factor), particularly where the cells are used to
CC stimulate immune defences. The method identifies peptides with high
CC immunogenicity and high specificity for particular HLA (human leucocyte
CC antigen) alleles.

XX Sequence 10 AA;

Query Match 98.0%; Score 50; DB 21; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.00052;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDVYT 10
Db |||||:||
1 slfegidiyt 10

RESULT 2

AAB97602
ID AAB97602 standard; peptide; 10 AA.

XX AAB97602;

XX 30-JUL-2001 (first entry)

XX Heat shock protein 70 (HSP70) peptidic fragment 2.

XX HSP; HSP70; heat shock protein 70; cancer; chronic infectious disease;
KW vaccine; HSP-peptide complex; tumour; peptidic fragment; lymphocyte;
KW cytotoxic response; epitope; antigen presenting cell; fragment 2.

XX Homo sapiens.

XX WO200129190-A1.

XX 26-APR-2001.

XX 29-SEP-2000; 2000WO-EP09530.

XX 15-OCT-1999; 99EP-0120484.

XX (IDMI-) IDM IMMUNO-DESIGNED MOLECULES.

XX Abastado JP, Bartholeyns J;

XX WPI; 2001-290909/30.

XX Lymphocytes useful for treating cancer, recognizes specifically
PT transformed human cells with induced and increased membrane expression
PT of heat shock protein -

XX Claim 8; Page 15; 21pp; English.

XX The amino acid sequence of fragment 2 relating to position 286-295 of

CC human heat shock protein 70 (HSP70) is given. The new invention relates
CC to lymphocytes which recognise cells of a patient in which overexpression
CC of HSP has been induced. Overexpression of HSP leads to a substantial
CC increase in the numbers of HSPs and HSP epitopes presented on the
CC pericellular membrane. Recognition of increased numbers of HSP epitopes
CC on cell pericellular membranes by lymphocytes elicits a cytotoxic
CC response which kills the target cells. As a further embodiment of the
CC invention, HSP70 epitopes are mutated prior to being loaded into antigen
CC presenting cells. This has the effect of increasing the immune response
CC to HSP and helps direct the immune response to specific cells, (e.g.
CC cancer cells). HSP70 fragments are useful for treating cancer or
CC intracellular infections by vaccination. The tolerance of the organism to
CC the tumour or to the virus associated HSP is broken using an immunogenic
CC mutated form of HSP and induction of a stress on the target tumoural or
CC intracellular infected cells.

XX Sequence 10 AA;

Query Match 98.0%; Score 50; DB 22; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.00052;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDVYT 10
Db |||||:||
1 slfegidiyt 10

RESULT 3

AAB97603
ID AAB97603 standard; peptide; 10 AA.

XX AAB97603;

XX 30-JUL-2001 (first entry)

XX Heat shock protein 70 (HSP70) peptidic fragment 3.

XX HSP; HSP70; heat shock protein 70; cancer; chronic infectious disease;
KW vaccine; HSP-peptide complex; tumour; peptidic fragment; lymphocyte;
KW cytotoxic response; epitope; antigen presenting cell; fragment 3.

XX Homo sapiens.

XX WO200129190-A1.

XX 26-APR-2001.

XX 29-SEP-2000; 2000WO-EP09530.

XX 15-OCT-1999; 99EP-0120484.

XX (IDMI-) IDM IMMUNO-DESIGNED MOLECULES.

XX Abastado JP, Bartholeyns J;

XX WPI; 2001-290909/30.

XX Lymphocytes useful for treating cancer, recognizes specifically
PT transformed human cells with induced and increased membrane expression
PT of heat shock protein -

XX Claim 8; Page 15; 21pp; English.

XX The amino acid sequence of fragment 3 relating to position 286-295 of
CC human heat shock protein 70 (HSP70) is given. The new invention relates
CC to lymphocytes which recognise cells of a patient in which overexpression
CC of HSP has been induced. Overexpression of HSP leads to a substantial
CC increase in the numbers of HSPs and HSP epitopes presented on the
CC pericellular membrane. Recognition of increased numbers of HSP epitopes
CC on cell pericellular membranes by lymphocytes elicits a cytotoxic
CC response which kills the target cells. As a further embodiment of the
CC invention, HSP70 epitopes are mutated prior to being loaded into antigen

CC presenting cells. This has the effect of increasing the immune response
 CC to HSP and helps direct the immune response to specific cells, (e.g.
 CC cancer cells). HSP70 fragments are useful for treating cancer or
 CC intracellular infections by vaccination. The tolerance of the organism to
 CC the tumor or to the virus associated HSP is broken using an immunogenic
 CC mutated form of HSP and induction of a stress on the target tumoural or
 CC intracellular infected cells.

XX Sequence 10 AA;

SQ Query Match 90.2%; Score 46; DB 22; Length 10;

Best Local Similarity 90.0%; Pred. No. 0.0035;

Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 SLFEGIDVYT 10

Db 1 slfegidft 10

RESULT 4

AAI88409
 ID AAY88409 standard; Protein; 554 AA.

XX AC AAY88409;

XX DT 31-JUL-2000 (first entry)

XX DE Human heat shock protein SHSP70 amino acid sequence.

XX KW Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
 KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
 KW depression; nephrotic syndrome; SHSP70.

XX OS Homo sapiens.

XX FN JP2000069999-A.

XX PD 07-MAR-2000.

XX PF 01-JUN-1995; 99JP-0257146.

XX PR 01-JUN-1995; 95JP-0158581.

XX PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.

XX DR WPI; 2000-264458/23.

XX DR N-PSDB; AAA15621.

XX PT Abnormal transcription of intracellular HSP70mRNA under acute and
 XX chronic continuous load of stress in a human being and its application

XX PS Examples; Fig 2; l1pp; Japanese.

XX This sequence represents the human heat shock protein SHSP70 amino acid
 CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
 CC and 14q22-24. The invention relates to the abnormal transcription of
 CC intracellular HSP70mRNA under acute and chronic stress load in a human.
 CC The abnormal transcription of HSP70 can be used in the improvement of
 CC stress and response and diagnosis of stress diseases including
 CC rheumatism, schizophrenia, depression and nephrotic syndrome.

XX Sequence 554 AA;

SQ Query Match 90.2%; Score 46; DB 21; Length 554;

Best Local Similarity 90.0%; Pred. No. 0.33;

Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 SLFEGIDVYT 10

Db 200 slfegidft 209

RESULT 5

AAI88410
 ID AAY88410 standard; Protein; 554 AA.

XX AC AAY88410;

XX DT 31-JUL-2000 (first entry)

XX DE Human heat shock protein SHSP70 amino acid sequence.

XX KW Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
 KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
 KW depression; nephrotic syndrome; SHSP70.

XX OS Homo sapiens.

XX FN JP2000069999-A.

XX PD 07-MAR-2000.

XX PF 01-JUN-1995; 99JP-0257146.

XX PR 01-JUN-1995; 95JP-0158581.

XX PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.

XX DR WPI; 2000-264458/23.

XX DR N-PSDB; AAA15622.

XX PT Abnormal transcription of intracellular HSP70mRNA under acute and
 XX chronic continuous load of stress in a human being and its application

XX PS Disclosure; Fig 3; l1pp; Japanese.

XX This sequence represents the human heat shock protein SHSP70 amino acid
 CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
 CC and 14q22-24. The invention relates to the abnormal transcription of
 CC intracellular HSP70mRNA under acute and chronic stress load in a human.
 CC The abnormal transcription of HSP70 can be used in the improvement of
 CC stress and response and diagnosis of stress diseases including
 CC rheumatism, schizophrenia, depression and nephrotic syndrome.

XX Sequence 554 AA;

SQ Query Match 90.2%; Score 46; DB 21; Length 554;

Best Local Similarity 90.0%; Pred. No. 0.33;

Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 SLFEGIDVYT 10

Db 200 slfegidft 209

RESULT 6

AAI88412
 ID AAY88412 standard; Protein; 554 AA.

XX AC AAY88412;

XX DT 31-JUL-2000 (first entry)

XX DE Human heat shock protein SHSP70 amino acid sequence.

XX KW Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
 KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
 KW depression; nephrotic syndrome; SHSP70.

XX OS Homo sapiens.

PN JP2000069999-A.
XX 07-MAR-2000.
XX
XX 01-JUN-1995; 99JP-0257146.
PF
XX 01-JUN-1995; 95JP-0158581.
PR
XX (HOKI-) HOKEN KAGAKU KENKYUSHO KK.
PA
XX WPI; 2000-264458/23.
DR
XX
XX Abnormal transcription of intracellular HSP70mRNA under acute and
PT chronic continuous load of stress in a human being and its application
PT
XX
XX
PS Disclosure; Fig 5; 11pp; Japanese.
XX
XX This sequence represents the human heat shock protein SHSP70 amino acid
CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
CC and 14q22-24. The invention relates to the abnormal transcription of
CC intracellular HSP70mRNA under acute and chronic stress load in a human.
CC The abnormal transcription of HSP70 can be used in the improvement of
CC stress and response and diagnosis of stress diseases including
CC rheumatism, schizophrenia, depression and nephrotic syndrome.
XX
XX Sequence 554 AA;
SQ

Query Match 90.2%; Score 46; DB 21; Length 554;
Best Local Similarity 90.0%; Pred. No. 0.33;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 SLFEGIDVYT 10
DB 200 slfegidvft 209
|||||

RESULT 7
AAY88413
ID AAY88413 standard; Protein; 554 AA.
XX
AC AAY88413;
XX
DT 31-JUL-2000 (first entry)
XX
DE Human heat shock protein SHSP70 amino acid sequence.
XX
KW Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
KW depression; nephrotic syndrome; SHSP70.
XX
OS Homo sapiens.
XX
PN JP2000069999-A.
XX
PD 07-MAR-2000.
XX
PF 01-JUN-1995; 99JP-0257146.
XX
PR 01-JUN-1995; 95JP-0158581.
PA
XX (HOKI-) HOKEN KAGAKU KENKYUSHO KK.
XX
DR WPI; 2000-264458/23.
XX
XX Abnormal transcription of intracellular HSP70mRNA under acute and
PT chronic continuous load of stress in a human being and its application
PT
XX
XX Disclosure; Fig 6; 11pp; Japanese.
PS
XX This sequence represents the human heat shock protein SHSP70 amino acid

CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
CC and 14q22-24. The invention relates to the abnormal transcription of
CC intracellular HSP70mRNA under acute and chronic stress load in a human.
CC The abnormal transcription of HSP70 can be used in the improvement of
CC stress and response and diagnosis of stress diseases including
CC rheumatism, schizophrenia, depression and nephrotic syndrome.
XX
XX Sequence 554 AA;
SQ

Query Match 90.2%; Score 46; DB 21; Length 554;
Best Local Similarity 90.0%; Pred. No. 0.33;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 SLFEGIDVYT 10
DB 200 slfegidvft 209
|||||

RESULT 8
AAB23252
ID AAB23252 standard; Protein; 624 AA.
XX
AC AAB23252;
XX
DT 29-JAN-2001 (first entry)
XX
DE Human Hsp72 (heat shock protein 72).
XX
KW Human Hsp72; heat shock protein 72; chromosome 6p21.3; Hsp72 inhibitor;
KW expression modulator; JNK phosphatase inhibitor; antiproliferative;
KW drug screening; cancer; leukaemia; lymphoma; solid tumour; sarcoma;
KW carcinoma; breast cancer; prostate cancer; premalignant condition.
XX
OS Homo sapiens.
XX
PN WO200054814-A1.
XX
PD 21-SEP-2000.
XX
PF 17-MAR-2000; 2000WO-US07350.
XX
PR 18-MAR-1999; 99US-0125046.
XX
PA (PHYL-) PHYLOGENY INC.
XX
PI Volloch VZ, Sherman M;
XX
DR WPI; 2000-647056/62.
DR N-PSDB; AAA97541.
XX
PT Identifying compounds that inhibit proliferation of cells and capable
PT of modulating the expression of heat shock protein 72 gene and/or
PT activity of Hsp72 useful for treating cancers such as leukemia,
PT lymphoma
XX
XX Examples; Fig 16B; 77pp; English.
XX
XX The invention relates to a novel method of identifying compounds that
CC inhibit proliferation of cells comprising contacting a test compound with
CC a cell which overexpresses Hsp72 (heat shock protein 72), and determining
CC if the test compound inhibits activity or expression of Hsp72.
CC Optionally, Hsp72 is contacted with the test compound under optimum
CC conditions to allow the two components to interact and bind, forming a
CC complex which is detected. The invention also relates to a method of
CC identifying compounds that inhibit Hsp72-mediated JNK phosphatase
CC activation, comprising contacting a test compound with a cell which
CC expresses Hsp72, exposing the cell to a heat induced stress and
CC determining if the compound inhibits JNK phosphatase activity. The
CC invention additionally encompasses compositions comprising an inhibitor
CC of Hsp72 or JNK phosphatase activity. The compounds identified as
CC inhibitors of Hsp72 or JNK phosphatase activity are useful for
CC inhibiting the proliferation of cells. Modulation of the activity of the

CC JNK phosphatase or Hsp72 is used to treat a proliferative disorder such
 CC as cancers (e.g., leukaemia, lymphoma, solid tumours such as sarcomas and
 CC carcinomas, breast cancer, prostate cancer). The compounds that inhibit
 CC Hsp72 activity can also be administered to treat premalignant conditions
 CC and to prevent progression to a neoplastic or malignant state. The
 CC compounds that inhibit Hsp72 function are administered to a patient
 CC having a disease or disorder mediated by an increase of Hsp72 expression
 CC or activity relative to normal levels. The present sequence represents
 CC human Hsp72 used in the exemplifications of the invention.
 XX
 SQ Sequence 624 AA;

Query Match 90.2%; Score 46; DB 21; Length 624;
 Best Local Similarity 90.0%; Pred. No. 0.38;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDVYT 10
 Db 286 slfegidfyf 295
 |||||

RESULT 9
 AAR03930
 ID AAR03930 standard; Protein; 634 AA.
 XX
 AC AAR03930;

DT 30-AUG-1990 (first entry)
 XX
 DE Gallus gallus HSP (chkhsp70).
 XX
 KW Hsp70; heat shock protein; Trypanosoma cruzi; vaccines; HSP.
 XX
 OS Gallus gallus.

XX Key Location/Qualifiers
 FH Misc-difference 634
 FT /note= "residue given as "O" in specification"
 FT
 XX WO9002564-A.
 XX
 PD 22-MAR-1990.

XX 12-SEP-1989; 89WO-0003955.
 XX
 PR 12-SEP-1988; 88US-0243474.

XX (CODO-) CODON.
 XX
 XX Dragon E, Faulds D, Sias S;
 XX
 XX WPI; 1990-115820/15.

XX Proteins homologous to heat shock proteins from Trypanosoma cruzi - used
 PT in vaccines and diagnosis for species of eg Mycoplasma or Mycobacteria.
 XX
 PS Disclosure; Fig 2.1-2.14; 86pp; English.

XX According to the legend of Fig 2, the G. gallus HSP sequence has
 CC 635 amino acid residues, the sequence itself has only 634,
 CC including "O" (?) at position 634.
 CC Fig. 2 provides an alignment of heat shock proteins from a variety
 CC of organisms: 1. M. hyopneumoniae (Mhyhsp70 - AAR03922);
 CC 2. Bacillus megaterium (Bmechsp70 - AAR03923);
 CC 3. E. coli (dnaK - AAR03924);
 CC 4. T. cruzi (tc70kd - AAR03925);
 CC 5. T. cruzi (AAR03926);
 CC 6. Rat rattus (rathsp70 - AAR03927);
 CC 7. Xenopus laevis (xl70 - AAR03928);
 CC 8. Homo sapiens (humhsp70 - AAR03929);
 CC 9. Gallus gallus (chkhsp70 - AAR03930);
 CC 10. Zea mays (mzehsp70 - AAR03931);

CC 11. Serratia marcescens (smahsp70 - AAR03932).
 CC The proteins having homology to hsp's of T. cruzi can be used in
 CC vaccines and diagnosis involving e.g. Trypanosoma, Mycoplasma and
 CC Mycobacteria species.
 XX
 SQ Sequence 634 AA;

Query Match 90.2%; Score 46; DB 11; Length 634;
 Best Local Similarity 90.0%; Pred. No. 0.39;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDVYT 10
 Db 289 slfegidfyf 298
 |||||

RESULT 10
 AAR03929
 ID AAR03929 standard; Protein; 640 AA.
 XX
 AC AAR03929;

DT 30-AUG-1990 (first entry)
 XX
 DE Homo sapiens HSP (humhsp70).
 XX
 KW Hsp70; heat shock protein; Trypanosoma cruzi; vaccines; HSP.

XX Homo sapiens.

XX Key Location/Qualifiers
 FH Misc-difference 640
 FT /note= "residue given as "O" in specification"
 FT
 XX WO9002564-A.

XX 22-MAR-1990.

XX 12-SEP-1989; 89WO-0003955.

XX 12-SEP-1988; 88US-0243474.

XX (CODO-) CODON.

XX Dragon E, Faulds D, Sias S;

XX WPI; 1990-115820/15.

XX Proteins homologous to heat shock proteins from Trypanosoma cruzi - used
 PT in vaccines and diagnosis for species of eg Mycoplasma or Mycobacteria.
 XX
 PS Disclosure; Fig 2.1-2.14; 86pp; English.

XX According to the legend of Fig 2, the H. sapiens HSP sequence has
 CC 641 amino acid residues, the sequence itself has only 640,
 CC including "O" (?) at position 640.

XX Fig. 2 provides an alignment of heat shock proteins from a variety
 CC of organisms: 1. M. hyopneumoniae (Mhyhsp70 - AAR03922);
 CC 2. Bacillus megaterium (Bmechsp70 - AAR03923);
 CC 3. E. coli (dnaK - AAR03924);
 CC 4. T. cruzi (tc70kd - AAR03925);
 CC 5. T. cruzi (AAR03926);
 CC 6. Rat rattus (rathsp70 - AAR03927);
 CC 7. Xenopus laevis (xl70 - AAR03928);
 CC 8. Homo sapiens (humhsp70 - AAR03929);
 CC 9. Gallus gallus (chkhsp70 - AAR03930);
 CC 10. Zea mays (mzehsp70 - AAR03931);
 CC 11. Serratia marcescens (smahsp70 - AAR03932).

XX The proteins having homology to hsp's of T. cruzi can be used in
 CC vaccines and diagnosis involving e.g. Trypanosoma, Mycoplasma and
 CC Mycobacteria species.

SQ Sequence 640 AA;

Query Match 90.2%; Score 46; DB 11; Length 640;
Best Local Similarity 90.0%; Pred. No. 0.39;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 SLFEGIDVYT 10
| | | | | | | |
Db 286 slfegidft 295

RESULT 11

AAW10065
ID AAW10065 standard; Protein; 640 AA.

XX AC AAW10065;

DT 24-OCT-1997 (first entry)

DE Human heat shock protein 70.

KW Human; heat shock protein 70; HSP70; primer; probe; detection;
intracellular; abnormal transcription; acute; chronic; sustained;
stress.

XX Homo sapiens.

XX JP08322577-A.

XX 10-DEC-1996.

XX 01-JUN-1995; 95JP-0158581.

XX 01-JUN-1995; 95JP-0158581.

XX (HOKE-) HOKEN KAGAKU KENKYUSHO KK.

XX WPI; 1997-081088/08.

XX N-PSDB; AAT58086.

PT Detection of abnormal transcription of HSP70 mRNA - using HSP70
specific primer or probe, used in detection of human acute and
chronic sustained stress load

PS Claim 1; Fig 1; 13pp; Japanese.

XX The cDNA encoding the present sequence, human heat shock protein 70
(HSP70), is located on human chromosome 6p 21.3-22 and 14q 22-24
and 21. Primers and probes based on the HSP70 cDNA coding
sequence can be used to detect the abnormal transcription of
intracellular HSP70 mRNA in human acute and chronic sustained
stress load.

SQ Sequence 640 AA;

Query Match

Best Local Similarity 90.2%; Score 46; DB 18; Length 640;

Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVYT 10

| | | | | | | |

Db 286 slfegidft 295

RESULT 12

AAB23653

ID AAB23653 standard; protein; 640 AA.

XX AC AAB23653;

DT 05-JAN-2001 (first entry)

XX

DE Human heat shock protein Hsp70 protein sequence SEQ ID NO:5.

XX ATPase; Hsp70; heat shock protein; cytotoxic T lymphocyte; CTL;

KW immune response; infectious disease; malaria; cytotoxic T cell;

KW cytostatic; immunostimulant; cellular immune response inducer;

KW protozoacide; leukaemia; cancer.

XX Homo sapiens.

XX WO200049041-A1.

XX 24-AUG-2000.

XX 18-FEB-2000; 2000WO-JP00941.

XX 19-FEB-1999; 99JP-0041535.

XX (SUME) SUMITOMO ELECTRIC IND CO.

XX Shinbara N, Uono H, Yui K;

XX WPI; 2000-543748/49.

XX Fused protein capable of inducing cellular immune response, useful as
active ingredient for drug compositions in preventing and/or treating
infectious diseases such as malaria or cancer

PS Claim 3; Page 49-52; 72pp; Japanese.

XX The present invention describes a fused protein (I) prepared from a
peptide containing a CTL (cytotoxic T lymphocyte) epitope recognised by
cytotoxic T cells and a protein containing the ATPase domain of a heat
shock protein. Also described are: (1) a drug composition containing (I)
as active ingredient; (2) a DNA encoding (I); (3) an expression vector
containing the DNA of (2); and (4) a transformant which can retain the
expression vector of (3). (I) has cytostatic, immunostimulant and
protozoacide activities, and can be used as a cellular immune response
inducer. The protein is useful as an active ingredient for drug
compositions in preventing and/or treating infectious diseases such as
malaria or cancer e.g. to provide systemic immunity against leukaemia.
The present sequence represents a specifically claimed heat shock
protein for use in a fused protein of the present invention.

XX Sequence 640 AA;

Query Match

Best Local Similarity 90.2%; Score 46; DB 21; Length 640;

Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVYT 10

| | | | | | | |

Db 286 slfegidft 295

RESULT 13

AAV88408

ID AAV88408 standard; Protein; 640 AA.

XX AC AAV88408;

DT 31-JUL-2000 (first entry)

DE Human heat shock protein HSP70 amino acid sequence.

XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
chromosome 14q22-24; transcription; rheumatism; schizophrenia;
depression; nephrotic syndrome.

XX Homo sapiens.

XX JP2000069999-A.

XX


```
XX
PD 07-MAR-2000.
PF 01-JUN-1995; 99JJP-0257146.
XX 01-JUN-1995; 95JJP-0158581.
XX (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
XX WPI; 2000-264458/23.
DR N-PSDB; AAI5620.
XX Abnormal transcription of intracellular HSP70mRNA under acute and
PT chronic continuous load of stress in a human being and its application
PT -
XX Claim 2; Fig 1; 1lpp; Japanese.
XX This sequence represents the human heat shock protein HSP70 amino acid
CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
CC and 14q22-24. The invention relates to the abnormal transcription of
CC intracellular HSP70mRNA under acute and chronic stress load in a human.
CC The abnormal transcription of HSP70 can be used in the improvement of
CC stress and response and diagnosis of stress diseases including
CC rheumatism, schizophrenia, depression and nephrotic syndrome.
XX Sequence 640 AA;
SQ
Query Match 90.2%; Score 46; DB 21; Length 640;
Best Local Similarity 90.0%; Pred. No. 0.39;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 SLFEGIDVYT 10
Db 286 slfegidvft 295
RESULT 14
AAY88411
ID AAY88411 standard; Protein; 640 AA.
AC AAY88411;
XX 31-JUL-2000 (first entry)
XX Human heat shock protein LHP70 amino acid sequence.
DE Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
KW depression; nephrotic syndrome; LHP70.
XX Homo sapiens.
OS JP2000069999-A.
XX 07-MAR-2000.
XX 01-JUN-1995; 99JJP-0257146.
XX 01-JUN-1995; 95JJP-0158581.
XX (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
XX WPI; 2000-264458/23.
XX Abnormal transcription of intracellular HSP70mRNA under acute and
PT chronic continuous load of stress in a human being and its application
PT -
XX Disclosure; Fig 4; 1lpp; Japanese.
XX This sequence represents the human heat shock protein LHP70 amino acid
CC
```

```
CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
CC and 14q22-24. The invention relates to the abnormal transcription of
CC intracellular HSP70mRNA under acute and chronic stress load in a human.
CC The abnormal transcription of HSP70 can be used in the improvement of
CC stress and response and diagnosis of stress diseases including
CC rheumatism, schizophrenia, depression and nephrotic syndrome.
XX Sequence 640 AA;
SQ
Query Match 90.2%; Score 46; DB 21; Length 640;
Best Local Similarity 90.0%; Pred. No. 0.39;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 SLFEGIDVYT 10
Db 286 slfegidvft 295
RESULT 15
AAR43004
ID AAR43004 standard; protein; 641 AA.
XX AAR43004;
XX 20-MAY-1994 (first entry)
XX Mature mouse sperm 70kD heat shock protein.
DE Sulphoglycolipid immobilising protein 1; sperm plasma membrane;
KW HSC70B; mammalian; infertility; mycoplasma; HSP70.
XX Mus musculus.
OS
XX Key Location/Qualifiers
FH 1..385
FT Region
FT /label= 44kD_ATPase_fragment
FT /note= "peptides comprising an intact domain from
FT the ATPase fragment of hsp70 are claimed;
FT the peptides are homologous to sequences
FT conserved between SLIPI and 74.5kD
FT mycoplasma protein"
FT Domain 1..39
FT /label= IA
FT /note= "part"
FT Domain 40..115
FT /label= IB
FT Domain 116..188
FT /label= IA
FT /note= "part"
FT Domain 189..228
FT /label= IIA
FT /note= "part"
FT Domain 229..306
FT /label= IIB
FT Domain 307..385
FT /label= IIA
FT /note= "part"
XX WO9321954-A.
XX 11-NOV-1993.
XX 22-APR-1993; 93WO-US03816.
XX 24-APR-1992; 92US-0873961.
XX (BERL-) BERLEX LAB INC.
XX (OTTA-) OTTAWA CIVIC HOSPITAL.
XX Faulds DH, Lingwood CA, Tanphaichitr N;
XX WPI; 1993-368422/46.
DR
```

XX Mammalian fertilisation decrease for detecting and treating
PT infertility - using sulpho glyco lipid immobilising protein
PT 1-sulphated-glyco moiety interfering compsn., for mycoplasma
PT infection treatment
XX
PS Claim 2 and Claim 17; Page 60-62; 77pp; English.
XX
CC The likelihood of mammalian fertilisation is decreased by contacting
CC a gamete with a sulphoglycolipid immobilising protein 1 (SLIPI)/
CC sulphated glyco-moiety interfering composition. The interfering
CC compsn. is e.g. the heat shock 70kd protein, SLIPI (or analogues
CC such as the mouse SLIPI analogue "HSC70B" comprising the amino acid
CC sequence AAR43002) or the 74.5kd mycoplasma protein (AAR43003).
XX
SQ Sequence 641 AA;

Query Match 90.2%; Score 46; DB 14; Length 641;
Best Local Similarity 90.0%; Pred. NO. 0.39;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 SLFEGIDVYT 10
Db 286 slfegidvft 295

Search completed: December 6, 2001, 08:04:04
Job time: 612 sec

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:53:52 ; Search time 88.19 Seconds
(without alignments)
7.774 Million cell updates/sec

Title: US-09-673-795-1

Perfect score: 46

Sequence: 1 SLFEGIDY 9

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 219241 seqs, 76174552 residues

Total number of hits satisfying chosen parameters: 219241

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

PIR_68: *
1: pir1: *
2: pir2: *
3: pir3: *
4: pir4: *

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	42	91.3	208	B44261	dnak-type molecule
2	42	91.3	278	I51344	dnak-type molecule
3	42	91.3	420	A26283	dnak-type molecule
4	42	91.3	467	T45477	heat-shock protein
5	42	91.3	467	T45479	heat-shock protein
6	42	91.3	468	T45476	heat-shock protein
7	42	91.3	469	T45478	heat-shock protein
8	42	91.3	617	H96605	probable heat shock
9	42	91.3	632	T45471	dnak-type molecule
10	42	91.3	634	A25646	dnak-type molecule
11	42	91.3	636	A48872	dnak-type molecule
12	42	91.3	638	S31766	dnak-type molecule
13	42	91.3	639	JC1391	dnak-type molecule
14	42	91.3	639	S20139	dnak-type molecule
15	42	91.3	640	1 HKW7A	dnak-type molecule
16	42	91.3	640	A29160	dnak-type molecule
17	42	91.3	640	S37394	dnak-type molecule
18	42	91.3	640	T21394	hypothetical prote
19	42	91.3	640	T43724	dnak-type molecule
20	42	91.3	641	S53357	dnak-type molecule
21	42	91.3	641	S35718	dnak-type molecule
22	42	91.3	641	I54542	dnak-type molecule
23	42	91.3	641	A45871	dnak-type molecule
24	42	91.3	642	1 HBYA1	dnak-type molecule
25	42	91.3	642	2 JHU095	dnak-type molecule
26	42	91.3	642	2 B36590	dnak-type molecule
27	42	91.3	644	2 A45635	dnak-type molecule
28	42	91.3	645	2 I51129	dnak-type molecule
29	42	91.3	646	2 T46650	heat shock protein

30	42	91.3	647	1 HHXL70	dnak-type molecule
31	42	91.3	647	2 S44168	dnak-type molecule
32	42	91.3	647	2 T41121	heat shock protein
33	42	91.3	650	2 JC7088	heat shock protein
34	41	89.1	209	2 A44261	dnak-type molecule
35	41	89.1	214	2 A03309	dnak-type molecule
36	41	89.1	372	2 P00138	dnak-type molecule
37	41	89.1	379	2 I46588	dnak-type molecule
38	41	89.1	467	2 T45473	heat-shock protein
39	41	89.1	467	2 T45474	heat-shock protein
40	41	89.1	641	2 JN0668	dnak-type molecule
41	41	89.1	641	2 PC7036	heat shock protein
42	41	89.1	643	2 S25585	dnak-type molecule
43	41	89.1	643	2 S09036	dnak-type molecule
44	41	89.1	651	2 T45517	heat shock protein
45	41	89.1	651	2 JC7132	heat shock protein

ALIGNMENTS

RESULT 1

B44261

dnak-type molecular chaperone HSC70 - California sea hare (fragment)

N:Alternate names: heat shock protein 70 homolog HSC70

C:Species: Aplysia californica (California sea hare)

C>Date: 04-Sep-1998 #sequence_revision 04-Sep-1998 #text_change 13-Aug-1999

C:Accession: B44261

R:Kuhl, D.; Kennedy, T.E.; Barzilai, A.; Kandel, E.R.

J. Cell Biol. 119, 1069-1076, 1992

A:Title: Long-term sensitization training in Aplysia leads to an increase in the expr

A:Reference number: A44261; MUID:93077669

A:Accession: B44261

A>Status: preliminary; not compared with conceptual translation

A:Molecule type: nucleic acid

A:Residues: 1-208 <KU>

A>Note: sequence extracted from NCBI backbone (NCBIP:118950)

C:Genetics:

A:Gene: HSC70

C:Function:

A:Description: involved in protein folding and assembling/disassembling of protein co

C:Superfamily: heat shock protein 70

C:Keywords: ATP; molecular chaperone

Query Match 91.3%; Score 42; DB 2; Length 208;
Best Local Similarity 88.9%; Pred. No. 0.42;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDY 9

Db 132 SLFEGIDFY 140

RESULT 2

I51344

dnak-type molecular chaperone (clone pHS70.7) - rainbow trout (fragment)

N:Alternate names: 70K heat shock protein

C:Species: Oncorhynchus mykiss (rainbow trout)

C>Date: 21-Feb-1997 #sequence_revision 21-Feb-1997 #text_change 20-Aug-1999

C:Accession: I51344

R:Kothary, R.K.; Jones, D.; Candido, E.P.M.

Mol. Cell. Biol. 4, 1785-1791, 1984

A:Title: 70-Kilodalton heat shock polypeptides from rainbow trout: Characterization o

A:Reference number: I51344; MUID:85036330

A:Accession: I51344

A>Status: preliminary; translated from GB/EMBL/DBJ

A:Molecule type: mRNA

A:Residues: 1-278 <OT>

A:Cross-references: GB:K02549; NID:g213803; PIDN:AAA49562.1; PID:g213804

C:Function:

A:Description: involved in protein folding and assembling/disassembling of protein co

C:Superfamily: heat shock protein 70

C:Keywords: ATP; molecular chaperone

Query Match 91.3%; Score 42; DB 2; Length 278;
Best Local Similarity 88.9%; Pred. No. 0.58;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDYIY 9
| | | | | | | |
DB 156 SLFEGIDFY 164

RESULT 3

A26283

dnak-type molecular chaperone - mouse (fragment)

N:Alternate names: heat shock protein 68

C:Species: Mus musculus (house mouse)

C>Date: 19-Nov-1988 #sequence_revision 19-Nov-1988 #text_change 20-Aug-1999

C:Accession: A26283

R:Low, D.G.; Moran, L.A.

J. Biol. Chem. 261, 2102-2112, 1986

A:Title: Molecular cloning and analysis of DNA complementary to three mouse Mr=68,000 he

A:Reference number: A26283; MUID:86111900

A:Accession: A26283

A:Molecule type: mRNA

A:Residues: 1-420 <LOW>

A:Cross-references: GB:M12571; NID:g194014; PIDN:AAA57234.1; PID:g387208

A>Note: the authors translated the codon CTG for residue 173 as Val and CGC for residue

C:Function:

A:Description: involved in protein folding and assembling/disassembling of protein comp

C:Superfamily: heat shock protein 70

C:Keywords: ATP; molecular chaperone

Query Match

Best Local Similarity 91.3%; Score 42; DB 2; Length 420;

Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDYIY 9

| | | | | | | |
DB 65 SLFEGIDFY 73

RESULT 4

T45477

heat-shock protein 70 [imported] - Chondrosia reniformis (fragment)

C:Species: Chondrosia reniformis

C>Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000

C:Accession: T45477

R:Borchelli, C.; Le Parco, Y.

submitted to the EMBL Data Library, September 1997

A:Reference number: Z22983

A:Accession: T45477

A>Status: preliminary; translated from GB/EMBL/DBJ

A:Molecule type: mRNA

A:Residues: 1-467 <BOR>

A:Cross-references: EMBL:AF026517; PIDN:AAC05362.1

C:Genetics:

A:Gene: Hsp70

C:Superfamily: heat shock protein 70

Query Match

Best Local Similarity 91.3%; Score 42; DB 2; Length 467;

Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDYIY 9

| | | | | | | |
DB 252 SLFEGIDFY 260

RESULT 5

T45479

heat-shock protein 70 [imported] - Eunicella cavolini (fragment)

C:Species: Eunicella cavolini

C>Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000

C:Accession: T45479

R:Borchelli, C.; Le Parco, Y.

submitted to the EMBL Data Library, September 1997

A:Reference number: Z22983

A:Accession: T45479

A>Status: preliminary; translated from GB/EMBL/DBJ

A:Molecule type: mRNA

A:Residues: 1-467 <BOR>

A:Cross-references: EMBL:AF026520; PIDN:AAC05364.1

C:Genetics:

A:Gene: Hsp70

C:Superfamily: heat shock protein 70

Query Match

Best Local Similarity 91.3%; Score 42; DB 2; Length 467;

Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDYIY 9

| | | | | | | |
DB 252 SLFEGIDFY 260

RESULT 6

T45476

heat-shock protein 70 [imported] - Funiculina quadrangularis (fragment)

C:Species: Funiculina quadrangularis

C>Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000

C:Accession: T45476

R:Borchelli, C.; Le Parco, Y.

submitted to the EMBL Data Library, September 1997

A:Reference number: Z22983

A:Accession: T45476

A>Status: preliminary; translated from GB/EMBL/DBJ

A:Molecule type: mRNA

A:Residues: 1-468 <BOR>

A:Cross-references: EMBL:AF026516; PIDN:AAC05361.1

C:Genetics:

A:Gene: Hsp70

C:Superfamily: heat shock protein 70

Query Match

Best Local Similarity 91.3%; Score 42; DB 2; Length 468;

Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDYIY 9

| | | | | | | |
DB 253 SLFEGIDFY 261

RESULT 7

T45478

heat-shock protein 70 [imported] - Eunicella cavolini (fragment)

C:Species: Eunicella cavolini

C>Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000

C:Accession: T45478

R:Borchelli, C.; Le Parco, Y.

submitted to the EMBL Data Library, September 1997

A:Reference number: Z22983

A:Accession: T45478

A>Status: preliminary; translated from GB/EMBL/DBJ

A:Molecule type: mRNA

A:Residues: 1-469 <BOR>

A:Cross-references: EMBL:AF026518; PIDN:AAC05363.1

C:Genetics:

A:Gene: Hsp70

C:Superfamily: heat shock protein 70

```
Query Match          91.3%; Score 42; DB 2; Length 469;
Best Local Similarity 88.9%; Pred. No. 1;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIIY 9
Db 254 SLFEGIDFY 262
|||||||

RESULT 8
H96605
probable heat shock protein [imported] - Arabidopsis thaliana
C:Species: Arabidopsis thaliana (mouse-ear cress)
C:Date: 02-Mar-2001 #sequence_revision 02-Mar-2001 #text_change 23-Mar-2001
C:Accession: H96605
R:Theologis, A.; Ecker, J.R.; Palm, C.J.; Federspiel, N.A.; Kaul, S.; White, O.; Alonso,
Chin, C.W.; Chung, M.K.; Conn, L.; Conway, A.B.; Conway, T.H.; Dewar, K.;
ansen, N.F.; Hughes, B.; Huizar, L.
Nature 408, 816-820, 2000
A:Authors: Hunter, J.L.; Jenkins, J.; Johnson-Hopson, C.; Khan, S.; Khaykin, E.; Kim, C.;
C.A.; Li, J.H.; Li, Y.; Lin, X.; Liu, S.X.; Liu, Z.A.; Luros, J.S.; Mafti, R.; Marziali,
Rizzo, M.; Rooney, T.; Rowley, D.; Sakano, H.
A:Authors: Salzberg, S.L.; Schwartz, J.R.; Shinn, P.; Southwick, A.M.; Sun, H.; Tallon,
ker, M.; Wu, D.; Yu, G.; Fraser, C.M.; Venter, J.C.; Davis, R.W.
A:Title: Sequence and analysis of chromosome 1 of the plant Arabidopsis.
A:Reference number: A86141; MUID:21016719
A:Accession: H96605
A>Status: preliminary
A:Molecule type: DNA
A:Residues: 1-617 <STO>
A:Cross-references: GB:AE005173; NID:g11024845; PIDN:AG26930.1; GSPDB:GN00141
C:Genetics:
A:Gene: Fl3N6.9
A:Map position: 1
C:Superfamily: heat shock protein 70

Query Match          91.3%; Score 42; DB 2; Length 617;
Best Local Similarity 88.9%; Pred. No. 1.4;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIIY 9
Db 292 SLFEGIDFY 300
|||||||

RESULT 9
T45471
dnaK-type molecular chaperone hsc70 [imported] - slime mold (Dictyostellium discoideum)
N:Alternate names: heat shock cognate protein 70
C:Species: Dictyostellium discoideum
C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 18-Feb-2000
C:Accession: T45471
R:Boves, H.; Mintert, U.; Dittrich, W.; Faix, J.; Gerisch, G.
submitted to the EMBL Data Library, September 1997
A:Reference number: Z22980
A:Accession: T45471
A>Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-632 <BOV>
A:Cross-references: EMBL:AF025951; PIDN:AA81865.1
A:Experimental source: strain AX3
C:Genetics:
A:Gene: hsc70
A:Note: localized to filopodias and cortex
C:Superfamily: heat shock protein 70

Query Match          91.3%; Score 42; DB 2; Length 632;
Best Local Similarity 88.9%; Pred. No. 1.4;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIIY 9
Db 280 SLFEGIDFY 288
|||||||

RESULT 12
S31766
dnaK-type molecular chaperone hsp70 - green monkey
N:Alternate names: heat shock protein 70
C:Species: Cercopithecus aethiops (green monkey, grivet)
C:Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 20-Aug-1999

Query Match          91.3%; Score 42; DB 2; Length 636;
Best Local Similarity 88.9%; Pred. No. 1.4;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIIY 9
Db 285 SLFEGIDFY 293
|||||||

RESULT 10
A25646
dnaK-type molecular chaperone - chicken
N:Alternate names: heat shock protein 70
C:Species: Gallus gallus (chicken)
C:Date: 19-Nov-1988 #sequence_revision 19-Nov-1988 #text_change 20-Aug-1999
C:Accession: A25646
R:Morimoto, R.I.; Hunt, C.; Huang, S.Y.; Berg, K.L.; Banerji, S.S.
J. Biol. Chem. 261, 12692-12699, 1986
A:Title: Organization, nucleotide sequence, and transcription of the chicken HSP70 ge
A:Reference number: A25646; MUID:86304452
A:Accession: A25646
A:Molecule type: DNA
A:Residues: 1-634 <MOR>
A:Cross-references: GB:J02579; NID:g211940; PIDN:AAA48825.1; PID:g211941
A:Note: the authors translated the codon TCG for residue 583 as Trp
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein co
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match          91.3%; Score 42; DB 2; Length 634;
Best Local Similarity 88.9%; Pred. No. 1.4;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIIY 9
Db 289 SLFEGIDFY 297
|||||||

RESULT 11
A48872
dnaK-type molecular chaperone hspB - slime mold (Dictyostellium discoideum) (fragment)
N:Alternate names: 70k heat shock cognate protein aginactin; F-actin capping protein
C:Species: Dictyostellium discoideum
C:Date: 19-May-1995 #sequence_revision 19-May-1995 #text_change 20-Aug-1999
C:Accession: A48872
R:Eddy, R.J.; Sauterer, R.A.; Condeelis, J.S.
J. Biol. Chem. 268, 23267-23274, 1993
A:Title: Aginactin, an agonist-regulated F-actin capping activity is associated with
A:Reference number: A48872; MUID:94043116
A:Accession: A48872
A>Status: preliminary
A:Molecule type: mRNA
A:Residues: 1-636 <EDD>
A:Cross-references: GB:L22736; NID:g433179; PIDN:AAA33219.1; PID:g433180
A:Note: authors translated the codon ACA for residue 10 as Pro, GCT for residue 60 as
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein co
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match          91.3%; Score 42; DB 2; Length 636;
Best Local Similarity 88.9%; Pred. No. 1.4;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIIY 9
Db 280 SLFEGIDFY 288
|||||||

RESULT 12
S31766
dnaK-type molecular chaperone hsp70 - green monkey
N:Alternate names: heat shock protein 70
C:Species: Cercopithecus aethiops (green monkey, grivet)
C:Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 20-Aug-1999
```

C:Accession: S31766; I36927
R:Sainis, I.; Angelidis, C.; Pagoulatos, G.; Lazaridis, I.
submitted to the EMBL Data Library, January 1993
A:Description: Nucleotide sequence of the cDNA encoding a monkey 70kd heat shock protein
A:Reference number: S31766
A:Accession: S31766
A:Molecule type: mRNA
A:Residues: 1-638 <SAI>
R:Sainis, I.; Angelidis, C.; Pagoulatos, G.; Lazaridis, I.
FEBS Lett. 355, 282-286, 1994
A:Title: The hsc70 gene which is slightly induced by heat is the main virus inducible me
A:Reference number: I36927; MUID:95080396
A:Accession: I36927
A>Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-638 <RES>
A:Cross-references: EMBL:X70684; NID:g22781; PIDN:CAA50019.1; PID:g22782
A:Experimental source: kidney; cell line COS-1
C:Genetics:
A:Gene: hsp70
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein comp
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match 91.3%; Score 42; DB 2; Length 638;
Best Local Similarity 88.9%; Pred. No. 1.5;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDY 9
|||||||
Db 284 SLFEGIDFY 292

RESULT 13

JC1391
dnaK-type molecular chaperone 70IV - sea urchin (Paracentrotus lividus)
N:Alternate names: heat shock protein 70IV; hsp70IV protein
C:Species: Paracentrotus lividus (common urchin)
C:Date: 10-Jun-1993 #sequence_revision 10-Jun-1993 #text_change 20-Aug-1999
C:Accession: JC1391
R:Sconzo, G.; Scardina, G.; Ferraro, M.G.
Gene 121, 353-358, 1992
A:Title: Characterization of a new member of the sea urchin Paracentrotus lividus hsp70
A:Reference number: JC1391; MUID:93077053
A:Accession: JC1391
A:Molecule type: DNA
A:Residues: 1-639 <SCO>
A:Cross-references: EMBL:X61379; NID:g312916; PIDN:CAA43653.1; PID:g312917
C:Genetics:
A:Gene: hsp70IV
A:Introns: 61/2
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein comp
C:Superfamily: heat shock protein 70
C:Keywords: ATP; heat shock; molecular chaperone; stress-induced protein

Query Match 91.3%; Score 42; DB 2; Length 639;
Best Local Similarity 88.9%; Pred. No. 1.5;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDY 9
|||||||
Db 286 SLFEGIDFY 294

RESULT 14

S20139
dnaK-type molecular chaperone SSA2 - yeast (Saccharomyces cerevisiae)
N:Alternate names: heat shock protein YG102; protein L0971; protein YLL024c
C:Species: saccharomyces cerevisiae

C:Date: 07-May-1993 #sequence_revision 07-May-1993 #text_change 20-Jun-2000
C:Accession: S20139; S64772; S64775; S69383
R:Slater, M.R.; Craig, E.A.
Nucleic Acids Res. 17, 805-806, 1989
A:Title: The SSA1 and SSA2 genes of the yeast Saccharomyces cerevisiae.
A:Reference number: S20139; MUID:89128457
A:Accession: S20139
A>Status: translation not shown
A:Molecule type: DNA
A:Residues: 1-639 <SLA>
A:Cross-references: EMBL:X12927; NID:g4545; PIDN:CAA31394.1; PID:g4546
R:Goffeau, A.; Purnelle, B.
submitted to the Protein Sequence Database, May 1996
A:Reference number: S64761
A:Accession: S64772
A:Molecule type: DNA
A:Residues: 1-639 <GOF>
A:Cross-references: EMBL:Z73129; NID:g1360201; PIDN:CAA37472.1; PID:g1360202; MIPS:YL
A:Experimental source: strain S288C
R:Duesterhoeft, A.; Floeth, M.; Heuss-Neitzel, D.; Hilbert, H.; Moestl, D.
submitted to the Protein Sequence Database, May 1996
A:Reference number: S64775
A:Accession: S64775
A:Molecule type: DNA
A:Residues: 72-639 <DUE>
A:Cross-references: EMBL:Z73129; MIPS:YLL024c
A:Experimental source: strain S288C
R:Purnelle, B.; Goffeau, A.
submitted to the EMBL Data Library, April 1996
A:Description: The sequence of 32 kb on the left arm of yeast chromosome XII reveals
mily and a new ABC transporter homologous to the human multidrug resistance protein.

A:Reference number: S69380
A:Accession: S69383
A:Molecule type: DNA
A:Residues: 1-639 <PUR>
A:Cross-references: EMBL:X97560; NID:g1297003; PIDN:CAA66167.1; PID:g1297007
C:Genetics:

A:Gene: SGD:SSA2
A:Cross-references: MIPS:YLL024c; SGD:S0003947
A:Map position: 12L
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein co
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match 91.3%; Score 42; DB 2; Length 639;
Best Local Similarity 88.9%; Pred. No. 1.5;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDY 9
|||||||
Db 283 SLFEGIDFY 291

RESULT 15

HHKW7A
dnaK-type molecular chaperone hsp70A - Caenorhabditis elegans
N:Alternate names: heat shock protein 70 A
C:Species: Caenorhabditis elegans
C:Date: 30-Jun-1989 #sequence_revision 30-Jun-1989 #text_change 22-Jun-1999
C:Accession: JT0285
R:Snutch, T.P.; Heschl, M.F.P.; Baillie, D.L.
Gene 64, 241-255, 1988
A:Title: The Caenorhabditis elegans hsp70 gene family: a molecular genetic characteri
A:Reference number: JT0285; MUID:88297155
A:Accession: JT0285
A:Molecule type: DNA; mRNA
A:Residues: 1-640 <SNU>
A:Cross-references: GB:M18540; NID:g156351; PIDN:AAA28078.1; PID:g156352
A:Note: genomic clones representing six distinct members of the hsp70 gene family wer
A:Note: transcripts of hsp70A are abundant in control worms and also increase two-to
A:Note: one of the three introns in hsp70A is in a position similar to an intron in D

Query Match 91.3%; Score 42; DB 2; Length 639;
Best Local Similarity 88.9%; Pred. No. 1.5;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDY 9
|||||||
Db 286 SLFEGIDFY 294

C:Genetics:
A:Gene: hsp70A
A:Map position: IV
A:Introns: 69/1; 331/3; 558/3
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein complex
C:Superfamily: heat shock protein 70
C:Keywords: ATP; heat shock; molecular chaperone; stress-induced protein

Query Match 91.3%; Score 42; DB 1; Length 640;
Best Local Similarity 88.9%; Pred. NO. 1.5;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIV 9
|||||||
Db 287 SLFEGIDFY 295

Search completed: December 6, 2001, 07:58:26
Job time: 274 sec

THIS PAGE BLANK (088770)

THIS PAGE BLANK (uspto)

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:53:52 ; Search time 50.21 Seconds
(without alignments)
6.572 Million cell updates/sec

Title: US-09-673-795-1
Perfect score: 46
Sequence: 1 SLFEGIDIY 9

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 100059 seqs, 36664827 residues
Total number of hits satisfying chosen parameters: 100059

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : SwissProt_39;*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	42	91.3	322	1 HS70_ONCVO	P11503 onchocerca
2	42	91.3	420	1 HS73_MOUSE	Q61696 mus musculus
3	42	91.3	503	1 HS70_PNCI	Q92260 penicillium
4	42	91.3	634	1 HS70_CHICK	P08106 gallus gall
5	42	91.3	638	1 HS71_CERAE	Q28222 ceratophyc
6	42	91.3	638	1 HS72_YEAST	P10592 saccharomyc
7	42	91.3	639	1 HS74_PARLI	Q06248 paracentrot
8	42	91.3	640	1 HS7A_CAEEL	P09446 caenorhabdi
9	42	91.3	640	1 HS7C_DICDI	P36415 dictyosteli
10	42	91.3	641	1 HS71_BOVIN	Q27975 bos taurus
11	42	91.3	641	1 HS71_MOUSE	P08107 homo sapien
12	42	91.3	641	1 HS71_MOUSE	P17879 mus musculu
13	42	91.3	641	1 HS71_PIG	P34930 sus scrofa
14	42	91.3	641	1 HS71_RAT	Q07439 rattus norv
15	42	91.3	641	1 HS71_YEAST	P10591 saccharomyc
16	42	91.3	641	1 HS72_BOVIN	Q27965 bos taurus
17	42	91.3	641	1 HS74_YEAST	P22202 saccharomyc
18	42	91.3	644	1 HS70_BRUMA	P21541 brugia mala
19	42	91.3	644	1 HS70_ONCTS	Q91233 oncorhynchu
20	42	91.3	645	1 HS70_PLEUA	Q91291 pleurodeles
21	42	91.3	646	1 HS70_NEUCR	Q01233 neurospora
22	42	91.3	647	1 HS70_XENLA	P02827 xenopus lae
23	42	91.3	649	1 HS70_BLAEM	P48720 blastoclad
24	42	91.3	652	1 HS7D_MANSE	Q9u639 manduca sex
25	41	89.1	214	1 HS7A_DROSI	P02826 drosophila
26	41	89.1	372	1 HS72_PARLI	P22623 paracentrot
27	41	89.1	379	1 HS7X_PIG	P34934 sus scrofa
28	41	89.1	638	1 HS70_CERCA	P91902 ceratitidis c
29	41	89.1	641	1 HS7A_DROME	P29843 drosophila
30	41	89.1	643	1 HS76_HUMAN	P17066 homo sapien
31	41	89.1	643	1 HS76_PIG	Q04967 sus scrofa
32	41	89.1	648	1 HS71_PUCGR	Q01877 puccinia gr
33	39	84.8	641	1 HS73_RAT	P55063 rattus norv

34 39 84.8 641 1 HS7H_HUMAN P34931 homo sapien
35 39 84.8 641 1 HS7T_MOUSE P16627 mus musculus
36 39 84.8 642 1 HS72_PICAN P53623 pichia angu
37 39 84.8 643 1 HS71_SCHPO Q10265 schizosacch
38 39 84.8 644 1 HS71_PICAN P53421 pichia angu
39 39 84.8 644 1 HS72_LYCES P27322 lycopersico
40 39 84.8 645 1 HS70_SOYBN P26413 glycine max
41 39 84.8 646 1 HS7C_CRIGR P19378 cricetus
42 39 84.8 646 1 HS7C_HUMAN P11142 homo sapien
43 39 84.8 646 1 HS7C_MOUSE P08109 mus musculus
44 39 84.8 649 1 HS70_PARBR P87047 paracoccidi
45 39 84.8 649 1 HS73_ARATH O65719 arabidopsis

ALIGNMENTS

RESULT 1
HS70_ONCVO STANDARD; PRT; 322 AA.
AC P11503;
DT 01-OCT-1989 (Rel. 12, Created)
DT 01-FEB-1996 (Rel. 33, Last sequence update)
DT 01-FEB-1996 (Rel. 33, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN (HSP70) (FRAGMENT).
OS Onchocerca volvulus.
OC Eukaryota; Metazoa; Nematoda; Chromadorea; Spirurida; Filarioidea;
OC Onchocercidae; Onchocerca.
OX NCBI_TaxID=6282;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=89201313; PubMed=2704388;
RA Rothstein N.M., Higashi G., Yates J., Rajan T.V.;
RT "Onchocerca volvulus heat shock protein 70 is a major immunogen in
amicrofilaremic individuals from a filariasis-endemic area.";
RL Mol. Biochem. Parasitol. 33:229-236(1989).
CC -!- DISEASE: HEAT SHOCK PROTEIN 70 IS A MAJOR IMMUNOGEN IN A
MICROFILAREMIC INDIVIDUALS FROM A FILARIASIS-ENDEMIC AREA.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
or send an email to license@isb-sib.ch).
CC -----
DR EMBL: J04006; AAA29417.1; -
DR HSP: P19120; IATR.
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70; 1.
DR PROSITE: PS00297; HSP70_1; PARTIAL.
DR PROSITE: PS00329; HSP70_2; PARTIAL.
DR PROSITE: PS01036; HSP70_3; 1.
KW ATP-binding; Heat shock.
FT NON_TER 322 322
FT NON_TER 322 322
SQ SEQUENCE 322 AA; 35614 MW; 2BA3A2E8155A7180 CRC64;

Query Match 91.3%; Score 42; DB 1; Length 322;
Best Local Similarity 88.9%; Pred. No. 0.38;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIY 9
|||||||
Db 43 SLFEGIDFY 51

RESULT 2
HS73_MOUSE STANDARD; PRT; 420 AA.
ID HS73_MOUSE

AC Q61696; Q61697;
 DT 01-NOV-1997 (Rel. 35, Created)
 DT 01-NOV-1997 (Rel. 35, Last sequence update)
 DT 01-NOV-1997 (Rel. 35, Last annotation update)
 DE HEAT SHOCK 70 KDA PROTEIN 3 (HSP70.3) (FRAGMENT).
 GN HSP70-3 OR HSP70A1.
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 OX NCBI_TaxID=10090;
 RN SEQUENCE FROM N.A.
 RP MEDLINE=86111900; PubMed=2868009;
 RA Lowe D.G., Moran L.A.;
 RT "Molecular cloning and analysis of DNA complementary to three mouse
 RT M1 = 68,000 heat shock protein mRNAs";
 RL J. Biol. Chem. 261:2102-2112(1986).
 RN [2]
 RP SEQUENCE OF 155-420 FROM N.A.
 RX MEDLINE=94357449; PubMed=8076831;
 RA Perry M.D., Aujame L., Shtang S., Moran L.A.;
 RT "Structure and expression of an inducible HSP70-encoding gene from
 RT Mus musculus";
 RL Gene 146:273-278(1994).
 CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
 CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
 CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
 CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
 CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
 CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
 CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
 CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
 CC -1- INDUCTION: BY HEAT SHOCK.
 CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC
 CC EMBL; M12571; AAA57234.1; -
 CC HSP; P19120; 1A7R.
 CC MGI: 96244; Hsp70-3.
 CC InterPro: IPR001023; HSP70.
 CC Pfam: PF00012; HSP70; 1.
 CC PROSITE; PS00297; HSP70_1; PARTIAL.
 CC PROSITE; PS00329; HSP70_2; PARTIAL.
 CC PROSITE; PS01036; HSP70_3; 1.
 CC ATP-binding; Chaperone; Heat shock; Multigene family.
 KW NON-TER 188 1
 FT VARIANT 188 188 V -> G.
 SQ SEQUENCE 420 AA; 46292 MW; 5DA1C6155C7B16B5 CRC64;
 Query Match 91.3%; Score 42; DB 1; Length 420;
 Best Local Similarity 88.9%; Pred. No. 0.51; Indels 0; Gaps 0;
 Matches 8; Conservative 0; Mismatches 1;
 QY 1 SLFEGIDY 9
 DB 65 SLFEGIDY 73
 RESULT 3
 ID HS70_PENCI STANDARD; PRT; 503 AA.
 AC Q92260;
 DT 20-AUG-2001 (Rel. 40, Created)
 DT 20-AUG-2001 (Rel. 40, Last sequence update)

DT 20-AUG-2001 (Rel. 40, Last annotation update)
 DE HEAT SHOCK 70 KDA PROTEIN (ALLERGEN PEN C 19) (FRAGMENT).
 GN HSP70.
 OS Penicillium citrinum.
 OC Eukaryota; Fungi; Ascomycota; Pezizomycotina; Eurotiomycetes;
 OC Eutotiales; Trichocomaceae; mitosporic Trichocomaceae; Penicillium.
 OX NCBI_TaxID=5077;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Shen H.D., Au L.C., Lin W.L., Liaw S.F., Tsai J.J., Han S.H.;
 RT "Molecular cloning and expression of a Penicillium citrinum
 RT allergen with sequence homology and antigenic cross-reactivity to
 RT a hsp70 human heat shock protein";
 RL Submitted (JUL-1996) to the EMBL/Genbank/DBJ databases.
 CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC
 CC EMBL; U64207; AAB06397.1; -
 CC HSP; P19120; 3HSC.
 CC InterPro: IPR001023; HSP70.
 CC Pfam: PF00012; HSP70; 1.
 CC PRINTS; PR00301; HEATSHOCK70.
 CC PROSITE; PS00329; HSP70_2; 1.
 CC PROSITE; PS01036; HSP70_3; 1.
 CC ATP-binding; Chaperone; Heat shock; Allergen.
 KW NON-TER 1
 FT SEQUENCE 503 AA; 55125 MW; B7433C11FAE1320 CRC64;
 Query Match 91.3%; Score 42; DB 1; Length 503;
 Best Local Similarity 88.9%; Pred. No. 0.62; Indels 0; Gaps 0;
 Matches 8; Conservative 0; Mismatches 1;
 QY 1 SLFEGIDY 9
 DB 154 SLFEGIDY 162
 RESULT 4
 ID HS70_CHICK STANDARD; PRT; 634 AA.
 AC P08106;
 DT 01-AUG-1988 (Rel. 08, Created)
 DT 01-AUG-1988 (Rel. 08, Last sequence update)
 DT 01-FEB-1994 (Rel. 28, Last annotation update)
 DE HEAT SHOCK 70 KDA PROTEIN (HSP70).
 OS Gallus gallus (Chicken).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;
 OX NCBI_TaxID=9031;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=86304452; PubMed=3017985;
 RA Morimoto R.I., Hunt C., Huang S.-Y., Berg K.L., Banerji S.S.;
 RT "Organization, nucleotide sequence, and transcription of the chicken
 RT HSP70 gene";
 RL J. Biol. Chem. 261:12692-12699(1986).
 CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>

or send an email to license@isb-sib.ch).

```
CC -----
CC EMBL: J02579; AAA48825.1; -.
CC PIR: A25646; A25646.
CC HSP; P19120; IATP.
CC InterPro; IPR001023; HSP70.
CC Pfam; PF00012; HSP70; 1.
CC PRINTS; PR00301; HEATSHOCK70.
CC PROSITE; PS00297; HSP70_1; 1.
CC PROSITE; PS00329; HSP70_2; 1.
CC PROSITE; PS01036; HSP70_3; 1.
CC ATP-binding; Heat shock; Multigene family.
KW SEQUENCE 634 AA; 69750 MW; 4270F7F08D365AEB CRC64;
SQ -----

Query Match 91.3%; Score 42; DB 1; Length 634;
Best Local Similarity 88.9%; Pred. No. 0.79;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDYIY 9
Db 289 SLFEGIDFY 297

RESULT 5
HS7L_CERAE
ID HS7L_CERAE STANDARD; PRT; 638 AA.
AC Q28222;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1.
GN HSPAL.
OS Cercopithecus aethiops (Green monkey) (Grivet).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Cercopithecidae;
OC Cercopithecinae; Cercopithecus.
OX NCBI_TaxID=9534;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Kidney;
RX MEDLINE=95080396; PubMed=7986960;
RA Sainis I., Angelidis C., Pagoulatos G., Lazaridis I.;
RT "The hsc70 gene which is slightly induced by heat is the main virus
RT inducible member of the hsp70 gene family.";
RL FEBS Lett. 355:282-286(1994).
CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC OF NEWLY TRANSLATED PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
CC OF RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR
CC PROTEIN TRANSLLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION
CC PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE
CC CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE
CC SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES
CC DURING TRANSLATION AND MEMBRANE TRANSLOCATION, OR FOLLOWING
CC STRESS-INDUCED DAMAGE.
CC -!- INDUCTION: BY HEAT SHOCK.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
```

```
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
SQ SEQUENCE 638 AA; 69920 MW; D55076A0FFAB6AB3 CRC64;

Query Match 91.3%; Score 42; DB 1; Length 638;
Best Local Similarity 88.9%; Pred. No. 0.79;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDYIY 9
Db 284 SLFEGIDFY 292

RESULT 6
HS72_YEAST
ID HS72_YEAST STANDARD; PRT; 638 AA.
AC P10592;
DT 01-JUL-1989 (Rel. 11, Created)
DT 01-OCT-1994 (Rel. 30, Last sequence update)
DT 01-OCT-1996 (Rel. 34, Last annotation update)
DE HEAT SHOCK PROTEIN SSA2.
GN SSA2 OR YLL024C OR L0931.
OS Saccharomyces cerevisiae (Baker's yeast).
OC Eukaryota; Fungi; Ascomycota; Saccharomycotina; Saccharomycetes;
OC Saccharomycetales; Saccharomycetaceae; Saccharomycetes.
OX NCBI_TaxID=4932;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=S288C;
RX MEDLINE=89128457; PubMed=2644626;
RA Slater M.R., Craig E.A.;
RT "The SSA1 and SSA2 genes of the yeast Saccharomyces cerevisiae.";
RL Nucleic Acids Res. 17:805-806(1989).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=S288C;
RA Purnelle B., Goffeau A.;
RL Submitted (APR-1996) to the EMBL/GenBank/DDBJ databases.
RN [3]
RP SEQUENCE OF 71-638 FROM N.A.
RA Dueterhoeft A., Floeth M., Heuss-Neitzel D., Hilbert H., Moestl D.;
RL Submitted (MAY-1996) to the EMBL/GenBank/DDBJ databases.
RN [4]
RP SEQUENCE OF 91-97 AND 325-341.
RC STRAIN=S288C;
RX MEDLINE=95203288; PubMed=7895733;
RA Garrels J.I., Fitcher B., Kobayashi R., Latter G.I., Schwender B.,
RA Volpe T., Warner J.R., McLaughlin C.S.;
RT "Protein identifications for a Saccharomyces cerevisiae protein
RT database.";
RL Electrophoresis 15:1466-1486(1994).
RN [5]
RP SEQUENCE OF 186-195.
RC STRAIN=ATCC 38531 / Y41;
RX MEDLINE=97089742; PubMed=89356550;
RA Norbeck J., Blomberg A.;
RT "Protein expression during exponential growth in 0.7 M NaCl medium of
RT Saccharomyces cerevisiae.";
RL FEMS Microbiol. Lett. 137:1-8(1996).
RN [6]
RP ACETYLATION, AND PHOSPHORYLATION.
RA Garrels J.I., Fitcher B., Kobayashi R., Latter G.I., Schwender B.,
RA Volpe T., Warner J.R., McLaughlin C.S.;
RL Submitted (SEP-1994) to the SWISS-PROT data bank.
CC -!- FUNCTION: SSA2 MAY PLAY A ROLE IN THE TRANSPORT OF POLYPEPTIDES
CC BOTH ACROSS THE MITOCHONDRIAL MEMBRANES AND INTO THE
CC ENDOPLASMATIC RETICULUM. A FUNCTIONAL DIFFERENCE BETWEEN YEAST
CC SSA1 AND SSA2 PROTEINS IS EXPECTED. SSA2 CAN PARTICIPATE IN THE
CC ATP-DEPENDENT DISASSEMBLY OF CLATHRIN-COATED VESICLES.
CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
```

```

CC -1- PTM: PHOSPHORYLATED.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; X12927; CAA31394.1; -.
CC EMBL; Z73129; CAA97472.1; -.
CC EMBL; X97560; CAA66167.1; -.
CC PIR; S20139; S20139.
CC HSSP; P19120; INGI.
CC SWISS-2DPAGE; P10592; YEAST.
CC YEPD; 9800; -.
CC SGD; S0003947; SSA2.
CC InterPro; IPR001023; HSP70.
CC PRINTS; PR00301; HEATSHOCK70.
CC PROSITE; PS00297; HSP70_1; 1.
CC PROSITE; PS00329; HSP70_2; 1.
CC PROSITE; PS01036; HSP70_3; 1.
CC Heat shock; ATP-binding; Multigene family; Acetylation;
CC Phosphorylation.
CC INIT-MET 0 0
CC MOD_RES 1 1 ACETYLTATION.
CC SEQUENCE 638 AA; 69338 MW; 23BDDDD120C194912 CRC64;

Query Match 91.3%; Score 42; DB 1; Length 638;
Best Local Similarity 88.9%; Pred. NO. 0.79;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDYI 9
Db 282 SLFEGIDFY 290
|||||||

RESULT 7
HS74_PARLI STANDARD; PRT; 639 AA.
AC Q06248;
DT 01-JUN-1994 (Rel. 29, Created)
DT 01-JUN-1994 (Rel. 29, Last sequence update)
DT 01-JUN-1994 (Rel. 29, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN IV (HSP70 IV).
GN HSP70IV.
OS Paracentrotus lividus (Common sea urchin).
OC Eukaryota; Metazoa; Echinodermata; Eleutherozoa; Echinozoa;
OC Echinoidea; Euechinoidea; Echinacea; Echinoida; Echinidae;
OC Paracentrotus.
OX NCBI_TaxID=7656;
[1]
RN SEQUENCE FROM N.A.
RP MEDLINE=93077053; PubMed=1339375;
RX Sconzo G., Scardina G., Ferraro M.G.;
RT "Characterization of a new member of the sea urchin Paracentrotus
RT lividus hsp70 gene family and its expression."
RL Gene 121:353-358(1992).
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; X61379; CAA43653.1; -.

```

```

DR PIR; JC1391; JC1391.
DR HSSP; P19120; INGI.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
DR ATP-binding; Heat shock; Multigene family.
KW SEQUENCE 639 AA; 69749 MW; 40E2F29570808DCC CRC64;

Query Match 91.3%; Score 42; DB 1; Length 639;
Best Local Similarity 88.9%; Pred. NO. 0.79;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDYI 9
Db 286 SLFEGIDFY 294
|||||||

RESULT 8
HS7A_CAEEL STANDARD; PRT; 640 AA.
ID HS7A_CAEEL
AC P09446;
DT 01-MAR-1989 (Rel. 10, Created)
DT 01-MAR-1989 (Rel. 10, Last sequence update)
DT 01-FEB-1994 (Rel. 28, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN A.
GN HSP-1/OR HSP70A.
OS Caenorhabditis elegans.
OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidea;
OC Rhabditidae; Peloderinae; Caenorhabditis.
OX NCBI_TaxID=6239;
[1]
RN SEQUENCE FROM N.A.
RP MEDLINE=88297155; PubMed=2841196;
RX Snutch T.P., Heschl M.F.P., Baillie D.L.;
RT "The Caenorhabditis elegans hsp70 gene family: a molecular genetic
RT characterization."
RL Gene 64:241-255(1988).
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; M18540; AAA28078.1; -.
CC PIR; JTO285; HHKW7A.
CC HSSP; P19120; INGI.
CC InterPro; IPR001023; HSP70.
CC Pfam; PF00012; HSP70; 1.
CC PRINTS; PR00301; HEATSHOCK70.
CC PROSITE; PS00297; HSP70_1; 1.
CC PROSITE; PS00329; HSP70_2; 1.
CC PROSITE; PS01036; HSP70_3; 1.
CC ATP-binding; Heat shock; Multigene family.
KW SEQUENCE 640 AA; 69823 MW; ED15409D06C500C2 CRC64;

Query Match 91.3%; Score 42; DB 1; Length 640;
Best Local Similarity 88.9%; Pred. NO. 0.8;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDYI 9
Db 287 SLFEGIDFY 295
|||||||

```

```
RESULT 9
ID HS7C_DICDI STANDARD; PRT; 640 AA.
AC P36415;
DT 01-JUN-1994 (Rel. 29, Created)
DT 01-JUN-1994 (Rel. 29, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HEAT SHOCK COGNATE PROTEIN (AGINACTIN).
GN HSPB OR HSC70.
OS Dictyostelium discoideum (Slime mold).
OC Eukaryota; Mycetozoa; Dictyosteliida; Dictyostelium.
OX NCBI_TaxID=44689;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=AX3;
RX MEDLINE=94008983; PubMed=8404847;
RA Haus U., Trommler P., Fisher P.R., Hartmann H., Lottspeich F.,
RA Noegel A.A., Schleicher M.;
RT "The heat shock cognate protein from Dictyostelium affects actin
RT polymerization through interaction with the actin-binding protein
RT cap32/34."
RL EMBO J. 12:3763-3771(1993).
RN [2]
RP SEQUENCE FROM N.A., AND SEQUENCE OF 34-46; 102-106 AND 298-309.
RC STRAIN=AX3;
RX MEDLINE=94043116; PubMed=8226849;
RA Eddy R.J., Sauterer R.A., Condeelis J.S.;
RT "Aginactin, an agonist-regulated F-actin capping activity is
RT associated with an Hsc70 in Dictyostelium."
RL J. Biol. Chem. 268:23267-23274(1993).
CC -!- FUNCTION: AFFECTS ACTIN POLYMERIZATION THROUGH INTERACTION WITH
CC THE ACTIN-BINDING PROTEIN CAP32/34. ACTS AS A CHAPERONE BY
CC STIMULATING THE REFOLDING OF DENATURATED CAP32 AND CAP34.
CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC. FOUND IN F-ACTIN-RICH REGIONS
CC OF THE CELL CORTEX AND CELL PROTRUSIONS.
CC -!- DEVELOPMENTAL STAGE: HEAT SHOCK COGNATE PROTEINS ARE EXPRESSED
CC CONSTITUTIVELY DURING NORMAL DEVELOPMENT.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; X75263; CAA53039.1; -.
DR EMBL; L22736; AAA33219.1; -.
DR PIR; S37394; S37394.
DR HSP; P19120; INGJ.
DR SWISS-2DPAGE; P36415; DICTY.
DR DictyDb; DDO1078; HSPB.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
DR ATP-binding; Chaperone.
KW CONFLICT 1 29
FT FT
FT IHHHNGNATVWVSGPVSEVLSEN (IN REF. 2).
FT N -> T (IN REF. 2).
FT V -> A (IN REF. 2).
FT R -> A (IN REF. 2).
FT S -> A (IN REF. 2).
FT V -> A (IN REF. 2).
FT I -> L (IN REF. 2).
FT F -> P (IN REF. 2).
FT MESSIGIDLTGYSCVGMQNDREVIAND ->
FT CONFLICT 1 29
FT FT
FT CONFLICT 32 32
FT CONFLICT 64 64
FT CONFLICT 180 180
FT CONFLICT 237 237
FT CONFLICT 240 240
FT CONFLICT 341 341
FT CONFLICT 352 352
FT SEQUENCE 640 AA; 70499 MW; 2E6BDC2DB96A9F5D CRC64;
FT FT
FT QUERY MATCH 91.3%; Score 42; DB 1; Length 640;
SQ
```

Best Local Similarity 88.9%; Pred. No. 0.8;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLPEGIDYIY 9
| | | | | | | |
DB 284 SLPEGIDFY 292

RESULT 10
HS7L_BOVIN
ID HS7L_BOVIN STANDARD; PRT; 641 AA.
AC Q27975; Q27964;
DT 01-NOV-1997 (Rel. 35, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70-1).
GN HSP70-1.
OS Bos taurus (Bovine).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovidae;
OC Bovidae; Bovinae; Bos.
OX NCBI_TaxID=9913;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Skeletal muscle;
RX MEDLINE=95126904; PubMed=7826329;
RA Gutierrez J.A., Guerrero V.;
RT "Chemical modifications of a recombinant bovine stress-inducible 70
RT kDa heat-shock protein (Hsp70) mimics Hsp70 isoforms from tissues.";
RL Biochem. J. 305:197-203(1995).
RN [2]
RP SEQUENCE OF 212-641 FROM N.A.
RC STRAIN=ANGUS;
RX MEDLINE=95030563; PubMed=7943958;
RA Grosz M.D., Skow L.C., Stone R.T.;
RT "An AluI polymorphism at the bovine 70 kD heat-shock protein-1
RT (HSP70-1) locus.";
RL Anim. Genet. 25:196-196(1994).
CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDIANE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC
CC RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR
CC PROTEIN TRANSLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION
CC PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE
CC PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE
CC CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE
CC SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES
CC DURING TRANSLATION AND MEMBRANE TRANSLOCATION, OR FOLLOWING
CC STRESS-INDUCED DAMAGE.
CC -!- INDUCTION: BY HEAT SHOCK.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; U09861; AAA73914.1; -.
DR EMBL; U02891; AAA03450.1; -.
DR HSP; P19120; INGC.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
DR ATP-binding; Chaperone; Heat shock; Multigene family.
KW SEQUENCE 641 AA; 70250 MW; 6D548263E98780F9 CRC64;
SQ

```

Query Match          91.3%; Score 42; DB 1; Length 641;
Best Local Similarity 88.9%; Pred. No. 0.8;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIY 9
Db 286 SLFEGIDFY 294

RESULT 11
HS71_HUMAN STANDARD; PRT; 641 AA.
AC P08107; P19790; Q9UQMO; Q9UQL9;
DT 01-AUG-1988 (Rel. 08, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70.1) (HSP70-1/HSP70-2).
GN (HSPA1A OR HSPA1) AND HSPA1B.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Homnidae; Homo.
OC NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=91055806; PubMed=1700760;
RA Milner C.M., Campbell R.D.;
RT "Structure and expression of the three MHC-linked HSP70 genes.";
RL Immunogenetics 32:242-251(1990).
[2]
RP SEQUENCE FROM N.A.
RX MEDLINE=86016721; PubMed=3931075;
RA Hunt C., Morimoto R.I.;
RT "Conserved features of eukaryotic hsp70 genes revealed by comparison with the nucleotide sequence of human hsp70.";
RL Proc. Natl. Acad. Sci. U.S.A. 82:6455-6459(1985).
[3]
RP SEQUENCE FROM N.A. (HSPA1A AND HSPA1B).
RA Rowen L., Qin S., Madan A., Dickhoff R., Dors M., Madan A., Hicks P.,
RA Loretz C., Ratcliffe A., Abbasi N., Shaffer T., Hood L.;
RT "Sequence of the human major histocompatibility complex class III region.";
RL Submitted (MAR-1999) to the EMBL/GenBank/DBJ databases.
[4]
RP SEQUENCE OF 1-36 AND 360-424 FROM N.A.
RX MEDLINE=89184548; PubMed=2538825;
RA Sargent C.A., Dunham I., Trowsdale J., Campbell R.D.;
RT "Human major histocompatibility complex contains genes for the major heat shock protein HSP70.";
RL Proc. Natl. Acad. Sci. U.S.A. 86:1968-1972(1989).
[5]
RP SEQUENCE OF 1-22 AND 618-641 FROM N.A.
RX MEDLINE=87066768; PubMed=3786141;
RA Drabant B., Genthe A., Benecke B.-J.;
RT "In vitro transcription of a human hsp 70 heat shock gene by extracts prepared from heat-shocked and non-heat-shocked human cells.";
RL Nucleic Acids Res. 14:8933-8949(1986).
[6]
RP X-RAY CRYSTALLOGRAPHY (2.3 ANGSTROMS) OF 1-382.
RX MEDLINE=99234376; PubMed=10216320;
RA Osipiuk J., Walsh M.A., Freeman B.C., Morimoto R.I., Joachimiak A.;
RT "Structure of a new crystal form of human hsp70 ATPase domain.";
RL Acta Crystallogr. D 55:1105-1107(1999).
-1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR PROTEIN TRANSLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES

```

```

CC DURING TRANSLATION AND MEMBRANE TRANSLOCATION, OR FOLLOWING
CC STRESS-INDUCED DAMAGE.
CC -!- INDUCTION: BY HEAT SHOCK.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@sib-sib.ch).
CC
CC EMBL; M59828; AAA63226.1; -
CC EMBL; M59830; AAA63227.1; -
CC EMBL; AF134726; AAD21816.1; -
CC EMBL; AF134726; AAD21815.1; -
CC EMBL; M11717; AAA52697.1; -
CC EMBL; M24743; AAA59844.1; -
CC EMBL; M24744; AAA59845.1; -
CC EMBL; X04676; CAA28381.1; -
CC EMBL; X04677; CAA28382.1; -
CC PIR; A29160; A29160.
CC PIR; A45871; A45871.
CC PIR; A25773; A25773.
CC PDB; 1HJO; 21-OCT-98.
CC SWISS-2DPAGE; P08107; HUMAN.
CC MIM; 140550; -
CC MIM; 603012; -
CC InterPro: IPR001023; HSP70.
CC Pfam: PF00012; HSP70; 1.
CC PRINTS; PR00301; HEATSHOCK70.
CC PROSITE; PS00329; HSP70_1; 1.
CC PROSITE; PS00329; HSP70_2; 1.
CC PROSITE; PS01036; HSP70_3; 1.
CC ATP-binding; Chaperone; Heat shock; Multigene family; MHC III;
CC 3D-structure. 7 7 I -> V (IN REF. 2).
CC CONFLICT 110 110 E -> D (IN REF. 3; AAD21816).
CC CONFLICT 370 370 A -> G (IN REF. 2).
CC CONFLICT 469 469 MISSING (IN REF. 2).
CC CONFLICT 499 499 N -> S (IN REF. 3; AAD21815).
CC SEQUENCE 641 AA; 70052 MW; 78F513118C96DE66 CRC64;

Query Match          91.3%; Score 42; DB 1; Length 641;
Best Local Similarity 88.9%; Pred. No. 0.8;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIY 9
Db 286 SLFEGIDFY 294

RESULT 12
HS71_MOUSE STANDARD; PRT; 641 AA.
AC P17879; Q61689;
DT 01-AUG-1990 (Rel. 15, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70.1) (HSP70-1/HSP70-2).
GN HSPAL OR HSP70A1 OR HSP70-1 OR HCP70.1.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OC NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=90236310; PubMed=2332169;
RA Hunt C., Calderwood S.;
RT "Characterization and sequence of a mouse hsp70 gene and its
RT expression in mouse cell lines.";

```

```

RL Gene 87:199-204(1990).
RN [2]
RP SEQUENCE FROM N.A.
RC TISSUE=Liver;
RX MEDLINE=94357449; PubMed=8076831;
RA Perry M.D., Aujame L., Shtang S., Moran L.A.;
RT "Structure and expression of an inducible Hsp70-encoding gene from
RT Mus musculus.";
RL Gene 146:273-278(1994).
CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; M69100; -; NOT_ANNOTATED_CDS.
CC PIR; S35718; S35718.
CC HSP70; P19120; INGC.
CC InterPro: IPR001023; HSP70.
CC Pfam; PF00012; HSP70; 1.
CC PRINTS; PR00301; HEATSHOCK70.
CC PROSITE; PS00297; HSP70_1; 1.
CC PROSITE; PS00329; HSP70_2; 1.
CC PROSITE; PS01036; HSP70_3; 1.
CC ATP-binding; Chaperone; Heat shock; Multigene family.
CC KW SEQUENCE 641 AA; 69994 MW; 41475360F6749F2F CRC64;
CC
CC Query Match 91.3%; Score 42; DB 1; Length 641;
CC Best Local Similarity 88.9%; Pred. No. 0.8;
CC Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
CC
CC QY 1 SLFEGIDIY 9
CC Db 286 SLFEGIDFY 294
CC
CC RESULT 13
CC HS7L_PIG STANDARD; PRT; 641 AA.
CC AC P34930;
CC DT 01-FEB-1994 (Rel. 28, Created)
CC DT 01-FEB-1994 (Rel. 28, Last sequence update)
CC DT 01-NOV-1997 (Rel. 35, Last annotation update)
CC DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70.1).
CC GN HSPAL.
CC OS Sus scrofa (Pig).
CC OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
CC OC Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.
CC OX NCBI_TaxID=9823;
CC RN [1]
CC RP SEQUENCE FROM N.A.
CC RX MEDLINE=92175874; PubMed=1339404;
CC RA Feelman L.J., de Weghe A.R., Coppieters W.R., van Zeveren A.J.,
CC RA Bouquet Y.H.;
CC RT "Complete nucleotide sequence of a porcine HSP70 gene.";
CC RT Immunogenetics 35:286-289(1992).
CC
CC Query Match 91.3%; Score 42; DB 1; Length 641;
CC Best Local Similarity 88.9%; Pred. No. 0.8;
CC Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
CC
CC QY 1 SLFEGIDIY 9
CC Db 286 SLFEGIDFY 294
CC
CC RESULT 14
CC HS7L_RAT STANDARD; PRT; 641 AA.
CC AC Q07439; P42853;
CC DT 01-FEB-1995 (Rel. 31, Created)
CC DT 01-FEB-1995 (Rel. 31, Last sequence update)
CC DT 01-NOV-1997 (Rel. 35, Last annotation update)
CC DE HEAT SHOCK 70 KDA PROTEIN 1/2 (HSP70.1/2).
CC GN HSP70-1 AND HSP70-2.
CC OS Rattus norvegicus (Rat).
CC OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
CC OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
CC OX NCBI_TaxID=10116;
CC RN [1]
CC RP SEQUENCE FROM N.A.
CC RC TISSUE=Brain;
CC RX MEDLINE=94096443; PubMed=8271311;
CC RA Longo F.M., Wang S., Narasimhan P., Zhang J.S., Chen J.,
CC RA Massa S.M., Sharp F.R.;
CC RT "cDNA cloning and expression of stress-inducible rat hsp70 in normal
CC RT and injured rat brain.";
CC RL J. Neurosci. Res. 36:325-335(1993).
CC RN [2]
CC RP SEQUENCE FROM N.A.
CC RC STRAIN=LEW.1W/GUN;
CC RX MEDLINE=95012453; PubMed=7927536;
CC RA Walter L., Rauh F., Guenther E.;
CC RT "Comparative analysis of the three major histocompatibility complex-
CC RT linked heat shock protein 70 (Hsp70) genes of the rat.";
CC RL Immunogenetics 40:325-330(1994).
CC RN [3]
CC RP SEQUENCE FROM N.A.
CC RC STRAIN=SPRAGUE-DAWLEY; TISSUE=Liver;

```

```

RX MEDLINE-94368874; PubMed=8086479;
RA Lisowska K., Krawczyk Z., Wlidlak W., Wolnicz P., Wisniewski J.;
RT "Cloning, nucleotide sequence and expression of rat heat inducible
RL hsp70 gene.";
RC Biochim. Biophys. Acta 1219:64-72(1994).
CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDIANE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC -!- INDUCTION: BY HEAT SHOCK.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement. (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; L16764; AAA17441.1; -
CC EMBL; X77208; CAA54423.1; -
CC EMBL; X77207; CAA54422.1; -
CC EMBL; X74271; CAA52328.1; -
CC HSPSP; P19120; INGC.
CC InterPro; IPR001023; HSP70.
CC Pfam; PF00012; HSP70; 1.
CC PRINTS; PR00301; HEATSHOCK70.
CC PROSITE; PS00297; HSP70_1; 1.
CC PROSITE; PS00329; HSP70_2; 1.
CC PROSITE; PS01036; HSP70_3; 1.
CC ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
CC CONFLICT 71 72 KR -> NG (IN REF. 3).
CC CONFLICT 227 227 D -> H (IN REF. 2 AND 3).
CC CONFLICT 408 408 G -> A (IN REF. 3).
CC SEQUENCE 641 AA; 70163 MW; D02D96751C868583 CRC64;
CC
CC Query Match 91.3%; Score 42; DB 1; Length 641;
CC Best Local Similarity 88.9%; Pred. No. 0.8;
CC Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
CC
CC Qy 1 SLFEGIDY 9
CC
CC Db 286 SLFEGIDFY 294
CC
CC RESULT 15
CC HS71_YEAST
CC ID HS71_YEAST STANDARD; PRT; 641 AA.
CC AC P10591;
CC DT 01-JUL-1989 (Rel. 11, Created)
CC DT 01-OCT-1994 (Rel. 30, Last sequence update)
CC DT 01-OCT-1996 (Rel. 34, Last annotation update)
CC DE HEAT SHOCK PROTEIN SSAL (HEAT SHOCK PROTEIN YG100).
CC GN SSAL OR YAL005C.
CC OS Saccharomyces cerevisiae (Baker's yeast).
CC OC Eukaryota; Fungi; Ascomycota; Saccharomycotina; Saccharomycetes;
CC CC Saccharomycetales; Saccharomycetaceae; Saccharomyces.
CC OX NCBI_TaxID=4932;
CC RN [1]
CC RP SEQUENCE FROM N.A.
CC RC STRAIN-S288C;
CC RX MEDLINE-89128457; PubMed=2644626;
CC RA Slater M.R., Craig E.A.;
CC RT "The SSAL and SSA2 genes of the yeast Saccharomyces cerevisiae.";
CC RL Nucleic Acids Res. 17:805-806(1989).
CC RN [2]
CC RP -SEQUENCE FROM N.A.

```

```

RC STRAIN-S288C / AB972;
RX MEDLINE-95028152; PubMed=79411740;
RA Clark M.W., Keng T., Storms R.K., Zhong W., Fortin N., Zeng B.,
RT Delaney S., Ouellette B.F., Barton A.B., Kaback D.B., Bussey H.;
CC "Sequencing of chromosome I of Saccharomyces cerevisiae: analysis of
CC the 42 kbp SP07-CENT-CDL15 region.";
CC Yeast 10:535-541(1994).
CC [3]
CC SEQUENCE OF 590-641 FROM N.A.
CC RP MEDLINE-85087943; PubMed=6096826;
CC RA Ogden R.C., Lee M.-C., Knapp G.;
CC RT "Transfer RNA splicing in Saccharomyces cerevisiae: defining the
CC substrates.";
CC RL Nucleic Acids Res. 12:9367-9382(1984).
CC [4]
CC RP REVISIONS TO 207; 417 AND 421.
CC Slater M.R.;
CC Submitted (JUN-1993) to the EMBL/GenBank/DBJ databases.
CC [5]
CC SEQUENCE OF 91-97 AND 325-341.
CC STRAIN-S288C;
CC MEDLINE-95203288; PubMed=7895733;
CC RA Garrels J.I., Futcher B., Kobayashi R., Latter G.I., Schwender B.,
CC Volpe T., Warner J.R., McLaughlin C.S.;
CC "Protein identifications for a Saccharomyces cerevisiae protein
CC database.";
CC RL Electrophoresis 15:1466-1486(1994).
CC [6]
CC SEQUENCE OF 186-195.
CC STRAIN-ATCC 38531 / Y41;
CC MEDLINE-97089742; PubMed=8935650;
CC RA Norbeck J., Blomberg A.;
CC "Protein expression during exponential growth in 0.7 M NaCl medium of
CC Saccharomyces cerevisiae.";
CC RL FEMS Microbiol. Lett. 137:1-8(1996).
CC [7]
CC ACETYLATION.
CC Garrels J.I., Futcher B., Kobayashi R., Latter G.I., Schwender B.,
CC Volpe T., Warner J.R., McLaughlin C.S.;
CC Submitted (SEP-1994) to the SWISS-PROT data bank.
CC -!- FUNCTION: SSAL MAY PLAY A ROLE IN THE TRANSPORT OF POLYPEPTIDES
CC BOTH ACROSS THE MITOCHONDRIAL MEMBRANES AND INTO THE
CC ENDOPLASMATIC RETICULUM. A FUNCTIONAL DIFFERENCE BETWEEN YEAST
CC SSAL AND SSA2 PROTEINS IS EXPECTED. SSAL CAN PARTICIPATE IN THE
CC ATP-DEPENDENT DISASSEMBLY OF CLATHRIN-COATED VESICLES.
CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement. (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; X12926; CAA31393.1; -
CC EMBL; L22015; AAC04952.1; ALT_SEQ.
CC PIR; S25438; HHEBYA1.
CC PIR; S42164; S42164.
CC HSPSP; P19120; INTR.
CC SWISS-2DPAGE; P10591; YEAST.
CC YEPD; 9788; -.
CC SGD; S0000004; SSAL.
CC InterPro; IPR001023; HSP70.
CC Pfam; PF00012; HSP70; 1.
CC PRINTS; PR00301; HEATSHOCK70.
CC PROSITE; PS00297; HSP70_1; 1.
CC PROSITE; PS00329; HSP70_2; 1.
CC PROSITE; PS01036; HSP70_3; 1.
CC Heat shock; ATP-binding; Multigene family; Acetylation.
CC INIT_MET 0 0
CC MOD_RES 1 1 ACETYLATION.
CC FT

```


SQ SEQUENCE 641 AA; 69526 MW; FA9389BAE9B1D7DA CRC64;

Query Match 91.3%; Score 42; DB 1; Length 641;
Best Local Similarity 88.9%; Pred. No. 0.8;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 SLFEGIDIY 9
| | | | | | |
Db 282 SLFEGIDFY 290

Search completed: December 6, 2001, 08:00:50
Job time: 418 sec

THIS PAGE BLANK (uspto)

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:53:52 ; Search time 170.25 Seconds
(without alignments)
7.732 Million cell updates/sec

Title: US-09-673-795-1
Perfect score: 46
Sequence: 1 SLFEGIDY 9

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 473505 seqs, 146272329 residues

Total number of hits satisfying chosen parameters: 473505

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : SPTREMBL_17.*

1: sp.archaea.*
2: sp.bacteria.*
3: sp.fungi.*
4: sp.human.*
5: sp.invertebrate.*
6: sp.mammal.*
7: sp.mhc.*
8: sp.organelle.*
9: sp.phage.*
10: sp.plant.*
11: sp.rodent.*
12: sp.virus.*
13: sp.vertebrate.*
14: sp.unclassified.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	42	91.3	146	5 Q9U667	Q9U667 littorina p
2	42	91.3	153	5 Q9U670	Q9U670 littorina s
3	42	91.3	155	5 Q9U669	Q9U669 littorina s
4	42	91.3	157	5 Q9U665	Q9U665 littorina p
5	42	91.3	158	5 Q9U671	Q9U671 littorina s
6	42	91.3	158	5 Q9U668	Q9U668 littorina p
7	42	91.3	158	5 Q9U666	Q9U666 littorina p
8	42	91.3	220	5 P81159	P81159 aplysia cal
9	42	91.3	278	13 Q90520	Q90520 oncorhynch
10	42	91.3	367	13 Q98899	Q98899 fugu rubrip
11	42	91.3	455	11 Q63718	Q63718 rattus norv
12	42	91.3	467	5 O44350	O44350 chondrosia
13	42	91.3	467	5 O44352	O44352 petrobiona
14	42	91.3	467	5 Q9NJ92	Q9NJ92 guancha lac
15	42	91.3	468	5 O44349	O44349 funiculina
16	42	91.3	469	5 O44351	O44351 eunicella c
17	42	91.3	526	13 Q98897	Q98897 fugu rubrip
18	42	91.3	617	10 Q9C7X7	Q9C7X7 arabidopsis
19	42	91.3	628	5 Q93147	Q93147 botryllus s

20 42 91.3 629 5 Q93146 botryllus s
21 42 91.3 632 5 O15766 dictyosteli
22 42 91.3 639 13 Q98900 fugu rubrip
23 42 91.3 639 13 Q918F9 oryzias lat
24 42 91.3 640 5 Q93601 caenorhabdi
25 42 91.3 640 13 Q93240 paralichthy
26 42 91.3 641 11 O63256 rattus norv
27 42 91.3 641 11 Q9QWJ5 mus musculu
28 42 91.3 645 5 O96541 setaria dig
29 42 91.3 645 5 Q9NJ97 wuchereria
30 42 91.3 645 5 Q9NGK9 wuchereria
31 42 91.3 645 10 O48563 brassica na
32 42 91.3 647 3 O59855 schizosacch
33 42 91.3 647 10 Q41027 pisum sativ
34 42 91.3 650 5 Q9U777 stylophora
35 42 91.3 650 10 Q9ZS55 arabidopsis
36 42 91.3 650 10 Q9LHA8 arabidopsis
37 42 91.3 652 10 P93937 P93937 ascophyllum
38 42 91.3 653 5 Q94805 trichopiusi
39 42 91.3 659 5 Q9XZJ2 crassostrea
40 41 89.1 190 5 Q9U9B4 mytilus edu
41 41 89.1 221 5 P81157 aplysia cal
42 41 89.1 467 5 O44346 asbestoplum
43 41 89.1 467 5 O44347 petrosia fi
44 41 89.1 467 5 Q9GPM5 monosiga ov
45 41 89.1 639 13 O73922 oreochromis

ALIGNMENTS

RESULT 1
Q9U667 ID Q9U667 PRELIMINARY; PRT; 146 AA.
AC Q9U667;
DT 01-MAY-2000 (TREMBLrel. 13, Created)
DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)
DT 01-JUN-2001 (TREMBLrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina plena.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31219;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina."
RL Submitted (Oct-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191828; AAF12787.1;
DR HSSP; P19120; LBA1.
DR InterPro; IPR001023; HSP70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 146 146
SQ SEQUENCE 146 AA; 16607 MW; C3F3556A1AF438BB CRC64;

Query Match 91.3%; Score 42; DB 5; Length 146;
Best Local Similarity 88.9%; Pred. No. 1.2;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDY 9
Db 79 SLFEGIDY 87

RESULT 2
Q9U670 ID Q9U670 PRELIMINARY; PRT; 153 AA.
AC Q9U670;
DT 01-MAY-2000 (TREMBLrel. 13, Created)
DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)

DE 01-JUN-2001 (Tremblrel. 17, Last annotation update)
 GN HSC70.
 OS Littorina scutulata.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 OC Neotaeniolglossa; Littorinoidea; Littorinidae; Littorina.
 OX NCBI_TaxID=31221;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina.";
 RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF191825; AAF12784.1; -.
 DR HSSP; P19120; 1BA1.
 DR InterPro; IPR001023; HSP70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 1
 FT NON_TER 153
 SQ SEQUENCE 153 AA; 17352 MW; E29EE20C4CAF934D CRC64;

Query Match 91.3%; Score 42; DB 5; Length 153;
 Best Local Similarity 88.9%; Pred. No. 1.3;
 Matches 8; Conservative 0; Mismatches 1; Indels 1; Gaps 0;
 QY 1 SLFEGIDY 9
 | | | | | | | |
 Db 80 SLFEGIDFY 88

RESULT 3
 Q9U669 PRELIMINARY; PRT; 155 AA.
 AC Q9U669;
 DT 01-MAY-2000 (Tremblrel. 13, Created)
 DT 01-MAY-2000 (Tremblrel. 13, Last sequence update)
 DT 01-JUN-2001 (Tremblrel. 17, Last annotation update)
 DE HEAT-SHOCK PROTEIN (FRAGMENT).
 GN HSC70.
 OS Littorina scutulata.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 OC Neotaeniolglossa; Littorinoidea; Littorinidae; Littorina.
 OX NCBI_TaxID=31221;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina.";
 RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF191826; AAF12785.1; -.
 DR HSSP; P19120; 1BA1.
 DR InterPro; IPR001023; HSP70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 1
 FT NON_TER 155
 SQ SEQUENCE 155 AA; 17676 MW; C191F65B1F346C2 CRC64;

Query Match 91.3%; Score 42; DB 5; Length 155;
 Best Local Similarity 88.9%; Pred. No. 1.3;
 Matches 8; Conservative 0; Mismatches 1; Indels 1; Gaps 0;
 QY 1 SLFEGIDY 9
 | | | | | | | |
 Db 82 SLFEGIDFY 90

RESULT 4
 Q9U665 PRELIMINARY; PRT; 157 AA.
 AC Q9U665;
 DT 01-MAY-2000 (Tremblrel. 13, Created)
 DT 01-MAY-2000 (Tremblrel. 13, Last sequence update)
 DT 01-JUN-2001 (Tremblrel. 17, Last annotation update)

DE HEAT-SHOCK PROTEIN (FRAGMENT).
 GN HSC70.
 OS Littorina plena.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 OC Neotaeniolglossa; Littorinoidea; Littorinidae; Littorina.
 OX NCBI_TaxID=31219;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina.";
 RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF191830; AAF12789.1; -.
 DR HSSP; P19120; 1BA1.
 DR InterPro; IPR001023; HSP70.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 1
 FT NON_TER 157
 SQ SEQUENCE 157 AA; 17834 MW; E8F743382B285EB2 CRC64;

Query Match 91.3%; Score 42; DB 5; Length 157;
 Best Local Similarity 88.9%; Pred. No. 1.3;
 Matches 8; Conservative 0; Mismatches 1; Indels 1; Gaps 0;
 QY 1 SLFEGIDY 9
 | | | | | | | |
 Db 84 SLFEGIDFY 92

RESULT 5
 Q9U671 PRELIMINARY; PRT; 158 AA.
 AC Q9U671;
 DT 01-MAY-2000 (Tremblrel. 13, Created)
 DT 01-MAY-2000 (Tremblrel. 13, Last sequence update)
 DT 01-JUN-2001 (Tremblrel. 17, Last annotation update)
 DE HEAT-SHOCK PROTEIN (FRAGMENT).
 GN HSC70.
 OS Littorina scutulata.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 OC Neotaeniolglossa; Littorinoidea; Littorinidae; Littorina.
 OX NCBI_TaxID=31221;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina.";
 RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF191824; AAF12783.1; -.
 DR HSSP; P19120; 1BA1.
 DR InterPro; IPR001023; HSP70.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 1
 FT NON_TER 158
 SQ SEQUENCE 158 AA; 17887 MW; B41E5356A24CAD2F CRC64;

Query Match 91.3%; Score 42; DB 5; Length 158;
 Best Local Similarity 88.9%; Pred. No. 1.3;
 Matches 8; Conservative 0; Mismatches 1; Indels 1; Gaps 0;
 QY 1 SLFEGIDY 9
 | | | | | | | |
 Db 85 SLFEGIDFY 93

RESULT 6
 Q9U668 PRELIMINARY; PRT; 158 AA.
 AC Q9U668;
 DT 01-MAY-2000 (Tremblrel. 13, Created)
 DT 01-MAY-2000 (Tremblrel. 13, Last sequence update)

Query Match 91.3%; Score 42; DB 5; Length 158;
 Best Local Similarity 88.9%; Pred. No. 1.3;
 Matches 8; Conservative 0; Mismatches 1; Indels 1; Gaps 0;
 QY 1 SLFEGIDY 9
 | | | | | | | |
 Db 85 SLFEGIDFY 93

RESULT 6
 Q9U668 PRELIMINARY; PRT; 158 AA.
 AC Q9U668;
 DT 01-MAY-2000 (Tremblrel. 13, Created)
 DT 01-MAY-2000 (Tremblrel. 13, Last sequence update)

DT 01-JUN-2001 (TReMBLrel. 17, Last annotation update)
 DE HEAT-SHOCK PROTEIN (FRAGMENT).
 GN HSC70.
 OS Littorina plena.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 OC Neotaeniolossia; Littorinoidea; Littorinidae; Littorina.
 OX NCBI_TaxID=31219;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina.";
 RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF191827; AAF12786.1; -.
 DR HSP; P19120; 1BA1.
 DR InterPro; IPR001023; HSP70.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 1
 FT NON_TER 158 158
 SQ SEQUENCE 158 AA; 17868 MW; D2ECE71042EC44CB CRC64;

Query Match 91.3%; Score 42; DB 5; Length 158;
 Best Local Similarity 88.9%; Pred. No. 1.3;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 SLFEGIDYI 9
 Db ||||||| 93
 85 SLFEGIDFY 93

RESULT 7
 Q90666 PRELIMINARY; PRT; 158 AA.
 AC Q90666;
 DT 01-MAY-2000 (TReMBLrel. 13, Created)
 DT 01-MAY-2000 (TReMBLrel. 13, Last sequence update)
 DE 01-JUN-2001 (TReMBLrel. 17, Last annotation update)
 DE HEAT-SHOCK PROTEIN (FRAGMENT).
 GN HSC70.
 OS Littorina plena.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 OC Neotaeniolossia; Littorinoidea; Littorinidae; Littorina.
 OX NCBI_TaxID=31219;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina.";
 RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF191829; AAF12788.1; -.
 DR HSP; P19120; 1BA1.
 DR InterPro; IPR001023; HSP70.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 1
 FT NON_TER 158 158
 SQ SEQUENCE 158 AA; 17891 MW; B41E5356BCECAD2F CRC64;

Query Match 91.3%; Score 42; DB 5; Length 158;
 Best Local Similarity 88.9%; Pred. No. 1.3;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 SLFEGIDYI 9
 Db ||||||| 93
 85 SLFEGIDFY 93

RESULT 8
 P81159 PRELIMINARY; PRT; 220 AA.
 ID P81159
 AC P81159;
 DT 01-JUN-1998 (TReMBLrel. 06, Created)

DT 01-JUN-1998 (TReMBLrel. 06, Last sequence update)
 DT 01-JUN-2001 (TReMBLrel. 17, Last annotation update)
 DE HEAT-SHOCK COGNATE 71 KDA PROTEIN (FRAGMENT).
 GN HSC70.
 OS Aplysia californica (California sea hare).
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Opisthobranchia; Anaspidea;
 OC Aplysiidae; Aplysia.
 OX NCBI_TaxID=6500;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA MEDLINE-93077669; PubMed-1360013;
 RT Kuhl D., Kennedy T., Barzilai A., Kandel E.;
 RL "Long-term sensitization training in Aplysia leads to an increase in
 the expression of BiP, the major protein chaperon of the ER.";
 RL J. Cell Biol. 119:1069-1076(1992).
 CC -!- INDUCTION: CONSTITUTIVELY SYNTHESIZED IN A WIDE VARIETY OF CELLS.
 CC -!- SIMILARITY: BELONGS TO HEAT SHOCK PROTEIN 70 FAMILY.
 DR EMBL; Z15039; CAA78757.1; -.
 DR HSP; P19120; 1BA1.
 DR InterPro; IPR001023; HSP70.
 DR Pfam; PF00012; HSP70; 1.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS00329; HSP70_2; 1.
 DR PROSITE; PS01036; HSP70_3; 1.
 KW Heat shock; Multigene family.
 FT NON_TER 1
 FT NON_TER 220 220
 SQ SEQUENCE 220 AA; 24684 MW; FA8557F2BB85C37A CRC64;

Query Match 91.3%; Score 42; DB 5; Length 220;
 Best Local Similarity 88.9%; Pred. No. 2;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 SLFEGIDYI 9
 Db ||||||| 146
 138 SLFEGIDFY 146

RESULT 9
 Q90520 PRELIMINARY; PRT; 278 AA.
 ID Q90520;
 AC Q90520;
 DT 01-NOV-1996 (TReMBLrel. 01, Created)
 DT 01-NOV-1996 (TReMBLrel. 01, Last sequence update)
 DE 01-JUN-2001 (TReMBLrel. 17, Last annotation update)
 DE RAINBOW TROUT 70 KDA HEAT SHOCK PROTEIN (FRAGMENT).
 OS Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
 OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
 OX NCBI_TaxID=8022;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA MEDLINE-85036330; PubMed-6092938;
 RA Kothary R.K., Jones D., Candido E.P.M.;
 RT "70-Kilodalton heat shock polypeptides from rainbow trout:
 characterization of cDNA sequences.";
 RL Mol. Cell. Biol. 4:1785-1791(1984).
 DR EMBL; K02549; AAA49562.1; -.
 DR HSP; P08109; 1CKR.
 DR InterPro; IPR001023; HSP70.
 DR Pfam; PF00012; HSP70; 1.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS00329; HSP70_2; 1.
 DR PROSITE; PS01036; HSP70_3; 1.
 KW Heat shock; Multigene family.
 FT NON_TER 1
 FT NON_TER 278 278
 SQ SEQUENCE 278 AA; 30327 MW; E4C745DE5484C17A CRC64;

Query Match 91.3%; Score 42; DB 13; Length 278;

```
Best Local Similarity 88.9%; Pred. No. 2.6;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDYIY 9
Db 156 SLFEGIDFY 164

RESULT 10
Q98899 PRELIMINARY; PRT; 367 AA.
AC Q98899;
DT 01-FEB-1997 (TREMBlrel. 02, Created)
DT 01-FEB-1997 (TREMBlrel. 02, Last sequence update)
DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
DE 70 KDA HEAT SHOCK PROTEIN (FRAGMENT).
GN HSP70-3.
OS Fugu rubripes (Japanese pufferfish) (Takifugu rubripes).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
OC Acanthomorpha; Acanthopterygii; Percomorpha; Tetraodontiformes;
OC Tetraodontidae; Takifugu.
OX NCBI_TaxID=31033;
RN [1]
RP SEQUENCE FROM N.A.
RA Lim E.H.;
RL Submitted (OCT-1996) to the EMBL/GenBank/DBJ databases.
DR EMBL; Y08578; CAA69892.1; -.
DR HSP; P19120; 3HSC.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock. 367
FT NON_TER 367
SQ SEQUENCE 367 AA; 40405 MW; 8CD3DD8DF63EC2CA CRC64;

Query Match 91.3%; Score 42; DB 13; Length 367;
Best Local Similarity 88.9%; Pred. No. 3.6;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDYIY 9
Db 268 SLFEGIDFY 276

RESULT 11
Q63718 PRELIMINARY; PRT; 455 AA.
AC Q63718;
DT 01-NOV-1996 (TREMBlrel. 01, Created)
DT 01-NOV-1996 (TREMBlrel. 01, Last sequence update)
DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
DE HEAT SHOCK ROTEN 70 (FRAGMENT).
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX NCBI_TaxID=10116;
RN [1]
RP SEQUENCE FROM N.A.
RA Angeletti B., Passarelli F., Orru D., Pascale E., Butler R.H.,
RA D'Ambrosio E.;
RL Submitted (NOV-1993) to the EMBL/GenBank/DBJ databases.
DR EMBL; Z27118; CAA81642.1; -.
DR HSP; P08107; 1HJO.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock.

Best Local Similarity 88.9%; Score 42; DB 5; Length 467;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDYIY 9
Db 252 SLFEGIDFY 260

RESULT 13
Q44352 PRELIMINARY; PRT; 467 AA.
AC Q44352;
DT 01-JUN-1998 (TREMBlrel. 06, Created)
DT 01-JUN-1998 (TREMBlrel. 06, Last sequence update)
DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN HSP70 (FRAGMENT).
GN HSP70.
OS Petrobiona massilliana.
OC Eukaryota; Metazoa; Porifera; Calcareia; Calcaronea; Petrobionidae;
OC Petrobiona.
OX NCBI_TaxID=68578;
RN [1]
RP SEQUENCE FROM N.A.
RA Borchietlini C., Le Parco Y.;
RL Submitted (SEP-1997) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF026520; AAC05364.1; -.
DR HSP; P08109; 1CKR.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.

Query Match 91.3%; Score 42; DB 5; Length 467;
Best Local Similarity 88.9%; Pred. No. 4.8;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDYIY 9
Db 252 SLFEGIDFY 260

RESULT 13
Q44352 PRELIMINARY; PRT; 467 AA.
AC Q44352;
DT 01-JUN-1998 (TREMBlrel. 06, Created)
DT 01-JUN-1998 (TREMBlrel. 06, Last sequence update)
DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN HSP70 (FRAGMENT).
GN HSP70.
OS Petrobiona massilliana.
OC Eukaryota; Metazoa; Porifera; Calcareia; Calcaronea; Petrobionidae;
OC Petrobiona.
OX NCBI_TaxID=68578;
RN [1]
RP SEQUENCE FROM N.A.
RA Borchietlini C., Le Parco Y.;
RL Submitted (SEP-1997) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF026520; AAC05364.1; -.
DR HSP; P08109; 1CKR.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
```

DR PRINTS; PRO0301; HEATSHOCK70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 467
SQ SEQUENCE 467 AA; 51458 MW; 23EB28FFD1873DA6 CRC64;

Query Match 91.3%; Score 42; DB 5; Length 467;
Best Local Similarity 88.9%; Pred. No. 4.8;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDIY 9
|||||||
Db 252 SLFEGIDFY 260

RESULT 14

Q9NJ92
ID Q9NJ92 PRELIMINARY; PRT; 467 AA.

AC Q9NJ92;
DT 01-OCT-2000 (TRENBLrel. 15, Created)
DT 01-OCT-2000 (TRENBLrel. 15, Last sequence update)
DT 01-JUN-2001 (TRENBLrel. 17, Last annotation update)
DE HEAT SHOCK PROTEIN 70 (FRAGMENT).
OS Guancha lacunosa.
OC Eukaryota; Metazoa; Porifera; Calcarea; Clathrinida;
OC Clathrinidae; Guancha.
OX NCBI_TaxID=115120;

RN [1]
RP SEQUENCE FROM N.A.
RA Borchelli C., Le Parco Y.;
RT "Sponges paraphyly and the origin of Metazoa."
RL Submitted (SEP-1999) to the EMBL/GenBank/DDBJ databases.
DR EMBL; AF182195; AAF61297.1; -.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PRO0301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 467
SQ SEQUENCE 467 AA; 51318 MW; F36FC06CBIDEI131 CRC64;

Query Match 91.3%; Score 42; DB 5; Length 467;
Best Local Similarity 88.9%; Pred. No. 4.8;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDIY 9
|||||||
Db 252 SLFEGIDFY 260

RESULT 15

O44349
ID O44349 PRELIMINARY; PRT; 468 AA.

AC O44349;
DT 01-JUN-1998 (TRENBLrel. 06, Created)
DT 01-JUN-1998 (TRENBLrel. 06, Last sequence update)
DT 01-JUN-2001 (TRENBLrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN HSP70 (FRAGMENT).
GN HSP70.
OS Funiculina quadrangularis.
OC Eukaryota; Metazoa; Chldaria; Anthozoa; Alcyonaria; Funiculinidae;
OC Funiculina.
OX NCBI_TaxID=68568;
RN [1]
RP SEQUENCE FROM N.A.
RA Borchelli C., Le Parco Y.;
RL Submitted (SEP-1997) to the EMBL/GenBank/DDBJ databases.
DR EMBL; AF026516; AAC05361.1; -.
DR HSP; P08109; 1CKR.
DR InterPro; IPR001023; HSP70.

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:53:52 ; Search time 81.43 seconds
(without alignments)
2.487 Million cell updates/sec

Title: US-09-673-795-1
Perfect score: 46
Sequence: 1 SLFEGIDIY 9

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 212252 seqs, 22503292 residues

Total number of hits satisfying chosen parameters: 212252

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Issued_Patents_AA.*
1: /cgn2_6/ptodata/2/1aa/5A_COMB.pep.*
2: /cgn2_6/ptodata/2/1aa/5B_COMB.pep.*
3: /cgn2_6/ptodata/2/1aa/6A_COMB.pep.*
4: /cgn2_6/ptodata/2/1aa/6B_COMB.pep.*
5: /cgn2_6/ptodata/2/1aa/PCTUS_COMB.pep.*
6: /cgn2_6/ptodata/2/1aa/backfiles1.pep.*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	41	89.1	643	4	US-08-797-358B-3
2	39	84.8	646	1	US-08-441-139-14
3	32	69.6	452	1	US-08-290-978A-5
4	32	69.6	452	2	US-08-780-869-5
5	32	69.6	458	4	US-09-457-046B-61
6	31	67.4	99	1	US-08-438-753B-22
7	31	67.4	99	1	US-08-443-883A-22
8	31	67.4	99	2	US-08-631-328-22
9	31	67.4	99	2	US-08-455-524B-22
10	31	67.4	99	2	US-08-455-021B-22
11	31	67.4	99	4	US-09-045-467-22
12	31	67.4	415	4	US-09-198-956-6
13	31	67.4	789	3	US-08-727-308-1
14	30	65.2	95	1	US-08-438-753B-24
15	30	65.2	95	1	US-08-443-883A-24
16	30	65.2	95	2	US-08-631-328-24
17	30	65.2	95	2	US-08-455-524B-24
18	30	65.2	95	2	US-08-455-021B-24
19	30	65.2	95	4	US-09-045-467-24
20	30	65.2	161	3	US-09-205-264-2
21	30	65.2	309	4	US-09-347-803-14
22	30	65.2	465	2	US-08-878-989-18
23	30	65.2	465	2	US-08-860-150-7
24	30	65.2	465	3	US-09-338-132-7
25	30	65.2	465	4	US-09-272-796-18
26	30	65.2	532	2	US-08-560-916-8
27	30	65.2	532	2	US-08-676-841-8

28	30	65.2	634	4	US-09-041-236-2	Sequence 2, Appli
29	30	65.2	666	4	US-09-240-410-2	Sequence 2, Appli
30	30	65.2	691	3	US-08-946-475-2	Sequence 2, Appli
31	30	65.2	691	4	US-09-340-479-2	Sequence 2, Appli
32	30	65.2	711	3	US-08-946-475-9	Sequence 9, Appli
33	30	65.2	711	4	US-09-340-479-9	Sequence 9, Appli
34	30	65.2	15281	2	US-08-471-119A-2	Sequence 2, Appli
35	29	63.0	36	1	US-08-487-890A-19	Sequence 19, Appli
36	29	63.0	36	2	US-08-478-435-19	Sequence 19, Appli
37	29	63.0	36	2	US-08-337-483-19	Sequence 19, Appli
38	29	63.0	36	2	US-08-478-373-19	Sequence 19, Appli
39	29	63.0	36	3	US-08-474-671-19	Sequence 19, Appli
40	29	63.0	36	3	US-08-483-577A-19	Sequence 19, Appli
41	29	63.0	36	4	US-08-897-438-19	Sequence 19, Appli
42	29	63.0	53	2	US-08-469-537A-7	Sequence 7, Appli
43	29	63.0	53	2	US-08-469-537A-20	Sequence 20, Appli
44	29	63.0	81	4	US-08-817-811-55	Sequence 55, Appli
45	29	63.0	120	4	US-08-679-006-34	Sequence 34, Appli

RESULT 1

US-08-797-358B-3
; Sequence 3, Application US/08797358B
; Patent No. 6268478
; GENERAL INFORMATION:
; APPLICANT: Adams, John
; TITLE OF INVENTION: INTRACELLULAR VITAMIN D BINDING PROTEIN
; NUMBER OF SEQUENCES: 9
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC Compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/797,358B
; FILING DATE: 11-FEB-1997
; CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
; PRIOR APPLICATION NUMBER: US 60/011,491
; FILING DATE: 12-FEB-1996
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-CE 3165
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 3:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 643 amino acids
; TYPE: amino acid
; STRANDEDNESS: unknown
; TOPOLOGY: unknown
; MOLECULE TYPE: protein
; SEQUENCE DESCRIPTION: SEQ ID NO: 3:
US-08-797-358B-3

Query Match 89.1%; Score 41; DB 4; Length 643;
Best Local Similarity 77.8%; Pred. No. 2;
Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
QY 1 SLFEGIDIY 9

```

DB 288 SLFEGVDYF 296
|||||
RESULT 2
US-08-441-139-14
; Sequence 14, Application US/08441139
; Patent No. 5773245
; GENERAL INFORMATION:
; APPLICANT: Wittrup, Dr. Karl D.
; APPLICANT: Robinson, Anne S.
; TITLE OF INVENTION: METHODS FOR INCREASING SECRETION OF
; TITLE OF INVENTION: RECOMBINANTLY EXPRESSED PROTEINS
; NUMBER OF SEQUENCES: 20
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: SCULLY, SCOTT, MURPHY & PRESSER
; STREET: 400 Garden City Plaza
; CITY: Garden City
; STATE: NY
; COUNTRY: USA
; ZIP: 11530
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/441,139
; FILING DATE: 15-MAY-1995
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/089,997
; FILING DATE: 06-JUL-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Digiglio, Frank S.
; REGISTRATION NUMBER: 31,346
; REFERENCE/DOCKET NUMBER: 8646
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 516-742-4343
; TELEFAX: 516-742-4366
; TELEX: 230 901 SANS OR
; INFORMATION FOR SEQ ID NO: 14:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 646 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-441-139-14

Query Match 84.8%; Score 39; DB 1; Length 646;
Best Local Similarity 77.8%; Pred. No. 5;
Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIY 9
||:|||||
DB 286 SLFEGIDFY 294

RESULT 3
US-08-290-978A-5
; Sequence 5, Application US/08290978A
; Patent No. 5624834
; GENERAL INFORMATION:
; APPLICANT: KUSTERS-VAN SOMEREN, MARGO A.
; APPLICANT: MULLER, YVONNE
; APPLICANT: KESTER, HERMANUS C.M.
; APPLICANT: VISSER, JACOB
; APPLICANT: VAN OOVEN, ALBERT J.J.
; TITLE OF INVENTION: CLONING AND EXPRESSION OF THE
; TITLE OF INVENTION: EXO-POLYGALACTURONASE GENE FROM ASPERGILLUS
; NUMBER OF SEQUENCES: 15

Query Match 69.6%; Score 32; DB 1; Length 452;
Best Local Similarity 85.7%; Pred. No. 84;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 LFEGIDI 8
||:|||||
DB 203 LFDGIDI 209

RESULT 4
US-08-780-869-5
; Sequence 5, Application US/08780869
; Patent No. 5830737
; GENERAL INFORMATION:
; APPLICANT: KUSTERS-VAN SOMEREN, MARGO A.
; APPLICANT: MULLER, YVONNE
; APPLICANT: KESTER, HERMANUS C.M.
; APPLICANT: VISSER, JACOB
; APPLICANT: VAN OOVEN, ALBERT J.J.
; APPLICANT: ROLIN, CLAU
; TITLE OF INVENTION: CLONING AND EXPRESSION OF THE
; TITLE OF INVENTION: EXO-POLYGALACTURONASE GENE FROM ASPERGILLUS
; NUMBER OF SEQUENCES: 15
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: MORRISON & FOERSTER
; STREET: 2000 Pennsylvania Avenue N.W.
; CITY: Washington
; STATE: DC
; COUNTRY: USA
; ZIP: 20006-1812
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/780,869
; FILING DATE: 24-JAN-1997
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:

```

; APPLICATION NUMBER: US 08/290,978
; FILING DATE: 17-OCT-1994
; ATTORNEY/AGENT INFORMATION:
; NAME: MURASHIGE, KATE H.
; REGISTRATION NUMBER: 29,959
; REFERENCE/DOCKET NUMBER: 4615-0044.00
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (202) 887-1500
; TELEFAX: (202) 887-0763
; TELEX: 90-4030
; INFORMATION FOR SEQ ID NO: 5:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 452 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-780-869-5

Query Match 69.6%; Score 32; DB 2; Length 452;
Best Local Similarity 85.7%; Pred. No. 84;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 LFDGIDI 8
||:||||
Db 203 LFDGIDI 209

RESULT 5
US-09-457-046B-61
; Sequence 61, Application US/09457046B
; Patent No. 6287835
; GENERAL INFORMATION:
; APPLICANT: Croteau, Rodney et al.
; TITLE OF INVENTION: Transacylases of the Paclitaxel Biosynthetic Pathway
; FILE REFERENCE: 53679
; CURRENT APPLICATION NUMBER: US/09/457,046B
; CURRENT FILING DATE: 1999-12-07
; NUMBER OF SEQ ID NOS: 74
; SOFTWARE: Patentin Ver. 2.1
; SEQ ID NO 61
; LENGTH: 458
; TYPE: PRT
; ORGANISM: Arabidopsis thaliana
; US-09-457-046B-61

Query Match 69.6%; Score 32; DB 4; Length 458;
Best Local Similarity 66.7%; Pred. No. 85;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDIY 9
|||:||||
Db 165 SLFDGISAY 173

RESULT 6
US-08-438-753B-22
; Sequence 22, Application US/08438753B
; Patent No. 5705363
; GENERAL INFORMATION:
; APPLICANT: Imakawa, Kazuhito
; TITLE OF INVENTION: Interferon Tau Compositions and
; TITLE OF INVENTION: Methods of Use
; NUMBER OF SEQUENCES: 44
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Dehlinger & Associates
; STREET: 350 Cambridge Ave., Suite 250
; CITY: Palo Alto
; STATE: CA
; COUNTRY: USA
; ZIP: 94306
; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/438,753B
; FILING DATE: 10-MAY-1995
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/139,891
; FILING DATE: 19-OCT-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/847,741
; FILING DATE: 09-MAR-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/318,050
; FILING DATE: 02-MAR-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/969,890
; FILING DATE: 30-OCT-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Sholtz, Charles K.
; REGISTRATION NUMBER: 38,615
; REFERENCE/DOCKET NUMBER: 5600-0001.30
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 415-324-0880
; TELEFAX: 415-324-0960
; INFORMATION FOR SEQ ID NO: 22:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 99 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: Protein
; ORIGINAL SOURCE:
; INDIVIDUAL ISOLATE: predicted amino acid coding sequence
; INDIVIDUAL ISOLATE: of SEQ ID NO:21 (HuIFNtau6).
; US-08-438-753B-22

Query Match 67.4%; Score 31; DB 1; Length 99;
Best Local Similarity 66.7%; Pred. No. 25;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDIY 9
||:||||
Db 83 SYFQGIHIY 91

RESULT 7
US-08-443-883A-22
; Sequence 22, Application US/08443883A
; Patent No. 5738845
; GENERAL INFORMATION:
; APPLICANT: Bazer, Fuller W.
; APPLICANT: Johnson, Howard M.
; APPLICANT: Pontzer, Carol H.
; APPLICANT: Ott, Troy L.
; APPLICANT: Van Heeke, Gino
; APPLICANT: Imakawa, Kazuhito
; TITLE OF INVENTION: Interferon Tau Compositions and
; TITLE OF INVENTION: Methods of Use
; NUMBER OF SEQUENCES: 44
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Dehlinger & Associates
; STREET: 350 Cambridge Ave., Suite 250
; CITY: Palo Alto
; STATE: CA
; COUNTRY: USA
; ZIP: 94306
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS

```

; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/443,883A
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/139,891
; FILING DATE: 19-OCT-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/847,741
; FILING DATE: 09-MAR-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/318,050
; FILING DATE: 02-MAR-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/969,890
; FILING DATE: 30-OCT-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Fabian, Gary R.
; REGISTRATION NUMBER: 33,875
; REFERENCE/DOCKET NUMBER: 5600-0001.30
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 415-324-0880
; TELEFAX: 415-324-0960
; INFORMATION FOR SEQ ID NO: 22:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 99 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; ORIGINAL SOURCE:
; INDIVIDUAL ISOLATE: predicted amino acid coding sequence
; INDIVIDUAL ISOLATE: of SEQ ID NO:21 (HuIFNtau6).
US-08-443-883A-22

```

```

Query Match 67.4%; Score 31; DB 1; Length 99;
Best Local Similarity 66.7%; Pred. No. 25;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

```

```

Qy 1 SLFEGIDIY 9
| : : : :
Db 83 SYFQGIHIY 91

```

```

RESULT 8
US-08-631-328-22
; Sequence 22, Application US/08631328
; Patent No. 5939286
; GENERAL INFORMATION:
; APPLICANT: Johnson, Howard M.
; APPLICANT: Pontzer, Carol H.
; APPLICANT: Subramaniam, Prem S.
; TITLE OF INVENTION: Hybrid Interferon Compositions and
; TITLE OF INVENTION: Methods of Use
; NUMBER OF SEQUENCES: 55
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Dehlinger & Associates
; STREET: 350 Cambridge Ave., Suite 250
; CITY: Palo Alto
; STATE: CA
; COUNTRY: USA
; ZIP: 94306
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/631,328
; FILING DATE: 12-APR-1996
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:

```

```

; APPLICATION NUMBER: US 08/438,753
; FILING DATE: 10-MAY-1995
; ATTORNEY/AGENT INFORMATION:
; NAME: Sholtz, Charles K.
; REGISTRATION NUMBER: 38,615
; REFERENCE/DOCKET NUMBER: 5600-0001.34
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 415-324-0880
; TELEFAX: 415-324-0960
; INFORMATION FOR SEQ ID NO: 22:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 99 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; ORIGINAL SOURCE:
; INDIVIDUAL ISOLATE: predicted amino acid coding sequence
; INDIVIDUAL ISOLATE: of SEQ ID NO:21 (HuIFNtau6).
US-08-631-328-22

```

```

Query Match 67.4%; Score 31; DB 2; Length 99;
Best Local Similarity 66.7%; Pred. No. 25;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

```

```

Qy 1 SLFEGIDIY 9
| : : : :
Db 83 SYFQGIHIY 91

```

```

RESULT 9
US-08-455-524B-22
; Sequence 22, Application US/08455524B
; Patent No. 5942223
; GENERAL INFORMATION:
; APPLICANT: Bazer, Fuller W.
; APPLICANT: Johnson, Howard M.
; APPLICANT: Pontzer, Carol H.
; APPLICANT: Ott, Troy L.
; APPLICANT: Van Heeke, Gino
; TITLE OF INVENTION: Interferon Tau Compositions and
; TITLE OF INVENTION: Methods of Use
; NUMBER OF SEQUENCES: 44
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Dehlinger & Associates
; STREET: 350 Cambridge Ave., Suite 250
; CITY: Palo Alto
; STATE: CA
; COUNTRY: USA
; ZIP: 94306
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/455,524B
; FILING DATE: 31-MAY-1995
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/438,753
; FILING DATE: 10-MAY-1995
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/139,891
; FILING DATE: 19-OCT-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/847,741
; FILING DATE: 09-MAR-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/318,050
; FILING DATE: 02-MAR-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/969,890

```

; FILING DATE: 30-OCT-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Sholtz, Charles K.
; REGISTRATION NUMBER: 38,615
; REFERENCE/DOCKET NUMBER: 5600-0001.32
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 415-324-0880
; TELEFAX: 415-324-0960
; INFORMATION FOR SEQ ID NO: 22:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 99 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; ORIGINAL SOURCE:
; INDIVIDUAL ISOLATE: predicted amino acid coding sequence
; INDIVIDUAL ISOLATE: of SEQ ID NO:21 (HuIFNtau6).
US-08-455-524B-22

Query Match 67.4%; Score 31; DB 2; Length 99;
Best Local Similarity 66.7%; Pred. No: 25;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 1 SLFEGIDIY 9
| : : : : :
Db 83 SYFQGIHIY 91

RESULT 10
US-08-455-021B-22
; Sequence 22, Application US/08455021B
; GENERAL INFORMATION:
; APPLICANT: Bazer, Fuller W.
; APPLICANT: Johnson, Howard M.
; APPLICANT: Pontzer, Carol H.
; APPLICANT: Ott, Troy L.
; APPLICANT: Van Heeke, Gino
; APPLICANT: Imakawa, Kazuhito
; TITLE OF INVENTION: Interferon Tau Compositions and
; NUMBER OF SEQUENCES: 44
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Dehlinger & Associates
; STREET: 350 Cambridge Ave., Suite 250
; CITY: Palo Alto
; STATE: CA
; COUNTRY: USA
; ZIP: 94306
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/455.021B
; FILING DATE: 31-MAY-1995
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/139,891
; FILING DATE: 19-OCT-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/847,741
; FILING DATE: 09-MAR-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/318,050
; FILING DATE: 02-MAR-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/969,890
; FILING DATE: 30-OCT-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Sholtz, Charles K.
; REGISTRATION NUMBER: 38,615

; REFERENCE/DOCKET NUMBER: 5600-0001.31
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 415-324-0880
; TELEFAX: 415-324-0960
; INFORMATION FOR SEQ ID NO: 22:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 99 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; ORIGINAL SOURCE:
; INDIVIDUAL ISOLATE: predicted amino acid coding sequence
; INDIVIDUAL ISOLATE: of SEQ ID NO:21 (HuIFNtau6).
US-08-455-021B-22

Query Match 67.4%; Score 31; DB 2; Length 99;
Best Local Similarity 66.7%; Pred. No: 25;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 1 SLFEGIDIY 9
| : : : : :
Db 83 SYFQGIHIY 91

RESULT 11
US-09-045-467-22
; Sequence 22, Application US/09045467
; GENERAL INFORMATION:
; APPLICANT: Johnson, Howard M.
; APPLICANT: Pontzer, Carol H.
; TITLE OF INVENTION: Interferon Tau Compositions and
; NUMBER OF SEQUENCES: 44
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Dehlinger & Associates
; STREET: 350 Cambridge Ave., Suite 250
; CITY: Palo Alto
; STATE: CA
; COUNTRY: USA
; ZIP: 94306
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/045,467
; FILING DATE: 20-Mar-1998
; CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/455,021
; FILING DATE: 31-MAY-1995
; APPLICATION NUMBER: US 08/438,753
; FILING DATE: 10-MAY-1995
; APPLICATION NUMBER: US 08/139,891
; FILING DATE: 19-OCT-1993
; APPLICATION NUMBER: US 07/847,741
; FILING DATE: 09-MAR-1992
; APPLICATION NUMBER: US 07/318,050
; FILING DATE: 02-MAR-1989
; APPLICATION NUMBER: US 07/969,890
; FILING DATE: 30-OCT-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Dehlinger, Peter J.
; REGISTRATION NUMBER: 28,006
; REFERENCE/DOCKET NUMBER: 5600-0001.36
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 650-324-0880
; TELEFAX: 650-324-0960
; INFORMATION FOR SEQ ID NO: 22:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 99 amino acids

```

;
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; ORIGINAL SOURCE:
; INDIVIDUAL ISOLATE: predicted amino acid coding sequence
; SEQUENCE DESCRIPTION: of SEQ ID NO:21 (HuIFNtau6).
; US-09-045-467-22

```

```

Query Match          67.4%; Score 31; DB 4; Length 99;
Best Local Similarity 66.7%; Pred. No. 25;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

```

```

QY 1 SLFEGIDIY 9
   | | | | |
DB 83 SYFQGIHY 91

```

```

RESULT 12
US-09-198-956-6
; Sequence 6, Application US/09198956
; Patent No. 6165769
; GENERAL INFORMATION:
; APPLICANT: Andersen, Lene N.
; APPLICANT: Schulein, Martin
; APPLICANT: Lange, Niels Erik K.
; APPLICANT: Bjornvad, Mads E.
; APPLICANT: Schnorr, Kirk
; TITLE OF INVENTION: Pectin Degrading Enzymes From Bacillus
; FILE REFERENCE: 5377-200-US
; CURRENT FILING DATE: 1998-11-24
; EARLIER FILING DATE: 1997-11-24
; EARLIER APPLICATION NUMBER: 1344/97
; EARLIER FILING DATE: 1997-11-24
; EARLIER APPLICATION NUMBER: 60/067,240
; NUMBER OF SEQ ID NOS: 26
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 6
; LENGTH: 415
; TYPE: PRT
; ORGANISM: Bacillus licheniformis
US-09-198-956-6

```

```

Query Match          67.4%; Score 31; DB 4; Length 415;
Best Local Similarity 57.1%; Pred. No. 1.2e+02;
Matches 4; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

```

```

QY 3 FEGIDIY 9
   | | | | |
DB 118 FEGVELY 124

```

```

RESULT 13
US-08-727-308-1
; Sequence 1, Application US/08727308
; Patent No. 6020176
; GENERAL INFORMATION:
; APPLICANT: Yuji KAMIYA et al.
; TITLE OF INVENTION: KAURENE SYNTHASE
; NUMBER OF SEQUENCES: 9
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Wenderoth, Lind & Ponack
; STREET: 805 Fifteenth Street, N.W., #700
; CITY: Washington
; STATE: D.C.
; COUNTRY: U.S.A.
; ZIP: 20005
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette, 5.25 inch, 500 kb

```

```

;
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: MS-DOS
; SOFTWARE: Wordperfect 5.1
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/727,308
; FILING DATE: October 8, 1996
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER:
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: Warren M. Cheek, Jr.
; REGISTRATION NUMBER: 33,367
; REFERENCE/DOCKET NUMBER:
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 202-371-8850
; TELEFAX:
; TELEX:
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 789 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-727-308-1

```

```

Query Match          67.4%; Score 31; DB 3; Length 789;
Best Local Similarity 62.5%; Pred. No. 2.4e+02;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

```

```

QY 1 SLFEGIDI 8
   | | | | |
DB 23 SLFPGVDV 30

```

```

RESULT 14
US-08-438-753B-24
; Sequence 24, Application US/08438753B
; Patent No. 5705363
; GENERAL INFORMATION:
; APPLICANT: Imakawa, Kazuhito
; TITLE OF INVENTION: Interferon Tau Compositions and
; NUMBER OF SEQUENCES: 44
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Dehlinger & Associates
; STREET: 350 Cambridge Ave., Suite 250
; CITY: Palo Alto
; STATE: CA
; COUNTRY: USA
; ZIP: 94306
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/438,753B
; FILING DATE: 10-MAY-1995
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/139,891
; FILING DATE: 19-OCT-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/847,741
; FILING DATE: 09-MAR-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/318,050
; FILING DATE: 02-MAR-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/969,890

```

;
; FILING DATE: 30-OCT-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Sholtz, Charles K.
; REGISTRATION NUMBER: 38,615
; REFERENCE/DOCKET NUMBER: 5600-0001.30
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 415-324-0880
; TELEFAX: 415-324-0960
; INFORMATION FOR SEQ ID NO: 24:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 95 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; ORIGINAL SOURCE:
; INDIVIDUAL ISOLATE: predicted amino acid coding sequence
; INDIVIDUAL ISOLATE: of SEQ ID NO:23 (HuIFNtau7).
US-08-438-753B-24

Query Match 65.2%; Score 30; DB 1; Length 95;
Best Local Similarity 55.6%; Pred. No. 38;
Matches 5; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDII 9
| : : : :
Db 83 SYFQGIHVY 91

RESULT 15
US-08-443-883A-24
; Sequence 24, Application US/08443883A
; Patent No. 5738845
; GENERAL INFORMATION:
; APPLICANT: Bazer, Fuller W.
; APPLICANT: Johnson, Howard M.
; APPLICANT: Pontzer, Carol H.
; APPLICANT: Ott, Troy L.
; APPLICANT: Van Heeke, Gino
; APPLICANT: Imakawa, Kazuhito
; TITLE OF INVENTION: Interferon Tau Compositions and
; TITLE OF INVENTION: Methods of Use
; NUMBER OF SEQUENCES: 44
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Dehlinger & Associates
; STREET: 350 Cambridge Ave., Suite 250
; CITY: Palo Alto
; STATE: CA
; COUNTRY: USA
; ZIP: 94306
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/443,883A
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/139,891
; FILING DATE: 19-OCT-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/847,741
; FILING DATE: 09-MAR-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/318,050
; FILING DATE: 02-MAR-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/969,890
; FILING DATE: 30-OCT-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Fabian, Gary R.

;
; REGISTRATION NUMBER: 33,875
; REFERENCE/DOCKET NUMBER: 5600-0001.30
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 415-324-0880
; TELEFAX: 415-324-0960
; INFORMATION FOR SEQ ID NO: 24:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 95 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; ORIGINAL SOURCE:
; INDIVIDUAL ISOLATE: predicted amino acid coding sequence
; INDIVIDUAL ISOLATE: of SEQ ID NO:23 (HuIFNtau7).
US-08-443-883A-24

Query Match 65.2%; Score 30; DB 1; Length 95;
Best Local Similarity 55.6%; Pred. No. 38;
Matches 5; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDII 9
| : : : :
Db 83 SYFQGIHVY 91

Search completed: December 6, 2001, 07:59:54
Job time: 362 sec

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:56:53 ; Search time 170.25 seconds
(without alignments)
7.732 Million cell updates/sec

Title: PEPL-MOD8G

Perfect score: 48

Sequence: 1 SLFEGIDGY 9

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 473505 seqs, 146272329 residues

Total number of hits satisfying chosen parameters: 473505

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

SPTREMBL_17.*

- 1: sp_archaea.*
- 2: sp_bacteria.*
- 3: sp_fungi.*
- 4: sp_human.*
- 5: sp_invertebrate.*
- 6: sp_mammal.*
- 7: sp_mhc.*
- 8: sp_organelle.*
- 9: sp_phase.*
- 10: sp_plant.*
- 11: sp_rodent.*
- 12: sp_virus.*
- 13: sp_invertebrate.*
- 14: sp_unclassified.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	40	83.3	289	12 Q98505	Q98505 paramecium
2	39	81.2	146	5 Q90667	Q90667 littorina p
3	39	81.2	153	5 Q90670	Q90670 littorina s
4	39	81.2	155	5 Q90669	Q90669 littorina s
5	39	81.2	157	5 Q90665	Q90665 littorina p
6	39	81.2	158	5 Q90671	Q90671 littorina s
7	39	81.2	158	5 Q90668	Q90668 littorina p
8	39	81.2	158	5 Q90666	Q90666 littorina p
9	39	81.2	220	5 P81159	P81159 aplysia cal
10	39	81.2	221	5 P81157	P81157 aplysia cal
11	39	81.2	278	13 Q90520	Q90520 oncorhynch
12	39	81.2	367	13 Q98899	Q98899 fugu rubrip
13	39	81.2	455	11 Q63718	Q63718 rattus norv
14	39	81.2	467	5 Q44350	Q44350 chondrosia
15	39	81.2	467	5 Q44352	Q44352 petrobiona
16	39	81.2	467	5 Q9NJ92	Q9NJ92 guancha lac
17	39	81.2	468	5 Q44349	Q44349 funiculina
18	39	81.2	469	5 Q44351	Q44351 eunicella c
19	39	81.2	526	13 Q98897	Q98897 fugu rubrip

20	39	81.2	617	10 Q9C7X7	Q9C7X7 arabidopsis
21	39	81.2	628	5 Q93147	Q93147 botryllus s
22	39	81.2	629	5 Q93146	Q93146 botryllus s
23	39	81.2	632	5 O15766	O15766 dictyostell
24	39	81.2	639	13 Q98900	Q98900 fugu rubrip
25	39	81.2	639	13 Q918F9	Q918F9 oryzias lat
26	39	81.2	640	5 Q93601	Q93601 caenorhabdi
27	39	81.2	640	13 Q93240	Q93240 paralichthy
28	39	81.2	641	11 Q63256	Q63256 rattus norv
29	39	81.2	641	11 Q9QWJ5	Q9QWJ5 mus musculu
30	39	81.2	645	5 O96541	O96541 setaria dig
31	39	81.2	645	5 Q9NJ7	Q9NJ7 wuchereria
32	39	81.2	645	5 Q9NGK9	Q9NGK9 wuchereria
33	39	81.2	645	10 O48563	O48563 brassica na
34	39	81.2	647	3 O59855	O59855 schizosacch
35	39	81.2	647	10 Q41027	Q41027 pisum sativ
36	39	81.2	650	5 Q90777	Q90777 stylophora
37	39	81.2	650	10 Q9ZS55	Q9ZS55 arabidopsis
38	39	81.2	650	10 Q9LHA8	Q9LHA8 arabidopsis
39	39	81.2	652	10 P93937	P93937 ascophyllum
40	39	81.2	653	5 Q94805	Q94805 trichoplusi
41	39	81.2	659	5 Q9XZJ2	Q9XZJ2 crassostrea
42	39	81.2	663	5 Q24952	Q24952 geodia cydo
43	38	79.2	190	5 Q9U9B4	Q9U9B4 mytilus edu
44	38	79.2	467	5 O44346	O44346 asbestoplum
45	38	79.2	467	5 O44347	O44347 petrosia fi

ALIGNMENTS

RESULT 1	
Q98505	
ID Q98505	PRELIMINARY; PRT; 289 AA.
AC Q98505;	
DT 01-FEB-1997 (TREMBLrel. 02, Created)	
DT 01-FEB-1997 (TREMBLrel. 02, Last sequence update)	
DT 01-NOV-1998 (TREMBLrel. 08, Last annotation update)	
DE GENOME, PARTIAL SEQUENCE.	
GN A454L.	
OS Paramecium bursaria chlorella virus 1 (PBCV-1).	
OC Viruses; dsDNA viruses, no RNA stage; Phycodnaviridae; Phycodnavirus.	
OX NCBI_TaxID=10506;	
RN [1]	
RP SEQUENCE FROM N.A.	
RX MEDLINE=96400190; PubMed=806566;	
RA Kutish G.F., Li Y., Lu Z., Furuta M., Rock D.L., Van Etten J.L.;	
RT "Analysis of 76 kb of the chlorella virus PBCV-1 330-kb genome: map	
RT positions 182 to 258."	
RL Virology 223:303-317(1996).	
DR EMBL; U42580; AAC96822.1; -.	
SQ SEQUENCE 289 AA; 31193 MW; BC8F7AF4A9E857F1 CRC64;	
Query Match 83.3%; Score 40; DB 12; Length 289;	
Best Local Similarity 77.8%; Pred.No. 10;	
Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;	
QY 1 SLFEGIDGY 9	
:	
Db 250 SLFEGLDGY 258	
RESULT 2	
Q90667	
ID Q90667	PRELIMINARY; PRT; 146 AA.
AC Q90667;	
DT 01-MAY-2000 (TREMBLrel. 13, Created)	
DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)	
DT 01-JUN-2001 (TREMBLrel. 17, Last annotation update)	
DE HEAT-SHOCK PROTEIN (FRAGMENT).	
GN HSC70.	
OS Littorina plena.	

OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 OX Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
 RN NCBI_TaxID=31219;
 RA SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina.";
 RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF191828; AAF12787.1; -
 DR HSP; P19120; IBA1.
 DR InterPro; IPR001023; HSP70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 1
 FT SEQUENCE 146 AA; 16607 MW; C3F3556A1AF438BB CRC64;
 SQ

Query Match 81.2%; Score 39; DB 5; Length 146;
 Best Local Similarity 88.9%; Pred. No. 7.1;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
 Db |||||

RESULT 3
 Q9U670 PRELIMINARY; PRT; 153 AA.
 ID Q9U670;
 AC Q9U670;
 DT 01-MAY-2000 (TrEMBLrel. 13, Created)
 DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
 DT 01-JUN-2001 (TrEMBLrel. 17, Last annotation update)
 DE HEAT-SHOCK PROTEIN (FRAGMENT).
 GN HSC70.

OS Littorina scutulata.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 OX Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
 RN NCBI_TaxID=31221;
 RA SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina.";
 RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF191825; AAF12784.1; -
 DR HSP; P19120; IBA1.
 DR InterPro; IPR001023; HSP70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 1
 FT SEQUENCE 153 AA; 17352 MW; E29EE20C4CAF934D CRC64;
 SQ

Query Match 81.2%; Score 39; DB 5; Length 153;
 Best Local Similarity 88.9%; Pred. No. 7.5;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
 Db |||||

RESULT 4
 Q9U669 PRELIMINARY; PRT; 155 AA.
 ID Q9U669;
 AC Q9U669;
 DT 01-MAY-2000 (TrEMBLrel. 13, Created)
 DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
 DT 01-JUN-2001 (TrEMBLrel. 17, Last annotation update)
 DE HEAT-SHOCK PROTEIN (FRAGMENT).
 GN HSC70.

OS Littorina scutulata.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;

OC Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
 OX NCBI_TaxID=31221;
 RN [1]
 RA SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina.";
 RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF191826; AAF12785.1; -
 DR HSP; P19120; IBA1.
 DR InterPro; IPR001023; HSP70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 1
 FT SEQUENCE 155 AA; 17676 MW; C191F6E5B1F346C2 CRC64;
 SQ

Query Match 81.2%; Score 39; DB 5; Length 155;
 Best Local Similarity 88.9%; Pred. No. 7.6;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
 Db |||||

RESULT 5
 Q9U665 PRELIMINARY; PRT; 157 AA.
 ID Q9U665;
 AC Q9U665;
 DT 01-MAY-2000 (TrEMBLrel. 13, Created)
 DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
 DT 01-JUN-2001 (TrEMBLrel. 17, Last annotation update)
 DE HEAT-SHOCK PROTEIN (FRAGMENT).
 GN HSC70.

OS Littorina plena.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 OX Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
 RN NCBI_TaxID=31219;
 RA SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina.";
 RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF191830; AAF12789.1; -
 DR HSP; P19120; IBA1.
 DR InterPro; IPR001023; HSP70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 1
 FT SEQUENCE 157 AA; 17834 MW; E8F743382B285EB2 CRC64;
 SQ

Query Match 81.2%; Score 39; DB 5; Length 157;
 Best Local Similarity 88.9%; Pred. No. 7.7;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
 Db |||||

RESULT 6
 Q9U671 PRELIMINARY; PRT; 158 AA.
 ID Q9U671;
 AC Q9U671;
 DT 01-MAY-2000 (TrEMBLrel. 13, Created)
 DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
 DT 01-JUN-2001 (TrEMBLrel. 17, Last annotation update)
 DE HEAT-SHOCK PROTEIN (FRAGMENT).
 GN HSC70.

OS Littorina scutulata.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;

OC Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31221;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina.";
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191824; AAF12783.1; -.
DR HSSP; P19120; 1BA1.
DR InterPro; IPR001023; HSP70.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 158
SQ SEQUENCE 158 AA; 17887 MW; B41E5356A24CAD2F CRC64;

Query Match 81.2%; Score 39; DB 5; Length 158;
Best Local Similarity 88.9%; Pred. No. 7.7;
Matches 8; Conservative 0; Mismatches 1; Indels 1; Gaps 0;

QY 1 SLFEGIDGY 9
DB 85 SLFEGIDFY 93

RESULT 7

Q9U668 PRELIMINARY; PRT; 158 AA.
AC Q9U668;
DT 01-MAY-2000 (TREMBlrel. 13, Created)
DT 01-MAY-2000 (TREMBlrel. 13, Last sequence update)
DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina plena.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31219;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina.";
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191827; AAF12786.1; -.
DR HSSP; P19120; 1BA1.
DR InterPro; IPR001023; HSP70.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 158
SQ SEQUENCE 158 AA; 17868 MW; D2ECE71042EC44CB CRC64;

Query Match 81.2%; Score 39; DB 5; Length 158;
Best Local Similarity 88.9%; Pred. No. 7.7;
Matches 8; Conservative 0; Mismatches 1; Indels 1; Gaps 0;

QY 1 SLFEGIDGY 9
DB 85 SLFEGIDFY 93

RESULT 8

Q9U666 PRELIMINARY; PRT; 158 AA.
AC Q9U666;
DT 01-MAY-2000 (TREMBlrel. 13, Created)
DT 01-MAY-2000 (TREMBlrel. 13, Last sequence update)
DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina plena.

OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31219;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina.";
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191829; AAF12788.1; -.
DR HSSP; P19120; 1BA1.
DR InterPro; IPR001023; HSP70.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 158
SQ SEQUENCE 158 AA; 17891 MW; B41E5356BCECAD2F CRC64;

Query Match 81.2%; Score 39; DB 5; Length 158;
Best Local Similarity 88.9%; Pred. No. 7.7;
Matches 8; Conservative 0; Mismatches 1; Indels 1; Gaps 0;

QY 1 SLFEGIDGY 9
DB 85 SLFEGIDFY 93

RESULT 9

P81159 PRELIMINARY; PRT; 220 AA.
ID P81159
AC P81159;
DT 01-JUN-1998 (TREMBlrel. 06, Created)
DT 01-JUN-1998 (TREMBlrel. 06, Last sequence update)
DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
DE HEAT SHOCK COGNATE 71 KDA PROTEIN (FRAGMENT).
GN HSC70.
OS Aplysia californica (California sea hare).
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Opisthobranchia; Anaspidea;
OC Aplysiidae; Aplysia.
OX NCBI_TaxID=6500;
RN [1]
RP SEQUENCE FROM N.A.
RA MEDLINE-93077669; PubMed-1360013;
RX Kuhl D., Kennedy T., Barzilai A., Kandel E.;
RT "Long-term sensitization training in Aplysia leads to an increase in the expression of BiP, the major protein chaperon of the ER.";
RL J. Cell Biol. 119:1069-1076(1992).
CC -!- INDUCTION: CONSTITUTIVELY SYNTHESIZED IN A WIDE VARIETY OF CELLS.
CC -!- SIMILARITY: BELONGS TO HEAT SHOCK PROTEIN 70 FAMILY.
DR EMBL; Z15039; CAA78757.1; -.
DR HSSP; P19120; 1BA1.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock; Multigene family.
FT NON_TER 1
FT NON_TER 220
SQ SEQUENCE 220 AA; 24684 MW; FA8557F2BB85C37A CRC64;

Query Match 81.2%; Score 39; DB 5; Length 220;
Best Local Similarity 88.9%; Pred. No. 11;
Matches 8; Conservative 0; Mismatches 1; Indels 1; Gaps 0;

QY 1 SLFEGIDGY 9
DB 138 SLFEGIDFY 146

RESULT 10

P81157

ID P81157 PRELIMINARY; PRT; 221 AA.
 AC P81157;
 DT 01-JUN-1998 (TREMBlrel. 06, Created)
 DT 01-JUN-1998 (TREMBlrel. 06, Last sequence update)
 DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
 DE HEAT SHOCK 70 KDA PROTEIN A (HSP70A) (FRAGMENT).
 GN HSP70A.
 OS Aplysia californica (California sea hare).
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Opisthobranchia; Anaspidea;
 OC Aplysiidae; Aplysia.
 OX NCBI_TaxID=6500;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=93077669; PubMed=1360013;
 RA Kuhl D., Kennedy T., Barzilai A., Kandel E.;
 RT "Long-term sensitization training in Aplysia leads to an increase in
 the expression of BIP, the major protein chaperon of the ER.";
 RJ Cell Biol. 119:1069-1076(1992).
 CC -I- INDUCTION: BY HEAT SHOCK.
 CC -I- SIMILARITY: BELONGS TO HEAT SHOCK PROTEIN 70 FAMILY.
 DR EMBL; Z15037; CAA78755.1; -.
 DR InterPro; IPR001023; HSP70.
 DR Pfam; PF00012; HSP70; 1.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS00329; HSP70_2; 1.
 DR PROSITE; PS01036; HSP70_3; 1.
 KW Heat shock; Multigene family.
 FT NON_TER 1
 FT NON_TER 221 221
 SQ SEQUENCE 221 AA; 24404 MW; 853F794106B83CC9 CRC64;

Query Match 81.2%; Score 39; DB 5; Length 221;
 Best Local Similarity 88.9%; Pred. No. 11;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 Qy 1 SLFEGIDY 9
 Db 139 SLFEGIDY 147
 |||||

RESULT 11
 Q90520
 ID Q90520 PRELIMINARY; PRT; 278 AA.
 AC Q90520;
 DT 01-NOV-1996 (TREMBlrel. 01, Created)
 DT 01-NOV-1996 (TREMBlrel. 01, Last sequence update)
 DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
 DE RAINBOW TROUT 70 KDA HEAT SHOCK PROTEIN (FRAGMENT).
 OS Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
 OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
 OX NCBI_TaxID=8022;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=65036330; PubMed=6092938;
 RA Kothary R.K., Jones D., Candido E.P.M.;
 RT "70-Kilodalton heat shock polypeptides from rainbow trout:
 characterization of cDNA sequences.";
 RL Mol. Cell. Biol. 4:1785-1791(1984).
 DR EMBL; K02549; AAA49562.1; -.
 DR HSP; P08109; ICKR.
 DR InterPro; IPR001023; HSP70.
 DR Pfam; PF00012; HSP70; 1.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS00329; HSP70_2; 1.
 DR PROSITE; PS01036; HSP70_3; 1.
 KW Heat shock; Multigene family.
 FT NON_TER 1
 FT NON_TER 278 278
 SQ SEQUENCE 278 AA; 30327 MW; E4C745DE5484C17A CRC64;

Query Match 81.2%; Score 39; DB 13; Length 278;
 Best Local Similarity 88.9%; Pred. No. 15;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 Qy 1 SLFEGIDY 9
 Db 156 SLFEGIDY 164
 |||||
 RESULT 12
 Q98899
 ID Q98899 PRELIMINARY; PRT; 367 AA.
 AC Q98899;
 DT 01-FEB-1997 (TREMBlrel. 02, Created)
 DT 01-FEB-1997 (TREMBlrel. 02, Last sequence update)
 DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
 DE 70 KDA HEAT SHOCK PROTEIN (FRAGMENT).
 GN HSP70-3.
 OS Fugu rubripes (Japanese pufferfish) (Takifugu rubripes).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
 OC Acanthomorpha; Acanthopterygii; Percomorpha; Tetraodontiformes;
 OC Tetraodontidae; Takifugu.
 OX NCBI_TaxID=31033;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Lim E.H.;
 RL Submitted (OCT-1996) to the EMBL/GenBank/DBJ databases.
 DR EMBL; Y08578; CAA69892.1; -.
 DR HSP; P19120; 3HSC.
 DR InterPro; IPR001023; HSP70.
 DR Pfam; PF00012; HSP70; 1.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS00297; HSP70_1; 1.
 DR PROSITE; PS01036; HSP70_3; 1.
 KW Heat shock.
 FT NON_TER 367 367
 FT NON_TER 367 367
 SQ SEQUENCE 367 AA; 40405 MW; 8CD3DD8DF6E3C2CA CRC64;

Query Match 81.2%; Score 39; DB 13; Length 367;
 Best Local Similarity 88.9%; Pred. No. 21;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 Qy 1 SLFEGIDY 9
 Db 268 SLFEGIDY 276
 |||||
 RESULT 13
 Q63718
 ID Q63718 PRELIMINARY; PRT; 455 AA.
 AC Q63718;
 DT 01-NOV-1996 (TREMBlrel. 01, Created)
 DT 01-NOV-1996 (TREMBlrel. 01, Last sequence update)
 DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
 DE HEAT SHOCK ROPEIN 70 (FRAGMENT).
 OS Rattus norvegicus (Rat).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Rattus.
 OX NCBI_TaxID=10116;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Angeletti B., Passarelli F., Orru D., Pascale E., Butler R.H.,
 RA D'Ambrosio E.;
 RL Submitted (NOV-1993) to the EMBL/GenBank/DBJ databases.
 DR EMBL; Z27118; CAA81642.1; -.
 DR HSP; P08107; 1HJO.
 DR InterPro; IPR001023; HSP70.
 DR Pfam; PF00012; HSP70; 1.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS00329; HSP70_2; 1.

DR PROSITE; PS01036; HSP70_3; 1.
 KW Heat shock.
 FT NON_TER 1
 FT NON_TER 455 455
 SQ SEQUENCE 455 AA; 50404 MW; 0F45F12CBA1E2971 CRC64;

Query Match 81.2%; Score 39; DB 11; Length 455;
 Best Local Similarity 88.9%; Pred. No. 27;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 SLFEGIDGY 9
 |||||
 Db 254 SLFEGIDFY 262

RESULT 14

O44350
 ID O44350 PRELIMINARY; PRT; 467 AA.
 AC O44350;
 DT 01-JUN-1998 (TREMBlrel. 06, Created)
 DT 01-JUN-1998 (TREMBlrel. 06, Last sequence update)
 DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
 DE HEAT-SHOCK PROTEIN HSP70 (FRAGMENT).
 GN HSP70.
 OS Chondrosia reniformis.
 OC Eukaryota; Metazoa; Porifera; Demospongiae; Tetractinomorpha;
 OC Chondrosida; Chondrillidae; Chondrosia.
 OX NCBI_TaxID=68574;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Borchietlini C.; Le Parco Y.;
 RL Submitted (SEP-1997) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF026517; AAC05362.1; -
 DR HSSP; P08109; 1CKR.
 DR InterPro; IPR001023; HSP70.
 DR Pfam; PF00012; HSP70; 1.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS00329; HSP70_2; 1.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 1
 FT NON_TER 467 467
 SQ SEQUENCE 467 AA; 51707 MW; 0DBE6920F2E6EA96 CRC64;

Query Match 81.2%; Score 39; DB 5; Length 467;
 Best Local Similarity 88.9%; Pred. No. 28;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 SLFEGIDGY 9
 |||||
 Db 252 SLFEGIDFY 260

RESULT 15

O44352
 ID O44352 PRELIMINARY; PRT; 467 AA.
 AC O44352;
 DT 01-JUN-1998 (TREMBlrel. 06, Created)
 DT 01-JUN-1998 (TREMBlrel. 06, Last sequence update)
 DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
 DE HEAT-SHOCK PROTEIN HSP70 (FRAGMENT).
 GN HSP70.
 OS Petrobiona massiliana.
 OC Eukaryota; Metazoa; Porifera; Calcarea; Calcarenea; Petrobionidae;
 OC Petrobiona.
 OX NCBI_TaxID=68578;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Borchietlini C.; Le Parco Y.;
 RL Submitted (SEP-1997) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF026520; AAC05364.1; -
 DR HSSP; P08109; 1CKR.

DR InterPro; IPR001023; HSP70.
 DR Pfam; PF00012; HSP70; 1.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 1
 FT NON_TER 467 467
 SQ SEQUENCE 467 AA; 51458 MW; 23EB28FFD1873DA6 CRC64;
 Query Match 81.2%; Score 39; DB 5; Length 467;
 Best Local Similarity 88.9%; Pred. No. 28;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 Qy 1 SLFEGIDGY 9
 |||||
 Db 252 SLFEGIDFY 260

Search completed: December 6, 2001, 07:56:53
 Job time: 181 sec

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:59:54 ; Search time 81.43 Seconds
(without alignments)
2.487 Million cell updates/sec

Title: PEPL-MOD8L
Perfect score: 46
Sequence: 1 SLFEGIDLY 9

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 212252 seqs, 22503292 residues

Total number of hits satisfying chosen parameters: 212252

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Issued_Patents_AA:*
1: /cgn2_6/ptodata/2/iaa/5A_COMB.pep.*
2: /cgn2_6/ptodata/2/iaa/5B_COMB.pep.*
3: /cgn2_6/ptodata/2/iaa/6A_COMB.pep.*
4: /cgn2_6/ptodata/2/iaa/6B_COMB.pep.*
5: /cgn2_6/ptodata/2/iaa/PCTUS_COMB.pep.*
6: /cgn2_6/ptodata/2/iaa/backfiles1.pep.*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	41	89.1	643	4	US-08-797-358B-3
2	39	84.8	646	1	US-08-441-139-14
3	33	71.7	415	4	US-09-198-956-6
4	32	69.6	161	3	US-09-205-264-2
5	32	69.6	309	4	US-09-347-803-14
6	32	69.6	458	4	US-09-457-046B-61
7	32	69.6	691	3	US-08-946-475-2
8	32	69.6	691	4	US-09-340-479-2
9	32	69.6	711	3	US-08-946-475-9
10	32	69.6	711	4	US-09-340-479-9
11	31	67.4	81	4	US-08-817-811-55
12	31	67.4	120	4	US-08-679-006-34
13	31	67.4	369	1	US-08-253-823-1
14	31	67.4	369	1	US-08-290-508-3
15	31	67.4	369	2	US-08-606-144-1
16	31	67.4	369	5	PCT-US94-02174-3
17	30	65.2	183	4	US-08-961-083-178
18	30	65.2	308	4	US-09-347-803-10
19	30	65.2	452	1	US-08-290-978A-5
20	30	65.2	452	2	US-08-780-869-5
21	30	65.2	465	2	US-08-878-989-18
22	30	65.2	465	2	US-08-860-150-7
23	30	65.2	465	3	US-09-338-132-7
24	30	65.2	465	4	US-09-272-796-18
25	30	65.2	532	2	US-08-560-916-8
26	30	65.2	532	2	US-08-676-841-8
27	29	63.0	11	2	US-08-486-839-10

28 29 63.0 11 3 US-09-151-011-10 Sequence 10, Appl
29 29 63.0 11 4 US-09-343-623-10 Sequence 10, Appl
30 29 63.0 53 2 US-08-459-537A-7 Sequence 7, Appl
31 29 63.0 53 2 US-08-469-537A-20 Sequence 20, Appl
32 29 63.0 99 1 US-08-438-753B-22 Sequence 22, Appl
33 29 63.0 99 1 US-08-443-883A-22 Sequence 22, Appl
34 29 63.0 99 2 US-08-631-328-22 Sequence 22, Appl
35 29 63.0 99 2 US-08-455-524B-22 Sequence 22, Appl
36 29 63.0 99 2 US-08-455-021B-22 Sequence 22, Appl
37 29 63.0 99 4 US-09-045-467-22 Sequence 22, Appl
38 29 63.0 229 4 US-09-045-973-7 Sequence 7, Appl
39 29 63.0 376 3 US-09-025-691-3 Sequence 3, Appl
40 29 63.0 481 4 US-07-912-122-4 Sequence 4, Appl
41 29 63.0 481 5 PCT-US93-06404-4 Sequence 4, Appl
42 29 63.0 581 2 US-08-989-386-7 Sequence 7, Appl
43 29 63.0 603 2 US-08-687-865A-2 Sequence 2, Appl
44 29 63.0 603 4 US-09-043-711-2 Sequence 2, Appl
45 29 63.0 789 3 US-08-727-308-1 Sequence 1, Appl

ALIGNMENTS

RESULT 1
US-08-797-358B-3
; Sequence 3, Application US/08797358B
; Patent No. 6268478
; GENERAL INFORMATION:
; APPLICANT: Adams, John
; TITLE OF INVENTION: INTRACELLULAR VITAMIN D BINDING PROTEIN
; NUMBER OF SEQUENCES: 9
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/797,358B
; FILING DATE: 11-Feb-1997
; CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 60/011,491
; FILING DATE: 12-FEB-1996
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-CE 3165
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 3:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 643 amino acids
; TYPE: amino acid
; STRANDEDNESS: unknown
; TOPOLOGY: unknown
; MOLECULE TYPE: protein
; SEQUENCE DESCRIPTION: SEQ ID NO: 3:
US-08-797-358B-3

Query Match 89.1%; Score 41; DB 4; Length 643;
Best Local Similarity 77.8%; Pred. No. 1.7;
Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9

```

Db      288 SLFEGVDYF 296
|||||:| |
RESULT  2
US-08-441-139-14
; Sequence 14, Application US/08441139
; Patent No. 5773245
; GENERAL INFORMATION:
; APPLICANT: Wittup, Dr. Karl D.
; APPLICANT: Robinson, Anne S.
; TITLE OF INVENTION: METHODS FOR INCREASING SECRETION OF
; TITLE OF INVENTION: RECOMBINANTLY EXPRESSED PROTEINS
; NUMBER OF SEQUENCES: 20
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: SCULLY, SCOTT, MURPHY & PRESSER
; STREET: 400 Garden City Plaza
; CITY: Garden City
; STATE: NY
; COUNTRY: USA
; ZIP: 11530
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/441,139
; FILING DATE: 15-MAY-1995
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/089,997
; FILING DATE: 06-JUL-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Digiglio, Frank S.
; REGISTRATION NUMBER: 31,346
; REFERENCE/DOCKET NUMBER: 8646
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 516-742-4343
; TELEFAX: 516-742-4366
; TELEX: 230 901 SANS UR
; INFORMATION FOR SEQ ID NO: 14:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 646 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-441-139-14

Query Match      84.8%; Score 39; DB 1; Length 646;
Best Local Similarity 77.8%; Pred. No. 4.3;
Matches 7; Conservative 1; Mismatches 1; Indels 1; Gaps 0;

QY      1 SLFEGIDLY 9
||:|||||
Db      286 SLFEGIDFY 294

RESULT  3
US-09-198-956-6
; Sequence 6, Application US/09198956
; Patent No. 6165769
; GENERAL INFORMATION:
; APPLICANT: Andersen, Lene N.
; APPLICANT: Schulein, Martin
; APPLICANT: Lange, Niels Erik K.
; APPLICANT: Bjornvad, Mads E.
; APPLICANT: Schorr, Kirk
; TITLE OF INVENTION: Pectin Degrading Enzymes From Bacillus
; TITLE OF INVENTION: Licheniformis
; FILE REFERENCE: 5377.200-US
; CURRENT APPLICATION NUMBER: US/09/198,956

CURRENT FILING DATE: 1998-11-24
;
EARLIER APPLICATION NUMBER: 1344/97
;
EARLIER FILING DATE: 1997-11-24
;
EARLIER APPLICATION NUMBER: 60/067,240
;
EARLIER FILING DATE: 1997-12-02
;
NUMBER OF SEQ ID NOS: 26
;
SOFTWARE: FastSeq for Windows Version 3.0
;
SEQ ID NO 6
;
LENGTH: 415
;
TYPE: PRT
;
ORGANISM: Bacillus licheniformis
US-09-198-956-6

Query Match      71.7%; Score 33; DB 4; Length 415;
Best Local Similarity 71.4%; Pred. No. 4.3;
Matches 1 5; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY      3 FEGIDLY 9
||||:|
Db      118 FEGVELY 124
|

RESULT  4
US-09-205-264-2
; Sequence 2, Application US/09205264
; Patent No. 6114145
; GENERAL INFORMATION:
; APPLICANT: Olsen, et al.
; TITLE OF INVENTION: Synferon
; FILE REFERENCE: PF404
; CURRENT APPLICATION NUMBER: US/09/205,264
; CURRENT FILING DATE: 1998-12-02
; EARLIER APPLICATION NUMBER: 60/067,746
; EARLIER FILING DATE: 1997-12-05
; NUMBER OF SEQ ID NOS: 9
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 2
; LENGTH: 161
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-205-264-2

Query Match      69.6%; Score 32; DB 3; Length 161;
Best Local Similarity 66.7%; Pred. No. 24;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY      1 SLFEGIDLY 9
| | : | | |
Db      120 SYFQGISLY 128

RESULT  5
US-09-347-803-14
; Sequence 14, Application US/09347803
; Patent No. 6274379
; GENERAL INFORMATION:
; APPLICANT: Famodu, Layo O.
; APPLICANT: Hitz, Bill
; APPLICANT: Kinney, Tony
; APPLICANT: Orozco, Buddy
; TITLE OF INVENTION: Plant Sorbitol Biosynthetic Enzymes
; FILE REFERENCE: BB-1176
; CURRENT APPLICATION NUMBER: US/09/347,803
; CURRENT FILING DATE: 1999-07-02
; EARLIER APPLICATION NUMBER: 60/092,952
; EARLIER FILING DATE: July 15, 1998
; NUMBER OF SEQ ID NOS: 27
; SOFTWARE: Microsoft Office 97
; SEQ ID NO 14
; LENGTH: 309
; TYPE: PRT

```



```
; ORGANISM: Glycine max
US-09-347-803-14

Query Match      69.6%; Score 32; DB 4; Length 309;
Best Local Similarity 66.7%; Pred. No. 49;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
Db 300 AVFWGIDLY 308

RESULT 6
US-09-457-046B-61
; Sequence 61, Application US/09457046B
; Patent No. 6287835
; GENERAL INFORMATION:
; APPLICANT: Croteau, Rodney et al.
; TITLE OF INVENTION: Transacylases of the Paclitaxel Biosynthetic Pathway
; FILE REFERENCE: 53679
; CURRENT APPLICATION NUMBER: US/09/457,046B
; CURRENT FILING DATE: 1999-12-07
; NUMBER OF SEQ ID NOS: 74
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 61
; LENGTH: 458
; TYPE: PRT
; ORGANISM: Arabidopsis thaliana
US-09-457-046B-61

Query Match      69.6%; Score 32; DB 4; Length 458;
Best Local Similarity 66.7%; Pred. No. 76;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
Db 165 SLFDGISAY 173

RESULT 7
US-08-946-475-2
; Sequence 2, Application US/08946475
; Patent No. 6013505
; GENERAL INFORMATION:
; APPLICANT: Gwynn, Michael
; APPLICANT: Kallender, Howard
; APPLICANT: Palmer, Leslie
; TITLE OF INVENTION: TOPOISOMERASE I
; NUMBER OF SEQUENCES: 13
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: SmithKline Beecham Corporation
; STREET: 709 Swedeland Road
; CITY: King of Prussia
; STATE: PA
; COUNTRY: USA
; ZIP: 19406-0939
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSEQ for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/340,479
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/08/946,475
; FILING DATE: 08-OCT-1997
; APPLICATION NUMBER: 60/027,973
; FILING DATE: 08-OCT-1996
; ATTORNEY/AGENT INFORMATION:
; NAME: Gimmi, Edward R
; REGISTRATION NUMBER: 38,891
; REFERENCE/DOCKET NUMBER: P50560
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 610-270-4478
; TELEFAX: 610-270-5090
; TELEX:
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 691 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-340-479-2

; REFERENCE/DOCKET NUMBER: P50560
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 610-270-4478
; TELEFAX: 610-270-5090
; TELEX:
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 691 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-946-475-2

Query Match      69.6%; Score 32; DB 3; Length 691;
Best Local Similarity 85.7%; Pred. No. 1.2e+02;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 LFEIGIDL 8
Db 283 LYEGIDL 289

RESULT 8
US-09-340-479-2
; Sequence 2, Application US/09340479
; Patent No. 6274139
; GENERAL INFORMATION:
; APPLICANT: Gwynn, Michael
; APPLICANT: Kallender, Howard
; APPLICANT: Palmer, Leslie
; TITLE OF INVENTION: TOPOISOMERASE I
; NUMBER OF SEQUENCES: 13
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: SmithKline Beecham Corporation
; STREET: 709 Swedeland Road
; CITY: King of Prussia
; STATE: PA
; COUNTRY: USA
; ZIP: 19406-0939
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSEQ for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/340,479
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/08/946,475
; FILING DATE: 08-OCT-1997
; APPLICATION NUMBER: 60/027,973
; FILING DATE: 08-OCT-1996
; ATTORNEY/AGENT INFORMATION:
; NAME: Gimmi, Edward R
; REGISTRATION NUMBER: 38,891
; REFERENCE/DOCKET NUMBER: P50560
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 610-270-4478
; TELEFAX: 610-270-5090
; TELEX:
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 691 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-340-479-2
```

Query Match 69.6%; Score 32; DB 4; Length 691;
Best Local Similarity 85.7%; Pred. No. 1.2e+02;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 LFEIGIDL 8
DB 283 LYEGIDL 289

RESULT 9
US-08-946-475-9
; Sequence 9, Application US/08946475
; Patent No. 6013505
; GENERAL INFORMATION:
; APPLICANT: Gwynn, Michael
; APPLICANT: Kallender, Howard
; APPLICANT: Palmer, Leslie
; TITLE OF INVENTION: TOPOISOMERASE I
; NUMBER OF SEQUENCES: 13
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: SmithKline Beecham Corporation
; STREET: 709 Swedeland Road
; CITY: King of Prussia
; STATE: PA
; COUNTRY: USA
; ZIP: 19406-0939
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSEQ for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/946,475
; FILING DATE: 08-OCT-1997
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 60/027,973
; FILING DATE: 08-OCT-1996
; ATTORNEY/AGENT INFORMATION:
; NAME: Gimmi, Edward R
; REGISTRATION NUMBER: 38,891
; REFERENCE/DOCKET NUMBER: P50560
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 610-270-4478
; TELEFAX: 610-270-5090
; TELEX:
; INFORMATION FOR SEQ ID NO: 9:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 711 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-946-475-9

Query Match 69.6%; Score 32; DB 3; Length 711;
Best Local Similarity 85.7%; Pred. No. 1.2e+02;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 LFEIGIDL 8
DB 303 LYEGIDL 309

RESULT 10
US-09-340-479-9
; Sequence 9, Application US/09340479
; Patent No. 6274139
; GENERAL INFORMATION:
; APPLICANT: Gwynn, Michael
; APPLICANT: Kallender, Howard
; APPLICANT: Palmer, Leslie

; TITLE OF INVENTION: TOPOISOMERASE I
; NUMBER OF SEQUENCES: 13
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: SmithKline Beecham Corporation
; STREET: 709 Swedeland Road
; CITY: King of Prussia
; STATE: PA
; COUNTRY: USA
; ZIP: 19406-0939
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSEQ for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/340,479
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/08/946,475
; FILING DATE: 08-OCT-1997
; APPLICATION NUMBER: 60/027,973
; FILING DATE: 08-OCT-1996
; ATTORNEY/AGENT INFORMATION:
; NAME: Gimmi, Edward R
; REGISTRATION NUMBER: 38,891
; REFERENCE/DOCKET NUMBER: P50560
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 610-270-4478
; TELEFAX: 610-270-5090
; TELEX:
; INFORMATION FOR SEQ ID NO: 9:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 711 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-340-479-9

Query Match 69.6%; Score 32; DB 4; Length 711;
Best Local Similarity 85.7%; Pred. No. 1.2e+02;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 LFEIGIDL 8
DB 303 LYEGIDL 309

RESULT 11
US-08-817-811-55
; Sequence 55, Application US/08817811
; Patent No. 6174528
; GENERAL INFORMATION:
; APPLICANT: Cooper, Juan A.
; APPLICANT: Relf, Wendy A.
; APPLICANT: Good, Michael F.
; APPLICANT: Saul, Allan J.
; TITLE OF INVENTION: SYNTHETIC PEPTIDES AND VACCINES
; NUMBER OF SEQUENCES: 97
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Arnold, White & Durkee
; STREET: P.O. Box 4433
; CITY: Houston
; STATE: Texas
; COUNTRY: USA
; ZIP: 77210
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC Compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS

```
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/817,811
; FILING DATE: 14-APR-1997
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: WO 96/11944
; FILING DATE: 25-APR-1996
; ATTORNEY/AGENT INFORMATION:
; NAME: Highlander, Steven L.
; REGISTRATION NUMBER: 37,642
; REFERENCE/DOCKET NUMBER: FBRC:005
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 512/418-3000
; TELEFAX: 512/474-7577
; INFORMATION FOR SEQ ID NO: 55:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 81 amino acids
; TYPE: amino acid
; STRANDEDNESS:
; TOPOLOGY: linear
; US-08-817-811-55.

Query Match          67.4%; Score 31; DB 4; Length 81;
Best Local Similarity 55.6%; Pred. No. 18;
Matches 5; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDL 9
I: ||: ||
Db 20 SILEGLNLY 28

RESULT 12
US-08-679-006-34
; Sequence 34, Application US/08679006
; Patent No. 6150500
; GENERAL INFORMATION:
; APPLICANT: Salerno, John C.
; TITLE OF INVENTION: APPLICATIONS FOR REGULATORY REGION OF
; TITLE OF INVENTION: NOS ISOFORMS
; NUMBER OF SEQUENCES: 35
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Hamilton, Brook, Smith & Reynolds, P.C.
; STREET: Two Militia Drive
; CITY: Lexington
; STATE: Massachusetts
; COUNTRY: USA
; ZIP: 02173
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/679,006
; FILING DATE: 12-JUL-1996
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Brook, David E.
; REGISTRATION NUMBER: 22,592
; REFERENCE/DOCKET NUMBER: JCS96-01
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (617) 861-6240
; TELEFAX: (617) 861-9540
; INFORMATION FOR SEQ ID NO: 34:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 120 amino acids
; TYPE: amino acid
; STRANDEDNESS:
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; US-08-679-006-34
```

```
Query Match          67.4%; Score 31; DB 4; Length 120;
Best Local Similarity 85.7%; Pred. No. 27;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 LFEGIDL 8
|||||
Db 46 LFEGFDL 52

RESULT 13
US-08-253-823-1
; Sequence 1, Application US/08253823
; Patent No. 5541094
; GENERAL INFORMATION:
; APPLICANT:
; TITLE OF INVENTION: GLYCOLATE OXIDASE PRODUCTION
; NUMBER OF SEQUENCES: 1
; COMPUTER READABLE FORM:
; MEDIUM TYPE: FLOPPY DISK
; COMPUTER: IBM
; OPERATING SYSTEM: MICROSOFT WINDOWS V3.0
; SOFTWARE: MICROSOFT WORD V2.0C
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/253,823
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/085,488
; FILING DATE: JULY 1, 1993
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 369 amino acids
; TYPE: amino acid
; STRANDEDNESS: unknown
; TOPOLOGY: unknown
; MOLECULE TYPE: protein
; US-08-253-823-1

Query Match          67.4%; Score 31; DB 1; Length 369;
Best Local Similarity 100.0%; Pred. No. 95;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 3 FEGIDL 8
|||||
Db 183 FEGIDL 188

RESULT 14
US-08-290-508-3
; Sequence 3, Application US/08290508
; Patent No. 5693490
; GENERAL INFORMATION:
; APPLICANT: PAYNE, MARK S.
; APPLICANT: ANTON, DAVID L.
; APPLICANT: DICOSIMO, ROBERT
; APPLICANT: GAVAGAN, JOHN E.
; TITLE OF INVENTION: Production of glycolate oxidase
; TITLE OF INVENTION: in methylotrophic yeast
; NUMBER OF SEQUENCES: 3
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: E. I. DU PONT DE NEMOURS
; ADDRESSEE: AND COMPANY
; STREET: 1007 MARKET STREET
; CITY: WILMINGTON
; STATE: DELAWARE
; COUNTRY: U.S.A.
; ZIP: 19898
; COMPUTER READABLE FORM:
; MEDIUM TYPE: DISKETTE, 3.50 INCH 1.0 MB
; COMPUTER: MACINTOSH
; OPERATING SYSTEM: MACINTOSH SYSTEM, 6.0
; SOFTWARE: MICROSOFT WORD, 4.0
```

; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/290,508
; FILING DATE: 15-AUG-1994
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/025,495
; FILING DATE: 03-MAR-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: GALLEGOS, R. THOMAS
; REGISTRATION NUMBER: 32,692
; REFERENCE/DOCKET NUMBER: CR-9271
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 302-892-7342
; TELEFAX: 302-892-7949
; INFORMATION FOR SEQ ID NO: 3:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 369 amino acids
; TYPE: amino acid
; STRANDEDNESS: unknown
; TOPOLOGY: unknown
; MOLECULE TYPE: protein
; US-08-290-508-3

Query Match 67.4%; Score 31; DB 1; Length 369;
Best Local Similarity 100.0%; Pred. No. 95;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 3 FEGIDL 8
Db 183 FEGIDL 188

RESULT 15
US-08-606-144-1
; Sequence 1, Application US/08606144
; Patent No. 5834262
; GENERAL INFORMATION:
; APPLICANT: DAVID LEROY ANTON
; TITLE OF INVENTION: OXIDATION OF GLYCOLIC ACID TO
; TITLE OF INVENTION: GLYOXYLIC ACID USING A
; TITLE OF INVENTION: MICROBIAL CELL TRANSFORMANT
; TITLE OF INVENTION: AS CATALYST
; NUMBER OF SEQUENCES: 3
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: E.JI.JDULPONTJDEJNEMOURS
; ADDRESSEE: AND COMPANY
; STREET: 1007 MARKET STREET
; CITY: WILMINGTON
; STATE: DELAWARE
; COUNTRY: U.S.A.
; ZIP: 19898
; COMPUTER READABLE FORM:
; MEDIUM TYPE: DISKETTE, 3.50 INCH 2.0 MB
; COMPUTER: IBM COMPATIBLE
; OPERATING SYSTEM: MICROSOFT WINDOWS, 3.1
; SOFTWARE: MICROSOFT WORD VERSION 6.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/606,144
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07/817,165
; FILING DATE: JANUARY 6, 1992
; ATTORNEY/AGENT INFORMATION:
; NAME: GREGORY, THEODORE C.
; REGISTRATION NUMBER: 25,243
; REFERENCE/DOCKET NUMBER: CH-2087-B
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 302-992-4925
; TELEFAX: 302-773-0164
; INFORMATION FOR SEQ ID NO: 1:

; SEQUENCE CHARACTERISTICS:
; LENGTH: 369 amino acids
; TYPE: amino acid
; STRANDEDNESS: unknown
; TOPOLOGY: unknown
; MOLECULE TYPE: protein
; US-08-606-144-1

Query Match 67.4%; Score 31; DB 2; Length 369;
Best Local Similarity 100.0%; Pred. No. 95;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 3 FEGIDL 8
Db 183 FEGIDL 188

Search completed: December 6, 2001, 07:59:54
Job time: 362 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:58:26 ; Search time 88.19 Seconds
(without alignments)
7.774 Million cell updates/sec

Title: PEPI-MOD8L

Perfect score: 46

Sequence: 1 SLFEGIDLY 9

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 219241 seqs, 76174552 residues

Total number of hits satisfying chosen parameters: 219241

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

PIR_68:*
1: pir1.*
2: pir2.*
3: pir3.*
4: pir4.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	42	91.3	208	2 B44261	dnak-type molecula
2	42	91.3	278	2 I51344	dnak-type molecula
3	42	91.3	420	2 A26283	dnak-type molecula
4	42	91.3	467	2 T45477	heat-shock protein
5	42	91.3	467	2 T45477	heat-shock protein
6	42	91.3	468	2 T45476	heat-shock protein
7	42	91.3	469	2 T45478	heat-shock protein
8	42	91.3	617	2 H96605	probable heat shoc
9	42	91.3	632	2 T45471	dnak-type molecula
10	42	91.3	634	2 A25646	dnak-type molecula
11	42	91.3	636	2 A48872	dnak-type molecula
12	42	91.3	638	2 S31766	dnak-type molecula
13	42	91.3	639	2 JCI391	dnak-type molecula
14	42	91.3	639	2 S20139	dnak-type molecula
15	42	91.3	640	1 HHKWA	dnak-type molecula
16	42	91.3	640	2 A29160	dnak-type molecula
17	42	91.3	640	2 S37394	dnak-type molecula
18	42	91.3	640	2 T21394	hypothetical prote
19	42	91.3	640	2 T43724	dnak-type molecula
20	42	91.3	641	2 S53357	dnak-type molecula
21	42	91.3	641	2 S35718	dnak-type molecula
22	42	91.3	641	2 I54542	dnak-type molecula
23	42	91.3	641	2 A45871	dnak-type molecula
24	42	91.3	642	1 HHBYA1	dnak-type molecula
25	42	91.3	642	2 JH0095	dnak-type molecula
26	42	91.3	642	2 B36590	dnak-type molecula
27	42	91.3	644	2 A45635	dnak-type molecula
28	42	91.3	645	2 I51129	dnak-type molecula
29	42	91.3	646	2 T46650	heat shock protein

30	42	91.3	647	1 HHXL70	dnak-type molecula
31	42	91.3	647	2 S44168	dnak-type molecula
32	42	91.3	647	2 T41121	heat shock protein
33	42	91.3	650	2 JC7088	heat shock protein
34	41	89.1	209	2 A44261	dnak-type molecula
35	41	89.1	214	2 A03309	dnak-type molecula
36	41	89.1	372	2 PQ0138	dnak-type molecula
37	41	89.1	379	2 I46588	dnak-type molecula
38	41	89.1	467	2 T45473	heat-shock protein
39	41	89.1	467	2 T45474	heat-shock protein
40	41	89.1	641	2 JN0668	dnak-type molecula
41	41	89.1	641	2 PC7036	heat shock protein
42	41	89.1	643	2 S25585	dnak-type molecula
43	41	89.1	643	2 S09036	dnak-type molecula
44	41	89.1	651	2 T45517	heat shock protein
45	41	89.1	651	2 JC7132	heat shock protein

ALIGNMENTS

RESULT 1

B44261
dnak-type molecular chaperone HSC70 - California sea hare (fragment)
N:Alternate names: heat shock protein 70 homolog HSC70
C:Species: Aplysia californica (California sea hare)
C:Date: 04-Sep-1998 #sequence_revision 04-Sep-1998 #text_change 13-Aug-1999
C:Accession: B44261
R:Kuhl, D.; Kennedy, T.E.; Barzilal, A.; Kandel, E.R.
J. Cell Biol. 119, 1069-1076, 1992
A:Title: Long-term sensitization training in Aplysia leads to an increase in the expr
A:Reference number: A44261; MUID:93077669
A:Accession: B44261
A:Status: preliminary; not compared with conceptual translation
A:Molecule type: nucleic acid
A:Residues: 1-208 <KUH>
A:Note: sequence extracted from NCBI backbone (NCBIP:118950)
C:Genetics:
A:Gene: HSC70
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein co
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match 91.3%; Score 42; DB 2; Length 208;
Best Local Similarity 88.9%; Pred. No. 0.39;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 SLFEGIDLY 9
Db 132 SLFEGIDFY 140

RESULT 2

I51344
dnak-type molecular chaperone (clone pHS70.7) - rainbow trout (fragment)
N:Alternate names: 70K heat shock protein
C:Species: Oncorhynchus mykiss (rainbow trout)
C:Date: 21-Feb-1997 #sequence_revision 21-Feb-1997 #text_change 20-Aug-1999
C:Accession: I51344
R:Kothary, R.K.; Jones, D.; Candido, E.P.M.
Mol. Cell. Biol. 4, 1785-1791, 1984
A:Title: 70-kilodalton heat shock polypeptides from rainbow trout: Characterization o
A:Reference number: I51344; MUID:85036330
A:Accession: I51344
A:Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-278 <KOT>
A:Cross-references: GB:K02549; NID:g213803; PIDN:AAA49562.1; PID:g213804
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein co
C:Superfamily: heat shock protein 70

C:Keywords: ATP; molecular chaperone

Query Match 91.3%; Score 42; DB 2; Length 278;
Best Local Similarity 88.9%; Pred. No. 0.54;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
|||||||
Db 156 SLFEGIDFY 164

RESULT 3

A26283

dnak-type molecular chaperone - mouse (fragment)

N:Alternate names: heat shock protein 68

C:Species: Mus musculus (house mouse)

C:Date: 19-Nov-1988 #sequence_revision 19-Nov-1988 #text_change 20-Aug-1999

C:Accession: A26283

R:Lowie, D.G.; Moran, L.A.

J. Biol. Chem. 261, 2102-2112, 1986

A:Title: Molecular cloning and analysis of DNA complementary to three mouse Mr=68,000 he

A:Reference number: A26283; MUID:86111900

A:Accession: A26283

A:Molecule type: mRNA

A:Residues: 1-420 <LOW>

A:Cross-references: GB:M12571; NID:g194014; PIDN:AAA57234.1; PID:g387208

A:Note: the authors translated the codon CTG for residue 173 as Val and CGC for residue

C:Function:

A:Description: involved in protein folding and assembling/disassembling of protein compl

C:Superfamily: heat shock protein 70

C:Keywords: ATP; molecular chaperone

Query Match 91.3%; Score 42; DB 2; Length 420;
Best Local Similarity 88.9%; Pred. No. 0.85;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
|||||||
Db 65 SLFEGIDFY 73

RESULT 4

T45477

heat-shock protein 70 [imported] - Chondrosia reniformis (fragment)

C:Species: Chondrosia reniformis

C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000

C:Accession: T45477

R:Borchelli, C.; Le Parco, Y.

submitted to the EMBL Data Library, September 1997

A:Reference number: 222983

A:Accession: T45477

A>Status: preliminary; translated from GB/EMBL/DDBJ

A:Molecule type: mRNA

A:Residues: 1-467 <BOR>

A:Cross-references: EMBL:AF026517; PIDN:AAC05362.1

C:Genetics:

A:Gene: Hsp70

C:Superfamily: heat shock protein 70

Query Match 91.3%; Score 42; DB 2; Length 467;
Best Local Similarity 88.9%; Pred. No. 0.96;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
|||||||
Db 252 SLFEGIDFY 260

RESULT 5

T45479

heat-shock protein 70 [imported] - Eunicella cavolini (fragment)
C:Species: Eunicella cavolini

C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000

C:Accession: T45479

R:Borchelli, C.; Le Parco, Y.

submitted to the EMBL Data Library, September 1997

A:Reference number: 222983

A:Accession: T45479

A>Status: preliminary; translated from GB/EMBL/DDBJ

A:Molecule type: mRNA

A:Residues: 1-467 <BOR>

A:Cross-references: EMBL:AF026520; PIDN:AAC05364.1

C:Genetics:

A:Gene: Hsp70

C:Superfamily: heat shock protein 70

Query Match 91.3%; Score 42; DB 2; Length 467;
Best Local Similarity 88.9%; Pred. No. 0.96;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
|||||||
Db 252 SLFEGIDFY 260

RESULT 6

T45476

heat-shock protein 70 [imported] - Funiculina quadrangularis (fragment)

C:Species: Funiculina quadrangularis

C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000

C:Accession: T45476

R:Borchelli, C.; Le Parco, Y.

submitted to the EMBL Data Library, September 1997

A:Reference number: 222983

A:Accession: T45476

A>Status: preliminary; translated from GB/EMBL/DDBJ

A:Molecule type: mRNA

A:Residues: 1-468 <BOR>

A:Cross-references: EMBL:AF026516; PIDN:AAC05361.1

C:Genetics:

A:Gene: Hsp70

C:Superfamily: heat shock protein 70

Query Match 91.3%; Score 42; DB 2; Length 468;
Best Local Similarity 88.9%; Pred. No. 0.96;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
|||||||
Db 253 SLFEGIDFY 261

RESULT 7

T45478

heat-shock protein 70 [imported] - Eunicella cavolini (fragment)

C:Species: Eunicella cavolini

C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000

C:Accession: T45478

R:Borchelli, C.; Le Parco, Y.

submitted to the EMBL Data Library, September 1997

A:Reference number: 222983

A:Accession: T45478

A>Status: preliminary; translated from GB/EMBL/DDBJ

A:Molecule type: mRNA

A:Residues: 1-469 <BOR>

A:Cross-references: EMBL:AF026518; PIDN:AAC05363.1

C:Genetics:

A:Gene: Hsp70

C:Superfamily: heat shock protein 70

Query Match 91.3%; Score 42; DB 2; Length 469;
 Best Local Similarity 88.9%; Pred. No. 0.96;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
 |||||
 Db 254 SLFEGIDFY 262

RESULT 8
 H96605
 probable heat shock protein [imported] - Arabidopsis thaliana
 C:Species: Arabidopsis thaliana (mouse-ear cress)
 C:Date: 02-Mar-2001 #sequence_revision 02-Mar-2001 #text_change 23-Mar-2001
 C:Accession: H96605
 R:Theologis, A.; Ecker, J.R.; Palm, C.J.; Federspiel, N.A.; Kaul, S.; White, O.; Alonso,
 Chin, C.W.; Chung, M.K.; Conn, L.; Conway, A.B.; Conway, T.H.; Dewar, K.;
 ansen, N.F.; Hughes, B.; Hulzar, L.
 Nature 408, 816-820, 2000
 A:Authors: Hunter, J.L.; Jenkins, J.; Johnson-Hopson, C.; Khan, S.; Khaykin, E.; Kim, C.
 C.A.; Li, J.H.; Li, Y.; Lin, X.; Liu, S.X.; Liu, Z.A.; Lueros, J.S.; Maiti, R.; Marziali,
 Rizzo, M.; Rooney, T.; Rowley, D.; Sakano, H.
 A:Authors: Salzberg, S.L.; Schwartz, J.R.; Shinn, P.; Southwick, A.M.; Sun, H.; Tallon,
 ker, M.; Wu, D.; Yu, G.; Fraser, C.M.; Venter, J.C.; Davis, R.W.
 A:Title: Sequence and analysis of chromosome 1 of the plant Arabidopsis.
 A:Reference number: A86141; MUID:21016719
 A:Accession: H96605
 A>Status: preliminary
 A:Molecule type: DNA
 A:Residues: 1-617 <STO>
 A:Cross-references: GB:AE005173; NID:g11024845; PIDN:AAG26930.1; GSPDB:GN00141
 C:Genetics:
 A:Gene: F13N6.9
 A:Map position: 1
 C:Superfamily: heat shock protein 70

Query Match 91.3%; Score 42; DB 2; Length 617;
 Best Local Similarity 88.9%; Pred. No. 1.3;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
 |||||
 Db 292 SLFEGIDFY 300

RESULT 9
 T45471
 dnaK-type molecular chaperone hsc70 [imported] - slime mold (Dictyostelium discoideum)
 N:Alternate names: heat shock cognate protein 70
 C:Species: Dictyostelium discoideum
 C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 18-Feb-2000
 C:Accession: T45471
 R:Boves, H.; Mintert, U.; Dittich, W.; Faix, J.; Gerisch, G.
 submitted to the EMBL Data Library, September 1997
 A:Reference number: Z22980
 A:Accession: T45471
 A>Status: preliminary; translated from GB/EMBL/DBJ
 A:Molecule type: mRNA
 A:Residues: 1-632 <BOV>
 A:Cross-references: EMBL:AF025951; PIDN:AA81865.1
 A:Experimental source: strain AX3
 C:Genetics:
 A:Gene: hsc70
 A:Note: localized to filopodias and cortex
 C:Superfamily: heat shock protein 70

Query Match 91.3%; Score 42; DB 2; Length 632;
 Best Local Similarity 88.9%; Pred. No. 1.3;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9

Db 285 SLFEGIDFY 293
 |||||

RESULT 10
 A25646
 dnaK-type molecular chaperone - chicken
 N:Alternate names: heat shock protein 70
 C:Species: Gallus gallus (chicken)
 C:Date: 19-Nov-1988 #sequence_revision 19-Nov-1988 #text_change 20-Aug-1999
 C:Accession: A25646
 R:Morimoto, R.I.; Hunt, C.; Huang, S.Y.; Berg, K.L.; Banerji, S.S.
 J. Biol. Chem. 261, 12692-12699, 1986
 A:Title: Organization, nucleotide sequence, and transcription of the chicken HSP70 ge
 A:Reference number: A25646; MUID:86304452
 A:Accession: A25646
 A:Molecule type: DNA
 A:Residues: 1-634 <MOR>
 A:Cross-references: GB:J02579; NID:g211940; PIDN:AAA48825.1; PID:g211941
 A:Note: the authors translated the codon TCG for residue 583 as Trp
 C:Function:
 A:Description: involved in protein folding and assembling/disassembling of protein co
 C:Superfamily: heat shock protein 70
 C:Keywords: ATP; molecular chaperone

Query Match 91.3%; Score 42; DB 2; Length 634;
 Best Local Similarity 88.9%; Pred. No. 1.3;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
 |||||
 Db 289 SLFEGIDFY 297

RESULT 11
 A48872
 dnaK-type molecular chaperone hspB - slime mold (Dictyostelium discoideum) (fragment)
 N:Alternate names: 70k heat shock cognate protein aginactin; F-actin capping protein
 C:Species: Dictyostelium discoideum
 C:Date: 19-May-1995 #sequence_revision 19-May-1995 #text_change 20-Aug-1999
 C:Accession: A48872
 R:Eddy, R.J.; Sauterer, R.A.; Condeelis, J.S.
 J. Biol. Chem. 268, 23267-23274, 1993
 A:Title: Aginactin, an agonist-regulated F-actin capping activity is associated with
 A:Reference number: A48872; MUID:94043116
 A:Accession: A48872
 A>Status: preliminary
 A:Molecule type: mRNA
 A:Residues: 1-636 <EDD>
 A:Cross-references: GB:L22736; NID:9433179; PIDN:AAA33219.1; PID:9433180
 A:Note: authors translated the codon ACA for residue 10 as Pro, GCT for residue 60 as
 C:Function:
 A:Description: involved in protein folding and assembling/disassembling of protein co
 C:Superfamily: heat shock protein 70
 C:Keywords: ATP; molecular chaperone

Query Match 91.3%; Score 42; DB 2; Length 636;
 Best Local Similarity 88.9%; Pred. No. 1.4;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
 |||||
 Db 280 SLFEGIDFY 288

RESULT 12
 S31766
 dnaK-type molecular chaperone hsp70 - green monkey
 N:Alternate names: heat shock protein 70
 C:Species: Cercopithecus aethiops (green monkey, grivet)
 C:Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 20-Aug-1999

C;Accession: S31766; I36927
 R;Sainis, I.; Angelidis, C.; Pagoulatos, G.; Lazaridis, I.
 submitted to the EMBL Data Library, January 1993
 A;Description: Nucleotide sequence of the cDNA encoding a monkey 70kd heat shock protein
 A;Reference number: S31766
 A;Accession: S31766
 A;Molecule type: mRNA
 A;Residues: 1-638 <SAI>
 R;Sainis, I.; Angelidis, C.; Pagoulatos, G.; Lazaridis, I.
 FEBS Lett. 355, 282-286, 1994
 A;Title: The hsc70 gene which is slightly induced by heat is the main virus inducible me
 A;Reference number: I36927; MUID:95080396
 A;Accession: I36927
 A;Status: preliminary; translated from GB/EMBL/DBJ
 A;Molecule type: mRNA
 A;Residues: 1-638 <RES>
 A;Cross-references: EMBL:X70684; NID:g22781; PIDN:CAA50019.1; PID:g22782
 A;Experimental source: kidney; cell line COS-1
 C;Genetics:
 A;Gene: hsp70
 C;Function:
 A;Description: involved in protein folding and assembling/disassembling of protein compl
 A;Superfamily: heat shock protein 70
 C;Keywords: ATP; molecular chaperone

Query Match 91.3%; Score 42; DB 2; Length 638;
 Best Local Similarity 88.9%; Pred. No. 1.4;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
 |||||
 Db 284 SLFEGIDFY 292

RESULT 13

JC1391
 dnaK-type molecular chaperone 70IV - sea urchin (Paracentrotus lividus)
 N;Alternate names: heat shock protein 70IV; hsp70IV protein
 C;Species: Paracentrotus lividus (common urchin)
 C;Date: 10-Jun-1993 #sequence_revision 10-Jun-1993 #text_change 20-Aug-1999
 C;Accession: JC1391
 R;Sconzo, G.; Scardina, G.; Ferraro, M.G.
 Gene 121, 353-358, 1992
 A;Title: Characterization of a new member of the sea urchin Paracentrotus lividus hsp70
 A;Reference number: JC1391; MUID:93077053
 A;Accession: JC1391
 A;Molecule type: DNA
 A;Residues: 1-639 <SCO>
 A;Cross-references: EMBL:X61379; NID:g312916; PIDN:CAA43653.1; PID:g312917
 C;Genetics:
 A;Gene: hsp70IV
 A;Introns: 61/2
 C;Function:
 A;Description: involved in protein folding and assembling/disassembling of protein compl
 A;Superfamily: heat shock protein 70
 C;Keywords: ATP; heat shock; molecular chaperone; stress-induced protein

Query Match 91.3%; Score 42; DB 2; Length 639;
 Best Local Similarity 88.9%; Pred. No. 1.4;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
 |||||
 Db 286 SLFEGIDFY 294

RESULT 14

S20139
 dnaK-type molecular chaperone SSA2 - yeast (Saccharomyces cerevisiae)
 N;Alternate names: heat shock protein YG102; protein L0971; protein YLL024C
 C;Species: Saccharomyces cerevisiae

C;Date: 07-May-1993 #sequence_revision 07-May-1993 #text_change 20-Jun-2000
 C;Accession: S20139; S64772; S64775; S69383
 R;Slater, M.R.; Craig, E.A.
 Nucleic Acids Res. 17, 805-806, 1989
 A;Title: The SSA1 and SSA2 genes of the yeast Saccharomyces cerevisiae.
 A;Reference number: S20139; MUID:89128457
 A;Accession: S20139
 A;Status: translation not shown
 A;Molecule type: DNA
 A;Residues: 1-639 <SLA>
 A;Cross-references: EMBL:X12927; NID:g4545; PIDN:CAA31394.1; PID:g4546
 R;Goffeau, A.; Purnelle, B.
 submitted to the Protein Sequence Database, May 1996
 A;Reference number: S64761
 A;Accession: S64772
 A;Molecule type: DNA
 A;Residues: 1-639 <GOF>
 A;Cross-references: EMBL:X73129; NID:gl360201; PIDN:CAA97472.1; PID:gl360202; MIPS:YL
 A;Experimental source: strain S288C
 R;Duesterhoeft, A.; Floeth, M.; Heuss-Neitzel, D.; Hilbert, H.; Moestl, D.
 submitted to the Protein Sequence Database, May 1996
 A;Reference number: S64775
 A;Accession: S64775
 A;Molecule type: DNA
 A;Residues: 72-639 <DUE>
 A;Cross-references: EMBL:X73129; MIPS:YLL024C
 A;Experimental source: strain S288C
 R;Purnelle, B.; Goffeau, A.
 submitted to the EMBL Data Library, April 1996

A;Description: The sequence of 32 kb on the left arm of yeast chromosome XII reveals
 mly and a new ABC transporter homologous to the human multidrug resistance protein.
 A;Reference number: S69380
 A;Accession: S69383
 A;Molecule type: DNA
 A;Residues: 1-639 <PUR>
 A;Cross-references: EMBL:X97560; NID:gl297003; PIDN:CAA66167.1; PID:gl297007
 C;Genetics:
 A;Gene: SGP:SSA2
 A;Cross-references: MIPS:YLL024c; SGD:S0003947
 A;Map position: 12L
 C;Function:
 A;Description: involved in protein folding and assembling/disassembling of protein co
 A;Superfamily: heat shock protein 70
 C;Keywords: ATP; molecular chaperone

Query Match 91.3%; Score 42; DB 2; Length 639;
 Best Local Similarity 88.9%; Pred. No. 1.4;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
 |||||
 Db 283 SLFEGIDFY 291

RESULT 15

HHKW7A
 dnaK-type molecular chaperone hsp70A - Caenorhabditis elegans
 N;Alternate names: heat shock protein 70 A
 C;Species: Caenorhabditis elegans
 C;Date: 30-Jun-1989 #sequence_revision 30-Jun-1989 #text_change 22-Jun-1999
 C;Accession: JT0285
 R;Snutch, T.P.; Heschl, M.F.P.; Baillie, D.L.
 Gene 64, 241-255, 1988
 A;Title: The Caenorhabditis elegans hsp70 gene family: a molecular genetic characteri
 A;Reference number: JT0285; MUID:88297155
 A;Accession: JT0285
 A;Molecule type: DNA; mRNA
 A;Residues: 1-640 <SNU>
 A;Cross-references: GB:M18540; NID:gl56351; PIDN:AAA28078.1; PID:gl56352
 N;Alternate names: genomic clones representing six distinct members of the hsp70 gene family wer
 A;Note: transcripts of hsp70A are abundant in control worms and also increase two- to
 A;Note: one of the three introns in hsp70A is in a position similar to an intron in D

C:Genetics:
A:Gene: hsp70A
A:Map position: IV
A:Introns: 69/1; 331/3; 558/3
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein complex
C:Superfamily: heat shock protein 70
C:Keywords: ATP; heat shock; molecular chaperone; stress-induced protein

Query Match 91.3%; Score 42; DB 1; Length 640;
Best Local Similarity 88.9%; Pred. No. 1.4;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Oy 1 SLFEGIDLY 9
| | | | | | | |
Db 287 SLFEGIDFY 295

Search completed: December 6, 2001, 07:58:26
Job time: 274 sec

THIS PAGE BLANK (USPTO)

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 08:00:50 ; Search time 50.21 seconds
(without alignments)
6.572 Million cell updates/sec

Title: PEPL-MOD8L
Perfect score: 46
Sequence: 1 SLFEGIDLY 9

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 100059 seqs, 36664827 residues

Total number of hits satisfying chosen parameters: 100059

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : SwissProt_39:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	DB ID	Description
1	43	93.5	638	1 HS70_CERCA	P1902 ceratitis c
2	42	91.3	322	1 HS70_ONCVO	P11503 onchocerca
3	42	91.3	420	1 HS73_MOUSE	Q61696 mus musculus
4	42	91.3	503	1 HS70_PENCI	Q92260 penicillium
5	42	91.3	634	1 HS70_CHICK	P08106 gallus galli
6	42	91.3	638	1 HS71_CERAE	Q28222 cercopithec
7	42	91.3	638	1 HS72_YEAST	P10592 saccharomyc
8	42	91.3	639	1 HS74_PARLI	Q06248 paracentrot
9	42	91.3	640	1 HS7A_CAEEL	P09446 caenorhabdi
10	42	91.3	640	1 HS7C_DICDI	P36415 dictyosteli
11	42	91.3	641	1 HS71_BOVIN	Q27975 bos taurus
12	42	91.3	641	1 HS71_HUMAN	P08107 homo sapien
13	42	91.3	641	1 HS71_MOUSE	P17879 mus musculus
14	42	91.3	641	1 HS71_PIG	P34930 sus scrofa
15	42	91.3	641	1 HS71_RAT	Q07439 rattus norv
16	42	91.3	641	1 HS71_YEAST	P10591 saccharomyc
17	42	91.3	641	1 HS72_BOVIN	Q27965 bos taurus
18	42	91.3	641	1 HS74_YEAST	P22202 saccharomyc
19	42	91.3	644	1 HS70_BRUMA	P27541 brugia mala
20	42	91.3	644	1 HS70_ONCTS	Q91233 oncorhynch
21	42	91.3	645	1 HS70_PLEWA	Q91291 pleurodeles
22	42	91.3	646	1 HS70_NEUCR	Q01233 neurospora
23	42	91.3	647	1 HS70_XENLA	P02827 xenopus lae
24	42	91.3	649	1 HS70_BLAEM	P48720 blastoclad
25	42	91.3	652	1 HS7D_MANSE	Q96639 manduca sex
26	41	89.1	214	1 HS7A_DROSI	P02826 drosophila
27	41	89.1	372	1 HS72_PARLI	P22623 paracentrot
28	41	89.1	379	1 HS7X_PIG	P34934 sus scrofa
29	41	89.1	641	1 HS7A_DROME	P29843 drosophila
30	41	89.1	643	1 HS76_HUMAN	P17066 homo sapien
31	41	89.1	643	1 HS76_PIG	Q04967 sus scrofa
32	41	89.1	648	1 HS71_PUGGR	Q01877 puccinia gr
33	39	84.8	641	1 HS73_RAT	P55063 rattus norv

ALIGNMENTS

```

RESULT 1
HS70_CERCA
ID HS70_CERCA STANDARD; PRT; 638 AA.
AC P91902;
DT 15-JUL-1998 (Rel. 36, Created)
DT 15-JUL-1998 (Rel. 36, Last sequence update)
DE HEAT SHOCK PROTEIN 70 (HSP70).
OS Ceratitis capitata (Mediterranean fruit fly).
OC Eukaryota; Metazoa; Arthropoda; Tracheata; Insecta;
OC Pterygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
OC Tephritidae; Tephritidae; Ceratitis.
OX NCBI_TaxID=7213;
RN [1]
RP SEQUENCE FROM N.A.
RA Mintzas A.C.;
RL Submitted (OCT-1996) to the EMBL/GenBank/DBJ databases.
RC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; Y08955; CAA70153.1; -
DR HSSP; P19120; IATR.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
DR ATP-binding; Heat shock.
SQ SEQUENCE 638 AA; 70068 MW; EE86A60E861C36D7 CRC64;

Query Match 93.5%; Score 43; DB 1; Length 638;
Best Local Similarity 88.9%; Pred.No.0.5; Mismatches 0; Indels 0; Gaps 0;
Matches 8; Conservative 1;

Qy 1 SLFEGIDLY 9
Db 283 ALFEGIDLY 291
:|||||||

RESULT 2
HS70_ONCVO
ID HS70_ONCVO STANDARD; PRT; 322 AA.
AC P11503;
DT 01-OCT-1989 (Rel. 12, Created)
DT 01-FEB-1996 (Rel. 33, Last sequence update)
DT 01-FEB-1996 (Rel. 33, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN (HSP70) (FRAGMENT).

```

OS Onchocerca volvulus.
 OC Eukaryota; Metazoa; Nematoda; Chromadorea; Spirurida; Filarioidea;
 CC Onchocercidae; Onchocera.
 OX NCBI_TaxID=6282;
 RN [1]

RP SEQUENCE FROM N.A.
 RX MEDLINE=89201313; PubMed=2704388;
 RA Rothstein N.M., Higashi G., Yates J., Rajan T.V.;
 RT "Onchocerca volvulus heat shock protein 70 is a major immunogen in
 RT amicrofilaric individuals from a filariasis-endemic area.";
 RL Mol. Biochem. Parasitol. 33:229-236(1989).
 CC -!- DISEASE: HEAT SHOCK PROTEIN 70 IS A MAJOR IMMUNOGEN IN A
 CC MICROFILAREMIC INDIVIDUALS FROM A FILARIASIS-ENDEMIC AREA.
 CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----

CC EMBL; J04006; AAA29417.1; -.
 DR HSP; P19120; IATR.
 DR InterPro: IPR001023; HSP70.
 DR Pfam: PF00012; HSP70; 1.
 DR PROSITE; PS00297; HSP70_1; PARTIAL.
 DR PROSITE; PS00329; HSP70_2; PARTIAL.
 DR PROSITE; PS01036; HSP70_3; 1.
 KW ATP-binding; Heat shock.
 FT NON_TER 1
 FT NON_TER 322
 FT SEQUENCE 322 AA; 35614 MW; 2BA3A2E8155A7180 CRC64;
 SQ

Query Match 91.3%; Score 42; DB 1; Length 322;
 Best Local Similarity 88.9%; Pred. No. 0.38;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDLY 9
 |||||
 DB 43 SLFEGIDFY 51

RESULT 3
 HS73_MOUSE STANDARD; PRT; 420 AA.
 AC Q61696; Q61697;
 DT 01-NOV-1997 (Rel. 35, Created)
 DT 01-NOV-1997 (Rel. 35, Last sequence update)
 DT 01-NOV-1997 (Rel. 35, Last annotation update)
 DE HEAT SHOCK 70 KDA PROTEIN 3 (HSP70.3) (FRAGMENT).
 GN HSP70-3 OR HSP70A1.
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 OX NCBI_TaxID=10090;
 RN [1]
 RN SEQUENCE FROM N.A.
 RX MEDLINE=86111900; PubMed=2868009;
 RA Lowe D.G., Moran L.A.;
 RT "Molecular cloning and analysis of DNA complementary to three mouse
 RT Mr = 68,000 heat shock protein mRNAs.";
 RL J. Biol. Chem. 261:2102-2112(1986).
 RN [2]
 RN SEQUENCE OF 155-420 FROM N.A.
 RP MEDLINE=94357449; PubMed=8076831;
 RX Perry M.D., Anjame L., Shtang S., Moran L.A.;
 RA "Structure and expression of an inducible HSP70-encoding gene from
 RT Mus musculus.";
 RL Gene 146:273-278(1994).
 CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE

CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
 CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
 CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
 CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
 CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
 CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
 CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
 CC -!- INDUCTION: BY HEAT SHOCK.
 CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----

CC EMBL; M12571; AAA57234.1; -.
 DR EMBL; M12572; AAA57235.1; -.
 DR HSP; P19120; IATR.
 DR MGD; MGI:96244; Hsp70-3.
 DR InterPro: IPR001023; HSP70.
 DR Pfam: PF00012; HSP70; 1.
 DR PROSITE; PS00297; HSP70_1; PARTIAL.
 DR PROSITE; PS00329; HSP70_2; PARTIAL.
 DR PROSITE; PS01036; HSP70_3; 1.
 KW ATP-binding; Chaperone; Heat shock; Multigene family.
 FT NON_TER 1
 FT NON_TER 188
 FT VARIANT 188 V -> G.
 FT SEQUENCE 420 AA; 46292 MW; 5DALC6155C7B16B5 CRC64;
 SQ

Query Match 91.3%; Score 42; DB 1; Length 420;
 Best Local Similarity 88.9%; Pred. No. 0.51;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDLY 9
 |||||
 DB 65 SLFEGIDFY 73

RESULT 4
 HS70_PENCI STANDARD; PRT; 503 AA.
 AC Q92260;
 DT 20-AUG-2001 (Rel. 40, Created)
 DT 20-AUG-2001 (Rel. 40, Last sequence update)
 DT 20-AUG-2001 (Rel. 40, Last annotation update)
 DE HEAT SHOCK 70 KDA PROTEIN (ALLERGEN PEN C 19) (FRAGMENT).
 GN HSP70.
 OS Penicillium citrinum.
 OC Eukaryota; Fungi; Ascomycota; Pezizomycotina; Eurotiomycetes;
 OC Eurotiales; Trichocomaceae; mitosporic Trichocomaceae; Penicillium.
 OX NCBI_TaxID=5077;
 RN [1]
 RN SEQUENCE FROM N.A.
 RP Shen H.D., Au L.C., Lin W.L., Liaw S.F., Tsai J.J., Han S.H.;
 RA "Molecular cloning and expression of a Penicillium citrinum
 RT allergen with sequence homology and antigenic cross-reactivity to
 RT a hsp70 human heat shock protein.";
 RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
 CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; U64207; AAB06397.1; -.

```

DR HSP: P19120; 3HSC.
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70; 1.
DR PRINTS: PR00301; HEATSHOCK70.
DR PROSITE: PS00329; HSP70_2; 1.
DR PROSITE: PS01036; HSP70_3; 1.
KW ATP-binding; Chapterone; Heat shock; Allergen.
FT NON_TER 1
SQ SEQUENCE 503 AA; 55125 MW; B7433C11FAE1320 CRC64;

Query Match 91.3%; Score 42; DB 1; Length 503;
Best Local Similarity 88.9%; Pred. No. 0.62;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
DB 154 SLFEGIDFY 162

RESULT 5
HS70_CHICK STANDARD; PRT; 634 AA.
AC P08106;
DT 01-AUG-1988 (Rel. 08, Created)
DT 01-AUG-1988 (Rel. 08, Last sequence update)
DT 01-FEB-1994 (Rel. 28, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN (HSP70).
OS Gallus gallus (Chicken).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Archosauria; Aves; Neognathae; Galliformes; Phasianidae;
OC Gallus.
OX NCBI_TaxID=9031;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=86304452; PubMed=3017985;
RA Morimoto R.I., Hunt C., Huang S.-Y., Berg K.L., Banerji S.S.;
RT "Organization, nucleotide sequence, and transcription of the chicken
   HSP70 gene.";
RL J. Biol. Chem. 261:12692-12699(1986).
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL: J02579; AAA48825.1;
DR PIR: A25646; A25646.
DR HSP: P19120; LATR.
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70; 1.
DR PRINTS: PR00301; HEATSHOCK70.
DR PROSITE: PS00329; HSP70_1; 1.
DR PROSITE: PS00297; HSP70_2; 1.
DR PROSITE: PS00329; HSP70_3; 1.
DR PROSITE: PS01036; HSP70_3; 1.
KW ATP-binding; Heat shock; Multigene family.
SQ SEQUENCE 634 AA; 69750 MW; 4270F7F08D365AEB CRC64;

Query Match 91.3%; Score 42; DB 1; Length 634;
Best Local Similarity 88.9%; Pred. No. 0.79;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
DB 209 SLFEGIDFY 297

RESULT 6
HS71_CERAE STANDARD; PRT; 638 AA.
AC Q28222;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1.
GN HSPAL.
OS Cercopithecus aethiops (Green monkey) (Grivet).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Theria; Primates; Catarrhini; Cercopithecidae;
OC Cercopithecinae; Cercopithecus.
OX NCBI_TaxID=9534;
RN [1]
RP SEQUENCE FROM N.A.
RX TISSUE=Kidney;
RX MEDLINE=95080396; PubMed=7988690;
RA Sainis I., Angelidis C., Pagoulatos G., Lazaridis I.;
RT "The hsc70 gene which is slightly induced by heat is the main virus
   inducible member of the hsp70 gene family.";
RL FEBS Lett. 355:282-286(1994).
CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDIATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC
CC RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR
CC PROTEIN TRANSLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION
CC PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE
CC PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE
CC CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE
CC SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES
CC DURING TRANSLATION AND MEMBRANE TRANSLOCATION, OR FOLLOWING
CC STRESS-INDUCED DAMAGE.
CC -!- INDUCTION: BY HEAT SHOCK.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
DR EMBL: X70684; CAA50019.1;
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70; 1.
DR PRINTS: PR00301; HEATSHOCK70.
DR PROSITE: PS00297; HSP70_1; 1.
DR PROSITE: PS00329; HSP70_2; 1.
DR PROSITE: PS01036; HSP70_3; 1.
KW ATP-binding; Chapterone; Heat shock; Multigene family; MHC III.
SQ SEQUENCE 638 AA; 69920 MW; D55076A0FFABGAB3 CRC64;

Query Match 91.3%; Score 42; DB 1; Length 638;
Best Local Similarity 88.9%; Pred. No. 0.8;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
DB 284 SLFEGIDFY 292

RESULT 7
HS72_YEAST STANDARD; PRT; 638 AA.
AC P10592;
DT 01-JUL-1989 (Rel. 11, Created)
DT 01-OCT-1994 (Rel. 30, Last sequence update)
DT 01-OCT-1996 (Rel. 34, Last annotation update)
DE HEAT SHOCK PROTEIN SSA2.
GN SSA2 OR YLL024C OR L0931.

```

OS Saccharomyces cerevisiae (Baker's yeast).
 OC Eukaryota; Fungi; Ascomycota; Saccharomycotina; Saccharomycetes;
 OC Saccharomycetales; Saccharomycetaceae; Saccharomycetes.
 OX NCBI_TaxID=4932;
 RN [1]
 RP SEQUENCE FROM N.A.

RC STRAIN=S288C;
 RX MEDLINE=69128457; PubMed=2644626;
 RA Slater M.R., Craig E.A.;
 RT "The SSA1 and SSA2 genes of the yeast Saccharomyces cerevisiae.";
 RL Nucleic Acids Res. 17:805-806(1989).
 RN [2]
 RP SEQUENCE FROM N.A.

RC STRAIN=S288C;
 RX MEDLINE=69128457; PubMed=2644626;
 RA Slater M.R., Craig E.A.;
 RT "The SSA1 and SSA2 genes of the yeast Saccharomyces cerevisiae.";
 RL Nucleic Acids Res. 17:805-806(1989).
 RN [3]
 RP SEQUENCE FROM N.A.

RC STRAIN=S288C;
 RX MEDLINE=69128457; PubMed=2644626;
 RA Slater M.R., Craig E.A.;
 RT "The SSA1 and SSA2 genes of the yeast Saccharomyces cerevisiae.";
 RL Nucleic Acids Res. 17:805-806(1989).
 RN [4]
 RP SEQUENCE OF 91-97 AND 325-341.

RC STRAIN=S288C;
 RX MEDLINE=69128457; PubMed=2644626;
 RA Slater M.R., Craig E.A.;
 RT "The SSA1 and SSA2 genes of the yeast Saccharomyces cerevisiae.";
 RL Nucleic Acids Res. 17:805-806(1989).
 RN [5]
 RP SEQUENCE OF 186-195.

RC STRAIN=ATCC 38531 / Y41;
 RX MEDLINE=97089742; PubMed=8935650;
 RA Norbeck J., Blomberg A.;
 RT "Protein expression during exponential growth in 0.7 M NaCl medium of
 Saccharomyces cerevisiae.";
 RL FEMS Microbiol. Lett. 137:1-8(1996).
 RN [6]
 RP ACETYLATION, AND PHOSPHORYLATION.

RA Garrels J.I., Fletcher B., Kobayashi R., Latter G.I., Schwender B.,
 Volpe T., Warner J.R., McLaughlin C.S.;
 RT "Protein identifications for a Saccharomyces cerevisiae protein
 database.";
 RL Electrophoresis 15:1466-1486(1994).
 RN [5]
 RP SEQUENCE OF 186-195.

RC STRAIN=ATCC 38531 / Y41;
 RX MEDLINE=97089742; PubMed=8935650;
 RA Norbeck J., Blomberg A.;
 RT "Protein expression during exponential growth in 0.7 M NaCl medium of
 Saccharomyces cerevisiae.";
 RL FEMS Microbiol. Lett. 137:1-8(1996).
 RN [6]
 RP ACETYLATION, AND PHOSPHORYLATION.

RA Garrels J.I., Fletcher B., Kobayashi R., Latter G.I., Schwender B.,
 Volpe T., Warner J.R., McLaughlin C.S.;
 RT "Protein identifications for a Saccharomyces cerevisiae protein
 database.";
 RL Electrophoresis 15:1466-1486(1994).
 RN [5]
 RP SEQUENCE OF 186-195.

RC STRAIN=ATCC 38531 / Y41;
 RX MEDLINE=97089742; PubMed=8935650;
 RA Norbeck J., Blomberg A.;
 RT "Protein expression during exponential growth in 0.7 M NaCl medium of
 Saccharomyces cerevisiae.";
 RL FEMS Microbiol. Lett. 137:1-8(1996).
 RN [6]
 RP ACETYLATION, AND PHOSPHORYLATION.

RA Garrels J.I., Fletcher B., Kobayashi R., Latter G.I., Schwender B.,
 Volpe T., Warner J.R., McLaughlin C.S.;
 RT "Protein identifications for a Saccharomyces cerevisiae protein
 database.";
 RL Electrophoresis 15:1466-1486(1994).
 RN [5]
 RP SEQUENCE OF 186-195.

RC STRAIN=ATCC 38531 / Y41;
 RX MEDLINE=97089742; PubMed=8935650;
 RA Norbeck J., Blomberg A.;
 RT "Protein expression during exponential growth in 0.7 M NaCl medium of
 Saccharomyces cerevisiae.";
 RL FEMS Microbiol. Lett. 137:1-8(1996).
 RN [6]
 RP ACETYLATION, AND PHOSPHORYLATION.

RA Garrels J.I., Fletcher B., Kobayashi R., Latter G.I., Schwender B.,
 Volpe T., Warner J.R., McLaughlin C.S.;
 RT "Protein identifications for a Saccharomyces cerevisiae protein
 database.";
 RL Electrophoresis 15:1466-1486(1994).
 RN [5]
 RP SEQUENCE OF 186-195.

RC STRAIN=ATCC 38531 / Y41;
 RX MEDLINE=97089742; PubMed=8935650;
 RA Norbeck J., Blomberg A.;
 RT "Protein expression during exponential growth in 0.7 M NaCl medium of
 Saccharomyces cerevisiae.";
 RL FEMS Microbiol. Lett. 137:1-8(1996).
 RN [6]
 RP ACETYLATION, AND PHOSPHORYLATION.

RA Garrels J.I., Fletcher B., Kobayashi R., Latter G.I., Schwender B.,
 Volpe T., Warner J.R., McLaughlin C.S.;
 RT "Protein identifications for a Saccharomyces cerevisiae protein
 database.";
 RL Electrophoresis 15:1466-1486(1994).
 RN [5]
 RP SEQUENCE OF 186-195.

RC STRAIN=ATCC 38531 / Y41;
 RX MEDLINE=97089742; PubMed=8935650;
 RA Norbeck J., Blomberg A.;
 RT "Protein expression during exponential growth in 0.7 M NaCl medium of
 Saccharomyces cerevisiae.";
 RL FEMS Microbiol. Lett. 137:1-8(1996).
 RN [6]
 RP ACETYLATION, AND PHOSPHORYLATION.

RA Garrels J.I., Fletcher B., Kobayashi R., Latter G.I., Schwender B.,
 Volpe T., Warner J.R., McLaughlin C.S.;
 RT "Protein identifications for a Saccharomyces cerevisiae protein
 database.";
 RL Electrophoresis 15:1466-1486(1994).
 RN [5]
 RP SEQUENCE OF 186-195.

RC STRAIN=ATCC 38531 / Y41;
 RX MEDLINE=97089742; PubMed=8935650;
 RA Norbeck J., Blomberg A.;
 RT "Protein expression during exponential growth in 0.7 M NaCl medium of
 Saccharomyces cerevisiae.";
 RL FEMS Microbiol. Lett. 137:1-8(1996).
 RN [6]
 RP ACETYLATION, AND PHOSPHORYLATION.

RA Garrels J.I., Fletcher B., Kobayashi R., Latter G.I., Schwender B.,
 Volpe T., Warner J.R., McLaughlin C.S.;
 RT "Protein identifications for a Saccharomyces cerevisiae protein
 database.";
 RL Electrophoresis 15:1466-1486(1994).
 RN [5]
 RP SEQUENCE OF 186-195.

RC STRAIN=ATCC 38531 / Y41;
 RX MEDLINE=97089742; PubMed=8935650;
 RA Norbeck J., Blomberg A.;
 RT "Protein expression during exponential growth in 0.7 M NaCl medium of
 Saccharomyces cerevisiae.";
 RL FEMS Microbiol. Lett. 137:1-8(1996).
 RN [6]
 RP ACETYLATION, AND PHOSPHORYLATION.

RA Garrels J.I., Fletcher B., Kobayashi R., Latter G.I., Schwender B.,
 Volpe T., Warner J.R., McLaughlin C.S.;
 RT "Protein identifications for a Saccharomyces cerevisiae protein
 database.";
 RL Electrophoresis 15:1466-1486(1994).
 RN [5]
 RP SEQUENCE OF 186-195.

RC STRAIN=ATCC 38531 / Y41;
 RX MEDLINE=97089742; PubMed=8935650;
 RA Norbeck J., Blomberg A.;
 RT "Protein expression during exponential growth in 0.7 M NaCl medium of
 Saccharomyces cerevisiae.";
 RL FEMS Microbiol. Lett. 137:1-8(1996).
 RN [6]
 RP ACETYLATION, AND PHOSPHORYLATION.

RA Garrels J.I., Fletcher B., Kobayashi R., Latter G.I., Schwender B.,
 Volpe T., Warner J.R., McLaughlin C.S.;
 RT "Protein identifications for a Saccharomyces cerevisiae protein
 database.";
 RL Electrophoresis 15:1466-1486(1994).
 RN [5]
 RP SEQUENCE OF 186-195.

RC STRAIN=ATCC 38531 / Y41;
 RX MEDLINE=97089742; PubMed=8935650;
 RA Norbeck J., Blomberg A.;
 RT "Protein expression during exponential growth in 0.7 M NaCl medium of
 Saccharomyces cerevisiae.";
 RL FEMS Microbiol. Lett. 137:1-8(1996).
 RN [6]
 RP ACETYLATION, AND PHOSPHORYLATION.

RA Garrels J.I., Fletcher B., Kobayashi R., Latter G.I., Schwender B.,
 Volpe T., Warner J.R., McLaughlin C.S.;
 RT "Protein identifications for a Saccharomyces cerevisiae protein
 database.";
 RL Electrophoresis 15:1466-1486(1994).
 RN [5]
 RP SEQUENCE OF 186-195.

RC STRAIN=ATCC 38531 / Y41;
 RX MEDLINE=97089742; PubMed=8935650;
 RA Norbeck J., Blomberg A.;
 RT "Protein expression during exponential growth in 0.7 M NaCl medium of
 Saccharomyces cerevisiae.";
 RL FEMS Microbiol. Lett. 137:1-8(1996).
 RN [6]
 RP ACETYLATION, AND PHOSPHORYLATION.

RA Garrels J.I., Fletcher B., Kobayashi R., Latter G.I., Schwender B.,
 Volpe T., Warner J.R., McLaughlin C.S.;
 RT "Protein identifications for a Saccharomyces cerevisiae protein
 database.";
 RL Electrophoresis 15:1466-1486(1994).
 RN [5]
 RP SEQUENCE OF 186-195.

RC STRAIN=ATCC 38531 / Y41;
 RX MEDLINE=97089742; PubMed=8935650;
 RA Norbeck J., Blomberg A.;
 RT "Protein expression during exponential growth in 0.7 M NaCl medium of
 Saccharomyces cerevisiae.";
 RL FEMS Microbiol. Lett. 137:1-8(1996).
 RN [6]
 RP ACETYLATION, AND PHOSPHORYLATION.

RA Garrels J.I., Fletcher B., Kobayashi R., Latter G.I., Schwender B.,
 Volpe T., Warner J.R., McLaughlin C.S.;
 RT "Protein identifications for a Saccharomyces cerevisiae protein
 database.";
 RL Electrophoresis 15:1466-1486(1994).
 RN [5]
 RP SEQUENCE OF 186-195.

RC STRAIN=ATCC 38531 / Y41;
 RX MEDLINE=97089742; PubMed=8935650;
 RA Norbeck J., Blomberg A.;
 RT "Protein expression during exponential growth in 0.7 M NaCl medium of
 Saccharomyces cerevisiae.";
 RL FEMS Microbiol. Lett. 137:1-8(1996).
 RN [6]
 RP ACETYLATION, AND PHOSPHORYLATION.

RA Garrels J.I., Fletcher B., Kobayashi R., Latter G.I., Schwender B.,
 Volpe T., Warner J.R., McLaughlin C.S.;
 RT "Protein identifications for a Saccharomyces cerevisiae protein
 database.";
 RL Electrophoresis 15:1466-1486(1994).
 RN [5]
 RP SEQUENCE OF 186-195.

RC STRAIN=ATCC 38531 / Y41;
 RX MEDLINE=97089742; PubMed=8935650;
 RA Norbeck J., Blomberg A.;
 RT "Protein expression during exponential growth in 0.7 M NaCl medium of
 Saccharomyces cerevisiae.";
 RL FEMS Microbiol. Lett. 137:1-8(1996).
 RN [6]
 RP ACETYLATION, AND PHOSPHORYLATION.

RA Garrels J.I., Fletcher B., Kobayashi R., Latter G.I., Schwender B.,
 Volpe T., Warner J.R., McLaughlin C.S.;
 RT "Protein identifications for a Saccharomyces cerevisiae protein
 database.";
 RL Electrophoresis 15:1466-1486(1994).
 RN [5]
 RP SEQUENCE OF 186-195.

RC STRAIN=ATCC 38531 / Y41;
 RX MEDLINE=97089742; PubMed=8935650;
 RA Norbeck J., Blomberg A.;
 RT "Protein expression during exponential growth in 0.7 M NaCl medium of
 Saccharomyces cerevisiae.";
 RL FEMS Microbiol. Lett. 137:1-8(1996).
 RN [6]
 RP ACETYLATION, AND PHOSPHORYLATION.

RA Garrels J.I., Fletcher B., Kobayashi R., Latter G.I., Schwender B.,
 Volpe T., Warner J.R., McLaughlin C.S.;
 RT "Protein identifications for a Saccharomyces cerevisiae protein
 database.";
 RL Electrophoresis 15:1466-1486(1994).
 RN [5]
 RP SEQUENCE OF 186-195.

RC STRAIN=ATCC 38531 / Y41;
 RX MEDLINE=97089742; PubMed=8935650;
 RA Norbeck J., Blomberg A.;
 RT "Protein expression during exponential growth in 0.7 M NaCl medium of
 Saccharomyces cerevisiae.";
 RL FEMS Microbiol. Lett. 137:1-8(1996).
 RN [6]
 RP ACETYLATION, AND PHOSPHORYLATION.

RA Garrels J.I., Fletcher B., Kobayashi R., Latter G.I., Schwender B.,
 Volpe T., Warner J.R., McLaughlin C.S.;
 RT "Protein identifications for a Saccharomyces cerevisiae protein
 database.";
 RL Electrophoresis 15:1466-1486(1994).
 RN [5]
 RP SEQUENCE OF 186-195.

KW Heat shock; ATP-binding; Multigene family; Acetylation;
 KW Phosphorylation.
 FT INIT_MET 0
 FT MOD_RES 1
 FT ACETYLATION.
 SQ SEQUENCE 638 AA; 69338 MW; 23BDD120C194912 CRC64;

Query Match 91.3%; Score 42; DB 1; Length 638;
 Best Local Similarity 88.9%; Pred. No. 0.8;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
 DB 282 SLFEGIDFY 290

RESULT 8
 HS74_PARLI
 ID HS74_PARLI STANDARD; PRT; 639 AA.
 AC Q06248;

DT 01-JUN-1994 (Rel. 29, Created)
 DT 01-JUN-1994 (Rel. 29, Last sequence update)
 DT 01-JUN-1994 (Rel. 29, Last annotation update)
 DE HEAT SHOCK 70 KDA PROTEIN IV (HSP70 IV).
 GN HSP70IV.
 OS Paracentrotus lividus (Common sea urchin).
 OC Eukaryota; Metazoa; Echinodermata; Eleutherozoa; Echinozoa;
 OC Echinoidea; Euechinoidea; Echinacea; Echinoida; Echinidae;
 OC Paracentrotus.
 OX NCBI_TaxID=7656;
 RN [1]
 RP SEQUENCE FROM N.A.

RX MEDLINE=93077053; PubMed=1339375;
 RA Sconzo G., Scardina G., Ferraro M.G.;
 RT "Characterization of a new member of the sea urchin Paracentrotus
 lividus hsp70 gene family and its expression.";
 RL Gene 121:353-356(1992).
 CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 between the Swiss Institute of Bioinformatics and the EMBL outstation -
 the European Bioinformatics Institute. There are no restrictions on its
 use by non-profit institutions as long as its content is in no way
 modified and this statement is not removed. Usage by and for commercial
 entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 or send an email to license@isb-sib.ch).
 CC EMBL: X61379; CAA43653.1;
 CC PIR: JC1391; JC1391.
 CC HSP: P19120; LNGJ.
 CC InterPro: IPR001023; HSP70.
 CC Pfam: PF00012; HSP70; 1.
 CC PRINTS: PR00301; HEATSHOCK70.
 CC PROSITE: PS00297; HSP70.1; 1.
 CC PROSITE: PS00329; HSP70.2; 1.
 CC PROSITE: PS01036; HSP70.3; 1.
 KW ATP-binding; Heat shock; Multigene family.
 SQ SEQUENCE 639 AA; 69749 MW; 40E2F29570808DCC CRC64;

QY 1 SLFEGIDLY 9
 DB 286 SLFEGIDFY 294

RESULT 9
 HS7A_CAEEL
 ID HS7A_CAEEL STANDARD; PRT; 640 AA.
 AC P09446;

Query Match 91.3%; Score 42; DB 1; Length 639;
 Best Local Similarity 88.9%; Pred. No. 0.8;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
 DB 286 SLFEGIDFY 294

RESULT 9
 HS7A_CAEEL
 ID HS7A_CAEEL STANDARD; PRT; 640 AA.
 AC P09446;

```

DT 01-MAR-1989 (Rel. 10, Created)
DT 01-MAR-1989 (Rel. 10, Last sequence update)
DT 01-FEB-1994 (Rel. 28, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN A.
GN HSP-1 OR HSP70A.
OS Caenorhabditis elegans.
OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidea;
OC Rhabditidae; Peloderinae; Caenorhabditis.
OX NCBI_TaxID=6239;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=88297155; PubMed=2841196;
RA Snutch T.P., Heschl M.F.P., Baillie D.L.;
RT "The Caenorhabditis elegans hsp70 gene family: a molecular genetic
characterization."
RL Gene 64:241-255(1988).
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See http://www.isb-sib.ch/announce/
or send an email to license@isb-sib.ch).
CC -----
CC EMBL; M18540; AAA28078.1; -.
DR PIR; J70285; HKW7A.
DR HSP; P19120; INGI.
DR InterPro; IPR001023; HSP70.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Heat shock; Multigene family.
SQ SEQUENCE 640 AA; 69823 MW; ED15409D06C500C2 CRC64;

Query Match 91.3%; Score 42; DB 1; Length 640;
Best Local Similarity 88.9%; Pred. No. 0.8;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
DB 287 SLFEGIDFY 295

RESULT 10
HS7C_DICDI
ID HS7C_DICDI STANDARD; PRT; 640 AA.
AC P36415;
DT 01-JUN-1994 (Rel. 29, Created)
DT 01-JUN-1994 (Rel. 29, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HEAT SHOCK COGNATE PROTEIN (AGINACTIN).
GN HSPB OR HSC70.
OS Dictyostelium discoideum (Slime mold).
OC Eukaryota; Mycetozoa; Dictyosteliida; Dictyostelium.
OX NCBI_TaxID=44689;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=AX3;
RX MEDLINE=94008983; PubMed=8404847;
RA Haus U., Trommler P., Fisher P.R., Hartmann H., Lottspeich F.,
RA Noegel A.A., Schleicher M.;
RT "The heat shock cognate protein from Dictyostelium affects actin
polymerization through interaction with the actin-binding protein
cap32/34."
RL EMBO J. 12:3763-3771(1993).
RN [2]
RP SEQUENCE FROM N.A., AND SEQUENCE OF 34-46; 102-106 AND 298-309.
RC STRAIN=AX3;

```

```

RX MEDLINE=94043116; PubMed=8226849;
RA Eddy R.J., Sauterer R.A., Condeelis J.S.;
RT "Aginactin, an agonist-regulated F-actin capping activity is
associated with an Hsc70 in Dictyostelium."
RL J. Biol. Chem. 268:23267-23274(1993).
CC -!- FUNCTION: AFFECTS ACTIN POLYMERIZATION THROUGH INTERACTION WITH
THE ACTIN-BINDING PROTEIN CAP32/34. ACTS AS A CHAPERONE BY
STIMULATING THE REFOLDING OF DENATURATED CAP32 AND CAP34.
CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC. FOUND IN F-ACTIN-RICH REGIONS
OF THE CELL CORTEX AND CELL PROTRUSIONS.
CC -!- DEVELOPMENTAL STAGE: HEAT SHOCK COGNATE PROTEINS ARE EXPRESSED
CONSTITUTIVELY DURING NORMAL DEVELOPMENT.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See http://www.isb-sib.ch/announce/
or send an email to license@isb-sib.ch).
CC -----
CC EMBL; X75263; CAA53039.1; -.
DR EMBL; I22736; AAA33219.1; -.
DR PIR; S37394; S37394.
DR HSP; P19120; INGI.
DR SWISS-2DPAGE; P36415; DICTY.
DR DictyDb; DD01078; hspB.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Chaperone.
FT CONFLICT 1 29
FT CONFLICT 32 32
FT CONFLICT 64 64
FT CONFLICT 180 180
FT CONFLICT 237 237
FT CONFLICT 240 240
FT CONFLICT 341 341
FT CONFLICT 352 352
SQ SEQUENCE 640 AA; 70499 MW; 2E6BDC2DB96A9F5D CRC64;

MSSIGIDLGTTCVGVGMNDREIAND ->
IHNNHGNATVWVSGPVSEVLSEN (IN REF. 2).
N -> T (IN REF. 2).
V -> A (IN REF. 2).
R -> A (IN REF. 2).
S -> A (IN REF. 2).
V -> A (IN REF. 2).
I -> L (IN REF. 2).
F -> P (IN REF. 2).

Query Match 91.3%; Score 42; DB 1; Length 640;
Best Local Similarity 88.9%; Pred. No. 0.8;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
DB 284 SLFEGIDFY 292

RESULT 11
HS7L_BOVIN
ID HS7L_BOVIN STANDARD; PRT; 641 AA.
AC Q27975; Q27964;
DT 01-NOV-1997 (Rel. 35, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70-1).
GN HSP70-1.
OS Bos taurus (Bovine).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovidea;
OC Bovidae; Bovinae; Bos.
OX NCBI_TaxID=9913;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Skeletal muscle;

```



```

DR PDB; LHJO; 21-OCT-98.
DR SWISS-2DPAGE; P08107; HUMAN.
DR MIM; 140550; -.
DR MIM; 603012; -.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
DR ATP-binding; Chaperone; Heat shock; Multigene family; MHC III;
KW 3D-structure. 7
KW CONFLICT 110 110 I -> V (IN REF. 2).
FT CONFLICT 370 370 A -> D (IN REF. 3); AAD21816).
FT CONFLICT 370 370 A -> G (IN REF. 2).
FT CONFLICT 469 469 MISSING (IN REF. 2).
FT CONFLICT 499 499 N -> S (IN REF. 3); AAD21815).
FT CONFLICT 499 499 N -> S (IN REF. 3); AAD21815).
SQ SEQUENCE 641 AA; 70052 MW; 78F513118C96DE66 CRC64;

Query Match 91.3%; Score 42; DB 1; Length 641;
Best Local Similarity 88.9%; Pred. No. 0.8;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
Db 286 SLFEGIDFY 294

RESULT 13
HS7L_MOUSE STANDARD; PRT; 641 AA.
ID HS7L_MOUSE
AC P17879; O61689;
DT 01-AUG-1990 (Rel. 15, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70.1) (HSP70-1/HSP70-2).
GN HSPA1 OR HSP70A1 OR HSP70-1 OR HCP70.1.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=90236310; PubMed=2332169;
RA Hunt C., Calderwood S.;
RT "Characterization and sequence of a mouse hsp70 gene and its
RL expression in mouse cell lines.";
RL Gene 87:199-204(1990).
RN [2]
RP SEQUENCE FROM N.A.
RC TISSUE=Liver;
RA MEDLINE=94357449; PubMed=8076831;
RX Perry M.D., Aujame L., Shtang S., Moran L.A.;
RT "Structure and expression of an inducible Hsp70-encoding gene from
RL Mus musculus.";
RL Gene 146:273-278(1994).
CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDIATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; M69100; -. NOT_ANNOTATED_CDS.
CC PIR; S35718; S35718.
CC HSSP; P19120; INGC.
CC InterPro; IPR001023; HSP70.
CC Pfam; PF00012; HSP70; 1.
CC PRINTS; PR00301; HEATSHOCK70.
CC PROSITE; PS00297; HSP70_1; 1.
CC PROSITE; PS00329; HSP70_2; 1.
CC PROSITE; PS01036; HSP70_3; 1.
CC ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
KW ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
KW 3D-structure. 7
KW CONFLICT 110 110 I -> V (IN REF. 2).
FT CONFLICT 370 370 A -> D (IN REF. 3); AAD21816).
FT CONFLICT 370 370 A -> G (IN REF. 2).
FT CONFLICT 469 469 MISSING (IN REF. 2).
FT CONFLICT 499 499 N -> S (IN REF. 3); AAD21815).
FT CONFLICT 499 499 N -> S (IN REF. 3); AAD21815).
SQ SEQUENCE 641 AA; 69994 MW; 41475360F6749F2F CRC64;

Query Match 91.3%; Score 42; DB 1; Length 641;
Best Local Similarity 88.9%; Pred. No. 0.8;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
Db 286 SLFEGIDFY 294

RESULT 14
HS7L_PIG STANDARD; PRT; 641 AA.
ID HS7L_PIG
AC P34930;
DT 01-FEB-1994 (Rel. 28, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70.1).
GN HSPA1.
OS Sus scrofa (Pig).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.
OX NCBI_TaxID=9823;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=92175874; PubMed=1339404;
RA Peelman L.J., de Weghe A.R., Coppieters W.R., van Zeveren A.J.,
RA Bouquet F.H.;
RT "Complete nucleotide sequence of a porcine HSP70 gene.";
RL Immunogenetics 35:286-289(1992).
CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDIATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; M69100; -. NOT_ANNOTATED_CDS.
CC PIR; S35718; S35718.
CC HSSP; P19120; INGC.
CC InterPro; IPR001023; HSP70.
CC Pfam; PF00012; HSP70; 1.
CC PRINTS; PR00301; HEATSHOCK70.
CC PROSITE; PS00297; HSP70_1; 1.
CC PROSITE; PS00329; HSP70_2; 1.
CC PROSITE; PS01036; HSP70_3; 1.
CC ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
KW ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
KW 3D-structure. 7
KW CONFLICT 110 110 I -> V (IN REF. 2).
FT CONFLICT 370 370 A -> D (IN REF. 3); AAD21816).
FT CONFLICT 370 370 A -> G (IN REF. 2).
FT CONFLICT 469 469 MISSING (IN REF. 2).
FT CONFLICT 499 499 N -> S (IN REF. 3); AAD21815).
FT CONFLICT 499 499 N -> S (IN REF. 3); AAD21815).
SQ SEQUENCE 641 AA; 69994 MW; 41475360F6749F2F CRC64;

```

DR PROSITE; PS00329; HSP70_2; 1.
 DR PROSITE; PS01036; HSP70_3; 1.
 KW ATP-binding; Chaperone; Heat shock; Multigene family.
 SQ SEQUENCE 641 AA; 70083 MW; FE77BB20A03E0A33 CRC64;

Query Match 91.3%; Score 42; DB 1; Length 641;
 Best Local Similarity 88.9%; Pred. No. 0.8;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
 |||||
 Db 286 SLFEGIDFY 294

RESULT 15

H571_RAT STANDARD; PRT; 641 AA.
 ID H571_RAT AC Q07439; P42853;
 DT 01-FEB-1995 (Rel. 31, Created)
 DT 01-FEB-1995 (Rel. 31, Last sequence update)
 DT 01-NOV-1997 (Rel. 35, Last annotation update)
 DE HEAT SHOCK 70 KDA PROTEIN 1/2 (HSP70.1/2).
 GN HSP70-1 AND HSP70-2.
 OS Rattus norvegicus (Rat).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
 OX NCBI_TaxID=10116;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Brain;
 RX MEDLINE=94096443; PubMed=8271311;
 RA Longo F.M., Wang S., Narasimhan P., Zhang J.S., Chen J.,
 RA Massa S.M., Sharp F.R.;
 RT "cDNA cloning and expression of stress-inducible rat hsp70 in normal
 RT and injured rat brain.";
 RL J. Neurosci. Res. 36:325-335(1993).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=LEW.JW/GUN;
 RX MEDLINE=95012453; PubMed=7927536;
 RA Walter L., Rauh F., Guenther E.;
 RT "Comparative analysis of the three major histocompatibility complex-
 RT linked heat shock protein 70 (Hsp70) genes of the rat.";
 RL Immunogenetics 40:325-330(1994).
 RN [3]
 RP SEQUENCE FROM N.A.
 RC STRAIN=SPRAGUE-DAWLEY; TISSUE=Liver;
 RX MEDLINE=94368874; PubMed=8086479;
 RA Lisowska K., Krawczyk Z., Widlak W., Wolnicz P., Wisniewski J.;
 RT "Cloning, nucleotide sequence and expression of rat heat inducible
 RT hsp70 gene.";
 RL Biochim. Biophys. Acta 1219:64-72(1994).

CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
 CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
 CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
 CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
 CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
 CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
 CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
 CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
 CC -!- INDUCTION: BY HEAT SHOCK.
 CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).

CC EMBL; L15764; AAA17441.1; -

DR EMBL; X77208; CAA54423.1; -
 DR EMBL; X77207; CAA54422.1; -
 DR EMBL; X74271; CAA52328.1; -
 DR HSSP; P19120; INGC.
 DR InterPro; IPR001023; HSP70.
 DR Pfam; PF00012; HSP70; 1.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS00297; HSP70_1; 1.
 DR PROSITE; PS00329; HSP70_2; 1.
 DR PROSITE; PS01036; HSP70_3; 1.
 KW ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
 FT CONFLICT 71 72
 FT CONFLICT 227 227 D -> H (IN REF. 3).
 FT CONFLICT 408 408 G -> A (IN REF. 3).
 SQ SEQUENCE 641 AA; 70163 MW; D02D96751C868583 CRC64;

Query Match 91.3%; Score 42; DB 1; Length 641;
 Best Local Similarity 88.9%; Pred. No. 0.8;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
 |||||
 Db 286 SLFEGIDFY 294

Search completed: December 6, 2001, 08:00:50
 Job time: 418 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:56:52 ; Search time 170.25 Seconds
(without alignments)
7.732 Million cell updates/sec

Title: PEPL-MOD8L

Perfect score: 46

Sequence: 1 SLFEGIDLY 9

Scoring table:

BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 473505 seqs, 146272329 residues

Total number of hits satisfying chosen parameters: 473505

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

SPTREMBL17:*
1: sp-archaea:*
2: sp-bacteria:*
3: sp-fungi:*
4: sp-human:*
5: sp-invertebrate:*
6: sp-mhc:*
7: sp-mammal:*
8: sp-organelle:*
9: sp-phage:*
10: sp-plant:*
11: sp-rodent:*
12: sp-virus:*
13: sp-vertebrate:*
14: sp-unclassified:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	43	93.5	645	3	094106
2	43	93.5	647	3	094104
3	42	91.3	146	5	090667
4	42	91.3	153	5	090670
5	42	91.3	155	5	090669
6	42	91.3	157	5	090665
7	42	91.3	158	5	090671
8	42	91.3	158	5	090668
9	42	91.3	158	5	090666
10	42	91.3	220	5	091159
11	42	91.3	278	13	090520
12	42	91.3	367	13	098899
13	42	91.3	455	11	063718
14	42	91.3	467	5	044350
15	42	91.3	467	5	044352
16	42	91.3	467	5	09NJ92
17	42	91.3	468	5	044349
18	42	91.3	469	5	044351
19	42	91.3	526	13	098897

20	42	91.3	617	10	09C7X7
21	42	91.3	628	5	093147
22	42	91.3	629	5	093146
23	42	91.3	632	5	015766
24	42	91.3	639	13	098900
25	42	91.3	639	13	0918F9
26	42	91.3	640	5	093601
27	42	91.3	640	13	093240
28	42	91.3	641	11	063256
29	42	91.3	641	11	090WJ5
30	42	91.3	645	5	086541
31	42	91.3	645	5	09NJ87
32	42	91.3	645	5	09NGK9
33	42	91.3	645	10	048563
34	42	91.3	647	3	059855
35	42	91.3	647	10	041027
36	42	91.3	650	5	090777
37	42	91.3	650	10	092S55
38	42	91.3	650	10	09LHA8
39	42	91.3	652	10	093937
40	42	91.3	653	5	094805
41	42	91.3	659	5	09XZJ2
42	41	89.1	190	5	0909B4
43	41	89.1	221	5	091157
44	41	89.1	467	5	044346
45	41	89.1	467	5	044347

ALIGNMENTS

```

RESULT 1
O94106 PRELIMINARY; PRT: 645 AA.
ID O94106;
AC O94106;
DT 01-MAY-1999 (TREMREL. 10, Created)
DT 01-MAY-1999 (TREMREL. 10, Last sequence update)
DE 01-JUN-2001 (TREMREL. 17, Last annotation update)
DE HEAT SHOCK PROTEIN 70 (FRAGMENT).
GN PCSA1.
OS Pneumocystis carinii f. sp. carinii.
OC Eukaryota; Fungi; Ascomycota; Pneumocystidomycetes; Pneumocystidaceae;
OC Pneumocystis.
OX NCBI_TaxID=38081;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=97045128; PubMed=8890193;
RA Stedman T.T., Buck G.A.;
RT "Identification, characterization, and expression of the Bip
RT endoplasmic reticulum resident chaperonins in Pneumocystis carinii.";
RL Infect. Immun. 64:4463-4471(1996).
DR EMBL; U0967; AAD00455.1; -.
DR HSSP; P19120; 3HSC.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; UNKNOWN_1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
DR PROSITE; PS00639; THIOL_PROTEASE_HIS; UNKNOWN_1.
KW Heat shock.
FT NON_TER. 645 645
SQ SEQUENCE 645 AA; 70884 MW; 6D8CF90433BB163F CRC64;

```

Query Match 93.5%; Score 43; DB 3; Length 645;

Best Local Similarity 88.9%; Pred. No. 3.7; Mismatches 0; Indels 0; Gaps 0;

Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 SLFEGIDLY 9

Db 286 SLFEGIDLY 294

Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
Db 79 SLFEGIDFY 87

RESULT 4

Q9U670 PRELIMINARY; PRT; 153 AA.
AC Q9U670;
DT 01-MAY-2000 (TREMELrel. 13, Created)
DT 01-MAY-2000 (TREMELrel. 13, Last sequence update)
DT 01-JUN-2001 (TREMELrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70;
OS Littorina scutulata.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31221;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina.";
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191825; AAF12784.1; -.
DR HSP; P19120; IBA1.
DR InterPro; IPR001023; HSP70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 153
SQ SEQUENCE 153 AA; 17352 MW; E29EE20C4CAF934D CRC64;

Query Match 91.3%; Score 42; DB 5; Length 153;
Best Local Similarity 88.9%; Pred. No. 1.1;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
Db 80 SLFEGIDFY 88

RESULT 5

Q9U669 PRELIMINARY; PRT; 155 AA.
AC Q9U669;
DT 01-MAY-2000 (TREMELrel. 13, Created)
DT 01-MAY-2000 (TREMELrel. 13, Last sequence update)
DT 01-JUN-2001 (TREMELrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina scutulata.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31221;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina.";
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191826; AAF12785.1; -.
DR HSP; P19120; IBA1.
DR InterPro; IPR001023; HSP70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 155
SQ SEQUENCE 155 AA; 17676 MW; C191F65B1F346C2 CRC64;

Query Match 91.3%; Score 42; DB 5; Length 155;
Best Local Similarity 88.9%; Pred. No. 1.1;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
Db 79 SLFEGIDFY 87

RESULT 2

Q94104 PRELIMINARY; PRT; 647 AA.
AC Q94104;
DT 01-MAY-1999 (TREMELrel. 10, Created)
DT 01-MAY-1999 (TREMELrel. 10, Last sequence update)
DT 01-JUN-2001 (TREMELrel. 17, Last annotation update)
DE HEAT SHOCK PROTEIN 70 (FRAGMENT).
GN HSP70.
OS Pneumocystis carinii.
OC Eukaryota; Fungi; Ascomycota; Pneumocystidomycetes; Pneumocystidaceae;
OC Pneumocystis.
OX NCBI_TaxID=4754;
RN [1]
RP SEQUENCE FROM N.A.
RA Paul S.P., Graves D.C.;
RT "Phylogeny and sequence analysis of Pneumocystis carinii HSP70.";
RL Submitted (SEP-1996) to the EMBL/GenBank/DBJ databases.
DR EMBL; U71151; AAD09565.1; -.
DR HSP; P19120; HSC.
DR InterPro; IPR001023; HSP70.
DR Pfam; PR000169; Thiolprot_act_site.
DR PRINTS; PR00012; HSP70; 1.
DR PROSITE; PS00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; UNKNOWN_1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
DR PROSITE; PS00639; THIOLEPROTEASE_HIS; UNKNOWN_1.
KW Heat shock.
FT NON_TER 1
FT NON_TER 1
SQ SEQUENCE 647 AA; 71176 MW; 92F94963999380F9 CRC64;

Query Match 93.5%; Score 43; DB 3; Length 647;
Best Local Similarity 88.9%; Pred. No. 3.8;
Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
Db 288 SLFEGIDLY 296

RESULT 3

Q9U667 PRELIMINARY; PRT; 146 AA.
AC Q9U667;
DT 01-MAY-2000 (TREMELrel. 13, Created)
DT 01-MAY-2000 (TREMELrel. 13, Last sequence update)
DT 01-JUN-2001 (TREMELrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina plena.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31219;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina.";
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191828; AAF12787.1; -.
DR HSP; P19120; IBA1.
DR InterPro; IPR001023; HSP70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 146
SQ SEQUENCE 146 AA; 16607 MW; C3F3556A1AF438BB CRC64;

Query Match 91.3%; Score 42; DB 5; Length 146;
Best Local Similarity 88.9%; Pred. No. 1;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Query Match	91.3%	Score 42;	DB 5;	Length 158;
Best Local Similarity	88.9%	Pred. No. 1.1;		

Best Local Similarity 88.9%; Pred. No. 1.1; Mismatches 0; Indels 1; Gaps 0;

QY 1 SLFEGIDLY 9
DB 85 SLFEGIDFY 93

RESULT 10
ID P81159 PRELIMINARY; PRT; 220 AA.
AC P81159;
DT 01-JUN-1998 (TREMBLrel. 06, Created)
DT 01-JUN-1998 (TREMBLrel. 06, Last sequence update)
DT 01-JUN-2001 (TREMBLrel. 17, Last annotation update)
DE HEAT SHOCK COGNATE 71 KDA PROTEIN (FRAGMENT).
GN HSC70.
OS Aplysia californica (California sea hare).
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Opisthobranchia; Anaspidea;
OC Aplysiidae; Aplysia.
OX NCBI_TaxID=6500;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=93077669; PubMed=1360013;
RA Kuhl D., Kennedy T., Barzilai A., Kandel E.;
RT "Long-term sensitization training in Aplysia leads to an increase in the expression of BiP, the major protein chaperon of the ER.";
RL J. Cell Biol. 119:1069-1076(1992)
CC -I- INDUCTION: CONSTITUTIVELY SYNTHESIZED IN A WIDE VARIETY OF CELLS.
CC -I- SIMILARITY: BELONGS TO HEAT SHOCK PROTEIN 70 FAMILY.
DR EMBL; Z15039; CAA78757.1; -.
DR HSP; P19120; 1BA1.
DR InterPro: IPR001023; HSP70.
DR PRINTS; PR00012; HSP70; 1.
DR PROSITE; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock; Multigene family.
FT NON_TER 1
FT NON_TER 220
SQ SEQUENCE 220 AA; 24684 MW; FA8557F2BB85C37A CRC64;

Query Match 91.3%; Score 42; DB 5; Length 220;
Best Local Similarity 88.9%; Pred. No. 1.7; Mismatches 0; Indels 1; Gaps 0;

QY 1 SLFEGIDLY 9
DB 138 SLFEGIDFY 146

RESULT 11
ID Q90520 PRELIMINARY; PRT; 278 AA.
AC Q90520;
DT 01-NOV-1996 (TREMBLrel. 01, Created)
DT 01-NOV-1996 (TREMBLrel. 01, Last sequence update)
DT 01-NOV-2001 (TREMBLrel. 17, Last annotation update)
DE RAINBOW TROUT 70 KDA HEAT SHOCK PROTEIN (FRAGMENT).
OS Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
OX NCBI_TaxID=8022;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=85036330; PubMed=6092938;
RA Kothary R.K., Jones D., Candido E.P.M.;
RT "70-Kilodalton heat shock polypeptides from rainbow trout: characterization of cDNA sequences.";
RL Mol. Cell. Biol. 4:1785-1791(1984).
DR *.EMBL; K02549; AAA49562.1; -.

HSP; P08109; 1CKR.
DR InterPro: IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock; Multigene family.
FT NON_TER 1
FT NON_TER 278
SQ SEQUENCE 278 AA; 30327 MW; E4C745DE5484C17A CRC64;

Query Match 91.3%; Score 42; DB 13; Length 278;
Best Local Similarity 88.9%; Pred. No. 2.2; Mismatches 0; Indels 1; Gaps 0;

QY 1 SLFEGIDLY 9
DB 156 SLFEGIDFY 164

RESULT 12
ID Q98899 PRELIMINARY; PRT; 367 AA.
AC Q98899;
DT 01-FEB-1997 (TREMBLrel. 02, Created)
DT 01-FEB-1997 (TREMBLrel. 02, Last sequence update)
DT 01-JUN-2001 (TREMBLrel. 17, Last annotation update)
DE 70 KDA HEAT SHOCK PROTEIN (FRAGMENT).
GN HSP70-3.
OS Fugu rubripes (Japanese pufferfish) (Takifugu rubripes).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
OC Acanthomorpha; Acanthopterygii; Percomorpha; Tetraodontiformes;
OC Tetraodontidae; Takifugu.
OX NCBI_TaxID=31033;
RN [1]
RP SEQUENCE FROM N.A.
RA Lim E.H.;
RL Submitted (OCT-1996) to the EMBL/GenBank/DBJ databases.
DR EMBL; Y08578; CAA69892.1; -.
DR HSP; P19120; 3HSC.
DR InterPro: IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock. 367
FT NON_TER 367
SQ SEQUENCE 367 AA; 40405 MW; 8CD3DD8DF6E3C2CA CRC64;

Query Match 91.3%; Score 42; DB 13; Length 367;
Best Local Similarity 88.9%; Pred. No. 3.1; Mismatches 0; Indels 1; Gaps 0;

QY 1 SLFEGIDLY 9
DB 268 SLFEGIDFY 276

RESULT 13
ID Q63718 PRELIMINARY; PRT; 455 AA.
AC Q63718;
DT 01-NOV-1996 (TREMBLrel. 01, Created)
DT 01-NOV-1996 (TREMBLrel. 01, Last sequence update)
DT 01-JUN-2001 (TREMBLrel. 17, Last annotation update)
DE HEAT SHOCK ROTEIN 70 (FRAGMENT).
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Rattus.
OX NCBI_TaxID=10116;

```

RN  [1]
RP  SEQUENCE FROM N.A.
RA  Angeletti B., Passarelli F., Orru D., Pascale E., Butler R.H.,
RA  D'Ambrosio E.;
RL  Submitted (NOV-1993) to the EMBL/GenBank/DBJ databases.
DR  EMBL; 227118; CAAB1642.1; -.
DR  HSSP; P08107; 1HJO.
DR  InterPro; IPR001023; HSP70.
DR  Pfam; PF00012; HSP70; 1.
DR  PRINTS; PR00301; HEATSHOCK70.
DR  PROSITE; PS00329; HSP70_2; 1.
DR  PROSITE; PS01036; HSP70_3; 1.
KW  Heat shock.
FT  NON_TER 1
FT  NON_TER 455
SQ  SEQUENCE 455 AA; 50404 MW; 0F45F12CBALE2971 CRC64;

Query Match 91.3%; Score 42; DB 11; Length 455;
Best Local Similarity 88.9%; Pred. No. 3.9;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
Db 254 SLFEGIDFY 262

RESULT 14
O44350
ID O44350 PRELIMINARY; PRT; 467 AA.
AC O44350;
DT 01-JUN-1998 (TREMBLrel. 06, Created)
DT 01-JUN-1998 (TREMBLrel. 06, Last sequence update)
DT 01-JUN-2001 (TREMBLrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN HSP70 (FRAGMENT).
GN HSP70.
OS Chondrosia reniformis.
OC Eukaryota; Metazoa; Porifera; Demospongiae; Tetractinomorpha;
OC Chondrosida; Chondrillidae; Chondrosia.
OX NCBI_TaxID=68574;
RN [1]
RP SEQUENCE FROM N.A.
RA Borchielli C., Le Parco Y.;
RL Submitted (SEP-1997) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF026517; AAC05362.1; -.
DR HSSP; P08109; ICKR.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 467
SQ SEQUENCE 467 AA; 51707 MW; 0DBE6920F2E6EA96 CRC64;

Query Match 91.3%; Score 42; DB 5; Length 467;
Best Local Similarity 88.9%; Pred. No. 4.1;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
Db 252 SLFEGIDFY 260

RESULT 15
O44352
ID O44352 PRELIMINARY; PRT; 467 AA.
AC O44352;
DT 01-JUN-1998 (TREMBLrel. 06, Created)
DT 01-JUN-1998 (TREMBLrel. 06, Last sequence update)
DT 01-JUN-2001 (TREMBLrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN HSP70 (FRAGMENT).

```

```

GN HSP70.
OS Petrobiona massiliana.
OC Eukaryota; Metazoa; Porifera; Calcareia; Petrobionidae;
OC Petrobiona.
OX NCBI_TaxID=68578;
RN [1]
RP SEQUENCE FROM N.A.
RA Borchielli C., Le Parco Y.;
RL Submitted (SEP-1997) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF026520; AAC05364.1; -.
DR HSSP; P08109; ICKR.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 467
SQ SEQUENCE 467 AA; 51458 MW; 23EB28FFD1873DA6 CRC64;

Query Match 91.3%; Score 42; DB 5; Length 467;
Best Local Similarity 88.9%; Pred. No. 4.1;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
Db 252 SLFEGIDFY 260

Search completed: December 6, 2001, 07:56:52
Job time: 180 sec

```

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:59:54 ; Search time 81.43 seconds
(without alignments)
2.487 Million cell updates/sec

Title: PEPI-MOD8V

Perfect score: 46

Sequence: 1 SLFEGIDVY 9

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 212252 seqs, 22503292 residues

Total number of hits satisfying chosen parameters: 212252

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Listing first 45 summaries

Database :

Issued Patents_AA.*

1: /cgn2_6/ptodata/2/iaa/5A_COMB.pep.*

2: /cgn2_6/ptodata/2/iaa/5B_COMB.pep.*

3: /cgn2_6/ptodata/2/iaa/6A_COMB.pep.*

4: /cgn2_6/ptodata/2/iaa/6B_COMB.pep.*

5: /cgn2_6/ptodata/2/iaa/PCTUS_COMB.pep.*

6: /cgn2_6/ptodata/2/iaa/backfiles1.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	40	87.0	643	4	US-08-797-358B-3
2	38	82.6	646	1	US-08-441-139-14
3	33	71.7	458	4	US-09-457-046B-61
4	32	69.6	789	3	US-08-727-308-1
5	31	67.4	95	1	US-08-438-753B-24
6	31	67.4	95	1	US-08-443-883A-24
7	31	67.4	95	2	US-08-631-328-24
8	31	67.4	95	2	US-08-455-524B-24
9	31	67.4	95	2	US-08-455-021B-24
10	31	67.4	95	4	US-09-045-467-24
11	31	67.4	452	1	US-08-290-978A-5
12	31	67.4	452	2	US-08-780-869-5
13	31	67.4	634	4	US-09-041-236-2
14	31	67.4	666	1	US-09-240-410-2
15	30	65.2	99	1	US-08-438-753B-22
16	30	65.2	99	1	US-08-443-883A-22
17	30	65.2	99	2	US-08-631-328-22
18	30	65.2	99	2	US-08-455-524B-22
19	30	65.2	99	4	US-08-455-021B-22
20	30	65.2	99	4	US-09-045-467-22
21	30	65.2	415	4	US-09-198-956-6
22	30	65.2	465	2	US-08-878-989-18
23	30	65.2	465	2	US-08-860-150-7
24	30	65.2	465	3	US-09-338-132-7
25	30	65.2	465	4	US-09-272-796-18
26	30	65.2	532	2	US-08-560-916-8
27	30	65.2	532	2	US-08-676-841-8

28	30	65.2	603	2	US-08-687-865A-2	Sequence 2, Appli
29	30	65.2	603	4	US-09-043-711-2	Sequence 2, Appli
30	29	63.0	43	1	US-07-998-003A-22	Sequence 22, Appl
31	29	63.0	43	1	US-08-453-274B-22	Sequence 22, Appl
32	29	63.0	43	1	US-08-453-695A-22	Sequence 22, Appl
33	29	63.0	43	1	US-08-268-161A-22	Sequence 22, Appl
34	29	63.0	43	2	US-08-453-702A-22	Sequence 22, Appl
35	29	63.0	43	4	US-09-099-639-22	Sequence 22, Appl
36	29	63.0	43	5	PCT-US93-12588-22	Sequence 22, Appl
37	29	63.0	43	5	PCT-US95-08071-22	Sequence 22, Appl
38	29	63.0	53	2	US-08-469-537A-7	Sequence 7, Appli
39	29	63.0	53	2	US-08-469-537A-20	Sequence 20, Appl
40	29	63.0	161	3	US-09-205-264-2	Sequence 2, Appli
41	29	63.0	303	2	US-08-599-171A-32	Sequence 32, Appl
42	29	63.0	303	2	US-08-646-590B-32	Sequence 32, Appl
43	29	63.0	303	3	US-09-069-226-32	Sequence 32, Appl
44	29	63.0	303	4	US-09-412-184-32	Sequence 32, Appl
45	29	63.0	309	4	US-09-347-803-14	Sequence 14, Appl

ALIGNMENTS

RESULT 1
US-08-797-358B-3
; Sequence 3, Application US/08797358B
; Patent No. 6268478
; GENERAL INFORMATION:
; APPLICANT: Adams, John
; TITLE OF INVENTION: INTRACELLULAR VITAMIN D BINDING PROTEIN
; NUMBER OF SEQUENCES: 9
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/797,358B
; FILING DATE: 11-Feb-1997
; CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 60/011,491
; FILING DATE: 12-FEB-1996
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-CE 3165
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 3:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 643 amino acids
; TYPE: amino acid
; STRANDEDNESS: unknown
; TOPOLOGY: unknown
; MOLECULE TYPE: protein
; SEQUENCE DESCRIPTION: SEQ ID NO: 3:
US-08-797-358B-3

Query Match 87.0%; Score 40; DB 4; Length 643;
Best Local Similarity 77.8%; Pred. No. 3.1;
Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9

```

; TYPE: PRT
; ORGANISM: Arabidopsis thaliana
US-09-457-046B-61

Query Match
Best Local Similarity 71.7%; Score 33; DB 4; Length 458;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
   |||:|:|
Db 165 SLFDGISAY 173

RESULT 4
US-08-727-308-1
; Sequence 1, Application US/08727308
; Patent No. 6020176
; GENERAL INFORMATION:
; APPLICANT: YUJI KAMIYA et al.
; TITLE OF INVENTION: KAURENE SYNTHASE
; NUMBER OF SEQUENCES: 9
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Wenderoth, Lind & Ponack
; STREET: 805 Fifteenth Street, N.W., #700
; CITY: Washington
; STATE: D.C.
; COUNTRY: U.S.A.
; ZIP: 20005
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette, 5.25 inch, 500 kb
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: MS-DOS
; SOFTWARE: Wordperfect 5.1
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/727,308
; FILING DATE: October 8, 1996
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER:
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: Warren M. Cheek Jr.
; REGISTRATION NUMBER: 33,367
; REFERENCE/DOCKET NUMBER:
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 202-371-8850
; TELEFAX:
; TELEX:
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 789 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-727-308-1

Query Match
Best Local Similarity 69.6%; Score 32; DB 3; Length 789;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDV 8
   |||:|:|
Db 23 SLFPGVDV 30

RESULT 5
US-08-438-753B-24
; Sequence 24, Application US/08438753B
; Patent No. 5705363
; GENERAL INFORMATION:

```

```

; TYPE: PRT
; ORGANISM: Arabidopsis thaliana
US-09-457-046B-61

Query Match
Best Local Similarity 71.7%; Score 33; DB 4; Length 458;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
   |||:|:|
Db 165 SLFDGISAY 173

RESULT 4
US-08-727-308-1
; Sequence 1, Application US/08727308
; Patent No. 6020176
; GENERAL INFORMATION:
; APPLICANT: YUJI KAMIYA et al.
; TITLE OF INVENTION: KAURENE SYNTHASE
; NUMBER OF SEQUENCES: 9
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Wenderoth, Lind & Ponack
; STREET: 805 Fifteenth Street, N.W., #700
; CITY: Washington
; STATE: D.C.
; COUNTRY: U.S.A.
; ZIP: 20005
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette, 5.25 inch, 500 kb
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: MS-DOS
; SOFTWARE: Wordperfect 5.1
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/727,308
; FILING DATE: October 8, 1996
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER:
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: Warren M. Cheek Jr.
; REGISTRATION NUMBER: 33,367
; REFERENCE/DOCKET NUMBER:
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 202-371-8850
; TELEFAX:
; TELEX:
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 789 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-727-308-1

Query Match
Best Local Similarity 69.6%; Score 32; DB 3; Length 789;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDV 8
   |||:|:|
Db 23 SLFPGVDV 30

RESULT 5
US-08-438-753B-24
; Sequence 24, Application US/08438753B
; Patent No. 5705363
; GENERAL INFORMATION:

```

```

; TYPE: PRT
; ORGANISM: Arabidopsis thaliana
US-09-457-046B-61

Query Match
Best Local Similarity 71.7%; Score 33; DB 4; Length 458;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
   |||:|:|
Db 165 SLFDGISAY 173

RESULT 4
US-08-727-308-1
; Sequence 1, Application US/08727308
; Patent No. 6020176
; GENERAL INFORMATION:
; APPLICANT: YUJI KAMIYA et al.
; TITLE OF INVENTION: KAURENE SYNTHASE
; NUMBER OF SEQUENCES: 9
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Wenderoth, Lind & Ponack
; STREET: 805 Fifteenth Street, N.W., #700
; CITY: Washington
; STATE: D.C.
; COUNTRY: U.S.A.
; ZIP: 20005
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette, 5.25 inch, 500 kb
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: MS-DOS
; SOFTWARE: Wordperfect 5.1
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/727,308
; FILING DATE: October 8, 1996
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER:
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: Warren M. Cheek Jr.
; REGISTRATION NUMBER: 33,367
; REFERENCE/DOCKET NUMBER:
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 202-371-8850
; TELEFAX:
; TELEX:
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 789 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-727-308-1

Query Match
Best Local Similarity 69.6%; Score 32; DB 3; Length 789;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDV 8
   |||:|:|
Db 23 SLFPGVDV 30

RESULT 5
US-08-438-753B-24
; Sequence 24, Application US/08438753B
; Patent No. 5705363
; GENERAL INFORMATION:

```

APPLICANT: Imakawa, Kazuhito
TITLE OF INVENTION: Interferon Tau Compositions and
METHODS OF USE
NUMBER OF SEQUENCES: 44
CORRESPONDENCE ADDRESS:
ADDRESSEE: Dehlinger & Associates
STREET: 350 Cambridge Ave., Suite 250
CITY: Palo Alto
STATE: CA
COUNTRY: USA
ZIP: 94306
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US 08/438,753B
FILING DATE: 10-MAY-1995
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/139,891
FILING DATE: 19-OCT-1993
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/847,741
FILING DATE: 09-MAR-1992
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/318,050
FILING DATE: 02-MAR-1989
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/969,890
FILING DATE: 30-OCT-1992
ATTORNEY/AGENT INFORMATION:
NAME: Sholtz, Charles K.
REGISTRATION NUMBER: 38,615
REFERENCE/DOCKET NUMBER: 5600-0001.30
TELEPHONE: 415-324-0880
TELEFAX: 415-324-0960
INFORMATION FOR SEQ ID NO: 24:
SEQUENCE CHARACTERISTICS:
LENGTH: 95 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
ORIGINAL SOURCE:
INDIVIDUAL ISOLATE: predicted amino acid coding sequence
INDIVIDUAL ISOLATE: of SEQ ID NO:23 (HuIFNtau7).
US-08-438-753B-24

Query Match 67.4%; Score 31; DB 1; Length 95;
Best Local Similarity 66.7%; Pred. No. 24;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
| : : : : |
Db 83 SYFQGIHVY 91

RESULT 6
US-08-443-883A-24
; Sequence 24, Application US/08443883A
; Patent No. 5738845
; GENERAL INFORMATION:
; APPLICANT: Bazer, Fuller W.
; APPLICANT: Johnson, Howard M.
; APPLICANT: Pontzer, Carol H.
; APPLICANT: Ott, Troy L.
; APPLICANT: Van Heeke, Gino
; APPLICANT: Imakawa, Kazuhito
; TITLE OF INVENTION: Interferon Tau Compositions and
; METHODS OF USE

NUMBER OF SEQUENCES: 44
CORRESPONDENCE ADDRESS:
ADDRESSEE: Dehlinger & Associates
STREET: 350 Cambridge Ave., Suite 250
CITY: Palo Alto
STATE: CA
COUNTRY: USA
ZIP: 94306
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/443,883A
FILING DATE:
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/139,891
FILING DATE: 19-OCT-1993
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/847,741
FILING DATE: 09-MAR-1992
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/318,050
FILING DATE: 02-MAR-1989
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/969,890
FILING DATE: 30-OCT-1992
ATTORNEY/AGENT INFORMATION:
NAME: Fabian, Gary R.
REGISTRATION NUMBER: 33,875
REFERENCE/DOCKET NUMBER: 5600-0001.30
TELEPHONE: 415-324-0880
TELEFAX: 415-324-0960
INFORMATION FOR SEQ ID NO: 24:
SEQUENCE CHARACTERISTICS:
LENGTH: 95 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
ORIGINAL SOURCE:
INDIVIDUAL ISOLATE: predicted amino acid coding sequence
INDIVIDUAL ISOLATE: of SEQ ID NO:23 (HuIFNtau7).
US-08-443-883A-24

Query Match 67.4%; Score 31; DB 1; Length 95;
Best Local Similarity 66.7%; Pred. No. 24;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
| : : : : |
Db 83 SYFQGIHVY 91

RESULT 7
US-08-631-328-24
; Sequence 24, Application US/08631328
; Patent No. 5939286
; GENERAL INFORMATION:
; APPLICANT: Johnson, Howard M.
; APPLICANT: Pontzer, Carol H.
; APPLICANT: Subramaniam, Prem S.
; TITLE OF INVENTION: Hybrid Interferon Compositions and
; METHODS OF USE
; NUMBER OF SEQUENCES: 55
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Dehlinger & Associates
; STREET: 350 Cambridge Ave., Suite 250
; CITY: Palo Alto
; STATE: CA

COUNTRY: USA
ZIP: 94306
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/631,328
FILING DATE: 12-APR-1996
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/438,753
FILING DATE: 10-MAY-1995
ATTORNEY/AGENT INFORMATION:
NAME: Sholtz, Charles K.
REGISTRATION NUMBER: 38,615
REFERENCE/DOCKET NUMBER: 5600-0001.34
TELEPHONE: 415-324-0880
TELEFAX: 415-324-0960
INFORMATION FOR SEQ ID NO: 24:
SEQUENCE CHARACTERISTICS:
LENGTH: 95 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
ORIGINAL SOURCE:
INDIVIDUAL ISOLATE: predicted amino acid coding sequence
INDIVIDUAL ISOLATE: of SEQ ID NO:23 (Huifntau7).
US-08-631-328-24

Query Match 67.4%; Score 31; DB 2; Length 95;
Best Local Similarity 66.7%; Pred. No. 24;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 1 SLFEGIDVY 9
| | : | | | |
Db 83 SYFOGIHVY 91

RESULT 8
US-08-524B-24
Sequence 24, Application US/08455524B
Patent No. 594223
GENERAL INFORMATION:
APPLICANT: Bazer, Fuller W.
APPLICANT: Johnson, Howard M.
APPLICANT: Pontzer, Carol H.
APPLICANT: Ott, Troy L.
APPLICANT: Van Heeke, Gino
TITLE OF INVENTION: Interferon Tau Compositions and
TITLE OF INVENTION: Methods of Use
NUMBER OF SEQUENCES: 44
CORRESPONDENCE ADDRESS:
ADDRESSEE: Dehlinger & Associates
STREET: 350 Cambridge Ave., Suite 250
CITY: Palo Alto
STATE: CA
COUNTRY: USA
ZIP: 94306
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/455,524B
FILING DATE: 31-MAY-1995
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/438,753

FILING DATE: 10-MAY-1995
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/139,891
FILING DATE: 19-OCT-1993
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/847,741
FILING DATE: 09-MAR-1992
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/318,050
FILING DATE: 02-MAR-1989
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/969,890
FILING DATE: 30-OCT-1992
ATTORNEY/AGENT INFORMATION:
NAME: Sholtz, Charles K.
REGISTRATION NUMBER: 38,615
REFERENCE/DOCKET NUMBER: 5600-0001.32
TELEPHONE: 415-324-0880
TELEFAX: 415-324-0960
INFORMATION FOR SEQ ID NO: 24:
SEQUENCE CHARACTERISTICS:
LENGTH: 95 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
ORIGINAL SOURCE:
INDIVIDUAL ISOLATE: predicted amino acid coding sequence
INDIVIDUAL ISOLATE: of SEQ ID NO:23 (Huifntau7).
US-08-455-524B-24

Query Match 67.4%; Score 31; DB 2; Length 95;
Best Local Similarity 66.7%; Pred. No. 24;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 1 SLFEGIDVY 9
| | : | | | |
Db 83 SYFOGIHVY 91

RESULT 9
US-08-455-021B-24
Sequence 24, Application US/08455021B
GENERAL INFORMATION:
APPLICANT: Bazer, Fuller W.
APPLICANT: Johnson, Howard M.
APPLICANT: Pontzer, Carol H.
APPLICANT: Ott, Troy L.
APPLICANT: Van Heeke, Gino
APPLICANT: Imakawa, Kazuhito
TITLE OF INVENTION: Interferon Tau Compositions and
TITLE OF INVENTION: Methods of Use
NUMBER OF SEQUENCES: 44
CORRESPONDENCE ADDRESS:
ADDRESSEE: Dehlinger & Associates
STREET: 350 Cambridge Ave., Suite 250
CITY: Palo Alto
STATE: CA
COUNTRY: USA
ZIP: 94306
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/455,021B
FILING DATE: 31-MAY-1995
CLASSIFICATION:
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/139,891
FILING DATE: 19-OCT-1993

```
;
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/847,741
; FILING DATE: 09-MAR-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/318,050
; FILING DATE: 02-MAR-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/969,890
; FILING DATE: 30-OCT-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Sholtz, Charles K.
; REGISTRATION NUMBER: 38,615
; REFERENCE/DOCKET NUMBER: 5600-0001.31
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 415-324-0880
; TELEFAX: 415-324-0960
; INFORMATION FOR SEQ ID NO: 24:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 95 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; ORIGINAL SOURCE:
; INDIVIDUAL ISOLATE: predicted amino acid coding sequence
; of SEQ ID NO:23 (HuIFNtau7).
;
; US-08-455-021B-24

Query Match 67.4%; Score 31; DB 2; Length 95;
Best Local Similarity 66.7%; Pred. No. 24;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
DB 83 SYFOGIHVY 91

RESULT 10
US-09-045-467-24
; Sequence 24, Application US/09045467
; GENERAL INFORMATION:
; APPLICANT: Johnson, Howard M.
; Pontzer, Carol H.
; TITLE OF INVENTION: Interferon Tau Compositions and
; Methods of Use
; NUMBER OF SEQUENCES: 44
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Dehlinger & Associates
; STREET: 350 Cambridge Ave., Suite 250
; CITY: Palo Alto
; STATE: CA
; COUNTRY: USA
; ZIP: 94306
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/045,467
; FILING DATE: 20-Mar-1998
; CLASSIFICATION: <unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/455,021
; FILING DATE: 31-MAY-1995
; APPLICATION NUMBER: US 08/438,753
; FILING DATE: 10-MAY-1995
; APPLICATION NUMBER: US 08/139,891
; FILING DATE: 19-OCT-1993
; APPLICATION NUMBER: US 07/847,741
; FILING DATE: 09-MAR-1992
; APPLICATION NUMBER: US 07/318,050
; FILING DATE: 02-MAR-1989
```

```
;
; APPLICATION NUMBER: US 07/969,890
; FILING DATE: 30-OCT-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Dehlinger, Peter J.
; REGISTRATION NUMBER: 28,006
; REFERENCE/DOCKET NUMBER: 5600-0001.36
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 650-324-0880
; TELEFAX: 650-324-0960
; INFORMATION FOR SEQ ID NO: 24:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 95 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; ORIGINAL SOURCE:
; INDIVIDUAL ISOLATE: predicted amino acid coding sequence
; of SEQ ID NO:23 (HuIFNtau7).
;
; US-09-045-467-24

Query Match 67.4%; Score 31; DB 4; Length 95;
Best Local Similarity 66.7%; Pred. No. 24;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
DB 83 SYFOGIHVY 91

RESULT 11
US-08-290-978A-5
; Sequence 5, Application US/08290978A
; Patent No. 5624834
; GENERAL INFORMATION:
; APPLICANT: KUSTERS-VAN SOMEREN, MARGO A.
; APPLICANT: MULLER, YVONNE
; APPLICANT: KESTER, HERMANUS C.M.
; APPLICANT: VISSER, JACOB
; APPLICANT: VAN Ooyen, ALBERT J.J.
; APPLICANT: ROLIN, CLAUDE
; TITLE OF INVENTION: CLONING AND EXPRESSION OF THE
; TITLE OF INVENTION: EXO-POLYGALACTURONASE GENE FROM ASPERGILLUS
; NUMBER OF SEQUENCES: 15
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: MORRISON & FOERSTER
; STREET: 2000 Pennsylvania Avenue N.W.
; CITY: Washington
; STATE: DC
; COUNTRY: USA
; ZIP: 20006-1812
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/290,978A
; FILING DATE: 17-OCT-1994
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: MURASHIGE, KATE H.
; REGISTRATION NUMBER: 29,959
; REFERENCE/DOCKET NUMBER: 4615-0044.00
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (202) 887-1500
; TELEFAX: (202) 887-0763
; TELEX: 90-4030
; INFORMATION FOR SEQ ID NO: 5:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 452 amino acids
; TYPE: amino acid
```

TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-290-978A-5

Query Match 67.4%; Score 31; DB 1; Length 452;
Best Local Similarity 71.4%; Pred. No. 1.3e+02;
Matches 5; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 2 LFEQIDV 8
DB 203 LFDGIDI 209

RESULT 12
US-08-780-869-5
; Sequence 5, Application US/08780869
; Patent No. 5830737
; GENERAL INFORMATION:
; APPLICANT: KUSTERS-VAN SOMEREN, MARGO A.
; APPLICANT: MULLER, YVONNE
; APPLICANT: KESTER, HERMANUS C.M.
; APPLICANT: VISSER, JACOB
; APPLICANT: VAN OUYEN, ALBERT J.J.
; APPLICANT: ROLIN, CLAUD
; TITLE OF INVENTION: CLONING AND EXPRESSION OF THE
; EXO-POLY GALACTURONASE GENE FROM ASPERGILLUS
; NUMBER OF SEQUENCES: 15
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: MORRISON & FOERSTER
; STREET: 2000 Pennsylvania Avenue N.W.
; CITY: Washington
; STATE: DC
; COUNTRY: USA
; ZIP: 20006-1812
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/780,869
; FILING DATE: 24-JAN-1997
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/290,978
; FILING DATE: 17-OCT-1994
; ATTORNEY/AGENT INFORMATION:
; NAME: MURASHIGE, KATE H.
; REGISTRATION NUMBER: 29,959
; REFERENCE/DOCKET NUMBER: 4615-0044.00
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (202) 887-1500
; TELEFAX: (202) 887-0763
; TELEX: 90-4030
; INFORMATION FOR SEQ ID NO: 5:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 452 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-780-869-5

Query Match 67.4%; Score 31; DB 2; Length 452;
Best Local Similarity 71.4%; Pred. No. 1.3e+02;
Matches 5; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 2 LFEQIDV 8
DB 203 LFDGIDI 209

RESULT 13
US-09-041-236-2
; Sequence 2, Application US/09041236
; Patent No. 6225285
; GENERAL INFORMATION:
; APPLICANT: Luo, Yuling
; APPLICANT: Xiomei, Xu
; TITLE OF INVENTION: Semaphorin K1
; NUMBER OF SEQUENCES: 4
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: SCIENCE & TECHNOLOGY LAW GROUP
; STREET: 75 DENISE DRIVE
; CITY: HILLSBOROUGH
; STATE: CALIFORNIA
; COUNTRY: USA
; ZIP: 94010
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/041,236
; FILING DATE: March 11, 1998
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: OSMAN, RICHARD A.
; REGISTRATION NUMBER: 36,627
; REFERENCE/DOCKET NUMBER: EXEL98-001
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (650) 343-4341
; TELEFAX: (650) 343-4342
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 634 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-041-236-2

Query Match 67.4%; Score 31; DB 4; Length 634;
Best Local Similarity 75.0%; Pred. No. 1.9e+02;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 LFEQIDVY 9
DB 149 LFEQDEVY 156

RESULT 14
US-09-240-410-2
; Sequence 2, Application US/09240410
; Patent No. 6197544
; GENERAL INFORMATION:
; APPLICANT: MICHALOVICH, DAVID
; APPLICANT: HAYES, PHILIP DAVID
; TITLE OF INVENTION: NOVEL COMPOUNDS
; NUMBER OF SEQUENCES: 4
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Ratner & Prestia
; STREET: P.O. Box 980
; CITY: Valley Forge
; STATE: PA
; COUNTRY: USA
; ZIP: 19482
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSeq for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/240,410

; FILING DATE: 27-JAN-1999
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: UK APPLICATION NO. TO BE ASSIGNED
; FILING DATE: 20-JAN-1999
; APPLICATION NUMBER: EP APPLICATION NO. 98300694.1
; FILING DATE: 30-JAN-1998
; ATTORNEY/AGENT INFORMATION:
; NAME: Prestia, Paul F
; REGISTRATION NUMBER: 23,031
; REFERENCE/DOCKET NUMBER: GP-30039
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 610-407-0700
; TELEFAX: 610-407-0700
; TELEX: 846169
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 666 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-09-240-410-2

Query Match 67.4%; Score 31; DB 4; Length 666;
Best Local Similarity 75.0%; Pred. No. 2e+02; 1; Indels 0; Gaps 0;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 LFEGIDVY 9
| | | | : | |
Db 181 LFEGDEVY 188

RESULT 15

US-08-438-753B-22
; Sequence 22, Application US/08438753B
; Patent No. 5705363
; GENERAL INFORMATION:
; APPLICANT: Inakawa, Kazuhito
; TITLE OF INVENTION: Interferon Tau Compositions and
; TITLE OF INVENTION: Methods of Use
; NUMBER OF SEQUENCES: 44
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Dehlinger & Associates
; STREET: 350 Cambridge Ave., Suite 250
; CITY: Palo Alto
; STATE: CA
; COUNTRY: USA
; ZIP: 94306
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/438,753B
; FILING DATE: 10-MAY-1995
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/139,891
; FILING DATE: 19-OCT-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/847,741
; FILING DATE: 09-MAR-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/318,050
; FILING DATE: 02-MAR-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/969,890
; FILING DATE: 30-OCT-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Sholtz, Charles K.

; REGISTRATION NUMBER: 38,615
; REFERENCE/DOCKET NUMBER: 5600-0001.30
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 415-324-0880
; TELEFAX: 415-324-0960
; INFORMATION FOR SEQ ID NO: 22:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 99 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; ORIGINAL SOURCE:
; INDIVIDUAL ISOLATE: predicted amino acid coding sequence
; INDIVIDUAL ISOLATE: Of SEQ ID NO:21 (HuIFNTau6).
; US-08-438-753B-22

Query Match 65.2%; Score 30; DB 1; Length 99;
Best Local Similarity 55.6%; Pred. No. 39;
Matches 5; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
| | | | : | |
Db 83 SYFOGIHY 91

Search completed: December 6, 2001, 07:59:55
Job time: 363 sec

THIS PAGE BLANK (uspto)

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:58:26 ; Search time 88.19 Seconds
(without alignments)
7.774 Million cell updates/sec

Title: PEP1-MOD8V
Perfect score: 46
Sequence: 1 SLFEGIDVY 9

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 219241 seqs, 76174552 residues
Total number of hits satisfying chosen parameters: 219241

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : PIR_68: *
1: pir1: *
2: pir2: *
3: pir3: *
4: pir4: *

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	41	89.1	208	2 B44261	dnak-type molecule
2	41	89.1	209	2 A44261	dnak-type molecule
3	41	89.1	278	2 I51344	dnak-type molecule
4	41	89.1	372	2 PQ0138	dnak-type molecule
5	41	89.1	420	2 A26283	dnak-type molecule
6	41	89.1	467	2 T45477	heat-shock protein
7	41	89.1	467	2 T45479	heat-shock protein
8	41	89.1	468	2 T45476	heat-shock protein
9	41	89.1	469	2 T45478	heat-shock protein
10	41	89.1	617	2 H96605	probable heat shock
11	41	89.1	632	2 T45471	dnak-type molecule
12	41	89.1	634	2 A25646	dnak-type molecule
13	41	89.1	636	2 A48872	dnak-type molecule
14	41	89.1	638	2 S31766	dnak-type molecule
15	41	89.1	639	2 JC1391	dnak-type molecule
16	41	89.1	639	2 S20139	dnak-type molecule
17	41	89.1	640	1 HHKW7A	dnak-type molecule
18	41	89.1	640	2 A29160	dnak-type molecule
19	41	89.1	640	2 S37394	dnak-type molecule
20	41	89.1	640	2 T21394	hypothetical prote
21	41	89.1	640	2 T43724	dnak-type molecule
22	41	89.1	641	2 S53357	dnak-type molecule
23	41	89.1	641	2 S35718	dnak-type molecule
24	41	89.1	641	2 I54542	dnak-type molecule
25	41	89.1	641	2 A45871	dnak-type molecule
26	41	89.1	642	1 HHBYA1	dnak-type molecule
27	41	89.1	642	2 JH0095	dnak-type molecule
28	41	89.1	642	2 B36590	dnak-type molecule
29	41	89.1	644	2 A45635	dnak-type molecule

```

30      41      89.1      645      2      I51129      dnak-type molecule
31      41      89.1      646      2      T46650      heat shock protein
32      41      89.1      647      1      HXL70       dnak-type molecule
33      41      89.1      647      2      S44168      dnak-type molecule
34      41      89.1      647      2      T41121      heat shock protein
35      41      89.1      650      2      JC7088      heat shock protein
36      40      87.0      214      2      A03309      dnak-type molecule
37      40      87.0      379      2      I46588      dnak-type molecule
38      40      87.0      467      2      T45473      heat-shock protein
39      40      87.0      467      2      T45474      heat-shock protein
40      40      87.0      641      2      JN0668      dnak-type molecule
41      40      87.0      641      2      PC7036      heat shock protein
42      40      87.0      643      2      S25585      dnak-type molecule
43      40      87.0      643      2      S09036      dnak-type molecule
44      40      87.0      651      2      T45517      heat shock protein
45      40      87.0      651      2      JC7132      heat shock protein

```

ALIGNMENTS

RESULT 1

B44261
dnak-type molecular chaperone HSC70 - California sea hare (fragment)
N:Alternate names: heat shock protein 70 homolog HSC70
C:Species: Aplysia californica (California sea hare)
C>Date: 04-Sep-1998 #sequence_revision 04-Sep-1998 #text_change 13-Aug-1999
C:Accession: B44261
R:Kuhl, D.; Kennedy, T.E.; Barzilai, A.; Kandel, E.R.
J. Cell Biol. 119, 1069-1076, 1992
A:Title: Long-term sensitization training in Aplysia leads to an increase in the expr
A:Reference number: A44261; MUID:93077669
A:Accession: B44261
A>Status: preliminary; not compared with conceptual translation
A:Molecule type: nucleic acid
A:Residues: 1-208 <KUH>
A>Note: sequence extracted from NCBI backbone (NCBIP:118950)
C:Genetics:
A:Gene: HSC70
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein co
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match 89.1%; Score 41; DB 2; Length 208;
Best Local Similarity 88.9%; Pred. No. 0.61;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
Db 132 SLFEGIDFY 140

RESULT 2

A44261
dnak-type molecular chaperone HSP70a - California sea hare (fragment)
N:Alternate names: heat shock protein 70
C:Species: Aplysia californica (California sea hare)
C>Date: 04-Sep-1998 #sequence_revision 04-Sep-1998 #text_change 13-Aug-1999
C:Accession: A44261
R:Kuhl, D.; Kennedy, T.E.; Barzilai, A.; Kandel, E.R.
J. Cell Biol. 119, 1069-1076, 1992
A:Title: Long-term sensitization training in Aplysia leads to an increase in the expr
A:Reference number: A44261; MUID:93077669
A:Accession: A44261
A>Status: preliminary; not compared with conceptual translation
A:Molecule type: nucleic acid
A:Residues: 1-209 <KUH>
A>Note: sequence extracted from NCBI backbone (NCBIP:118951)
C:Genetics:
A:Gene: HSP70a
C:Function:

A:Description: involved in protein folding and assembling/disassembling of protein comp
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match 89.1%; Score 41; DB 2; Length 209;
Best Local Similarity 88.9%; Pred. No. 0.61;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
|||||||
Db 133 SLFEGIDY 141

RESULT 3

I51344
dnaK-type molecular chaperone (clone pHS70.7) - rainbow trout (fragment)
N:Alternate names: 70K heat shock protein
C:Species: Oncorhynchus mykiss (rainbow trout)
C:Date: 21-Feb-1997 #sequence_revision 21-Feb-1997 #text_change 20-Aug-1999
C:Accession: I51344
R:Kothary, R.K.; Jones, D.; Candido, E.P.M.
Mol. Cell. Biol. 4, 1785-1791, 1984
A:Title: 70-kilodalton heat shock polypeptides from rainbow trout: Characterization of
A:Reference number: I51344; MUID:85036330
A:Accession: I51344
A:Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-278 <KOT>
A:CROSS-references: GB:K02549; NID:g213803; PIDN:AAA9562.1; PID:g213804
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein comp
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match 89.1%; Score 41; DB 2; Length 278;
Best Local Similarity 88.9%; Pred. No. 0.84;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
|||||||
Db 156 SLFEGIDFY 164

RESULT 4

PQ0138
dnaK-type molecular chaperone hsp70 II - sea urchin (Paracentrotus lividus) (fragment)
N:Alternate names: heat shock protein 70
C:Species: Paracentrotus lividus (common urchin)
C:Date: 23-Nov-1991 #sequence_revision 23-Nov-1991 #text_change 20-Aug-1999
C:Accession: PQ0138
R:Rosa, M.L.; Sconzo, G.; Giudice, G.; Roccheri, M.G.; Carlo, M.D.
Gene 96, 295-300, 1990
A:Title: Sequence of a sea urchin hsp70 gene and its 5' flanking region.
A:Reference number: PQ0138; MUID:91099690
A:Accession: PQ0138
A:Molecule type: DNA
A:Residues: 1-372 <ROS>
A:CROSS-references: EMBL:X16544; NID:g10000; PIDN:CAA34544.1; PID:g10001
C:Genetics:
A:Gene: hsp70 II
A:Introns: 68/1; 137/1; 188/3; 281/3
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein comp
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match 89.1%; Score 41; DB 2; Length 372;
Best Local Similarity 88.9%; Pred. No. 1.2;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
|||||||
Db 286 SLFEGIDY 294

RESULT 5

A26283
dnaK-type molecular chaperone - mouse (fragment)
N:Alternate names: heat shock protein 68
C:Species: Mus musculus (house mouse)
C:Date: 19-Nov-1988 #sequence_revision 19-Nov-1988 #text_change 20-Aug-1999
C:Accession: A26283
R:Lowe, D.G.; Moran, L.A.
J. Biol. Chem. 261, 2102-2112, 1986
A:Title: Molecular cloning and analysis of DNA complementary to three mouse Mr-68,000
A:Reference number: A26283; MUID:86111900
A:Accession: A26283
A:Molecule type: mRNA
A:Residues: 1-420 <LOW>
A:CROSS-references: GB:M12571; NID:q194014; PIDN:AAA57234.1; PID:g387208
A:Note: the authors translated the codon CTG for residue 173 as Val and CGC for resid
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein co
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match 89.1%; Score 41; DB 2; Length 420;
Best Local Similarity 88.9%; Pred. No. 1.3;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
|||||||
Db 65 SLFEGIDFY 73

RESULT 6

T45477
heat-shock protein 70 [imported] - Chondrosia reniformis (fragment)
C:Species: Chondrosia reniformis
C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000
C:Accession: T45477
R:Borchelli, C.; Le Parco, Y.
submitted to the EMBL Data Library, September 1997
A:Reference number: Z22983
A:Accession: T45477
A:Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-467 <BOR>
A:CROSS-references: EMBL:AF026517; PIDN:AAC05362.1
C:Genetics:
A:Gene: Hsp70
C:Superfamily: heat shock protein 70

Query Match 89.1%; Score 41; DB 2; Length 467;
Best Local Similarity 88.9%; Pred. No. 1.5;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
|||||||
Db 252 SLFEGIDFY 260

RESULT 7

T45479
heat-shock protein 70 [imported] - Eunicella cavollini (fragment)
C:Species: Eunicella cavollini
C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000
C:Accession: T45479
R:Borchelli, C.; Le Parco, Y.
submitted to the EMBL Data Library, September 1997
A:Reference number: Z22983

A:Accession: T45479
A:Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-467 <BOR>
A:Cross-references: EMBL:AF026520; PIDN:AAC05364.1
C:Genetics:
A:Gene: Hsp70
C:Superfamily: heat shock protein 70

Query Match 89.1%; Score 41; DB 2; Length 467;
Best Local Similarity 88.9%; Pred. No. 1.5;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Oy 1 SLFEGIDVY 9
|||||||
Db 252 SLFEGIDFY 260

RESULT 8
T45476
heat-shock protein 70 [imported] - Funiculina quadrangularis (fragment)
C:Species: Funiculina quadrangularis
C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000
C:Accession: T45476
R:Borchliellini, C.; Le Parco, Y.
submitted to the EMBL Data Library, September 1997
A:Reference number: 222983
A:Accession: T45476
A:Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-468 <BOR>
A:Cross-references: EMBL:AF026516; PIDN:AAC05361.1
C:Genetics:
A:Gene: Hsp70
C:Superfamily: heat shock protein 70

Query Match 89.1%; Score 41; DB 2; Length 468;
Best Local Similarity 88.9%; Pred. No. 1.5;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Oy 1 SLFEGIDVY 9
|||||||
Db 253 SLFEGIDFY 261

RESULT 9
T45478
heat-shock protein 70 [imported] - Euniceella cavollini (fragment)
C:Species: Euniceella cavollini
C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000
C:Accession: T45478
R:Borchliellini, C.; Le Parco, Y.
submitted to the EMBL Data Library, September 1997
A:Reference number: 222983
A:Accession: T45478
A:Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-469 <BOR>
A:Cross-references: EMBL:AF026518; PIDN:AAC05363.1
C:Genetics:
A:Gene: Hsp70
C:Superfamily: heat shock protein 70

Query Match 89.1%; Score 41; DB 2; Length 469;
Best Local Similarity 88.9%; Pred. No. 1.5;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Oy 1 SLFEGIDVY 9
|||||||
Db 254 SLFEGIDFY 262

RESULT 10
H96605

Probable heat shock protein [imported] - Arabidopsis thaliana
C:Species: Arabidopsis thaliana (mouse-ear cress)
C:Date: 02-Mar-2001 #sequence_revision 02-Mar-2001 #text_change 23-Mar-2001
C:Accession: H96605
R:Theologis, A.; Ecker, J.R.; Palm, C.J.; Federspiel, N.A.; Kaul, S.; White, O.; Alon ansen, N.F.; Hughes, B.; Huizar, L.
Nature 408, 816-820, 2000
A:Authors: Hunter, J.L.; Jenkins, J.; Johnson-Hopson, C.; Khan, S.; Khaykin, E.; Kim, C.A.; Li, J.H.; Li, Y.; Lin, X.; Liu, S.X.; Liu, Z.A.; Luros, J.S.; Mafti, R.; Marzia Rizzo, M.; Rooney, T.; Rowley, D.; Sakano, H.
A:Authors: Salzberg, S.L.; Schwartz, J.R.; Shinn, P.; Southwick, A.M.; Sun, H.; Tallo ker, M.; Wu, D.; Yu, G.; Fraser, C.M.; Venter, J.C.; Davis, R.W.
A:Title: Sequence and analysis of chromosome 1 of the plant Arabidopsis.
A:Reference number: A86141; MUID:21016719
A:Accession: H96605
A:Status: preliminary
A:Molecule type: DNA
A:Residues: 1-617 <STO>
A:Cross-references: GB:AF005173; NID:gl1024845; PIDN:AAG26930.1; GSPDB:GN00141
C:Genetics:
A:Gene: F13N6.9
A:Map position: 1
C:Superfamily: heat shock protein 70

Query Match 89.1%; Score 41; DB 2; Length 617;
Best Local Similarity 88.9%; Pred. No. 2;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Oy 1 SLFEGIDVY 9
|||||||
Db 292 SLFEGIDFY 300

RESULT 11
T45471

dnak-type molecular chaperone hsc70 [imported] - slime mold (Dictyostelium discoideum
N:Alternate names: heat shock cognate protein 70
C:Species: Dictyostelium discoideum
C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 18-Feb-2000
C:Accession: T45471
R:Boves, H.; Mintert, U.; Dittrich, W.; Faix, J.; Gerisch, G.
submitted to the EMBL Data Library, September 1997
A:Reference number: 222980
A:Accession: T45471
A:Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-632 <BOV>
A:Cross-references: EMBL:AF025951; PIDN:AAB81865.1
A:Experimental source: strain AX3
C:Genetics:
A:Gene: hsc70
A:Note: localized to filopodias and cortex
C:Superfamily: heat shock protein 70

Query Match 89.1%; Score 41; DB 2; Length 632;
Best Local Similarity 88.9%; Pred. No. 2.1;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Oy 1 SLFEGIDVY 9
|||||||
Db 285 SLFEGIDFY 293

RESULT 12
A25646
dnak-type molecular chaperone - chicken

N:Alternate names: heat shock protein 70
 C:Species: Gallus gallus (chicken)
 C>Date: 19-Nov-1988 #sequence_revision 19-Nov-1988 #text_change 20-Aug-1999
 C:Accession: A25646
 R:Morimoto, R.I.; Hunt, C.; Huang, S.Y.; Berg, K.L.; Banerji, S.S.
 J. Biol. Chem. 261, 12692-12699, 1986
 A:Title: Organization, nucleotide sequence, and transcription of the chicken HSP70 gene.
 A:Reference number: A25646; MUID:86304452
 A:Accession: A25646
 A:Molecule type: DNA
 A:Residues: 1-634 <MOR>
 A:CROSS-references: GB:J02579; NID:g211940; PIDN:AAA48825.1; PID:g211941
 A>Note: the authors translated the codon TCG for residue 583 as Trp
 C:Function:
 A:Description: involved in protein folding and assembling/disassembling of protein complex
 C:Superfamily: heat shock protein 70
 C:Keywords: ATP; molecular chaperone

Query Match 89.1%; Score 41; DB 2; Length 634;
 Best Local Similarity 88.9%; Pred. No. 2.1;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
 |||||
 Db 289 SLFEGIDFY 297

RESULT 13
 A48872
 dnaK-type molecular chaperone hspB - slime mold (Dictyostelium discoideum) (fragment)
 N:Alternate names: 70k heat shock cognate protein aginactin; F-actin capping protein aginactin
 C:Species: Dictyostelium discoideum
 C>Date: 19-May-1995 #sequence_revision 19-May-1995 #text_change 20-Aug-1999
 C:Accession: A48872
 R:Eddy, R.J.; Sauterer, R.A.; Condeelis, J.S.
 J. Biol. Chem. 268, 23267-23274, 1993
 A:Title: Aginactin, an agonist-regulated F-actin capping activity is associated with an
 A:Reference number: A48872; MUID:94043116
 A:Accession: A48872
 A>Status: preliminary
 A:Molecule type: mRNA
 A:Residues: 1-636 <EDD>
 A:CROSS-references: GB:I2736; NID:g433179; PIDN:AAA33219.1; PID:g433180
 A>Note: authors translated the codon ACA for residue 10 as Pro, GCT for residue 60 as Val
 C:Function:
 A:Description: involved in protein folding and assembling/disassembling of protein complex
 C:Superfamily: heat shock protein 70
 C:Keywords: ATP; molecular chaperone

Query Match 89.1%; Score 41; DB 2; Length 636;
 Best Local Similarity 88.9%; Pred. No. 2.1;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
 |||||
 Db 280 SLFEGIDFY 288

RESULT 14
 S31766
 dnaK-type molecular chaperone hsp70 - green monkey
 N:Alternate names: heat shock protein 70
 C:Species: Cercopithecus aethiops (green monkey, grivet)
 C>Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 20-Aug-1999
 C:Accession: S31766; I36927
 R:Sainis, I.; Angelidis, C.; Pagoulatos, G.; Lazaridis, I.
 submitted to the EMBL Data Library, January 1993
 A:Description: Nucleotide sequence of the cDNA encoding a monkey 70kd heat shock protein
 A:Reference number: S31766
 A:Accession: S31766
 A:Molecule type: mRNA

A:Residues: 1-638 <SAI>
 R:Sainis, I.; Angelidis, C.; Pagoulatos, G.; Lazaridis, I.
 FEBS Lett. 355, 282-286, 1994
 A:Title: The hsc70 gene which is slightly induced by heat is the main virus inducible
 A:Reference number: I36927; MUID:95080396
 A:Accession: I36927
 A>Status: preliminary; translated from GB/EMBL/DBJ
 A:Molecule type: mRNA
 A:Residues: 1-638 <RES>
 A:CROSS-references: EMBL:X70684; NID:g22781; PIDN:CAA50019.1; PID:g22782
 A:Experimental source: kidney; cell line COS-1
 C:Genetics:
 A:Gene: hsp70
 C:Function:
 A:Description: involved in protein folding and assembling/disassembling of protein complex
 C:Superfamily: heat shock protein 70
 C:Keywords: ATP; molecular chaperone

Query Match 89.1%; Score 41; DB 2; Length 638;
 Best Local Similarity 88.9%; Pred. No. 2.1;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
 |||||
 Db 284 SLFEGIDFY 292

RESULT 15
 JC1391
 dnaK-type molecular chaperone 70IV - sea urchin (Paracentrotus lividus)
 N:Alternate names: heat shock protein 70IV; hsp70IV protein
 C:Species: Paracentrotus lividus (common urchin)
 C>Date: 10-Jun-1993 #sequence_revision 10-Jun-1993 #text_change 20-Aug-1999
 C:Accession: JC1391
 R:Sconzo, G.; Scardina, G.; Ferraro, M.G.
 Gene 121, 353-358, 1992
 A:Title: Characterization of a new member of the sea urchin Paracentrotus lividus hsp
 A:Reference number: JC1391; MUID:93077053
 A:Accession: JC1391
 A:Molecule type: DNA
 A:Residues: 1-639 <SCO>
 A:CROSS-references: EMBL:X61379; NID:g312916; PIDN:CAA43653.1; PID:g312917
 C:Genetics:
 A:Gene: hsp70IV
 A:Introns: 61/2
 C:Function:
 A:Description: involved in protein folding and assembling/disassembling of protein complex
 C:Superfamily: heat shock protein 70
 C:Keywords: ATP; heat shock; molecular chaperone; stress-induced protein

Query Match 89.1%; Score 41; DB 2; Length 639;
 Best Local Similarity 88.9%; Pred. No. 2.1;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
 |||||
 Db 286 SLFEGIDFY 294

Search completed: December 6, 2001, 07:58:26
 Job time: 274 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 08:00:50 ; Search time 50.21 seconds
(without alignments)
6.572 Million cell updates/sec

Title: PEPL-MOD8V

Perfect score: 46

Sequence: 1 SLFEGIDVY 9

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 100059 seqs, 36664827 residues

Total number of hits satisfying chosen parameters: 100059

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : SwissProt_39:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query %	Length	DB ID	Description
1	41	89.1	322	1 HS70_ONCVO	P11503 onchocerca
2	41	89.1	372	1 HS72_PARLI	P22623 paracentrot
3	41	89.1	420	1 HS73_MOUSE	Q61696 mus musculus
4	41	89.1	503	1 HS70_PENCI	Q92260 penicillium
5	41	89.1	634	1 HS70_CHICK	P08106 gallus gall
6	41	89.1	638	1 HS71_CERAE	Q28222 cercopithec
7	41	89.1	638	1 HS72_YEAST	P10592 saccharomyc
8	41	89.1	639	1 HS74_PARLI	Q06248 paracentrot
9	41	89.1	640	1 HS7A_CAEEL	P09446 caenorhabdi
10	41	89.1	640	1 HS7C_DICDI	P36415 dictyosteli
11	41	89.1	641	1 HS71_BOVIN	Q27975 bos taurus
12	41	89.1	641	1 HS71_MOUSE	P08107 homo sapien
13	41	89.1	641	1 HS71_MOUSE	P17879 mus musculus
14	41	89.1	641	1 HS71_PIG	P34930 sus scrofa
15	41	89.1	641	1 HS71_RAT	Q07439 rattus norv
16	41	89.1	641	1 HS71_YEAST	P10591 saccharomyc
17	41	89.1	641	1 HS72_BOVIN	Q27965 bos taurus
18	41	89.1	641	1 HS74_YEAST	P22202 saccharomyc
19	41	89.1	644	1 HS70_BRUNA	P27541 brugia mala
20	41	89.1	644	1 HS70_ONCYS	Q91233 oncorhynch
21	41	89.1	645	1 HS70_PLEWA	Q91291 pleurodeles
22	41	89.1	646	1 HS70_NEUCR	Q01223 neurospora
23	41	89.1	647	1 HS70_XENLA	P02827 xenopus lae
24	41	89.1	649	1 HS70_BLAEM	P48720 blastoclad
25	41	89.1	652	1 HS7D_MANSE	Q90639 manduca sex
26	41	87.0	214	1 HS7A_DROSI	P02826 drosophila
27	40	87.0	379	1 HS7X_PIG	P34934 sus scrofa
28	40	87.0	638	1 HS70_CERCA	P19102 ceratitidis c
29	40	87.0	641	1 HS7A_DROME	P29843 drosophila
30	40	87.0	643	1 HS76_HUMAN	P17066 homo sapien
31	40	87.0	643	1 HS76_PIG	Q04967 sus scrofa
32	40	87.0	648	1 HS71_PUCGR	Q01877 puccinia gr
33	38	82.6	641	1 HS73_RAT	P55063 rattus norv

ALIGNMENTS

RESULT 1

```

ID HS70_ONCVO STANDARD: PRT: 322 AA.
AC P11503:
DT 01-OCT-1989 (Rel. 12, Created)
DT 01-FEB-1996 (Rel. 33, Last sequence update)
DE 01-FEB-1996 (Rel. 33, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN (HSP70) (FRAGMENT).
OS Onchocerca volvulus.
OC Eukaryota; Metazoa; Nematoda; Chromadorea; Spirurida; Filarioidea;
OC Onchocercidae; Onchocerca.
OX NCBI_TaxID=6282;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=89201313; PubMed=2704388;
RA Rothstein N.M., Higashi G., Yates J., Rajan T.V.;
RT Onchocerca volvulus heat shock protein 70 is a major immunogen in
RT microfilaremic individuals from a filariasis-endemic area.;
RL Mol. Biochem. Parasitol. 33:229-236(1989).
CC -!- DISEASE: HEAT SHOCK PROTEIN 70 IS A MAJOR IMMUNOGEN IN A
CC MICROFILAREMIC INDIVIDUALS FROM A FILARIASIS-ENDEMIC AREA.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; J04006; AAA29417.1; -
CC HSSP; P19120; 1ATP.
CC InterPro; IPR001023; HSP70.
CC Pfam; PF00012; HSP70; 1.
CC PROSITE; PS00297; HSP70_1; PARTIAL.
CC PROSITE; PS00329; HSP70_2; PARTIAL.
CC PROSITE; PS01036; HSP70_3; 1.
CC ATP-binding; Heat shock.
CC NON_TER 1
CC NON_TER 322 322
CC SEQUENCE 322 AA; 35614 MW; 2BA3A2E8155A7180 CRC64;

```

```

Query Match 89.1%; Score 41; DB 1; Length 322;
Best Local Similarity 88.9%; Pred No. 0.57;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 SLFEGIDVY 9
Db 43 SLFEGIDFY 51

```

RESULT 2

```

ID HS72_PARLI STANDARD: PRT: 372 AA.

```

AC P22623;
 DT 01-AUG-1991 (Rel. 19, Created)
 DT 01-AUG-1991 (Rel. 19, Last sequence update)
 DT 01-JUN-1994 (Rel. 29, Last annotation update)
 DE HEAT SHOCK 70 KDA PROTEIN II (HSP70 II) (FRAGMENT).
 GN HSP70II.
 OS Paracentrotus lividus (Common sea urchin).
 OC Eukaryota; Metazoa; Echinodermata; Eleutherozoa; Echinozoa;
 OC Echinoidea; Euechinozoa; Echinacea; Echinoida; Echinidae;
 OC Paracentrotus.
 OX NCBI_TaxID=7656;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Gonad;
 RX MEDLINE=9109690; PubMed=2269441;
 RA la Rosa M., Sconzo G., Gludice G., Roccheri M.C., di Carlo M.;
 RT "Sequence of a sea urchin hsp70 gene and its 5' flanking region.";
 RL Gene 96:295-300(1990).
 CC -|- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announcement/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; X16544; CAA34544.1; --
 DR F1R; PQ0138; PQ0138.
 DR HSP; P19120; INGI.
 DR InterPro: IPR001023; HSP70.
 DR Pfam: PF00012; HSP70.1.
 DR PROSITE; PS00297; HSP70.1; 1.
 DR PROSITE; PS00329; HSP70.2; PARTIAL.
 DR PROSITE; PS01036; HSP70.3; 1.
 DR ATP-binding; Heat shock; Multigene family.
 KW NON_TER 372
 FT SEQUENCE 372 AA; 41347 MW; 5F8C1C590527A659 CRC64;
 SQ

Query Match 89.1%; Score 41; DB 1; Length 372;
 Best Local Similarity 88.9%; Pred. No. 0.67;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
 ||||| |
 Db 286 SLFEGIDVY 294

RESULT 3
 HS73_MOUSE
 ID HS73_MOUSE STANDARD; PRT; 420 AA.
 AC Q61696; Q61697;
 DT 01-NOV-1997 (Rel. 35, Created)
 DT 01-NOV-1997 (Rel. 35, Last sequence update)
 DT 01-NOV-1997 (Rel. 35, Last annotation update)
 DE HEAT SHOCK 70 KDA PROTEIN 3 (HSP70.3) (FRAGMENT).
 GN HSP70-3 OR HSP70A1.
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 OX NCBI_TaxID=10090;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=8611900; PubMed=2868009;
 RA Lowe D.G., Moran L.A.;
 RT "Molecular cloning and analysis of DNA complementary to three mouse
 RT Mr = 68,000 heat shock protein mRNAs.";
 RL J. Biol. Chem. 261:2102-2112(1986).
 RN [2]
 RP SEQUENCE OF 155-420 FROM N.A.
 RX MEDLINE=94357449; PubMed=8076831;

RA Perry M.D., Aujame L., Shtang S., Moran L.A.;
 RT "Structure and expression of an inducible HSP70-encoding gene from
 RT Mus musculus.";
 RL Gene 146:273-278(1994).
 CC -|- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
 CC OF NEWLY TRANSLATED PROTEINS AGAINST AGGREGATION AND MEDIANE THE FOLDING
 CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
 CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
 CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
 CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
 CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
 CC -|- INDUCTION: BY HEAT SHOCK.
 CC -|- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announcement/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; M12571; AAA57234.1; --
 DR EMBL; M12572; AAA57235.1; --
 DR HSP; P19120; IATR.
 DR MGD; MGI:96244; Hsp70-3.
 DR InterPro: IPR001023; HSP70.
 DR Pfam: PF00012; HSP70.1.
 DR PROSITE; PS00297; HSP70.1; PARTIAL.
 DR PROSITE; PS00329; HSP70.2; PARTIAL.
 DR PROSITE; PS01036; HSP70.3; 1.
 DR ATP-binding; Chaperone; Heat shock; Multigene family.
 KW NON_TER 1
 FT VARIANT 188 188 V -> G.
 SQ SEQUENCE 420 AA; 46292 MW; 5DA1C6155C7B16B5 CRC64;
 SQ

Query Match 89.1%; Score 41; DB 1; Length 420;
 Best Local Similarity 88.9%; Pred. No. 0.76;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
 ||||| |
 Db 65 SLFEGIDFY 73

RESULT 4
 HS70_PENCI
 ID HS70_PENCI STANDARD; PRT; 503 AA.
 AC Q92260;
 DT 20-AUG-2001 (Rel. 40, Created)
 DT 20-AUG-2001 (Rel. 40, Last sequence update)
 DT 20-AUG-2001 (Rel. 40, Last annotation update)
 DE HEAT SHOCK 70 KDA PROTEIN (ALLERGEN PEN C 19) (FRAGMENT).
 GN HSP70.
 OS Penicillium citrinum.
 OC Eukaryota; Fungi; Ascomycota; Pezizomycotina; Eurotiomycetes;
 OC Eurotiales; Trichocomaceae; mitosporic Trichocomaceae; Penicillium.
 OX NCBI_TaxID=5077;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Shen H.D., Au L.C., Lin W.L., Liaw S.F., Tsai J.J., Han S.H.;
 RT "Molecular cloning and expression of a penicillium citrinum
 RT allergen with sequence homology and antigenic cross-reactivity to
 RT a hsp70 human heat shock protein.";
 RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
 CC -|- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way

CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----

DR EMBL; U64207; AAB06397.1; -
DR HSP; P19120; 3HSC.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Chaperone; Heat shock; Allergen.
FT NON_TER 1
SQ SEQUENCE 503 AA; 55125 MW; B7433C11FAEAL320 CRC64;

Query Match 89.1%; Score 41; DB 1; Length 503;
Best Local Similarity 88.9%; Pred. No. 0.92;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
Db 154 SLFEGIDFY 162
|||||

RESULT 5
HS70_CHICK
ID HS70_CHICK STANDARD; PRT; 634 AA.
AC P08106;
DT 01-AUG-1988 (Rel. 08, Created)
DT 01-AUG-1988 (Rel. 08, Last sequence update)
DT 01-FEB-1994 (Rel. 28, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN (HSP70).
OS Gallus gallus (Chicken).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Archosauria; Aves; Neognathae; Galliformes; Phasianinae;
OC Gallus.
OX NCBI_TaxID=9031;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=86304452; PubMed=3017985;

RA Morimoto R.I., Hunt C., Huang S.-Y., Berg K.L., Banerji S.S.;
RT "Organization, nucleotide sequence, and transcription of the chicken
RT HSP70 gene.";
RL J. Biol. Chem. 261:12692-12699(1986).

CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----

DR EMBL; J02579; AAA48825.1; -
DR PIR; A25646; A25646.
DR HSP; P19120; 1ATP.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Heat shock; Multigene family.
SQ SEQUENCE 634 AA; 69750 MW; 4270F7F08D365AEB CRC64;

Query Match 89.1%; Score 41; DB 1; Length 634;
Best Local Similarity 88.9%; Pred. No. 1.2;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9

Db 289 SLFEGIDFY 297
|||||

RESULT 6
HS71_CERAE
ID HS71_CERAE STANDARD; PRT; 638 AA.
AC Q28222;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1.
GN HSPA1.
OS Cercopithecus aethiops (Green monkey) (Grivet).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Cercopithecidae;
OC Cercopithecinae; Cercopithecus.
OX NCBI_TaxID=9534;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Kidney.
RX MEDLINE=95080396; PubMed=7988690;

RA Sainis I., Angelidis C., Pagoulatos G., Lazaridis I.;
RT "The hsc70 gene which is slightly induced by heat is the main virus
RT inducible member of the hsp70 gene family.";
RL FEBS Lett. 355:282-286(1994).

CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC
CC RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR
CC PROTEIN TRANSLLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION
CC PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE
CC PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE
CC CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE
CC SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES
CC DURING TRANSLATION AND MEMBRANE TRANSLLOCATION, OR FOLLOWING
CC STRESS-INDUCED DAMAGE.

CC -1- INDUCTION: BY HEAT SHOCK.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.

CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----

DR EMBL; X70684; CAA50019.1; -
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
SQ SEQUENCE 638 AA; 69920 MW; D55076A0FFAB6AB3 CRC64;

Query Match 89.1%; Score 41; DB 1; Length 638;
Best Local Similarity 88.9%; Pred. No. 1.2;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
Db 284 SLFEGIDFY 292
|||||

RESULT 7
HS72_YEAST
ID HS72_YEAST STANDARD; PRT; 638 AA.
AC P10592;

DT 01-JUL-1989 (Rel. 11, Created)
DT 01-OCT-1994 (Rel. 30, Last sequence update)
DT 01-OCT-1996 (Rel. 34, Last annotation update)
DE HEAT SHOCK PROTEIN SSA2
SSA2 OR YLL024C OR L0931.
OS Saccharomyces cerevisiae (Baker's yeast).
OC Eukaryota; Fungi; Ascomycota; Saccharomycotina; Saccharomycetes;
OC Saccharomycetales; Saccharomycetaceae; Saccharomycetes.
OX NCBI_TaxID=4932;
RN [1]
RN SEQUENCE FROM N.A.
RP STRAIN=S288C;
RX MEDLINE=89128457; PubMed=2644626;
RA Slater M.R., Craig E.A.;
RT "The SSA1 and SSA2 genes of the yeast Saccharomyces cerevisiae.";
RL Nucleic Acids Res. 17:805-806(1989).
RN [2]
RN SEQUENCE FROM N.A.
RP STRAIN=S288C;
RX MEDLINE=89128457; PubMed=2644626;
RA Slater M.R., Craig E.A.;
RT "The SSA1 and SSA2 genes of the yeast Saccharomyces cerevisiae.";
RL Nucleic Acids Res. 17:805-806(1989).
RN [3]
RN SEQUENCE FROM N.A.
RP STRAIN=S288C;
RX MEDLINE=89128457; PubMed=2644626;
RA Slater M.R., Craig E.A.;
RT "The SSA1 and SSA2 genes of the yeast Saccharomyces cerevisiae.";
RL Nucleic Acids Res. 17:805-806(1989).
RN [4]
RN SEQUENCE OF 91-97 AND 325-341.
RP STRAIN=S288C;
RX MEDLINE=95203288; PubMed=7895733;
RA Garrels J.I., Futcher B., Kobayashi R., Latter G.I., Schwender B.,
RA Volpe T., Warner J.R., McLaughlin C.S.;
RT "Protein identifications for a Saccharomyces cerevisiae protein
database.";
RL Electrophoresis 15:1466-1486(1994).
RN [5]
RN SEQUENCE OF 186-195.
RP STRAIN=ATCC 38531 / Y41;
RX MEDLINE=97089742; PubMed=8935650;
RA Norbeck J., Blomberg A.;
RT "Protein expression during exponential growth in 0.7 M NaCl medium of
Saccharomyces cerevisiae.";
RL FEMS Microbiol. Lett. 137:1-8(1996).
RN [6]
RN ACETYLATION, AND PHOSPHORYLATION.
RA Garrels J.I., Futcher B., Kobayashi R., Latter G.I., Schwender B.,
RA Volpe T., Warner J.R., McLaughlin C.S.;
RL Submitted (SEP-1994) to the SWISS-PROT data bank.
CC -1- FUNCTION: SSA2 MAY PLAY A ROLE IN THE TRANSPORT OF POLYPEPTIDES
CC BOTH ACROSS THE MITOCHONDRIAL MEMBRANES AND INTO THE
CC ENDOPLASMATIC RETICULUM. A FUNCTIONAL DIFFERENCE BETWEEN YEAST
CC SSA1 AND SSA2 PROTEINS IS EXPECTED. SSA2 CAN PARTICIPATE IN THE
CC ATP-DEPENDENT DISASSEMBLY OF CLATHRIN-COATED VESICLES.
CC -1- SUBCELLULAR LOCATION: CYTOPLASMIC.
CC -1- PTM: PHOSPHORYLATED.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; X12927; CAA31394.1; -
CC EMBL; X73129; CAA97472.1; -
CC EMBL; X97560; CAA66167.1; -
CC PIR; S20139; S20139.
CC HSP; P19120; INGI.
CC SWISS-2DPAGE; P10592; YEAST.
CC YEPD; 9800; -
CC SGD; S0003947; SSA2.
CC InterPro; IPR001023; HSP70.

DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock; ATP-binding; Multigene family; Acetylation;
KW Phosphorylation.
FT INIT_MET 0
FT MOD_RES 1
SQ SEQUENCE 638 AA; 69338 MW; 23BDD120C194912 CRC64;

Query Match 89.1%; Score 41; DB 1; Length 638;
Best Local Similarity 88.9%; Pred. No. 1.2;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
DB 282 SLFEGIDFY 290

RESULT 8.
HS74_PARLI STANDARD; PRT; 639 AA.
ID HS74_PARLI
AC Q06248;
DT 01-JUN-1994 (Rel. 29, Created)
DT 01-JUN-1994 (Rel. 29, Last sequence update)
DT 01-JUN-1994 (Rel. 29, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN IV (HSP70 IV).
GN HSP70IV.
OS Paracentrotus lividus (Common sea urchin).
OC Eukaryota; Metazoa; Echinodermata; Eleutherozoa; Echinozoa;
OC Echinoidea; Euechinoidea; Echinacea; Echinoida; Echinidae;
OC Paracentrotus.
OC NCBI_TaxID=7656;
OX [1]
RN SEQUENCE FROM N.A.
RP MEDLINE=93077053; PubMed=1339375;
RA Sconzo G., Scardina G., Ferraro M.G.;
RT "Characterization of a new member of the sea urchin Paracentrotus
RT lividus hsp70 gene family and its expression.";
RL Gene 121:353-358(1992).
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; X61379; CAA43653.1; -
CC PIR; JCI391; JCI391.
CC HSP; P19120; INGI.
CC InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Heat shock; Multigene family.
SQ SEQUENCE 639 AA; 69749 MW; 40E2F29570808DCC CRC64;

Query Match 89.1%; Score 41; DB 1; Length 639;
Best Local Similarity 88.9%; Pred. No. 1.2;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
DB 286 SLFEGIDFY 294


```

RT      cap32/34.";
RL      EMBO J. 12:3763-3771(1993).
RN      [2]
RP      SEQUENCE FROM N.A., AND SEQUENCE OF 34-46; 102-106 AND 298-309.
RX      STRAIN-AX3;
RA      MEDLINE=94043116; PubMed=8226849;
RT      Eddy R.J., Sauterer R.A., Condeelis J.S.;
RT      "Aginactin, an agonist-regulated F-actin capping activity is
RT      associated with an Hsc70 in Dictyostelium.";
RL      J. Biol. Chem. 268:23267-23274(1993).
CC      -!- FUNCTION: AFFECTS ACTIN POLYMERIZATION THROUGH INTERACTION WITH
CC      THE ACTIN-BINDING PROTEIN CAP32/34. ACTS AS A CHAPERONE BY
CC      STIMULATING THE REFOLDING OF DENATURATED CAP32 AND CAP34.
CC      -!- SUBCELLULAR LOCATION: CYTOPLASMIC. FOUND IN F-ACTIN-RICH REGIONS
CC      OF THE CELL CORTEX AND CELL PROTRUSIONS.
CC      -!- DEVELOPMENTAL STAGE: HEAT SHOCK COGNATE PROTEINS ARE EXPRESSED
CC      CONSTITUTIVELY DURING NORMAL DEVELOPMENT.
CC      -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC      -----
CC      This SWISS-PROT entry is copyright. It is produced through a collaboration
CC      between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC      the European Bioinformatics Institute. There are no restrictions on its
CC      use by non-profit institutions as long as its content is in no way
CC      modified and this statement is not removed. Usage by and for commercial
CC      entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC      or send an email to license@isb-sib.ch).
CC      -----
DR      EMBL; X75263; CAA53039.1; -
DR      EMBL; L22736; AAA33219.1; -
DR      PIR; S37394; S37394.
DR      HSSP; P19120; INGI.
DR      SWISS-2DPAGE; P36415; DICTY.
DR      DictyDb; DD01078; hspB.
DR      InterPro; IPR001023; HSP70.
DR      Pfam; PF00012; HSP70; 1.
DR      PRINTS; PR00301; HEATSHOCK70.
DR      PROSITE; PS00297; HSP70_1; 1.
DR      PROSITE; PS00329; HSP70_2; 1.
DR      PROSITE; PS01036; HSP70_3; 1.
KW      ATP-binding; Chaperone.
FT      CONFLICT 1 29
FT      CONFLICT 32 32
FT      CONFLICT 64 64
FT      CONFLICT 180 180
FT      CONFLICT 237 237
FT      CONFLICT 240 240
FT      CONFLICT 341 341
FT      CONFLICT 352 352
SQ      SEQUENCE 640 AA; 70499 MW; 2E6BDC2DB96A9F5D CRC64;
      MSSIGIDLTGYSCVGVWQNDREIAND ->
      IHHHNGNATVWVSGPVSSEVLSFN (IN REF. 2).
      N -> T (IN REF. 2).
      V -> A (IN REF. 2).
      R -> A (IN REF. 2).
      S -> A (IN REF. 2).
      V -> A (IN REF. 2).
      I -> L (IN REF. 2).
      F -> P (IN REF. 2).

Query Match      89.1%; Score 41; DB 1; Length 640;
Best Local Similarity 88.9%; Pred. No. 1.2;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY      1 SLFEGIDVY 9
Db      |||||
Db      284 SLFEGIDFY 292

RESULT 11
HS7L_BOVIN
ID      HS7L_BOVIN STANDARD; PRT; 641 AA.
AC      Q27975; Q27964;
DT      01-NOV-1997 (Rel. 35, Created)
DT      01-NOV-1997 (Rel. 35, Last sequence update)
DE      HEAT SHOCK 70 KDA PROTEIN 1 (HSP70-1).
GN      HSP70-1.
OS      Bos taurus (Bovine).
OC      Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC      Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovidae;

RT      cap32/34.";
RL      EMBO J. 12:3763-3771(1993).
RN      [2]
RP      SEQUENCE FROM N.A., AND SEQUENCE OF 34-46; 102-106 AND 298-309.
RX      STRAIN-AX3;
RA      MEDLINE=94043116; PubMed=8226849;
RT      Eddy R.J., Sauterer R.A., Condeelis J.S.;
RT      "Aginactin, an agonist-regulated F-actin capping activity is
RT      associated with an Hsc70 in Dictyostelium.";
RL      J. Biol. Chem. 268:23267-23274(1993).
CC      -!- FUNCTION: AFFECTS ACTIN POLYMERIZATION THROUGH INTERACTION WITH
CC      THE ACTIN-BINDING PROTEIN CAP32/34. ACTS AS A CHAPERONE BY
CC      STIMULATING THE REFOLDING OF DENATURATED CAP32 AND CAP34.
CC      -!- SUBCELLULAR LOCATION: CYTOPLASMIC. FOUND IN F-ACTIN-RICH REGIONS
CC      OF THE CELL CORTEX AND CELL PROTRUSIONS.
CC      -!- DEVELOPMENTAL STAGE: HEAT SHOCK COGNATE PROTEINS ARE EXPRESSED
CC      CONSTITUTIVELY DURING NORMAL DEVELOPMENT.
CC      -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC      -----
CC      This SWISS-PROT entry is copyright. It is produced through a collaboration
CC      between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC      the European Bioinformatics Institute. There are no restrictions on its
CC      use by non-profit institutions as long as its content is in no way
CC      modified and this statement is not removed. Usage by and for commercial
CC      entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC      or send an email to license@isb-sib.ch).
CC      -----
DR      EMBL; X75263; CAA53039.1; -
DR      EMBL; L22736; AAA33219.1; -
DR      PIR; S37394; S37394.
DR      HSSP; P19120; INGI.
DR      SWISS-2DPAGE; P36415; DICTY.
DR      DictyDb; DD01078; hspB.
DR      InterPro; IPR001023; HSP70.
DR      Pfam; PF00012; HSP70; 1.
DR      PRINTS; PR00301; HEATSHOCK70.
DR      PROSITE; PS00297; HSP70_1; 1.
DR      PROSITE; PS00329; HSP70_2; 1.
DR      PROSITE; PS01036; HSP70_3; 1.
KW      ATP-binding; Heat shock; Multigene family.
FT      CONFLICT 1 29
FT      CONFLICT 32 32
FT      CONFLICT 64 64
FT      CONFLICT 180 180
FT      CONFLICT 237 237
FT      CONFLICT 240 240
FT      CONFLICT 341 341
FT      CONFLICT 352 352
SQ      SEQUENCE 640 AA; 69823 MW; ED15409D06C500C2 CRC64;
      MSSIGIDLTGYSCVGVWQNDREIAND ->
      IHHHNGNATVWVSGPVSSEVLSFN (IN REF. 2).
      N -> T (IN REF. 2).
      V -> A (IN REF. 2).
      R -> A (IN REF. 2).
      S -> A (IN REF. 2).
      V -> A (IN REF. 2).
      I -> L (IN REF. 2).
      F -> P (IN REF. 2).

Query Match      89.1%; Score 41; DB 1; Length 640;
Best Local Similarity 88.9%; Pred. No. 1.2;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY      1 SLFEGIDVY 9
Db      |||||
Db      287 SLFEGIDFY 295

RESULT 10
HS7C_DICDI
ID      HS7C_DICDI STANDARD; PRT; 640 AA.
AC      P36415;
DT      01-JUN-1994 (Rel. 29, Created)
DT      01-JUN-1994 (Rel. 29, Last sequence update)
DT      01-NOV-1997 (Rel. 35, Last annotation update)
DE      HEAT SHOCK COGNATE PROTEIN (AGINACTIN).
GN      HSPB OR HSC70.
OS      Dictyostelium discoideum (Slime mold).
OC      Eukaryota; Mycetozoa; Dictyosteliida; Dictyostelium.
OX      NCBI_TaxID=44689;
RN      [1]
RP      SEQUENCE FROM N.A.
RX      STRAIN-AX3;
RA      MEDLINE=94008983; PubMed=8404847;
RA      Haus U., Trommler P., Fisher P.R., Hartmann H., Lottspeich F.,
RA      Noegel A.A., Schleicher M.;
RT      "The heat shock cognate protein from Dictyostelium affects actin
RT      polymerization through interaction with the actin-binding protein

```

```

OC Bovidae; Bovinae; Bos.
OX NCBI_TaxID=9913;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Skeletal muscle;
RX MEDLINE=95126904; PubMed=7826329;
RA Gutierrez J.A., Guerriero V.;
RT "Chemical modifications of a recombinant bovine stress-inducible 70
RT kDa heat-shock protein (Hsp70) mimics Hsp70 isoforms from tissues.";
RL Biochem. J. 305:197-203(1995).
RN [2]
RP SEQUENCE OF 212-641 FROM N.A.
RC STRAIN=ANGUS;
RX MEDLINE=95030563; PubMed=7943958;
RA Grosz M.D., Skow L.C., Stone R.T.;
RT "An AluI polymorphism at the bovine 70 kD heat-shock protein-1
RT (HSP70-1) locus.";
RL Anim. Genet. 25:196-196(1994).
CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDIANE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC
CC RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR
CC PROTEIN TRANSLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION
CC PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE
CC PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE
CC CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE
CC SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES
CC DURING TRANSLATION AND MEMBRANE TRANSLOCATION, OR FOLLOWING
CC STRESS-INDUCED DAMAGE.
CC -1- INDUCTION: BY HEAT SHOCK.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC THIS SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; U09861; AAA73914.1; -
CC EMBL; U02891; AAA03450.1; -
CC HSP; P19120; INGC.
CC InterPro; IPR001023; HSP70.
CC PRINTS; PR00012; HSP70; 1.
CC PROSITE; PS00301; HEATSHOCK70.
CC PROSITE; PS00297; HSP70_1; 1.
CC PROSITE; PS00329; HSP70_2; 1.
CC PROSITE; PS01036; HSP70_3; 1.
CC ATP-binding; Chaperone; Heat shock; Multigene family.
KW SEQUENCE 641 AA; 70250 MW; 6D548263E98780F9 CRC64;
SQ

```

```

Query Match      89.18; Score 41; DB 1; Length 641;
Best Local Similarity 88.98; Pred. No. 1.2;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

```

Qy 1 SLFEGIDVY 9
Db 286 SLFEGIDFY 294

```

RESULT 12

```

HS71_HUMAN
ID HS71_HUMAN STANDARD; PRF; 641 AA.
AC P08107; P19790; Q90040; Q90041;
DT 01-AUG-1988 (Rel. 08, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 20-AUG-2001 (Rel. 40, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70.1) (HSP70-1/HSP70-2).
GN (HSPA1A OR HSPA1) AND HSPA1B.
OS Homo sapiens (Human).

```

```

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OX Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=91055806; PubMed=1700760;
RA Milner C.M., Campbell R.D.;
RT "Structure and expression of the three MHC-linked HSP70 genes.";
RL Immunogenetics 32:242-251(1990).
RN [2]
RP SEQUENCE FROM N.A.
RX MEDLINE=86016721; PubMed=3931075;
RA Hunt C., Morimoto R.I.;
RT "Conserved features of eukaryotic hsp70 genes revealed by comparison
RT with the nucleotide sequence of human hsp70.";
RL Proc. Natl. Acad. Sci. U.S.A. 82:6455-6459(1985).
RN [3]
RP SEQUENCE FROM N.A. (HSPA1A AND HSPA1B).
RA Rowen L., Qin S., Madan A., Dickhoff R., Dors M., Madan A., Hicks P.,
RA Loretz C., Ratcliffe A., Abbasi N., Shaffer T., Hood L.;
RT "Sequence of the human major histocompatibility complex class III
RT region.";
RL Submitted (MAR-1999) to the EMBL/GenBank/DBJ databases.
RN [4]
RP SEQUENCE OF 1-36 AND 360-424 FROM N.A.
RX MEDLINE=89184548; PubMed=2538825;
RA Sargent C.A., Dunham I., Trowsdale J., Campbell R.D.;
RT "Human major histocompatibility complex contains genes for the major
RT heat shock protein HSP70.";
RL Proc. Natl. Acad. Sci. U.S.A. 86:1968-1972(1989).
RN [5]
RP SEQUENCE OF 1-22 AND 618-641 FROM N.A.
RX MEDLINE=87066768; PubMed=3786141;
RA Drabant B., Genthe A., Benecke B.-J.;
RT "In vitro transcription of a human hsp 70 heat shock gene by extracts
RT prepared from heat-shocked and non-heat-shocked human cells.";
RL Nucleic Acids Res. 14:8933-8949(1986).
RN [6]
RP X-RAY CRYSTALLOGRAPHY (2.3 ANGSTROMS) OF 1-382.
RX MEDLINE=99234376; PubMed=10216320;
RA Osipuk J., Walsh M.A., Freeman B.C., Morimoto R.I., Joachimiak A.;
RT "Structure of a new crystal form of human hsp70 ATPase domain.";
RL Acta Crystallogr. D 55:1105-1107(1999).
CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDIANE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC
CC RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR
CC PROTEIN TRANSLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION
CC PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE
CC PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE
CC CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE
CC SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES
CC DURING TRANSLATION AND MEMBRANE TRANSLOCATION, OR FOLLOWING
CC STRESS-INDUCED DAMAGE.
CC -1- INDUCTION: BY HEAT SHOCK.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC THIS SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; M59828; AAA63226.1; -
CC EMBL; M59830; AAA63227.1; -
CC EMBL; AF134726; AAD21816.1; -
CC EMBL; AF134726; AAD21815.1; -
CC EMBL; M11717; AAA52697.1; -
CC EMBL; M24743; AAA59844.1; -
CC EMBL; M24744; AAA59845.1; -

```

```

DR EMBL; X04676; CAA28381.1; -.
DR EMBL; X04677; CAA28382.1; -.
DR PIR; A29160; A29160.
DR PIR; A45871; A45871.
DR PIR; A25773; A25773.
DR PDB; 1HJO; 21-OCT-98.
DR SWISS-2DPAGE; P08107; HUMAN.
DR MIM; 140550; -.
DR MIM; 603012; -.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Chaperone; Heat shock; Multigene family; MHC III;
KW 3D-structure.
FT CONFLICT 7 7 I -> V (IN REF. 2).
FT CONFLICT 110 110 E -> D (IN REF. 3; AAD21816).
FT CONFLICT 370 370 A -> G (IN REF. 2).
FT CONFLICT 469 469 MISSING (IN REF. 2).
FT CONFLICT 499 499 N -> S (IN REF. 3; AAD21815).
SQ SEQUENCE 641 AA; 70052 MW; 78F513118C96DE66 CRC64;

Query Match 89.1%; Score 41; DB 1; Length 641;
Best Local Similarity 88.9%; Pred. No. 1.2;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
Db 286 SLFEGIDFY 294

RESULT 13
HS71_MOUSE
ID HS71_MOUSE STANDARD; PRT; 641 AA.
AC P17879; O61689;
DT 01-AUG-1990 (Rel. 15, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70.1) (HSP70-1/HSP70-2).
GN HSPA1 OR HSP70A1 OR HSP70-1 OR HCP70-1.
OS Mus musculus (Mouse)
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=90236310; PubMed=2332169;
RA Hunt C., Calderwood S.;
RT "Characterization and sequence of a mouse hsp70 gene and its
RT expression in mouse cell lines.";
RL Gene 87:199-204(1990).
RN [2]
RP SEQUENCE FROM N.A.
RC TISSUE=Liver;
RX MEDLINE=94357449; PubMed=8076831;
RA Perry M.D., Aujame L., Shtang S., Moran L.A.;
RT "Structure and expression of an inducible HSP70-encoding gene from
RT Mus musculus.";
RL Gene 146:273-278(1994).
CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; M69100; -. NOT_ANNOTATED_CDS.
CC PIR; S35718; S35718.

```

```

CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; M35021; AAA37864.1; -.
CC EMBL; M76613; AAA57233.1; -.
CC PIR; JH0095; JH0095.
CC HSP; P19120; INGC.
CC MGD; MGI:99517; Hsp70-1.
CC InterPro; IPR001023; HSP70.
CC Pfam; PF00012; HSP70; 1.
CC PRINTS; PR00301; HEATSHOCK70.
CC PROSITE; PS00297; HSP70_1; 1.
CC PROSITE; PS00329; HSP70_2; 1.
CC PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
FT CONFLICT 342 342 A -> R (IN REF. 1).
FT CONFLICT 627 627 P -> PP (IN REF. 1).
SQ SEQUENCE 641 AA; 69994 MW; 41475360F6749F2F CRC64;

Query Match 89.1%; Score 41; DB 1; Length 641;
Best Local Similarity 88.9%; Pred. No. 1.2;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
Db 286 SLFEGIDFY 294

RESULT 14
HS71_PIG
ID HS71_PIG STANDARD; PRT; 641 AA.
AC P34930;
DT 01-FEB-1994 (Rel. 28, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70.1).
GN HSPA1.
OS Sus scrofa (Pig).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.
OX NCBI_TaxID=9823;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=92175874; PubMed=1339404;
RA Peelman L.J., de Weghe A.R., Coppieters W.R., van Zeveren A.J.,
RA Bouquet Y.H.;
RT "Complete nucleotide sequence of a porcine HSP70 gene.";
RL Immunogenetics 35:286-289(1992).
CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; M69100; -. NOT_ANNOTATED_CDS.
CC PIR; S35718; S35718.

```

CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
 CC or send an email to license@isb-sib.ch).

CC -----
 DR HSP: P19120; INGC.
 DR InterPro; IPR001023; HSP70.
 DR Pfam: PF00012; HSP70; 1.
 DR PRINTS: PR00301; HEATSHOCK70.
 DR PROSITE: PS00297; HSP70_1; 1.
 DR PROSITE: PS00329; HSP70_2; 1.
 DR PROSITE: PS01036; HSP70_3; 1.
 DR ATP-binding; Chaperone; Heat shock; Multigene family.
 SQ SEQUENCE 641 AA; 70083 MW; FE77BB20A03E0A33 CRC64;

Query Match 89.1%; Score 41; DB 1; Length 641;
 Best Local Similarity 88.9%; Pred. No. 1.2;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
 |||||
 Db 286 SLFEGIDFY 294

RESULT 15

HS7L_RAT STANDARD; PRT; 641 AA.
 AC Q07439; P42853;
 DT 01-FEB-1995 (Rel. 31, Created)
 DT 01-FEB-1995 (Rel. 31, Last sequence update)
 DT 01-NOV-1997 (Rel. 35, Last annotation update)
 DE HEAT SHOCK 70 KDA PROTEIN 1/2 (HSP70.1/2).
 GN HSP70-1 AND HSP70-2.

OS Rattus norvegicus (Rat).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Rattus.
 OX NCBI_TaxID=10116;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Brain;
 RX MEDLINE=94096443; PubMed=8271311;
 RA Longo F.M., Wang S., Narasimhan P., Zhang J.S., Chen J.,
 RA Massa S.M., Sharp F.R.;
 RT "cDNA cloning and expression of stress-inducible rat hsp70 in normal
 RT and injured rat brain";
 RL J. Neurosci. Res. 36:325-335(1993).
 RN [2]

SEQUENCE FROM N.A.
 RC STRAIN=LEW.1W/GUN;
 RX MEDLINE=95012453; PubMed=7927536;
 RA Walter L., Rauh F., Guenther E.;
 RT "Comparative analysis of the three major histocompatibility complex-
 RT linked heat shock protein 70 (Hsp70) genes of the rat";
 RL Immunogenetics 40:325-330(1994).
 RN [3]

SEQUENCE FROM N.A.
 RC STRAIN=SPRAGUE-DAWLEY; TISSUE=Liver;
 RX MEDLINE=94368874; PubMed=8086479;
 RA Lisowska K., Krawczyk Z., Wladak W., Wolniczek P., Wisniewski J.;
 RA "Cloning, nucleotide sequence and expression of rat heat inducible
 RT hsp70 gene";
 RL Biochim. Biophys. Acta 1219:64-72(1994).

-1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
 CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
 CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
 CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
 CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
 CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
 CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
 CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.

-1- INDUCTION: BY HEAT SHOCK.

-1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.

 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way

Query Match 89.1%; Score 41; DB 1; Length 641;
 Best Local Similarity 88.9%; Pred. No. 1.2;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
 |||||
 Db 286 SLFEGIDFY 294

Search completed: December 6, 2001, 08:00:51
 Job time: 419 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run On: December 6, 2001, 07:56:52 ; Search time 170.25 Seconds
(without alignments)
7.732 Million cell updates/sec

Title: PEP1-MOD8V

Perfect score: 46

Sequence: 1 SLFEGIDVY 9

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 473505 seqs, 146272329 residues

Total number of hits satisfying chosen parameters: 473505

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

SPTREMBL_17:*

- 1: sp.archaea:*
- 2: sp.bacteria:*
- 3: sp.fungi:*
- 4: sp.human:*
- 5: sp.invertebrate:*
- 6: sp.mammal:*
- 7: sp.mhc:*
- 8: sp.organelle:*
- 9: sp.phage:*
- 10: sp.plant:*
- 11: sp.rodent:*
- 12: sp.virus:*
- 13: sp.vertebrate:*
- 14: sp.unclassified:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	41	89.1	146	5 Q9U667	Q9U667 littorina p
2	41	89.1	153	5 Q9U670	Q9U670 littorina s
3	41	89.1	155	5 Q9U669	Q9U669 littorina s
4	41	89.1	157	5 Q9U665	Q9U665 littorina p
5	41	89.1	158	5 Q9U671	Q9U671 littorina s
6	41	89.1	158	5 Q9U668	Q9U668 littorina p
7	41	89.1	158	5 Q9U666	Q9U666 littorina p
8	41	89.1	220	5 P81159	P81159 aplysia cal
9	41	89.1	221	5 P81157	P81157 aplysia cal
10	41	89.1	278	13 Q9U520	Q9U520 oncorhynch
11	41	89.1	367	13 Q98899	Q98899 fugu rubrip
12	41	89.1	455	11 Q63718	Q63718 rattus norv
13	41	89.1	467	5 Q44350	Q44350 chondrosia
14	41	89.1	467	5 Q44352	Q44352 petrobiona
15	41	89.1	467	5 Q9NJ92	Q9NJ92 guancha lac
16	41	89.1	468	5 Q44349	Q44349 funiculina
17	41	89.1	469	5 Q44351	Q44351 eunicella c
18	41	89.1	526	13 Q98897	Q98897 fugu rubrip
19	41	89.1	617	10 Q9C7X7	Q9C7X7 aradidopsis

20	41	89.1	628	5 Q93147	Q93147 botryllus s
21	41	89.1	629	5 Q93146	Q93146 botryllus s
22	41	89.1	632	5 Q15766	Q15766 dictyosteli
23	41	89.1	639	13 Q98900	Q98900 fugu rubrip
24	41	89.1	639	13 Q918F9	Q918F9 oryzias lat
25	41	89.1	640	5 Q93601	Q93601 caenorhabdi
26	41	89.1	640	13 Q93240	Q93240 paralichthy
27	41	89.1	641	11 Q63256	Q63256 rattus norv
28	41	89.1	641	11 Q9QWJ5	Q9QWJ5 mus musculu
29	41	89.1	645	5 Q96541	Q96541 setaria dig
30	41	89.1	645	5 Q9NJB7	Q9NJB7 wuchereria
31	41	89.1	645	5 Q9NGK9	Q9NGK9 wuchereria
32	41	89.1	645	10 Q48563	Q48563 brassica na
33	41	89.1	647	3 Q59855	Q59855 schizosacch
34	41	89.1	647	10 Q41027	Q41027 pisum sativ
35	41	89.1	650	5 Q9U777	Q9U777 stylophora
36	41	89.1	650	10 Q9ZS55	Q9ZS55 arabidopsis
37	41	89.1	650	10 Q9LHA8	Q9LHA8 arabidopsis
38	41	89.1	652	10 P93937	P93937 ascophyllum
39	41	89.1	653	5 Q94805	Q94805 trichoplusi
40	41	89.1	659	5 Q9XZJ2	Q9XZJ2 crassostrea
41	41	89.1	663	5 Q24952	Q24952 geodia cydo
42	40	87.0	190	5 Q9U9B4	Q9U9B4 mytilus edu
43	40	87.0	467	5 Q44346	Q44346 asbestoplum
44	40	87.0	467	5 Q44347	Q44347 petrosia fi
45	40	87.0	467	5 Q9GPM5	Q9GPM5 monosiga ov

ALIGNMENTS

RESULT 1
Q9U667 ID Q9U667 PRELIMINARY; PRT; 146 AA.
AC Q9U667;
DT 01-MAY-2000 (Tremblrel. 13, Created)
DT 01-MAY-2000 (Tremblrel. 13, Last sequence update)
DT 01-JUN-2001 (Tremblrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina plena.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31219;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina.";
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191828; RAF12787.1; -
DR HSSP; P19120; 1BAL.
DR InterPro; IPR001023; HSP70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 146 146
SQ SEQUENCE 146 AA; 16607 MW; C3F3556A1AF438BB CRC64;

Query Match 89.1%; Score 41; DB 5; Length 146;
Best Local Similarity 88.9%; Pred. No. 2;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
Db 79 SLFEGIDFY 87
|||||||

RESULT 2
Q9U670 ID Q9U670 PRELIMINARY; PRT; 153 AA.
AC Q9U670;
DT 01-MAY-2000 (Tremblrel. 13, Created)
DT 01-MAY-2000 (Tremblrel. 13, Last sequence update)

DT 01-JUN-2001 (TREMBLrel. 17, Last annotation update)
 DE HEAT-SHOCK PROTEIN (FRAGMENT).
 GN HSC70.
 OS Littorina scutulata.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 OC Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
 OX NCBI_TaxID=31221;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina.";
 RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF191825; AAF12784.1; -
 DR HSSP; P19120; IBA1.
 DR InterPro; IPR001023; HSP70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 153 153
 FT NON_TER 153 153
 SQ SEQUENCE 153 AA; 17352 MW; E29EE20C4CAF934D CRC64;

Query Match 89.1%; Score 41; DB 5; Length 153;
 Best Local Similarity 88.9%; Pred. No. 2.1;
 Matches 8; Conservative 0; Mismatches 1; Indels 1; Gaps 0;

QY 1 SLFEGIDVY 9
 |||||
 Db 80 SLFEGIDFY 88

RESULT 3
 Q9U669 PRELIMINARY; PRT; 155 AA.
 AC Q9U669;
 DT 01-MAY-2000 (TREMBlrel. 13, Created)
 DT 01-MAY-2000 (TREMBlrel. 13, Last sequence update)
 DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
 DE HEAT-SHOCK PROTEIN (FRAGMENT).
 GN HSC70.
 OS Littorina scutulata.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 OC Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
 OX NCBI_TaxID=31221;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina.";
 RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF191826; AAF12785.1; -
 DR HSSP; P19120; IBA1.
 DR InterPro; IPR001023; HSP70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 155 155
 FT NON_TER 155 155
 SQ SEQUENCE 155 AA; 17676 MW; C191F6E5B1F346C2 CRC64;

Query Match 89.1%; Score 41; DB 5; Length 155;
 Best Local Similarity 88.9%; Pred. No. 2.1;
 Matches 8; Conservative 0; Mismatches 1; Indels 1; Gaps 0;

QY 1 SLFEGIDVY 9
 |||||
 Db 82 SLFEGIDFY 90

RESULT 4
 Q9U665 PRELIMINARY; PRT; 157 AA.
 AC Q9U665;
 DT 01-MAY-2000 (TREMBlrel. 13, Created)
 DT 01-MAY-2000 (TREMBlrel. 13, Last sequence update)
 DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)

DE HEAT-SHOCK PROTEIN (FRAGMENT).
 GN HSC70.
 OS Littorina plena.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 OC Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
 OX NCBI_TaxID=31219;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina.";
 RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF191830; AAF12789.1; -
 DR HSSP; P19120; IBA1.
 DR InterPro; IPR001023; HSP70.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 157 157
 FT NON_TER 157 157
 SQ SEQUENCE 157 AA; 17834 MW; E8F743382B285EB2 CRC64;

Query Match 89.1%; Score 41; DB 5; Length 157;
 Best Local Similarity 88.9%; Pred. No. 2.1;
 Matches 8; Conservative 0; Mismatches 1; Indels 1; Gaps 0;

QY 1 SLFEGIDVY 9
 |||||
 Db 84 SLFEGIDFY 92

RESULT 5
 Q9U671 PRELIMINARY; PRT; 158 AA.
 AC Q9U671;
 DT 01-MAY-2000 (TREMBlrel. 13, Created)
 DT 01-MAY-2000 (TREMBlrel. 13, Last sequence update)
 DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
 DE HEAT-SHOCK PROTEIN (FRAGMENT).
 GN HSC70.
 OS Littorina scutulata.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 OC Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
 OX NCBI_TaxID=31221;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina.";
 RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF191824; AAF12783.1; -
 DR HSSP; P19120; IBA1.
 DR InterPro; IPR001023; HSP70.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 158 158
 FT NON_TER 158 158
 SQ SEQUENCE 158 AA; 17887 MW; B41E5356A24CAD2F CRC64;

Query Match 89.1%; Score 41; DB 5; Length 158;
 Best Local Similarity 88.9%; Pred. No. 2.2;
 Matches 8; Conservative 0; Mismatches 1; Indels 1; Gaps 0;

QY 1 SLFEGIDVY 9
 |||||
 Db 85 SLFEGIDFY 93

RESULT 6
 Q9U668 PRELIMINARY; PRT; 158 AA.
 AC Q9U668;
 DT 01-MAY-2000 (TREMBlrel. 13, Created)
 DT 01-MAY-2000 (TREMBlrel. 13, Last sequence update)

DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina plena.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotaeniolossia; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31219;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina.";
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191827; AAF12786.1; -;
DR HSSP; P19120; 1BA1.
DR InterPro; IPR001023; HSP70.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 158
SQ SEQUENCE 158 AA; 17868 MW; D2ECE71042EC44CB CRC64;

Query Match 89.1%; Score 41; DB 5; Length 158;
Best Local Similarity 88.9%; Pred. No. 2.2;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
DB 85 SLFEGIDFY 93

RESULT 7
Q90666
ID Q90666 PRELIMINARY; PRT; 158 AA.
AC Q90666;
DT 01-MAY-2000 (TREMBlrel. 13, Created)
DT 01-MAY-2000 (TREMBlrel. 13, Last sequence update)
DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina plena.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotaeniolossia; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31219;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina.";
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191829; AAF12788.1; -;
DR HSSP; P19120; 1BA1.
DR InterPro; IPR001023; HSP70.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 158
SQ SEQUENCE 158 AA; 17891 MW; B41E5356BCECAD2F CRC64;

Query Match 89.1%; Score 41; DB 5; Length 158;
Best Local Similarity 88.9%; Pred. No. 2.2;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
DB 85 SLFEGIDFY 93

RESULT 8
P81159
ID P81159 PRELIMINARY; PRT; 220 AA.
AC P81159;
DT 01-JUN-1998 (TREMBlrel. 06, Created)

DT 01-JUN-1998 (TREMBlrel. 06, Last sequence update)
DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
DE HEAT-SHOCK COGNATE 71 KDA PROTEIN (FRAGMENT).
GN HSC70.
OS Aplysia californica (California sea hare).
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Opisthobranchia; Anaspidea;
OC Aplysiidae; Aplysia.
OX NCBI_TaxID=6500;
RN [1]
RP SEQUENCE FROM N.A.
RA MEDLINE-93077669; PubMed-1360013;
RA Kuhl D., Kennedy T., Barzilai A., Kandel E.;
RT "Long-term sensitization training in Aplysia leads to an increase in the expression of Bip, the major protein chapeton of the ER.";
RL J. Cell Biol. 119:1069-1076(1992).
CC -!- INDUCTION: CONSTITUTIVELY SYNTHESIZED IN A WIDE VARIETY OF CELLS.
CC -!- SIMILARITY: BELONGS TO HEAT SHOCK PROTEIN 70 FAMILY.
DR EMBL; Z15039; CAA78757.1; -;
DR HSSP; P19120; 1BA1.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock; Multigene family.
FT NON_TER 1
FT NON_TER 220
SQ SEQUENCE 220 AA; 24684 MW; FA8557F2BB85C37A CRC64;

Query Match 89.1%; Score 41; DB 5; Length 220;
Best Local Similarity 88.9%; Pred. No. 3.2;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
DB 138 SLFEGIDFY 146

RESULT 9
P81157
ID P81157 PRELIMINARY; PRT; 221 AA.
AC P81157;
DT 01-JUN-1998 (TREMBlrel. 06, Created)
DT 01-JUN-1998 (TREMBlrel. 06, Last sequence update)
DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
DE HEAT-SHOCK 70 KDA PROTEIN A (HSP70A) (FRAGMENT).
GN HSP70A.
OS Aplysia californica (California sea hare).
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Opisthobranchia; Anaspidea;
OC Aplysiidae; Aplysia.
OX NCBI_TaxID=6500;
RN [1]
RP SEQUENCE FROM N.A.
RA MEDLINE-93077669; PubMed-1360013;
RA Kuhl D., Kennedy T., Barzilai A., Kandel E.;
RT "Long-term sensitization training in Aplysia leads to an increase in the expression of Bip, the major protein chapeton of the ER.";
RL J. Cell Biol. 119:1069-1076(1992).
CC -!- INDUCTION: BY HEAT SHOCK.
CC -!- SIMILARITY: BELONGS TO HEAT SHOCK PROTEIN 70 FAMILY.
DR EMBL; Z15037; CAA78755.1; -;
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock; Multigene family.
FT NON_TER 1
FT NON_TER 221
SQ SEQUENCE 221 AA; 24404 MW; 853F794106E83CC9 CRC64;

Tue Dec 11 08:45:52 2001

```

Query Match      89.1%; Score 41; DB 5; Length 221;
Best Local Similarity 88.9%; Pred. No. 3.2;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
DB 139 SLFEGIDVY 147

RESULT 10
Q90520 ID Q90520 PRELIMINARY; PRT; 278 AA.
AC Q90520;
DT 01-NOV-1996 (TREMBLrel. 01, Created)
DT 01-NOV-1996 (TREMBLrel. 01, Last sequence update)
DT 01-JUN-2001 (TREMBLrel. 17, Last annotation update)
DE RAINBOW TROUT 70 KDA HEAT SHOCK PROTEIN (FRAGMENT).
OS Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
OX NCBI_TaxID=8022;
RN [1]
RN SEQUENCE FROM N.A.
RX MEDLINE=85036330; PubMed=6092938;
RA Kothary R.K., Jones D., Candido E.P.M.;
RT "70-Kilodalton heat shock polypeptides from rainbow trout:
RT characterization of cDNA sequences.";
RL Mol. Cell. Biol. 4:1785-1791(1984).
DR EMBL; K02549; AAA49562.1; -.
DR HSSP; P08109; 1CKR.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
DR Heat shock; Multigene family.
KW NON_TER 1
FT NON_TER 278 278
FT SEQUENCE 278 AA; 30327 MW; E4C745DE584C17A CRC64;

Query Match      89.1%; Score 41; DB 13; Length 278;
Best Local Similarity 88.9%; Pred. No. 4.2;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
DB 156 SLFEGIDVY 164

RESULT 11
Q98899 ID Q98899 PRELIMINARY; PRT; 367 AA.
AC Q98899;
DT 01-FEB-1997 (TREMBLrel. 02, Created)
DT 01-FEB-1997 (TREMBLrel. 02, Last sequence update)
DT 01-JUN-2001 (TREMBLrel. 17, Last annotation update)
DE 70 KDA HEAT SHOCK PROTEIN (FRAGMENT).
GN HSP70-3.
OS Fugu rubripes (Japanese pufferfish) (Takifugu rubripes).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Acanthomorpha; Acanthopterygii; Percomorpha; Tetraodontiformes;
OC Tetraodontidae; Takifugu.
OX NCBI_TaxID=31033;
RN [1]
RN SEQUENCE FROM N.A.
RA Lim E.H.;
RL Submitted (OCT-1996) to the EMBL/GenBank/DBJ databases.
DR EMBL; Y08578; CAA69892.1; -.
DR HSSP; P19120; 3HSC.
DR InterPro; IPR001023; HSP70.

```

```

DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock.
FT NON_TER 367 367
FT SEQUENCE 367 AA; 40405 MW; 8CD3DD8DF6E3C2CA CRC64;.

Query Match      89.1%; Score 41; DB 13; Length 367;
Best Local Similarity 88.9%; Pred. No. 5.8;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
DB 268 SLFEGIDVY 276

RESULT 12
Q63718 ID Q63718 PRELIMINARY; PRT; 455 AA.
AC Q63718;
DT 01-NOV-1996 (TREMBLrel. 01, Created)
DT 01-NOV-1996 (TREMBLrel. 01, Last sequence update)
DT 01-JUN-2001 (TREMBLrel. 17, Last annotation update)
DE HEAT SHOCK ROEIN 70 (FRAGMENT).
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX NCBI_TaxID=10116;
RN [1]
RN SEQUENCE FROM N.A.
RA Angeletti B., Passarelli F., Orru D., Pascale E., Butler R.H.,
RA D'Ambrosio E.;
RL Submitted (NOV-1993) to the EMBL/GenBank/DBJ databases.
DR EMBL; Z27118; CAA81642.1; -.
DR HSSP; P08107; 1HJO.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock.
FT NON_TER 1 1
FT NON_TER 455 455
FT SEQUENCE 455 AA; 50404 MW; 0F45F12CBA1E2971 CRC64;

Query Match      89.1%; Score 41; DB 11; Length 455;
Best Local Similarity 88.9%; Pred. No. 7.5;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVY 9
DB 254 SLFEGIDVY 262

RESULT 13
O44350 ID O44350 PRELIMINARY; PRT; 467 AA.
AC O44350;
DT 01-JUN-1998 (TREMBLrel. 06, Created)
DT 01-JUN-1998 (TREMBLrel. 06, Last sequence update)
DT 01-JUN-2001 (TREMBLrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN HSP70 (FRAGMENT).
GN HSP70.
OS Chondrosia reniformis.
OC Eukaryota; Metazoa; Porifera; Demospongiae; Tetractinomorpha;
OC Chondrosida; Chondrillidae; Chondrosia.
OX NCBI_TaxID=68574;
RN [1]
RN SEQUENCE FROM N.A.
RA Borchelli C., Le Parco Y.;

```


RL Submitted (SEP-1997) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF026517; AAC05362.1; -
DR HSSP; P08109; 1CKR.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 467 467
SQ SEQUENCE 467 AA; 51707 MW; 0DBE6920F2E6EA96 CRC64;

Query Match 89.1%; Score 41; DB 5; Length 467;
Best Local Similarity 88.9%; Pred. No. 7.8;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 SLFEGIDVY 9
||||||| 1
Db 252 SLFEGIDFY 260

RESULT 14

O44352
ID O44352 PRELIMINARY; PRT; 467 AA.
AC O44352;
DT 01-JUN-1998 (TREMBlrel. 06, Created)
DT 01-JUN-1998 (TREMBlrel. 06, Last sequence update)
DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN HSP70 (FRAGMENT).
GN HSP70.
OS Petrobionia massilliana.
OC Eukaryota; Metazoa; Porifera; Calcarea; Calcaronea; Petrobionidae;
OC Petrobionia.
OX NCBI_TaxID=68578;
RN [1]
RP SEQUENCE FROM N.A.
RA Borchelliini C., Le Parco Y.;
RL Submitted (SEP-1997) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF026520; AAC05364.1; -
DR HSSP; P08109; 1CKR.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 467 467
SQ SEQUENCE 467 AA; 51458 MW; 23EB28FFD1873DA6 CRC64;

Query Match 89.1%; Score 41; DB 5; Length 467;
Best Local Similarity 88.9%; Pred. No. 7.8;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 SLFEGIDVY 9
||||||| 1
Db 252 SLFEGIDFY 260

RESULT 15

Q9NJ92
ID Q9NJ92 PRELIMINARY; PRT; 467 AA.
AC Q9NJ92;
DT 01-OCT-2000 (TREMBlrel. 15, Created)
DT 01-OCT-2000 (TREMBlrel. 15, Last sequence update)
DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
DE HEAT SHOCK PROTEIN 70 (FRAGMENT).
OS Guancha lacunosa.
OC Eukaryota; Metazoa; Porifera; Calcarea; Clathrinida;
OC Clathrinidae; Guancha.
OX NCBI_TaxID=115120;
RN [1]
RP SEQUENCE FROM N.A.

RA Borchelliini C., Le Parco Y.;
RL "Sponges paraphyly and the origin of Metazoa";
RL Submitted (SEP-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF182195; AAF61297.1; -
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 467 467
SQ SEQUENCE 467 AA; 51318 MW; F36FC06CB1DEE131 CRC64;

Query Match 89.1%; Score 41; DB 5; Length 467;
Best Local Similarity 88.9%; Pred. No. 7.8;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 SLFEGIDVY 9
||||||| 1
Db 252 SLFEGIDFY 260

Search completed: December 6, 2001, 07:56:52
Job time: 180 sec

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:59:58 ; Search time 81.43 Seconds
(without alignments)
2.764 Million cell updates/sec

Title: PEP2-MOD8A

Perfect score: 51

Sequence: 1 SLFEGIDAYT 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 212252 seqs, 22503292 residues

Total number of hits satisfying chosen parameters: 212252

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Issued_Patents_AA.*

- 1: /cqn2_6/ptodata/2/iaa/5A_COMB.pep.*
- 2: /cqn2_6/ptodata/2/iaa/5B_COMB.pep.*
- 3: /cqn2_6/ptodata/2/iaa/6A_COMB.pep.*
- 4: /cqn2_6/ptodata/2/iaa/6B_COMB.pep.*
- 5: /cqn2_6/ptodata/2/iaa/PCTUS_COMB.pep.*
- 6: /cqn2_6/ptodata/2/iaa/backfiles1.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	44	86.3	643	4	US-08-797-358B-3
2	42	82.4	646	1	US-08-441-139-14
3	37	72.5	458	4	US-09-457-046B-61
4	36	70.6	495	3	US-09-079-415-4
5	36	70.6	533	2	US-08-225-488-2
6	33	64.7	800	6	5183745-3
7	32	62.7	303	2	US-08-599-171A-32
8	32	62.7	303	2	US-08-646-590B-32
9	32	62.7	303	3	US-09-069-226-32
10	32	62.7	303	4	US-09-412-184-32
11	32	62.7	617	4	US-08-867-611-30
12	32	62.7	617	5	PCT-US92-06965A-35
13	32	62.7	3011	1	US-08-453-552-2
14	32	62.7	3011	2	US-08-710-637-2
15	32	62.7	3011	5	PCT-US93-00907-2
16	31	60.8	20	4	US-08-612-973-71
17	31	60.8	20	4	US-08-927-597-71
18	31	60.8	43	4	US-09-312-183A-8
19	31	60.8	45	1	US-08-262-037-88
20	31	60.8	55	1	US-08-262-037-89
21	31	60.8	60	1	US-08-262-037-90
22	31	60.8	87	1	US-07-867-194-6
23	31	60.8	88	4	US-08-444-818-83
24	31	60.8	108	2	US-08-483-693-42
25	31	60.8	108	2	US-07-965-285-40
26	31	60.8	108	2	US-08-487-231-42
27	31	60.8	108	4	US-09-201-912-42

28	31	60.8	130	4	US-08-444-818-81	Sequence 81, Appl
29	31	60.8	139	4	US-08-444-818-171	Sequence 171, Appl
30	31	60.8	139	4	US-08-444-818-172	Sequence 172, Appl
31	31	60.8	139	4	US-08-444-818-173	Sequence 173, Appl
32	31	60.8	139	4	US-08-444-818-174	Sequence 174, Appl
33	31	60.8	139	4	US-08-444-818-175	Sequence 175, Appl
34	31	60.8	144	1	US-08-440-103-20	Sequence 20, Appl
35	31	60.8	144	1	US-08-440-542-20	Sequence 20, Appl
36	31	60.8	144	1	US-08-231-368-20	Sequence 20, Appl
37	31	60.8	144	1	US-08-440-210-20	Sequence 20, Appl
38	31	60.8	144	4	US-09-046-604-20	Sequence 20, Appl
39	31	60.8	174	1	US-08-460-806-19	Sequence 19, Appl
40	31	60.8	174	1	US-08-325-630-19	Sequence 19, Appl
41	31	60.8	180	2	US-08-483-695-40	Sequence 40, Appl
42	31	60.8	180	2	US-07-965-285-40	Sequence 40, Appl
43	31	60.8	180	2	US-08-487-231-40	Sequence 40, Appl
44	31	60.8	180	4	US-09-201-912-40	Sequence 40, Appl
45	31	60.8	269	1	US-08-440-103-16	Sequence 16, Appl

ALIGNMENTS

RESULT 1
US-08-797-358B-3
; Sequence 3, Application US/08797358B
; Patent No. 6288478
; GENERAL INFORMATION:
; APPLICANT: Adams, John
; TITLE OF INVENTION: INTRACELLULAR VITAMIN D BINDING PROTEIN
; NUMBER OF SEQUENCES: 9
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/797,358B
; FILING DATE: 11-FEB-1997
; CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 60/011,491
; FILING DATE: 12-FEB-1996
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-CE 3165
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 3:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 643 amino acids
; TYPE: amino acid
; STRANDEDNESS: unknown
; TOPOLOGY: unknown
; MOLECULE TYPE: protein
; SEQUENCE DESCRIPTION: SEQ ID NO: 3:
US-08-797-358B-3

Query Match 86.3%; Score 44; DB 4; Length 643;
Best Local Similarity 80.0%; Pred. No. 0.63;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10

```

; TYPE: PRT
; ORGANISM: Arabidopsis thaliana
US-09-457-046B-61

Query Match      72.5%; Score 37; DB 4; Length 458;
Best Local Similarity 77.8%; Pred. No. 11;
Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 9
Db 165 SLFDGISAY 173
      |||:||||
      |||:||||

RESULT 4
US-09-079-415-4
; Sequence 4, Application US/09079415
; Patent No. 6013452
; GENERAL INFORMATION:
; APPLICANT: Christensen, Tove
; APPLICANT: Lehmebeck, Jan
; TITLE OF INVENTION: A Fungus Wherein The area, pepC and/or
; TITLE OF INVENTION: pepC Genes Have Been Inactivated
; NUMBER OF SEQUENCES: 12
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: No. 6013452o No. 6013452disk of No. 6013452th America, Inc.
; STREET: 405 Lexington Avenue
; CITY: New York
; STATE: NY
; COUNTRY: USA
; ZIP: 10174
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSeq for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/079,415
; FILING DATE: 14-MAY-1998
; CLASSIFICATION:
; ATTORNEY/AGENT INFORMATION:
; NAME: Rozek, Carol
; REGISTRATION NUMBER: 36,993
; REFERENCE/DOCKET NUMBER: 4657.204-US
; TELEPHONE: 212-867-0123
; TELEFAX: 212-878-9655
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 495 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-079-415-4

Query Match      70.6%; Score 36; DB 3; Length 495;
Best Local Similarity 85.7%; Pred. No. 18;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 4 EGIDAYT 10
Db 173 EGVDAYT 179
      ||:||||
      ||:||||

RESULT 5
US-08-225-488-2
; Sequence 2, Application US/08225488
; Patent No. 5846802
; GENERAL INFORMATION:
; APPLICANT: Buxton, Frank
; APPLICANT: Hinnen, Albert
; APPLICANT: Visser, Jacob

```

;; TITLE OF INVENTION: NO. 5846802el Fungal Protease
;; NUMBER OF SEQUENCES: 18
;; CORRESPONDENCE ADDRESS:
;; ADDRESSEE: Ciba-Geigy Corporation
;; STREET: 7 Skyline Drive
;; CITY: Hawthorne
;; STATE: NY
;; COUNTRY: USA
;; ZIP: 10532
;; COMPUTER READABLE FORM:
;; MEDIUM TYPE: Floppy disk
;; COMPUTER: IBM PC compatible
;; OPERATING SYSTEM: PC-DOS/MS-DOS
;; SOFTWARE: PatentIn Release #1.0, Version #1.25
;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/08/225,488
;; FILING DATE:
;; CLASSIFICATION: 435
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: US 08/047,214
;; FILING DATE: 13-APR-1993
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Spruill, W. Murray
;; REGISTRATION NUMBER: 32,943
;; REFERENCE/DOCKET NUMBER: 4-19055/A/CIP
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: 919-541-8615
;; TELEFAX: 919-541-8689
;; INFORMATION FOR SEQ ID NO: 2:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 533 amino acids
;; TYPE: amino acid
;; TOPOLOGY: linear
;; MOLECULE TYPE: protein
US-08-225-488-2

Query Match 70.6%; Score 36; DB 2; Length 533;
Best Local Similarity 85.7%; Pred. No. 20;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 4 EGDVAY 10

Db 173 EGVDAIT 179

RESULT 6

5183745-3
;; Patent No. 5183745
;; APPLICANT: DANCHIN, ANTOINE; GLASER, PHILLIPPE; KRIN, EVELYN;
;; BARZU, OCTAVIEN; LADANT, DANIEL; ULLMAN, AGNES
;; TITLE OF INVENTION: ADENYL CYCLASE DERIVATIVES AND THEIR
;; BIOLOGICAL USES
;; NUMBER OF SEQUENCES: 13
;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/08/426,541
;; FILING DATE: 25-OCT-1989
;; SEQ ID NO: 3:
;; LENGTH: 800
5183745-3

Query Match 64.7%; Score 33; DB 6; Length 800;
Best Local Similarity 66.7%; Pred. No. 1.2e+02;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 1 SLFEGIDAY 9

Db 721 SIFRGIQAY 729

RESULT 7

US-08-599-171A-32

;; Sequence 32, Application US/08599171A
;; Patent No. 5814473
;; GENERAL INFORMATION:
;; APPLICANT: WARREN, Patrick V.
;; TITLE OF INVENTION: TRANSAMINASES AND AMINOTRANSFERASES
;; NUMBER OF SEQUENCES: 32
;; CORRESPONDENCE ADDRESS:
;; ADDRESSEE: CECCHI, STEWART & OLSTEIN
;; STREET: 6 BECKER FARM ROAD
;; CITY: ROSELAND
;; STATE: NEW JERSEY
;; COUNTRY: USA
;; ZIP: 07068
;; COMPUTER READABLE FORM:
;; MEDIUM TYPE: 3.5 INCH DISKETTE
;; COMPUTER: IBM PS/2
;; OPERATING SYSTEM: MS-DOS
;; SOFTWARE: WORD PERFECT 5.1
;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/08/599,171A
;; FILING DATE: Concurrently
;; CLASSIFICATION: 435
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER:
;; FILING DATE:
;; CLASSIFICATION: 435
;; ATTORNEY/AGENT INFORMATION:
;; NAME: HERRON, CHARLES J.
;; REGISTRATION NUMBER: 28,019
;; REFERENCE/DOCKET NUMBER: 331400-38
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: 201-994-1700
;; TELEFAX: 201-994-1744
;; INFORMATION FOR SEQ ID NO: 32:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 303 AMINO ACIDS
;; TYPE: AMINO ACID
;; TOPOLOGY: LINEAR
;; MOLECULE TYPE: PROTEIN
US-08-599-171A-32

Query Match 62.7%; Score 32; DB 2; Length 303;
Best Local Similarity 66.7%; Pred. No. 66;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 1 SLFEGIDAY 9

Db 34 SIFEGIRGY 42

RESULT 8

US-08-646-590B-32
;; Sequence 32, Application US/08646590B
;; Patent No. 5962283
;; GENERAL INFORMATION:
;; APPLICANT: Warren, Patrick V.
;; APPLICANT: Swanson, Ronald V.
;; TITLE OF INVENTION: TRANSAMINASES AND AMINOTRANSFERASES
;; NUMBER OF SEQUENCES: 42
;; CORRESPONDENCE ADDRESS:
;; ADDRESSEE: Fish & Richardson, P.C.
;; STREET: 4225 Executive Square, Suite 1400
;; CITY: La Jolla
;; STATE: CA
;; COUNTRY: US
;; ZIP: 92037
;; COMPUTER READABLE FORM:
;; MEDIUM TYPE: Diskette
;; COMPUTER: IBM Compatible
;; OPERATING SYSTEM: Windows95
;; SOFTWARE: FastSEQ for Windows Version 2.0

;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/08/646,590B
;; FILING DATE: 08-May-1996
;; CLASSIFICATION: 435
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: 08/599,171
;; FILING DATE: 09-FEB-1996
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: PCT/US97/01094
;; FILING DATE: 21-January-1997
;; CLASSIFICATION: 435
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Halle, Ph.D., Lisa A.
;; REGISTRATION NUMBER: 38,347
;; REFERENCE/DOCKET NUMBER: 09010/017001
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: 619/678-5070
;; TELEFAX: 619/678-5099
;; INFORMATION FOR SEQ ID NO: 32:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 303 amino acids
;; TYPE: amino acid
;; TOPOLOGY: linear
;; MOLECULE TYPE: protein
;; FRAGMENT TYPE: internal
;; US-08-646-590B-32

Query Match 62.7%; Score 32; DB 2; Length 303;
Best Local Similarity 66.7%; Pred. No. 66;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
|:|||||
Db 34 SIFEGIRGY 42

RESULT 9
;; US-09-069-226-32
;; Sequence 32, Application US/09069226
;; Patent No. 6013509
;; GENERAL INFORMATION:
;; APPLICANT: WARREN, Patrick V.
;; TITLE OF INVENTION: TRANSAMINASES AND AMINOTRANSFERASES
;; NUMBER OF SEQUENCES: 32
;; CORRESPONDENCE ADDRESS:
;; ADDRESSEE: CARELLA, BYRNE, BAIN, GILFILLAN,
;; ADDRESSEE: CECCHI, STEWART & OLSTEIN
;; STREET: 6 BECKER FARM ROAD
;; CITY: ROSELAND
;; STATE: NEW JERSEY
;; COUNTRY: USA
;; ZIP: 07068
;; COMPUTER READABLE FORM:
;; MEDIUM TYPE: 3.5 INCH DISKETTE
;; COMPUTER: IBM PS/2
;; OPERATING SYSTEM: MS-DOS
;; SOFTWARE: WORD PERFECT 5.1
;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/09/069,226
;; FILING DATE:
;; CLASSIFICATION:
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: 08/599,171
;; FILING DATE:
;; ATTORNEY/AGENT INFORMATION:
;; NAME: HERRON, CHARLES J.
;; REGISTRATION NUMBER: 28,019
;; REFERENCE/DOCKET NUMBER: 331400-38
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: 201-994-1700
;; TELEFAX: 201-994-1744
;; INFORMATION FOR SEQ ID NO: 32:

;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 303 AMINO ACIDS
;; TYPE: AMINO ACID
;; TOPOLOGY: LINEAR
;; MOLECULE TYPE: PROTEIN
;; US-09-069-226-32

Query Match 62.7%; Score 32; DB 3; Length 303;
Best Local Similarity 66.7%; Pred. No. 66;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
|:|||||
Db 34 SIFEGIRGY 42

RESULT 10
;; US-09-412-184-32
;; Sequence 32, Application US/09412184
;; Patent No. 6268188
;; GENERAL INFORMATION:
;; APPLICANT: Warren, Patrick V.
;; APPLICANT: Swanson, Ronald V.
;; TITLE OF INVENTION: TRANSAMINASES AND AMINOTRANSFERASES
;; NUMBER OF SEQUENCES: 42
;; CORRESPONDENCE ADDRESS:
;; ADDRESSEE: Fish & Richardson, P.C.
;; STREET: 4225 Executive Square, Suite 1400
;; CITY: La Jolla
;; STATE: CA
;; COUNTRY: US
;; ZIP: 92037
;; COMPUTER READABLE FORM:
;; MEDIUM TYPE: Diskette
;; COMPUTER: IBM Compatible
;; OPERATING SYSTEM: Windows95
;; SOFTWARE: FastSEQ for Windows Version 2.0
;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/09/412,184
;; FILING DATE:
;; CLASSIFICATION:
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: US/08/646,590
;; FILING DATE: 08-May-1996
;; APPLICATION NUMBER: 08/599,171
;; FILING DATE: 09-FEB-1996
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: PCT/US97/01094
;; FILING DATE: 21-January-1997
;; CLASSIFICATION:
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Halle, Ph.D., Lisa A.
;; REGISTRATION NUMBER: 38,347
;; REFERENCE/DOCKET NUMBER: 09010/017001
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: 619/678-5070
;; TELEFAX: 619/678-5099
;; INFORMATION FOR SEQ ID NO: 32:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 303 amino acids
;; TYPE: amino acid
;; TOPOLOGY: linear
;; MOLECULE TYPE: protein
;; FRAGMENT TYPE: internal
;; US-09-412-184-32

Query Match 62.7%; Score 32; DB 4; Length 303;
Best Local Similarity 66.7%; Pred. No. 66;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9

DB 34 SIFEGIRGY 42

Query Match 62.7%; Score 32; DB 4; Length 617;
Best Local Similarity 66.7%; Pred. No. 1.5e+02;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

RESULT 11
US-08-867-611-30
; Sequence 30, Application US/08867611
; Patent No. 6172189
; GENERAL INFORMATION:
; APPLICANT: DEVARE, SUSHIL G
; APPLICANT: DESAI, SURESH M
; APPLICANT: CASEY, JAMES M
; APPLICANT: DAILEY, STEPHEN H
; APPLICANT: DAWSON, GEORGE J
; APPLICANT: GUTIERREZ, ROBIN A
; APPLICANT: LESNIEWSKI, RICHARD R
; APPLICANT: STEWART, JAMES L
; APPLICANT: RUPPRECHT, KEVIN R
; TITLE OF INVENTION: HEPATITIS C ASSAY UTILIZING RECOMBINANT
; TITLE OF INVENTION: ANTIGENS
; NUMBER OF SEQUENCES: 59
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: ABBOTT LABORATORIES
; STREET: ONE ABBOTT PARK ROAD, CHAD377/AP6D2
; CITY: ABBOTT PARK
; STATE: IL
; COUNTRY: USA
; ZIP: 60064-3500
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/867.611
; FILING DATE: 02-JUN-1997
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/08/646.757
; FILING DATE:
; APPLICATION NUMBER: US/08/179.896
; FILING DATE:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/572.822
; FILING DATE: 24-AUG-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/614.069
; FILING DATE: 07-NOV-1990
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/748.561
; FILING DATE: 21-AUG-1991
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/748.565
; FILING DATE: 21-AUG-1991
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/748.566
; FILING DATE: 21-AUG-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: FOREMSKI, PRISCILLA E
; REGISTRATION NUMBER: 33,207
; REFERENCE/DOCKET NUMBER: 4834.US.P6
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 708-937-6365
; TELEFAX: 708-937-9556
; INFORMATION FOR SEQ ID NO: 30:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 617 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-867-611-30

QY 2 LFEGIDAYT 10
DB 510 LFSGVDAAT 518
RESULT 12
PCT-US92-06965A-35
; Sequence 35, Application PC/TUS9206965A
; GENERAL INFORMATION:
; APPLICANT: DEVARE, S.
; APPLICANT: DESAI, S.
; APPLICANT: DAILEY, S.
; TITLE OF INVENTION: HCV SYNTHETIC PEPTIDE FROM NS1 REGION
; NUMBER OF SEQUENCES: 35
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: ABBOTT LABORATORIES
; STREET: ONE ABBOTT PARK ROAD
; CITY: ABBOTT PARK
; STATE: ILLINOIS
; COUNTRY: U.S.
; ZIP: 60065-3500
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: PCT/US92/06965A
; FILING DATE: 19920821
; CLASSIFICATION:
; ATTORNEY/AGENT INFORMATION:
; NAME: FOREMSKI, PRISCILLA E.
; REGISTRATION NUMBER: 33,207
; REFERENCE/DOCKET NUMBER: 4834PC.02
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 708-937-6365
; TELEFAX: 708-937-9556
; INFORMATION FOR SEQ ID NO: 35:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 617 amino acids
; TYPE: AMINO ACID
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; PCT-US92-06965A-35

Query Match 62.7%; Score 32; DB 5; Length 617;
Best Local Similarity 66.7%; Pred. No. 1.5e+02;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 LFEGIDAYT 10
DB 510 LFSGVDAAT 518

RESULT 13
US-08-453-552-2
; Sequence 2, Application US/08453552
; Patent No. 5667992
; GENERAL INFORMATION:
; APPLICANT: CASEY, JAMES M.
; APPLICANT: BODE, SUZANNE L.
; APPLICANT: ZECK, BILLY J.
; APPLICANT: YAMAGUCHI, JULIE
; APPLICANT: FRAIL, DONALD E.
; APPLICANT: DESAI, SURESH M.
; APPLICANT: DEVARE, SUSHIL G.
; TITLE OF INVENTION: MAMMALIAN EXPRESSION SYSTEMS FOR HCV
; PROTEINS

NUMBER OF SEQUENCES: 12
CORRESPONDENCE ADDRESS:
ADDRESSEE: ABBOTT LABORATORIES D377/AP6D
STREET: ONE ABBOTT PARK ROAD
CITY: ABBOTT PARK
STATE: IL
COUNTRY: USA
ZIP: 60064-3500
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/453,552
FILING DATE:
CLASSIFICATION: 435
ATTORNEY/AGENT INFORMATION:
NAME: POREMSKI, PRISCILLA E.
REGISTRATION NUMBER: 33,207
REFERENCE/DOCKET NUMBER: 5131.US.D1
TELECOMMUNICATION INFORMATION:
TELEPHONE: 708-937-6365
TELEFAX: 708-937-9556
INFORMATION FOR SEQ ID NO: 2:
SEQUENCE CHARACTERISTICS:
LENGTH: 3011 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-453-552-2

Query Match 62.7%; Score 32; DB 1; Length 3011;
Best Local Similarity 66.7%; Pred. No. 8.7e+02;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 LFEIGIDAYT 10
|||:|:|
Db 377 LFSGVDAAT 385

RESULT 14
US-08-710-637-2
Sequence 2, Application US/08710637
Patent No. 5854001
GENERAL INFORMATION:
APPLICANT: CASEY, JAMES M.
APPLICANT: BODE, SUZANNE L.
APPLICANT: ZECK, BILLY J.
APPLICANT: YAMAGUCHI, JULIE
APPLICANT: FRAIL, DONALD E.
APPLICANT: DESAI, SURESH M.
APPLICANT: DEVARE, SUSHIL G.
TITLE OF INVENTION: MAMMALIAN EXPRESSION SYSTEMS FOR HCV
NUMBER OF SEQUENCES: 12
CORRESPONDENCE ADDRESS:
ADDRESSEE: ABBOTT LABORATORIES D377/AP6D
STREET: ONE ABBOTT PARK ROAD
CITY: ABBOTT PARK
STATE: IL
COUNTRY: USA
ZIP: 60064-3500
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/710,637
FILING DATE:

CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US/08/144,099
FILING DATE:
APPLICATION NUMBER: US 07/830,024
FILING DATE: 01-JAN-1992
ATTORNEY/AGENT INFORMATION:
NAME: POREMSKI, PRISCILLA E.
REGISTRATION NUMBER: 33,207
REFERENCE/DOCKET NUMBER: 5131.US.01
TELECOMMUNICATION INFORMATION:
TELEPHONE: 708-937-6365
TELEFAX: 708-937-9556
INFORMATION FOR SEQ ID NO: 2:
SEQUENCE CHARACTERISTICS:
LENGTH: 3011 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-710-637-2

Query Match 62.7%; Score 32; DB 2; Length 3011;
Best Local Similarity 66.7%; Pred. No. 8.7e+02;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 LFEIGIDAYT 10
|||:|:|
Db 377 LFSGVDAAT 385

RESULT 15
PCT-US93-00907-2
Sequence 2, Application PC/TUS9300907
GENERAL INFORMATION:
APPLICANT: CASEY, JAMES M.
APPLICANT: BODE, SUZANNE L.
APPLICANT: ZECK, BILLY J.
APPLICANT: YAMAGUCHI, JULIE
APPLICANT: FRAIL, DONALD E.
APPLICANT: DESAI, SURESH M.
APPLICANT: DEVARE, SUSHIL G.
TITLE OF INVENTION: MAMMALIAN EXPRESSION SYSTEMS FOR HCV
NUMBER OF SEQUENCES: 12
CORRESPONDENCE ADDRESS:
ADDRESSEE: ABBOTT LABORATORIES D377/AP6D
STREET: ONE ABBOTT PARK ROAD
CITY: ABBOTT PARK
STATE: IL
COUNTRY: USA
ZIP: 60064-3500
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: PCT/US93/00907
FILING DATE: 19930129
CLASSIFICATION:
ATTORNEY/AGENT INFORMATION:
NAME: POREMSKI, PRISCILLA E.
REGISTRATION NUMBER: 33,207
REFERENCE/DOCKET NUMBER: 5131.PC.01
TELECOMMUNICATION INFORMATION:
TELEPHONE: 708-937-6365
TELEFAX: 708-937-9556
INFORMATION FOR SEQ ID NO: 2:
SEQUENCE CHARACTERISTICS:
LENGTH: 3011 amino acids
TYPE: AMINO ACID

; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
PCT-US93-00907-2

Query Match 62.7%; Score 32; DB 5; Length 3011;
Best Local Similarity 66.7%; Pred. No. 8.7e+02;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy 2 LFEQIDAYT 10
|||:| |
Db 377 LFSGVDAAT 385

Search completed: December 6, 2001, 07:59:59
Job time: 367 sec

THIS PAGE BLANK (USPTO)

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM nucleic - nucleic search, using sw model

Run on: December 6, 2001, 08:50:16 ; Search time 1647.92 Seconds
(without alignments)
370.404 Million cell updates/sec

Title: US-09-673-795-3
Perfect score: 37
Sequence: 1 gggcaagcttggaactcagaatctcccagacgcgag 37

Scoring table: IDENTITY_NUC
Gapop 10.0 , Gapext 1.0

Searched: 1472140 seqs, 8248589755 residues
Total number of hits satisfying chosen parameters: 2944280

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database :

GenEmbl.*

- 1: gb.ba.*
- 2: gb.htg.*
- 3: gb.in.*
- 4: gb.om.*
- 5: gb.ov.*
- 6: gb.pat.*
- 7: gb.ph.*
- 8: gb.pl.*
- 9: gb.pr.*
- 10: gb.ro.*
- 11: gb.sts.*
- 12: gb.sy.*
- 13: gb.un.*
- 14: gb.vi.*
- 15: em.ba.*
- 16: em.fun.*
- 17: em.hum.*
- 18: em.in.*
- 19: em.om.*
- 20: em.or.*
- 21: em.ov.*
- 22: em.pat.*
- 23: em.ph.*
- 24: em.pl.*
- 25: em.ro.*
- 26: em.sts.*
- 27: em.sy.*
- 28: em.un.*
- 29: em.vi.*
- 30: em.htgo.hum.*
- 31: em.htgo.inv.*
- 32: em.htgo.rod.*
- 33: em.htg.hum.*
- 34: em.htg.inv.*
- 35: em.htg.rod.*
- 36: em.htg.other.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

3

Result No.	Score	Query Match	Length	DB	ID	Description
1	37	100.0	37	6	AX012955	Sequence
2	27.4	74.1	3190	9	HS295141	AX012955 Homo sapi
3	27.4	74.1	3190	9	HS295140	AX012955 Homo sapi
4	27.4	74.1	3196	9	HS295140	AX012955 Homo sapi
5	27.4	74.1	3199	9	HS295140	AX012955 Homo sapi
6	27	73.0	27	6	AX105685	Sequence
7	26	70.3	190	9	GORMHIE	L38551 Gorilla gor
8	25.8	69.7	100000	9	AP000520	AP000520 Homo sapi
9	25.8	69.7	162227	9	AB023056	AB023056 Homo sapi
10	25.4	68.6	39	6	AX021171	Sequence
11	25.4	68.6	165	9	HLACW301	U31372 Human class
12	25.4	68.6	184	9	ORAMHC1AC	L32844 Pongo pygna
13	25.4	68.6	186	9	CHPMHC1AA	L32845 Pan troglod
14	25.4	68.6	186	9	CHPMHC1AC	L32855 Pan troglod
15	25.4	68.6	186	9	GORMHC1AC	L32847 Gorilla gor
16	25.4	68.6	186	9	GORMH1A	L38547 Gorilla gor
17	25.4	68.6	186	9	HUMHC1AA	L32851 Homo sapien
18	25.4	68.6	186	9	ORAMHC1AB	L32843 Pongo pygna
19	25.4	68.6	187	9	CHPMHC1AE	L32857 Pan troglod
20	25.4	68.6	215	9	HUMHCW18	M58631 Human MHC c
21	25.4	68.6	216	9	HUMHCW5	M58630 Human MHC c
22	25.4	68.6	287	9	HSB13HLA	X82906 H.sapiens H
23	25.4	68.6	287	9	HSB27HLA	X82908 H.sapiens H
24	25.4	68.6	287	9	HSB44HLA	X82904 H.sapiens H
25	25.4	68.6	287	9	HSB51HLA	X82898 H.sapiens H
26	25.4	68.6	287	9	HSBLAB18	X82909 H.sapiens H
27	25.4	68.6	287	9	HSBLAB35	X82907 H.sapiens H
28	25.4	68.6	287	9	HSBLAB37	X82907 H.sapiens H
29	25.4	68.6	287	9	HSBLAB400	X82920 H.sapiens H
30	25.4	68.6	287	9	HSBLAB41	X82903 H.sapiens H
31	25.4	68.6	287	9	HSBLAB45	X82901 H.sapiens H
32	25.4	68.6	287	9	HSBLAB47	X82905 H.sapiens H
33	25.4	68.6	287	9	HSBLAB49	X82926 H.sapiens H
34	25.4	68.6	287	9	HSBLAB50	X82927 H.sapiens H
35	25.4	68.6	287	9	HSBLAB52	X82899 H.sapiens H
36	25.4	68.6	287	9	HSBLAB53	X82900 H.sapiens H
37	25.4	68.6	287	9	HSBLAB57	X82925 H.sapiens H
38	25.4	68.6	287	9	HSBLAB58	X82919 H.sapiens H
39	25.4	68.6	287	9	HSBLAB60	X82902 H.sapiens H
40	25.4	68.6	287	9	HSBLAB62	X82922 H.sapiens H
41	25.4	68.6	287	9	HSBLAB63	X82921 H.sapiens H
42	25.4	68.6	287	9	HSBLABP	X83400 H.sapiens H
43	25.4	68.6	294	9	HSU02934	U02934 Human HLA-A
44	25.4	68.6	294	9	HSU02935	U02935 Human HLA-A
45	25.4	68.6	294	9	HSU02936	U02936 Human HLA-A

ALIGNMENTS

RESULT	1					
AX012955						
LOCUS	AX012955	Sequence	37 bp	DNA	PAT	07-SEP-2000
DEFINITION	Sequence	3 from Patent	WO9554464.			
ACCESSION	AX012955					
VERSION	AX012955.1	GI:10040205				
KEYWORDS	human.					
SOURCE	human.					
ORGANISM	Homo sapiens					
	Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;					
	Mammalia; Euthera; Primates; Catarrhini; Hominidae; Homo.					
REFERENCE	1 (bases 1 to 37)					
AUTHORS	Gaudin,C. and Triebel,F.					
TITLE	Mutated peptide compounds, derived from hsp70, useful in cancer immunotherapy					
JOURNAL	Patent: WO 9554464-A 3 28-OCT-1999;					
	ROUSSY INST GUSTAVE (FR); GAUDIN CATHERINE (FR); TRIEBEL FREDERIC (FR)					
FEATURES	Location/Qualifiers					
SOURCE	1..37					

```
/organism="Homo sapiens"
/db_xref="taxon:9606"
BASE COUNT      9 a      12 c      11 g      5 t
ORIGIN

Query Match      100.0%; Score 37; DB 6; Length 37;
Best Local Similarity 100.0%; Pred. No. 0.2;
Matches 37; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 gggcaagcttgagctcagaatctcccgagcgag 37
    |||||||
Db 1 GGGCAAGCTTGAGCTCAGAAATCTCCCGAGCGGAG 37

RESULT 2
HSA295141      3190 bp      DNA      PRI      29-NOV-2000
LOCUS      Homo sapiens HLA gene for MHC class I antigen, B*4701 allele, exons
DEFINITION      1-7.
ACCESSION      AJ295141
VERSION      AJ295141.1 GI:11493145
KEYWORDS      B*4701 allele; HLA-B gene; human leucocyte antigen B; major
SOURCE      histocompatibility complex; MHC class I antigen.
ORGANISM      Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE      Cox,S.T.
AUTHORS      Confirmation of HLA B*4701
TITLE      Unpublished
JOURNAL
REFERENCE      Cox,S.T.
AUTHORS      2 (bases 1 to 3190)
TITLE      Direct Submission
JOURNAL      Submitted (27-OCT-2000) Cox S.T., Dept of HLA Sequencing, Anthony
Nolan Research, The Royal Free Hospital, Pond Street, Hampstead,
London, NW3 2QG, UNITED KINGDOM
FEATURES      Location/Qualifiers
source      1..3190
/organism="Homo sapiens"
/db_xref="taxon:9606"
/chromosome="6p21.31"
/cell_line="PLH"
/gene      104.2780
/tissue_type="blood"
exon      104.2780
/gene="HLA-B"
104..176
/gene="HLA-B"
number=1
join(104..176,306..575,820..1095,1671..1946,2040..2156,
2598..2630,2737..2780)
/function="antigen presentation"
/note="B*4701 allele"
/codon_start=1
/product="MHC class I antigen"
/protein_id="CAC17463.1"
/db_xref="GI:11493146"
/translation="MRVTAPRTLLLLGVALETWAGSHSMRYFYTAMSRPGRGEP
RFTVGVDDTLFVRFDSDSPKPRAPWIEQEGPEYWDRETOISKTNTQYREDL
RTLLRYNSEAGSHYLRQFMGVDGPDGRLRGYHQDAYDGKDYIALNEDLSMTAA
DTAAQITQRKEAAVRAEOLRLAYLEGECVWLRRLYENKGTQRLQADPPKTHVTHPI
SDHEATLRWALGFYPAETLTWQDGEDQTDVETRPAGDRTFQKAAVAVVPSG
EEQRYTCVHQHGLPKPLRLWEPSSQSTVPVIGIVAGLAVLAVVIGAVVAAVCCR
KSSGREGYSQAACSDSAQGSQSDVSLTA"
intron      177..305
/gene="HLA-B"
number=1
exon      306..575
/gene="HLA-B"
number=2
intron      576..819
```

```
/gene="HLA-B"
/number=2
820..1095
/gene="HLA-B"
/number=3
1096..1670
/gene="HLA-B"
/number=3
1671..1946
/gene="HLA-B"
/number=4
1947..2039
/gene="HLA-B"
/number=4
2040..2156
/gene="HLA-B"
/number=5
2157..2597
/gene="HLA-B"
/number=5
2598..2630
/gene="HLA-B"
/number=6
2631..2736
/gene="HLA-B"
/number=6
2737..2780
/gene="HLA-B"
/number=7
589 a      915 c      1017 g      669 t
BASE COUNT
ORIGIN

Query Match      74.1%; Score 27.4; DB 9; Length 3190;
Best Local Similarity 83.8%; Pred. No. 30;
Matches 31; Conservative 0; Mismatches 6; Indels 0; Gaps 0;

QY 1 gggcaagcttgagctcagaatctcccgagcgag 37
    |||
Db 67 GGGCGTCGACGACTCAGAAATCTCCCGAGCGGAG 103

RESULT 3
HSA300180      3190 bp      DNA      PRI      05-NOV-2000
LOCUS      Homo sapiens HLA-B gene for MHC class I antigen, B*4006 allele.
DEFINITION      AJ300180
ACCESSION      AJ300180
VERSION      AJ300180.1 GI:11125668
KEYWORDS      B*4006 allele; HLA-B gene; human leucocyte antigen B; major
SOURCE      histocompatibility complex; MHC class I antigen.
ORGANISM      human.
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE      Cox,S.T.
AUTHORS      Variant B*4006 with difference in exon 2
TITLE      Unpublished
JOURNAL      2 (bases 1 to 3190)
REFERENCE      Cox,S.T.
AUTHORS      Direct Submission
TITLE      Submitted (03-NOV-2000) Cox S.T., Dept of HLA Sequencing, Anthony
Nolan Research, The Royal Free Hospital, Pond Street, Hampstead,
London, NW3 2QG, UNITED KINGDOM
FEATURES      Location/Qualifiers
source      1..3190
/organism="Homo sapiens"
/db_xref="taxon:9606"
/chromosome="6p21.31"
/tissue_type="blood"
join(101,173,303..572,817..1092,1668..1943,2037..2153,
2595..2627,2734..2777)
/gene="HLA-B"
mRNA
```

/note="B*4006 allele"
join(101..173,174..302,303..572,573..816,817..1092,
1093..1667,1668..1943,1944..2036,2037..2153,2154..2594,
2595..2627,2628..2733,2734..2777)
/gene="HLA-B"
101..173
/gene="HLA-B"
/note="B*4006"
/number=1
CDS
join(101..173,303..572,817..1092,1668..1943,2037..2153,
2595..2627,2734..2777)
/gene="HLA-B"
/function="antigen presentation"
/note="B*4006 allele"
/codon_start=1
/product="MHC class I antigen"
/protein_id="CAC15501.1"
/db_xref="GI:11125669"
/translation="MRVTPARTLLLLGVALTETWAGSHSMRYFHTSVSRPGRGEP
RFITVGVDDTLFVRFDSDATSPRKEPRAPWIEQGEPEYWDRETOISKNTQTYRESL
RNLGYNQSEAGSHTWQTMVGCDDVGPGRLLRGHNQYAYDGKDYIALNEDLSWTAA
DTAAQITQRKWEAAAEQWRAYLEGECVWMLRRYLENGKETLQRADPPKTHVTHPI
SDHEATLRCAWALGYPAEITLTWQDGEDOTDELVELTRPAGDRTFOKAAVVPVG
EEQRYTCHVQHEGLPKPLTLRWEPSSQSTPIVIGIVAGLAVLVVVIGAVVAVMCR
KSSGKGGSYSQAACSDSAQGSVSLTA"
174..302
/gene="HLA-B"
/note="B*4006"
/number=1
303..572
/gene="HLA-B"
/note="B*4006"
/number=2
573..816
/gene="HLA-B"
/note="B*4006"
/number=2
817..1092
/gene="HLA-B"
/note="B*4006"
/number=3
1093..1667
/gene="HLA-B"
/note="B*4006"
/number=3
1668..1943
/gene="HLA-B"
/note="B*4006"
/number=4
1944..2036
/gene="HLA-B"
/note="B*4006"
/number=4
2037..2153
/gene="HLA-B"
/note="B*4006"
/number=5
2154..2594
/gene="HLA-B"
/note="B*4006"
/number=5
2595..2627
/gene="HLA-B"
/note="B*4006"
/number=6
2628..2733
/gene="HLA-B"
/note="B*4006"
/number=6
2734..2777
/gene="B*4006"
/number=7
2734..2777

BASE COUNT 590 a 912 c 1023 g 665 t
ORIGIN
Query Match 74.1%; Score 27.4; DB 9; Length 3190;
Best Local Similarity 83.8%; Pred. No. 30;
Matches 31; Conservative 0; Mismatches 6; Indels 0; Gaps 0;
QY 1 gggcagcttgactcagaatctccccagacgccgag 37
||||| ||||||| ||||||| ||||||| |||||||
DB 64 GGCCTCGACGACTCAGAATCTCCCGACGCCGAG 100
RESULT 4
HSA295140 3196 bp DNA PRI 29-NOV-2000
LOCUS Homo sapiens HLA gene for MHC class I antigen, B*1501101 allele,
DEFINITION exons 1-7.
ACCESSION AJ295140
VERSION AJ295140.1 GI:11493143
KEYWORDS B*1501101 allele; HLA-B gene; human leucocyte antigen B; major
histocompatibility complex; MHC class I antigen.
SOURCE human.
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE 1 (bases 1 to 3196)
AUTHORS Cox,S.T.
TITLE Confirmatory sequence of HLA B*1501101
JOURNAL Unpublished
REFERENCE 2 (bases 1 to 3196)
AUTHORS Cox,S.T.
TITLE Direct Submission
JOURNAL Submitted (27-OCT-2000) Cox S.T., Dept of HLA Sequencing, Anthony
Nolan Research, The Royal Free Hospital, Pond Street, Hampstead,
London, NW3 2QG, UNITED KINGDOM
FEATURES
source
1..3196
/organism="Homo sapiens"
/db_xref="taxon:9606"
/chromosome="6p21.31"
/cell_line="pp"
/tissue_type="blood"
98..2786
/gene="HLA-B"
98..170
/gene="HLA-B"
/number=1
join(98..170,300..569,815..1090,1666..1941,2046..2162,
2604..2636,2743..2786)
/gene="HLA-B"
/function="antigen presentation"
/note="B*1501101 allele"
/codon_start=1
/product="MHC class I antigen"
/protein_id="CAC17462.1"
/db_xref="GI:11493144"
/translation="MRVTPARTVLLLLSGALALTETWAGSHSMRYFTAMSPRGGE
RFIAGVYDDTFVRFDSDAAPRMAPRWIEQGEPEYWDRETOISKNTQTYRESL
RNLGYNQSEAGSHTLQRMVGCDDVGPGRLLRGHNQYAYDGKDYIALNEDLSWTAA
DTAAQITQRKWEAAAEQWRAYLEGECVWMLRRYLENGKETLQRADPPKTHVTHPI
SDHEATLRCAWALGYPAEITLTWQDGEDOTDELVELTRPAGDRTFOKAAVVPVG
EEQRYTCHVQHEGLPKPLTLRWEPSSQSTPIVIGIVAGLAVLVVVIGAVVAVMCR
KSSGKGGSYSQAACSDSAQGSVSLTA"
171..299
/gene="HLA-B"
/number=1
300..569
/gene="HLA-B"
/number=2
570..814
/gene="HLA-B"
intron
exon
intron


```

BASE COUNT      589 a   922 c   1021 g   667 t
ORIGIN
Query Match      74.1%; Score 27.4; DB 9; Length 3199;
Best Local Similarity 83.8%; Pred. No. 30;
Matches 31; Conservative 0; Mismatches 6; Indels 0; Gaps 0;

QY 1 99gcagcttgactcagaatctccccagacgcgcag 37
    |||||
Db 64 GGGCTCGACGACTCAGAATCTCCCGACGCCGAG 100

RESULT 6
AX105685
LOCUS      AX105685      27 bp      DNA      PAT      30-APR-2001
DEFINITION Sequence 25 from Patent WO0125271.
ACCESSION AX105685
VERSION   AX105685.1 GI:13921707
KEYWORDS  synthetic construct.
SOURCE    synthetic construct
           artificial sequence.
REFERENCE 1 (bases 1 to 27)
AUTHORS  Hanada,K.I. and Yang,J.C.
TITLE     Fibroblast growth factor-5 (fgf-5) is a tumor associated t-cell
           antigen
JOURNAL   Patent: WO 0125271-A 25 12-APR-2001;
           THE SECRETARY OF THE DEPARTMENT OF HEALTH AND HUMAN SERVICES (US)
FEATURES  Location/Qualifiers
           source
             1..27
             /organism="synthetic construct"
             /db_xref="taxon:32630"
             /note="Primer that can be used to clone HLA-A3."
BASE COUNT      7 a   10 c   7 g   3 t

Query Match      73.0%; Score 27; DB 6; Length 27;
Best Local Similarity 100.0%; Pred. No. 2.8e+02;
Matches 27; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 11 ggaactcagaatctccccagacgcgcag 37
    |||||
Db 1  GGACTCAGAATCTCCCGACGCCGAG 27

RESULT 7
GORMHIE
LOCUS      GORMHIE      190 bp      DNA      PRI      03-AUG-1995
DEFINITION Gorilla gorilla (clone Sha7), MHC class I Gogo-A gene promoter.
ACCESSION L38651
VERSION   L38651.1 GI:632919
KEYWORDS  class I gene promoter; germline; major histocompatibility complex.
SOURCE    Gorilla gorilla (individual isolate Shamba).
ORGANISM  Gorilla gorilla
           Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
           Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Gorilla.
REFERENCE 1 (bases 1 to 190)
AUTHORS  Vallejo,A.N. and Pease,L.R.
TITLE     Structure of the MHC A and B locus promoters in hominoids. Insights
           on the evolution of the class I MHC multigene family
JOURNAL   J. Immunol. 154 (8), 3912-3921 (1995)
MEDLINE   95221896
FEATURES  Location/Qualifiers
           source
             1..190
             /organism="Gorilla gorilla"
             /isolate="Shamba"
             /db_xref="taxon:9593"
             /cell_type="EBV-transformed B-lymphoblast"
             /germline
             /clone="Sha7"

```

```

promoter      1..190
/note="sequence shown is the 5'-proximal promoter region
between the NFkB site and the first ATG"
misc_feature  8..19
/note="interferon responsive element"
enhancer     86..95
/note="Enhancer B"
CAAT_signal  111..116
BASE COUNT   31 a   62 c   45 g   52 t
ORIGIN

Query Match    70.3%; Score 26; DB 9; Length 190;
Best Local Similarity 85.3%; Pred. No. 2.6e+02;
Matches 29; Conservative 0; Mismatches 5; Indels 0; Gaps 0;

QY 4 caagcttgactcagaatctccccagacgcgcag 37
    |||||
Db 156 CACATTGGGACTCAGATTCTCCCGACGCCGAG 189

RESULT 8
AP000520/c
LOCUS      AP000520      100000 bp      DNA      PRI      30-MAR-2000
DEFINITION Homo sapiens genomic DNA, chromosome 6p21.3, HLA Class I region,
           section 19/20.
ACCESSION AP000520
VERSION   AP000520.1 GI:5926709
KEYWORDS  Homo sapiens DNA.
SOURCE    Homo sapiens
           Homo sapiens
           Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
           Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE 1 (sites)
AUTHORS  Shiina,S., Tamiya,G., Oka,A. and Inoko,H.
TITLE     Homo sapiens 2,229,817bp genomic DNA of 6p21.3 HLA class I region
           Published Only in DataBase (1999) In press
REFERENCE 2 (bases 1 to 100000)
AUTHORS  Hirakawa,M., Yamaguchi,H., Imai,K. and Shimada,J.
TITLE     Direct Submission
JOURNAL   Submitted (21-SEP-1999) to the DDBJ/EMBL/GenBank databases. Miki
           Hirakawa, Japan Science and Technology Corporation (JST), Advanced
           Databases Department; 5-3, Yonbancho, Chiyoda-ku, Tokyo 102-0081,
           Japan (E-mail:mika@tokyo.jst.go.jp,
           URL:http://www.alis.tokyo.jst.go.jp/, Tel:81-3-5214-8491,
           Fax:81-3-5214-8470)
           This sequence is conducted by Tokai University as a JST sequencing
           Team.
           Principal Investigator: Hidetoshi Inoko Ph.D
           Phone:+81-463-93-1121, Fax:+81-463-94-8884,
           The sequence is submitted by Human Genome Sequencing in ALIS
           project of JST
           Japan Science and Technology Corporation (JST)
           5-3, Yonbancho, Chiyoda-ku, Tokyo, 102-0081 Japan
           For further information about this sequences, please visit our
           sequence archive Web site (http://www.alis.tokyo.jst.go.jp/HGS/top.html) or send email to webmaster@www.alis.tokyo.jst.go.jp.
           Location/Qualifiers
           1..100000
           /organism="Homo sapiens"
           /db_xref="taxon:9606"
           /chromosome="6"
           /map="6p21.3"
           complement(44331..44653)
           /note="985L:The location is between each flanking site of
           PCR primers."
           /db_xref="GDB:1297695"
           complement(49416..56005)
           /gene="HLA-H"
           complement(49416..56005)
           /gene="HLA-H"
           /note="match HLA-H (M31944) with account of intervene
           sequences."

```

```

STS
           complement(44331..44653)
           /note="985L:The location is between each flanking site of
           PCR primers."
           /db_xref="GDB:1297695"
           complement(49416..56005)
           /gene="HLA-H"
           complement(49416..56005)
           /gene="HLA-H"
           /note="match HLA-H (M31944) with account of intervene
           sequences."

```

SM synthetic construct.


```

BASE COUNT      29 a      63 c      45 g      28 t
ORIGIN

Query Match      68.6%; Score 25.4; DB 9; Length 165;
Best Local Similarity 96.3%; Pred. No. 4.2e+02;
Matches 26; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 11 ggactcagaatctcccgagcgcgag 37
||||| ||||| ||||| ||||| |||||
Db 61 GGA CTGAGATTCTCCCGAGCGCGGAG 87

RESULT 12
ORAMHCIAAC 184 bp DNA PRI 03-AUG-1995
LOCUS Pongo pygmaeus (clone C632) MHC class I Popy-A gene, promoter
DEFINITION region.
ACCESSION L32844
VERSION L32844.1 GI:625047
KEYWORDS class I gene promoter; major histocompatibility complex.
SOURCE Pongo pygmaeus.
ORGANISM Pongo pygmaeus
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Homnidae; Pongo.
REFERENCE 1 (bases 1 to 184)
AUTHORS Vallejo,A.N. and Pease,L.R.
TITLE Structure of the MHC A and B locus promoters in hominoids. Insights
on the evolution of the class I MHC multigene family
JOURNAL J. Immunol. 154 (8), 3912-3921 (1995)
MEDLINE 95221896
FEATURES
source Location/Qualifiers
1..184
/organism="Pongo pygmaeus"
/db_xref="taxon:9600"
/cell_line="CP81"
/germline
/promoter 1..184
/note="5' proximal promoter region between transcription
factor site NFkB and first ATG"
protein_bind 8..19
enhancer 82..92
CAAT_signal 107..112
TATA_signal 133..139
BASE COUNT 32 a 65 c 43 g 44 t
ORIGIN

Query Match      68.6%; Score 25.4; DB 9; Length 184;
Best Local Similarity 96.3%; Pred. No. 4e+02;
Matches 26; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 11 ggactcagaatctcccgagcgcgag 37
||||| ||||| ||||| ||||| |||||
Db 157 GGA CTGAGATTCTCCCGAGCGCGGAG 183

RESULT 13
ORAMHCIAAC 186 bp DNA PRI 03-AUG-1995
LOCUS Pongo pygmaeus (clone K181) MHC class I Patr-B gene, promoter
DEFINITION region.
ACCESSION L32845
VERSION L32845.1 GI:625016
KEYWORDS class I gene promoter; major histocompatibility complex.
SOURCE Pongo pygmaeus.
ORGANISM Pongo pygmaeus
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Homnidae; Pan.
REFERENCE 1 (bases 1 to 186)
AUTHORS Vallejo,A.N. and Pease,L.R.
TITLE Structure of the MHC A and B locus promoters in hominoids. Insights
on the evolution of the class I MHC multigene family
JOURNAL J. Immunol. 154 (8), 3912-3921 (1995)
MEDLINE 95221896
FEATURES
source Location/Qualifiers
1..186
/organism="Pan troglodytes"
/db_xref="taxon:9598"
/cell_line="Tank"
/germline
/promoter 1..186
/note="5' proximal promoter region between transcription
factor site NFkB and first ATG"
protein_bind 9..20
enhancer 84..94
CAAT_signal 109..114
TATA_signal 135..141
BASE COUNT 33 a 69 c 41 g 43 t
ORIGIN

```

Query Match 68.6%; Score 25.4; DB 9; Length 186;
 Best Local Similarity 96.3%; Pred. No. 4e+02;
 Matches 26; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 11 ggactcagaatctcccgagccgag 37
 |||||
 Db 160 GGACTCAGAACTCTCTCAGACGCCGAG 186

RESULT 15
 GORMHICAC
 LOCUS
 DEFINITION GORMHICAC 186 bp DNA PRI 03-AUG-1995
 Gorilla gorilla (clone OS20) MHC class I Gogo-A gene, promoter
 region.
 ACCESSION L32849
 VERSION L32849.1 GI:625033
 KEYWORDS class I gene promoter; major histocompatibility complex.
 SOURCE Gorilla gorilla.
 ORGANISM Gorilla gorilla
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Gorilla.
 1 (bases 1 to 186)
 Valjejo, A.N. and Pease, L.R.
 TITLE Structure of the MHC A and B locus promoters in hominoids. Insights
 on the evolution of the class I MHC multigene family
 J. Immunol. 154 (8), 3912-3921 (1995)
 JOURNAL
 MEDLINE
 FEATURES
 95221896 Location/Qualifiers
 Source
 1..186
 /organism="Gorilla gorilla"
 /db_xref="taxon:9593"
 /cell_line="Oko"
 /cell_type="EBV-transformed B-lymphoblastoid cell"
 /germline
 1..186
 /note="5' proximal promoter region between transcription
 factor site NFkB and first ATG"
 8..19
 /bound_moiety="interferon responsive element"
 83..93
 /note="B"
 CAAT_signal 108..113
 TATA_signal 134..140
 BASE COUNT 35 a 63 c 43 g 45 t
 ORIGIN

promoter
 protein_bind
 enhancer
 CAAT_signal
 TATA_signal
 BASE COUNT
 ORIGIN

Query Match 68.6%; Score 25.4; DB 9; Length 186;
 Best Local Similarity 96.3%; Pred. No. 4e+02;
 Matches 26; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 11 ggactcagaatctcccgagccgag 37
 |||||
 Db 159 GGACTCAGAACTCTCTCAGACGCCGAG 185

Search completed: December 6, 2001, 09:57:28
 Job time: 4032 sec

THIS PAGE BLANK (uspto)

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM nucleic - nucleic search, using sw model

Run on: December 6, 2001, 08:50:16 ; Search time 230.64 Seconds
(without alignments)
137.535 Million cell updates/sec

Title: US-09-673-795-3

Perfect score: 37

Sequence: 1 gggaagcttgactcagaatctcccgagcgag 37

Scoring table: IDENTITY NUC

Gapop 10.0 , Gapext 1.0

Searched: 930621 seqs, 42862619 residues

Total number of hits satisfying chosen parameters: 1861242

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

N_Geneseq_1101.*
1: /SIDS8/gcgdata/geneseq/geneseq/NA1980.DAT.*
2: /SIDS8/gcgdata/geneseq/geneseq/NA1981.DAT.*
3: /SIDS8/gcgdata/geneseq/geneseq/NA1982.DAT.*
4: /SIDS8/gcgdata/geneseq/geneseq/NA1983.DAT.*
5: /SIDS8/gcgdata/geneseq/geneseq/NA1984.DAT.*
6: /SIDS8/gcgdata/geneseq/geneseq/NA1985.DAT.*
7: /SIDS8/gcgdata/geneseq/geneseq/NA1986.DAT.*
8: /SIDS8/gcgdata/geneseq/geneseq/NA1987.DAT.*
9: /SIDS8/gcgdata/geneseq/geneseq/NA1988.DAT.*
10: /SIDS8/gcgdata/geneseq/geneseq/NA1989.DAT.*
11: /SIDS8/gcgdata/geneseq/geneseq/NA1990.DAT.*
12: /SIDS8/gcgdata/geneseq/geneseq/NA1991.DAT.*
13: /SIDS8/gcgdata/geneseq/geneseq/NA1992.DAT.*
14: /SIDS8/gcgdata/geneseq/geneseq/NA1993.DAT.*
15: /SIDS8/gcgdata/geneseq/geneseq/NA1994.DAT.*
16: /SIDS8/gcgdata/geneseq/geneseq/NA1995.DAT.*
17: /SIDS8/gcgdata/geneseq/geneseq/NA1996.DAT.*
18: /SIDS8/gcgdata/geneseq/geneseq/NA1997.DAT.*
19: /SIDS8/gcgdata/geneseq/geneseq/NA1998.DAT.*
20: /SIDS8/gcgdata/geneseq/geneseq/NA1999.DAT.*
21: /SIDS8/gcgdata/geneseq/geneseq/NA2000.DAT.*
22: /SIDS8/gcgdata/geneseq/geneseq/NA2001.DAT.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	ID	Description
1	37	100.0	37	AAZ22705	Human HLA allele a
2	27	73.0	27	AAD03948	Reverse RT-PCR pri
3	26.2	70.8	1441	AAD08377	Human secreted pro
4	25.4	68.6	39	AAZ78122	HLA-B*0702/mouse C
5	25.4	68.6	707	AAZ74985	Human HLA-A2 templ
6	25.4	68.6	3357	AAZ63980	Human polynucleoti
7	25.4	68.6	3874	AAZ70225	Sequence of genomi
8	25.4	68.6	6553	AAZ61639	HLA B27 consensus
9	25	67.6	447	AAZ03768	Human secreted pro
10	25	67.6	529	AAZ00214	Human secreted pro
11	24.6	66.5	432	AAZ00212	Human secreted pro

12	24	64.9	358	21	AAZ00213	Human secreted pro
13	24	64.9	527	21	AAZ04279	Human secreted pro
14	23.8	64.3	3357	22	AAI63981	Human polynucleoti
15	23.8	64.3	3372	22	AAI63979	Human polynucleoti
16	23.8	64.3	3372	22	AAI64011	Human polynucleoti
17	23.4	63.2	480	21	AAZ03769	Human secreted pro
18	22.2	60.0	2069	22	AAI60078	Human polynucleoti
19	20.6	55.7	512	22	AAH98576	Rhesus monkey EST-
20	20.6	55.7	645	21	AAI11936	Aspergillus oryzae
21	20.6	55.7	2046	22	AAI58292	Human polynucleoti
22	20.6	55.7	3983	21	AAA78547	Plant SDF polynuci
23	19.6	53.0	758	20	AAZ98853	Human validated ca
24	19.6	53.0	824	22	AAH08621	Human cDNA clone (
25	19.6	53.0	1380	22	AAH16774	Human cDNA sequenc
26	19.6	53.0	1971	22	AAI59067	Human polynucleoti
27	19.6	53.0	1974	22	AAH14964	Human cDNA sequenc
28	19.6	53.0	2008	22	AAH17147	Human cDNA sequenc
29	19.6	53.0	2794	22	AAI60853	Human polynucleoti
30	19.6	53.0	2795	21	AAZ77585	Human ORFX ORF3140
31	19.2	51.9	300	21	AAZ93419	Downstream region
32	19.2	51.9	1419	16	AAQ08042	PDI promoter. Hom
33	19.2	51.9	1419	18	AAZ59836	PDI promoter regio
34	19.2	51.9	2010	22	AAZ55023	Nucleotide sequenc
35	19	51.4	152	21	AAZ07947	Human secreted pro
36	19	51.4	318	20	AAZ41108	Human secreted pro
37	19	51.4	424	21	AAZ00215	Human secreted pro
38	19	51.4	474	22	AAI13530	Probe #3463 for ge
39	19	51.4	474	22	AAI34891	Probe #3577 used t
40	19	51.4	474	22	AAI03417	Probe #3408 used t
41	19	51.4	907	20	AAZ53005	Human prostate tum
42	19	51.4	1580	21	AAZ78046	Human cancer assoc
43	19	51.4	2178	17	AAI15929	Neural cell adhesi
44	18.8	50.8	270	17	AAI12807	Human cdc25C gene
45	18.8	50.8	414	22	AAH65541	C glutamicum codin

ALIGNMENTS

RESULT 1
AAZ22705
ID AAZ22705 standard; DNA; 37 BP.
XX
AC AAZ22705;
XX
DT 15-FEB-2000 (first entry)
XX
DE Human HLA allele amplification primer 5P2-H.
XX
KW Human; heat shock protein 70; hsp70; identification; tumour; mutation;
KW T cell response; amplification; vector; bacterium; cancer; allele;
KW cytotoxic factor; interleukin; interferon; tumour necrosis factor; HLA;
KW immune defence; immunogenicity; specificity; human leucocyte antigen;
KW PCR; primer; amplification; ss.
XX
OS Synthetic.
OS Homo sapiens.
XX
PN WO9954464-A1.
XX
PD 28-OCT-1999.
XX
PF 22-APR-1999; 99WO-FR00957.
XX
PR 22-APR-1998; 98FR-0005033.
XX
PA (INSR) INST ROUSSY GUSTAVE.
XX
PI Triebel F, Gaudin C;
XX
DR WPI; 2000-013251/01.
XX
PT Identifying mutant peptides from heat-shock protein 70, for treatment

PT	of cancer -
XX	
PS	Example 7; Page 24; 56pp; French.
XX	The invention relates to a method of identifying peptides, derived from hsp70 that stimulate a tumour-specific T cell response (e.g. AAY44199 and AAY44200) . Identification of the hsp70 peptides that have at least one mutation or alteration compared with the native sequence, and induce a tumour specific T-cell response, comprises: (i) amplifying hsp70 encoding DNA from one or more tumours; (ii) cloning the amplified sequences into a vector that can be replicated in bacteria; (iii) sequencing fragments in each cultured bacterial colony to identify any hsp70 mutations; and (iv) determining the immunogenicity of the mutant peptides identified. The peptides, optionally formulated with an agent that induces cellular stress, are used for treatment of cancer, particularly solid cancers (carcinoma, sarcoma, melanoma, neuroblastoma, cancers of head and neck, particularly kidney cancer). The peptides may also be used to increase the proportion of tumour-specific cytotoxic T lymphocytes in a cell culture and/or induce these cells to secrete cytotoxic factors (specifically interleukin-2, interferon-gamma and tumour necrosis factor), particularly where the cells are used to stimulate immune defences. The method identifies peptides with high immunogenicity and high specificity for particular HLA (human leucocyte antigen) alleles. The primers AA22705-22706 were used to PCR amplify HLA alleles for the method of the invention.
XX	
XX	Sequence 37 BP; 9 A; 12 C; 11 G; 5 T; 0 other;
SQ	
	Query Match 100.0%; Score 37; DB 21; Length 37; Best Local Similarity 100.0%; Pred. No. 1e-06; Matches 37; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
Qy	1 gggcagcttgactcagaatctccacgacgccgag 37
Db	1 gggcagcttgactcagaatctccacgacgccgag 37
RESULT 2	
AAD03948	
ID	AA003948 standard; DNA; 27 BP.
XX	
AC	AA003948;
XX	
DT	02-JUL-2001 (first entry)
XX	
DE	Reverse RT-PCR primer for cloning human leucocyte antigen-A3 gene.
XX	
KW	Human; fibroblast growth factor-5; FGF-5; neoplasm; cytostatic; RCC; renal cell carcinoma; immunomodulator; gene therapy; carcinoma; breast; prostate; bladder; pancreas; TAA; tumour associated antigen; horseshoe kidney; Hippel-Lindau disease; acquired renal cystic disease; adult polycystic kidney disease; RT-PCR primer; human leucocyte antigen; HLA-A3 gene; ss.
XX	
OS	Homo sapiens.
XX	
PN	WO200125271-A2.
XX	
PD	12-APR-2001.
XX	
PF	29-SEP-2000; 2000WO-US26689.
XX	
PR	02-OCT-1999; 99US-0157103.
XX	
PA	(USSH) US DEPT HEALTH & HUMAN SERVICES.
XX	
F1	Hanada K, Yang JC;
XX	
DR	WPI; 2001-290607/30.
XX	
PT	Treating a subject having a neoplasm expressing fibroblast growth factor-5 (FGF-5), e.g. prostate, breast, bladder, or pancreas

PT	carcinoma, comprises modulating an immune response to FGF-5 or modulating FGF-5 expression or activity -
XX	
PS	Example 3; Page 24; 101pp; English.
XX	The present invention relates to a method for treating a subject having neoplasm expressing fibroblast growth factor-5 (FGF-5) comprises modulating an immune response to FGF-5 or FGF-5 expression or activity. FGF is a tumour associated antigen (TAA). The method is useful for treating or preventing a neoplasm such as prostate carcinoma, breast carcinoma, bladder carcinoma, pancreas carcinoma, and renal cell carcinoma (RCC) and diseases such as Hippel-Lindau disease, horseshoe kidneys, adult polycystic kidney disease and acquired renal cystic disease. FGF-5 polypeptides may be used as immunogen in the production of antibodies, which are useful in quantitative immunoassays that determine concentrations of antigen-bearing substances in biological samples, and to (semi-)quantitatively identify the presence of antigen in a biological sample. The antibodies may also be used to treat FGF-5 expressing or overexpressing tumours by decreasing FGF-5 activity, as diagnostic agents to monitor the progression or regression of an FGF-5 expressing or overexpressing tumour in a patient undergoing therapy for the treatment of neoplasm. FGF-5 cDNA is also useful for cloning. The present sequence is reverse RT-PCR primer used for cloning human leucocyte antigen (HLA-A3) gene from autologous 1764 RCC to introduce HLA-A3 into non-HLA-A3-expressing cells. The HLA-A3 gene was then subcloned into retroviral vector pRX-IRES-Bsr.
XX	
SQ	Sequence 27 BP; 7 A; 10 C; 7 G; 3 T; 0 other;
	Query Match 73.0%; Score 27; DB 22; Length 27; Best Local Similarity 100.0%; Pred. No. 0.018; Matches 27; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
Qy	11 ggactcagaatctcccagacgccgag 37
Db	1 ggactcagaatctcccagacgccgag 27
RESULT 3	
AAD08377	
ID	AAD08377 standard; cDNA; 1441 BP.
XX	
AC	AA008377;
XX	
DT	09-AUG-2001 (first entry)
XX	
DE	Human secreted protein-encoding gene 33 cDNA clone HTXDC77, SEQ ID NO:43.
XX	
KW	Human; secreted protein; proliferative disorder; cancer; tumour; foetal abnormality; developmental abnormality; haematopoietic disorder; immune system disorder; AIDS; autoimmune disease; rheumatoid arthritis; inflammation; allergy; neurological disorder; Alzheimer's disease; Parkinson's disease; cognitive disorder; schizophrenia; asthma; skin disorder; psoriasis; sepsis; diabetes; atherosclerosis; cardiovascular disorder; angiogenic disorder; kidney disorder; gastrointestinal disorder; pregnancy-related disorder; endocrine disorder; infection; wound healing; vulvarity; cell culture; chemotaxis; food additive; gene therapy; binding partner identification; ss.
XX	
OS	Homo sapiens.
XX	
FH	Key Location/Qualifiers
CDS	65..520
FT	/tag= a
FT	/product= "Human secreted protein precursor"
FT	/transl_except= (pos:74..76, aa:Xaa)
FT	/transl_except= (pos:89..91, aa:Xaa)
FT	/transl_except= (pos:104..106, aa:Xaa)
FT	/transl_except= (pos:113..115, aa:Xaa)
FT	/transl_except= (pos:170..172, aa:Xaa)
FT	/transl_except= (pos:269..271, aa:Xaa)

FT /transl_except= (pos:275..277, aa:Xaa)
FT /transl_except= (pos:323..325, aa:Xaa)
FT /transl_except= (pos:338..340, aa:Xaa)
FT /transl_except= (pos:347..349, aa:Xaa)
FT /transl_except= (pos:386..388, aa:Xaa)
FT /transl_except= (pos:419..421, aa:Xaa)
FT /transl_except= (pos:512..514, aa:Xaa)
FT /note= "Xaa equals any of the naturally occurring
FT L-amino acids"
FT sig_peptide 65..118
FT /*tag= b
FT mat_peptide 119..517
FT /*tag= c
FT /product= "Mature human secreted protein"
XX
XX WO200077022-A1.
XX
XX 21-DEC-2000.
XX
XX 01-JUN-2000; 2000WO-US15136.
XX
XX 11-JUN-1999; 99US-0138629.
XX
XX (HUMA-) HUMAN GENOME SCI INC.
XX
XX Rosen CA, Ruben SM, Komatsoulis GA;
PI
XX WPI; 2001-367020/38.
DR P-PSDB; AAE03930.
XX
XX Nucleic acids encoding 50 human secreted polypeptides, useful for
PT preventing, diagnosing and/or treating diseases, e.g. Parkinson's
PT disease, botulism, cancers and Scimitar syndrome -
XX
XX Claim 1; Page 513; 614pp; English.
XX
XX AAD08345-AAD08394 represent cDNAs corresponding to 50 human secreted
CC protein genes and AAE03998-AAE03947 represent the proteins they encode.
CC AAE03948-AAE03996 represent human secreted protein fragments or variants.
CC The genes and their secreted proteins are useful for preventing,
CC treating or ameliorating medical conditions, e.g., by protein or gene
CC therapy. Pathological conditions can be diagnosed by determining the
CC amount of the new protein in a sample or by determining the presence of
CC mutations in the new genes. Specific uses are described for each of the
CC 50 genes, based on the tissues in which they are most highly expressed,
CC and include developing products for the diagnosis or treatment of
CC proliferative disorders, cancer, tumours, foetal and developmental
CC abnormalities, haematopoietic disorders, diseases of the immune system,
CC AIDS, autoimmune diseases (e.g., rheumatoid arthritis), inflammation,
CC allergies, neurological disorders (e.g., Alzheimer's disease,
CC Parkinson's disease), cognitive disorders, schizophrenia, asthma,
CC skin disorders (e.g., psoriasis), sepsis, diabetes, atherosclerosis,
CC cardiovascular disorders, angiotensin disorders, kidney disorders,
CC gastrointestinal disorders, pregnancy-related disorders, endocrine
CC disorders, and infections. The proteins can also be used to aid wound
CC healing and epithelial cell proliferation, to prevent skin aging due to
CC sunburn, to maintain organs before transplantation, for supporting cell
CC culture of primary tissues, to regenerate tissues, to identify their
CC cognate ligands or binding partners, and in chemotaxis, and can be used
CC as a food additive or preservative to modify storage properties.
CC Antibodies specific for a protein of the invention can be used in
CC alleviating symptoms associated with the disorders mentioned above, and
CC in diagnostic immunoassays e.g., radioimmunoassay or enzyme linked
CC immunosorbent assay (ELISA). The present sequence represents a human
XX secreted protein-encoding cDNA of the invention.
XX
XX Sequence 1441 BP; 299 A; 403 C; 412 G; 283 T; 44 other;

Query Match 70.8%; Score 26.2; DB 22; Length 1441;
Best Local Similarity 92.6%; Pred. No. 0.072;
Matches 25; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 11 ggactcagaatctccacagacgcgcag 37
Db 38 ggactcagawtctccycagacgcgcag 64
RESULT 4
AA78122
ID AAX78122 standard; DNA; 39 BP.
XX
XX AAX78122;
AC AAX78122;
XX
XX DT 19-AUG-1999 (first entry)
XX
XX DE HLA-B*0702/mouse CD80 chimeric DNA PCR primer 3.
XX
XX KW HLA-E; human leukocyte antigen-E; interaction; natural killer cell;
KW NK cell; T cell; CF94/NGK2+ cell; targeted killing; CD8+ T cell; cancer;
KW CD94/NGK2 receptor; bone marrow transplantation; treatment; detection;
KW autoimmune disease; lymphoma; leukemia; infection; pregnancy; PCR primer;
KW transplantation; immunodeficiency; immunosuppressive; cytostatic; ss.
XX
XX OS Synthetic.
XX
XX PN WO9928748-A2.
XX
XX PD 10-JUN-1999.
XX
XX PF 04-DEC-1998; 98WO-GB03686.
XX
XX PR 04-DEC-1997; 97GB-0025764.
XX
XX PA (ISIS-) ISIS INNOVATION LTD.
XX
XX PI Allan DSJ, Braud VM, McMichael AJ, O'Callaghan CA;
PI Ogg GS;
XX
XX WPI; 1999-385412/32.
XX
XX Human leukocyte antigen E binding interaction with CD94/NGK2+ cells
Example 3; Page 29; 35pp; English.
XX
XX This invention describes a novel method to identify the interaction
CC between human leukocyte antigen E (HLA-E) and natural killer (NK) cells
CC and/or a subset of T cells, and to target or isolate those cells.
CC Identifying the presence of, separating, killing or inactivating
CC CF94/NGK2+ cells comprises (a) contacting a sample with HLA-E under
CC binding conditions and (b) detecting binding, separating cells bound to
CC HLA-E or carrying out targeted killing on bound cells. The HLA-E property
CC of binding to CD94/NGK2 receptors on NK cells and a subset of CD8+ T
CC cells is useful for targeting CD94/NGK2+ cells for a variety of purposes,
CC such as identification, isolation, killing or inactivation. HLA-E surface
CC expression provides protection against killing by CD94/NGK2A+ NK cells.
CC Compounds, such as antibodies, that interfere with interaction of
CC CD94/NGK2 and HLA-E binding can be tailored for specific CD94/NGK2
CC receptors A, B, C and D. Therapeutic uses of antibodies that inhibit
CC HLA-E binding to CD94/NGK2 receptors would be useful for bone marrow
CC transplantation and in treatment of certain autoimmune diseases.
CC Detection and/or quantification of NK cells or a sub population of NK
CC cells, or a sub population of T cells (which may be further identified by
CC co-staining with anti-CD8 or anti-CD4 antibody or antibodies or ligands
CC to other T cell markers) will be useful for, e.g. cancer, lymphoma,
CC leukemia, infections, pregnancy (there is a possible role for NK cells in
CC the placenta), transplantation, immunodeficiency, and autoimmune
CC diseases, as well as monitoring secondary effects of any treatments
CC leading to up or down regulation of CD94/NGK2+ NK cells. The products of
CC the invention have immunosuppressive and cytostatic activity. This
CC sequence represents a PCR primer used in the construction of a chimeric
CC DNA containing the leader segment of human HLA-B*0702 and the
CC extracellular, transmembrane and cytoplasmic domains of mouse CD80.
XX
XX Sequence 39 BP; 8 A; 14 C; 12 G; 5 T; 0 other;

Query Match 68.6%; Score 25.4; DB 20; Length 39;
 Best Local Similarity 96.3%; Pred. No. 0.092;
 Matches 26; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 11 ggactcagaatctccccagacgcgag 37
 |||||
 Db 13 ggactcagaatctccccagacgcgag 39

RESULT 5
 AAT74985
 ID AAT74985 standard; DNA; 707 BP.
 XX
 AC AAT74985;
 XX
 DT 09-MAR-1998 (first entry)
 XX
 DE Human HLA-A2 template for construction of a fusion protein.
 XX
 KW major histocompatibility complex; MHC; fusion protein; gene delivery;
 KW inhibit; pathogen; expression cassette; avidin; Epstein-Barr virus;
 KW EBV; human; HLA; ss.
 XX
 OS Homo sapiens.
 XX
 PN WO9724446-A2.
 XX
 PD 10-JUL-1997.
 XX
 PF 20-DEC-1996; 96WO-US20295.
 XX
 PR 29-DEC-1995; 95US-0580541.
 PR 29-DEC-1995; 95US-0009411.
 XX
 PA (CHIR) CHIRON VIAGENE INC.
 XX
 PI Banks T, Chada S, Chang SMW, Moore M;
 XX
 DR WPI; 1997-363681/33.
 XX
 PT Fusion proteins containing non-viral cell membrane molecule - used
 PT to target gene delivery vehicles to specific cells, e.g. to inhibit
 XX pathogens

Example 2; Fig 3; 45pp; English.

This is the histocompatibility antigen (HLA-A2) template. This is fused at the amino terminus to gp350/220 peptide sequence from Epstein-Barr virus (EBV). This is used in creating a fusion protein comprising a non-virally encoded cell membrane molecule and a targeting ligand. The fusion protein usually comprises a major histocompatibility complex (MHC) class I or II molecule or beta2 microglobulin and a targeting ligand or one member of a high affinity binding pair, preferably avidin. The HLA-A2 is a MHC class I antigen. The fusion protein on the surface of a gene delivery vehicle can be used in a method for targeting such a gene delivery vehicle to a selected cell type in a warm blooded animal. The method is particularly used to inhibit or destroy a pathogenic agent in a warm blooded animal. The pathogenic agents include parasites, bacteria and viruses, cancer and tumour cells. The method can also be used to generate an immune response against an immunogenic portion of an antigen, in order to prevent or treat a disease, for suppressing graft rejection, and for suppressing an auto immune response.

Sequence 707 BP; 117 A; 221 C; 244 G; 125 T; 0 other;

Query Match 68.6%; Score 25.4; DB 18; Length 707;
 Best Local Similarity 96.3%; Pred. No. 0.14;
 Matches 26; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 11 ggactcagaatctccccagacgcgag 37
 |||||
 ;

Db 297.ggactcagaatctccccagacgcgag 323
 RESULT 6
 AAI63980
 ID AAI63980 standard; DNA; 3357 BP.
 XX
 AC AAI63980;
 XX
 DT 22-OCT-2001 (first entry)
 XX
 DE Human polynucleotide SEQ ID NO 352.
 XX
 KW Human; antiarthritic; antirheumatic; antiproliferative; vasotropic;
 KW cerebroprotective; neurotropic; neuroprotective; antibacterial; virucide;
 KW fungicide; ophthalmological; cytostatic; immunosuppressive; nootropic;
 KW neuroprotective; antiallergic; hepatotropic; antidiabetic;
 KW antiinflammatory; antiulcer; vulnery; anticonvulsant; antibacterial;
 KW antiparasitic; cardiant; gene therapy; cancer; immune disorder;
 KW cardiovascular disorder; neurological disease; infection; human; ds.
 XX
 OS Homo sapiens.
 XX
 PN WO200155308-A2.
 XX
 PD 02-AUG-2001.
 XX
 PF 17-JAN-2001; 2001WO-US01309.
 XX
 PR 31-JAN-2000; 2000US-0179065.
 PR 04-FEB-2000; 2000US-0180628.
 PR 24-FEB-2000; 2000US-0184664.
 PR 02-MAR-2000; 2000US-0186350.
 PR 16-MAR-2000; 2000US-0189874.
 PR 17-MAR-2000; 2000US-0190076.
 PR 18-APR-2000; 2000US-0198123.
 PR 19-MAY-2000; 2000US-0205515.
 PR 07-JUN-2000; 2000US-0209467.
 PR 28-JUN-2000; 2000US-0214886.
 PR 30-JUN-2000; 2000US-0215135.
 PR 07-JUL-2000; 2000US-0216647.
 PR 11-JUL-2000; 2000US-0216880.
 PR 11-JUL-2000; 2000US-0217487.
 PR 14-JUL-2000; 2000US-0217496.
 PR 26-JUL-2000; 2000US-0218290.
 PR 26-JUL-2000; 2000US-0220963.
 PR 26-JUL-2000; 2000US-0220964.
 PR 14-AUG-2000; 2000US-0224518.
 PR 14-AUG-2000; 2000US-0224519.
 PR 14-AUG-2000; 2000US-0225213.
 PR 14-AUG-2000; 2000US-0225214.
 PR 14-AUG-2000; 2000US-0225266.
 PR 14-AUG-2000; 2000US-0225267.
 PR 14-AUG-2000; 2000US-0225268.
 PR 14-AUG-2000; 2000US-0225270.
 PR 14-AUG-2000; 2000US-0225447.
 PR 14-AUG-2000; 2000US-0225757.
 PR 14-AUG-2000; 2000US-0225758.
 PR 18-AUG-2000; 2000US-0225759.
 PR 22-AUG-2000; 2000US-0226279.
 PR 22-AUG-2000; 2000US-0226681.
 PR 22-AUG-2000; 2000US-0226688.
 PR 22-AUG-2000; 2000US-0227182.
 PR 23-AUG-2000; 2000US-0227009.
 PR 30-AUG-2000; 2000US-0228924.
 PR 01-SEP-2000; 2000US-0229287.
 PR 01-SEP-2000; 2000US-0229343.
 PR 01-SEP-2000; 2000US-0229344.
 PR 01-SEP-2000; 2000US-0229345.
 PR 05-SEP-2000; 2000US-0229509.
 PR 05-SEP-2000; 2000US-0229513.
 PR 06-SEP-2000; 2000US-0230437.
 PR 06-SEP-2000; 2000US-0230438.

```
PR 08-SEP-2000; 2000US-0231242.
PR 08-SEP-2000; 2000US-0231243.
PR 08-SEP-2000; 2000US-0231244.
PR 08-SEP-2000; 2000US-0231244.
PR 08-SEP-2000; 2000US-0231413.
PR 08-SEP-2000; 2000US-0231414.
PR 08-SEP-2000; 2000US-0232080.
PR 08-SEP-2000; 2000US-0232081.
PR 12-SEP-2000; 2000US-0231968.
PR 14-SEP-2000; 2000US-0232397.
PR 14-SEP-2000; 2000US-0232398.
PR 14-SEP-2000; 2000US-0232399.
PR 14-SEP-2000; 2000US-0232401.
PR 14-SEP-2000; 2000US-0232401.
PR 14-SEP-2000; 2000US-0233063.
PR 14-SEP-2000; 2000US-0233064.
PR 14-SEP-2000; 2000US-0233065.
PR 21-SEP-2000; 2000US-0234223.
PR 21-SEP-2000; 2000US-0234223.
PR 25-SEP-2000; 2000US-0234274.
PR 25-SEP-2000; 2000US-0234997.
PR 25-SEP-2000; 2000US-0234998.
PR 26-SEP-2000; 2000US-0235484.
PR 27-SEP-2000; 2000US-0235834.
PR 27-SEP-2000; 2000US-0235836.
PR 29-SEP-2000; 2000US-0236327.
PR 29-SEP-2000; 2000US-0236367.
PR 29-SEP-2000; 2000US-0236368.
PR 29-SEP-2000; 2000US-0236369.
PR 29-SEP-2000; 2000US-0236370.
PR 02-OCT-2000; 2000US-0236802.
PR 02-OCT-2000; 2000US-0237037.
PR 02-OCT-2000; 2000US-0237038.
PR 02-OCT-2000; 2000US-0237039.
PR 02-OCT-2000; 2000US-0237040.
PR 13-OCT-2000; 2000US-0239935.
PR 13-OCT-2000; 2000US-0239937.
PR 20-OCT-2000; 2000US-0240960.
PR 20-OCT-2000; 2000US-0241221.
PR 20-OCT-2000; 2000US-0241785.
PR 20-OCT-2000; 2000US-0241786.
PR 20-OCT-2000; 2000US-0241787.
PR 20-OCT-2000; 2000US-0241808.
PR 20-OCT-2000; 2000US-0241809.
PR 20-OCT-2000; 2000US-0241826.
PR 01-NOV-2000; 2000US-0244617.
PR 08-NOV-2000; 2000US-0246474.
PR 08-NOV-2000; 2000US-0246475.
PR 08-NOV-2000; 2000US-0246476.
PR 08-NOV-2000; 2000US-0246477.
PR 08-NOV-2000; 2000US-0246478.
PR 08-NOV-2000; 2000US-0246523.
PR 08-NOV-2000; 2000US-0246524.
PR 08-NOV-2000; 2000US-0246524.
PR 08-NOV-2000; 2000US-0246525.
PR 08-NOV-2000; 2000US-0246526.
PR 08-NOV-2000; 2000US-0246527.
PR 08-NOV-2000; 2000US-0246528.
PR 08-NOV-2000; 2000US-0246532.
PR 08-NOV-2000; 2000US-0246532.
PR 08-NOV-2000; 2000US-0246609.
PR 08-NOV-2000; 2000US-0246610.
PR 08-NOV-2000; 2000US-0246611.
PR 08-NOV-2000; 2000US-0246613.
PR 17-NOV-2000; 2000US-0249207.
PR 17-NOV-2000; 2000US-0249208.
PR 17-NOV-2000; 2000US-0249209.
PR 17-NOV-2000; 2000US-0249210.
PR 17-NOV-2000; 2000US-0249211.
PR 17-NOV-2000; 2000US-0249212.
PR 17-NOV-2000; 2000US-0249213.
PR 17-NOV-2000; 2000US-0249214.
PR 17-NOV-2000; 2000US-0249215.
PR 17-NOV-2000; 2000US-0249216.
PR 17-NOV-2000; 2000US-0249217.
PR 17-NOV-2000; 2000US-0249218.
PR 17-NOV-2000; 2000US-0249244.

PR 17-NOV-2000; 2000US-0249245.
PR 17-NOV-2000; 2000US-0249264.
PR 17-NOV-2000; 2000US-0249265.
PR 17-NOV-2000; 2000US-0249297.
PR 17-NOV-2000; 2000US-0249299.
PR 17-NOV-2000; 2000US-0249300.
PR 01-DEC-2000; 2000US-0250160.
PR 01-DEC-2000; 2000US-0250391.
PR 05-DEC-2000; 2000US-0251030.
PR 05-DEC-2000; 2000US-0251988.
PR 05-DEC-2000; 2000US-0256719.
PR 06-DEC-2000; 2000US-0251479.
PR 08-DEC-2000; 2000US-0251856.
PR 08-DEC-2000; 2000US-0251868.
PR 08-DEC-2000; 2000US-0251869.
PR 08-DEC-2000; 2000US-0251989.
PR 08-DEC-2000; 2000US-0251990.
PR 11-DEC-2000; 2000US-0254097.
PR 05-JAN-2001; 2001US-0259678.

XX (HUMA-) HUMAN GENOME SCI INC.
PA
XX
XX PI Rosen CA, Barash SC, Ruben SM;
XX PI WPI; 2001-488781/53.
XX DR
XX DR New isolated nucleic acids and polypeptides, useful for diagnosing,
PT treating and/or preventing human diseases and disorders -
PT
XX
XX PS Disclosure; SEQ ID NO 352; 664pp + Sequence Listing; English.
XX
XX CC The invention relates to human polynucleotides (AAI63803-AAI64012) and
CC the encoded proteins (AAI43497-AAI43660) useful for preventing, treating
CC or ameliorating medical conditions e.g. by protein or gene therapy. The
CC genes were isolated from a range of human tissues disclosed in the
CC specification. The nucleic acids, proteins, antibodies and (ant)agonists
CC are useful in the diagnosis, treatment and prevention of: (a) cancer,
CC e.g. breast and ovarian cancer and other cancers of the adrenal gland,
CC bone, bone marrow, breast, gastrointestinal tract, liver, lung, or
CC urogenital; (b) immune disorders e.g. Addison's disease, allergies,
CC autoimmune haemolytic anaemia, autoimmune thyroiditis, diabetes mellitus,
CC Crohn's disease, multiple sclerosis, rheumatoid arthritis and ulcerative
CC colitis; (c) cardiovascular disorders such as myocardial ischaemias;
CC (d) wound healing; (e) neurological diseases e.g. cerebral anoxia and
CC epilepsy; and (f) infectious diseases such as viral, bacterial, fungal
CC and parasitic infections.
CC Note: The sequence data for this patent did not form part of the
CC printed specification, but was obtained in electronic format directly
CC from WIPO at ftp.wipo.int/pub/published_pct_sequences.
XX
XX SQ Sequence 3357 BP; 647 A; 949 C; 1036 G; 725 T; 0 other;

Query Match 68.6%; Score 25.4; DB 22; Length 3357;
Best Local Similarity 96.3%; Pred. No. 0.18;
Matches 26; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 11 ggactcagaatctccacagacgcgag 37
| | | | | | | | | | | | | | | | | |
Db 38 ggactcagaatctccacagacgcgag 64

RESULT 7
AAI70225
ID AAI70225 standard; DNA; 3874 BP.
XX
XX AC AAI70225;
XX
XX DT 03-APR-1991 (first entry)
XX
XX DE Sequence of genomic DNA encoding human histocompatibility antigen
DE HLA-B 27.
XX
```

KW Ankylosing spondylitis; rheumatic disorder; diagnosis; ss.

XX Homo sapiens.

XX Key Location/Qualifiers

FT intron 518..590

FT intron /*tag= a

FT intron 720..989

FT intron /*tag= b

FT intron 1090..1506

FT intron /*tag= c

FT intron 1932..2357

FT intron /*tag= d

FT intron 2450..2566

FT intron /*tag= e

FT intron 3009..3041

FT intron /*tag= f

FT intron 3148..3191

FT intron /*tag= g

XX EP226069-A.

XX 24-JUN-1987.

XX 21-NOV-1986; 86EP-0116139.

XX 21-DEC-1985; 85DE-3545576.

XX 01-JAN-1985; 85DE-3542024.

XX (BEHW) BEHRINGERWERKE AG.

XX Szots H, Weiss E, Dorner C, Lang M, Meo T, Riethmuller G;

XX WPI; 1987-171469/25.

XX P-PSDB; AAP70155.

XX DNA coding for human histocompatibility antigen HLA-B 27 - useful for diagnosis and antigen and antibody prodn.

XX Claim 1; p6; 13pp; German.

XX The DNA may be used to detect the HLA-B 27 gene (opt. mutated) in human genetic material. The HLA-B 27 may be used to detect anti-HLA-B 27 antibodies in human serum. The antibodies may be used to determine HLA-B 27 levels in human serum, e.g. for diagnosis of rheumatic disorders, esp. ankylosing spondylitis.

XX Sequence 3874 BP; 751 A; 1094 C; 1171 G; 858 T; 0 other;

XX Query Match 68.6%; Score 25.4; DB 8; Length 3874;

XX Best Local Similarity 96.3%; Pred. No. 0.18;

XX Matches 26; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 11 ggactcagaatctctccagacgcgcag 37

|||||

Db 491 ggactcagaatctctccagacgcgcag 517

|||||

|||||

RESULT 8

AAT61639

ID AAT61639 standard; DNA; 6553 BP.

XX AAT61639;

XX 05-JUN-1997 (first entry)

XX HLA B27 consensus sequence.

XX HLA B27; seronegative spondylarthropathy; ankylosing spondylitis;

XX Reiter's syndrome; arthritis; acute anterior uveitis; diagnosis;

XX ss; db.

XX

OS Homo sapiens.

XX Key

FT mRNA Location/Qualifiers

FT mRNA 3968..6653

FT mRNA /*tag= a

FT mRNA /note= "HLA-B27 3' flanking region, downstream of 3' untranslated region"

FT mRNA 4112..4556

FT mRNA /*tag= b

FT mRNA /note= "3' flanking region diagnostic for genetic predisposition to SNSA"

FT mRNA 4270..4556

FT mRNA /*tag= b

FT mRNA /note= "3' flanking region diagnostic for genetic predisposition to SNSA"

FT misc_difference 4495

FT /*tag= d

FT /note= "absence of cytosine at this site is indicative of a predisposition to SNSA"

FT

XX WO9709450-A1.

XX 13-MAR-1997.

XX 16-AUG-1996; 96WO-US13256.

XX 01-SEP-1995; 95US-0522942.

XX (CEDA-) CEDARS SINAI MEDICAL CENT.

XX Tyan DB;

XX WPI; 1997-192924/17.

XX Detecting pre-disposition to seronegative spondylarthropathies - from the absence of a C residue at a specific position in the 3'-flanking region of the HLA B27 allele

XX Claim 1; Page 52-56; 68pp; English.

XX Genetic predisposition to seronegative spondylarthropathies (SNSA) is detected by determining the absence of a cytosine nucleotide in the 3' flanking region (see also AAT61647-48) of an HLA-B gene at a position corresponding to nucleotide 4495 of the HLA-B27 consensus sequence given in AAT61639. Probes and primers (see also AAT61640-46) based on this region can be used in diagnostic assays to detect the genetic predisposition to SNSA, and permit the distinction of B27+ individuals who are resistant to SNSA from B27+ normal individuals who are susceptible (but as yet unaffected) to such diseases.

XX Sequence 6553 BP; 1443 A; 1619 C; 2017 G; 1474 T; 0 other;

XX Query Match 68.6%; Score 25.4; DB 18; Length 6553;

XX Best Local Similarity 96.3%; Pred. No. 0.2;

XX Matches 26; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 11 ggactcagaatctctccagacgcgcag 37

|||||

Db 652 ggactcagaatctctccagacgcgcag 678

|||||

|||||

RESULT 9

AAC03768

ID AAC03768 standard; cDNA; 447 BP.

XX AAC03768;

XX 06-OCT-2000 (first entry)

XX Human secreted protein 5' EST, SEQ ID NO: 3766.

XX Human; 5' EST; expressed sequence tag; secreted protein; cDNA isolation;

XX


```

KW gene therapy; chromosome mapping; ss.
OS Homo sapiens.
XX
XX EP1033401-A2.
XX
XX PD 06-SEP-2000.
XX
XX PF 21-FEB-2000; 2000EP-0200610.
XX
XX PR 26-FEB-1999; 99US-0122487.
XX
XX PA (GEST ) GENSET.
XX
XX PI Dumas Milne Edwards J, Duclert A, Giordano J;
XX
XX WPI; 2000-500381/45.
XX P-PSDB; AAG03762.
XX
XX PT New nucleic acid that is a 5' expressed sequence tag (5' EST) for
XX obtaining cDNAs and genomic DNAs that correspond to 5'ESTs and for
XX diagnostic, forensic, gene therapy and chromosome mapping procedures -
XX Claim 1; SEQ ID 3766; 71pp + CD-ROM; English.
XX
XX PI Dumas Milne Edwards J, Duclert A, Giordano J;
XX
XX WPI; 2000-500381/45.
XX P-PSDB; AAG03762.
XX
XX PT New nucleic acid that is a 5' expressed sequence tag (5' EST) for
XX obtaining cDNAs and genomic DNAs that correspond to 5'ESTs and for
XX diagnostic, forensic, gene therapy and chromosome mapping procedures -
XX Claim 1; SEQ ID 3766; 71pp + CD-ROM; English.
XX
XX CC The present sequence is one of a large number of 5' ESTs derived from
XX mRNAs encoding secreted proteins. An ORF has been identified within the
XX sequence. The 5' ESTs were prepared from total human RNAs or polyA+ RNAs
XX derived from 30 different tissues. EST sequences usually correspond
XX mainly to the 3' untranslated region (UTR) of the mRNA because they are
XX often obtained from oligo-dT primed cDNA libraries. Such ESTs are not
XX well suited for isolating cDNA sequences derived from the 5' ends of
XX mRNAs and even in those cases where longer cDNA sequences have been
XX obtained, the full 5' UTR is rarely included. 5' ESTs are derived from
XX cDNAs with intact 5' ends and can therefore be used to obtain full length
XX cDNAs and genomic DNAs. 5' ESTs are also used in diagnostic, forensic,
XX gene therapy and chromosome mapping procedures. They are used to obtain
XX upstream regulatory sequences and to design expression and secretion
XX vectors.
XX
XX SQ Sequence 447 BP; 83 A; 150 C; 132 G; 70 T; 12 other;

Query Match 67.6%; Score 25; DB 21; Length 447;
Best Local Similarity 92.6%; Pred. No. 0.2;
Matches 25; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Oy 11 ggactcagaatctccccagacgccgag 37
|||||:|||||
Db 34 ggactcrgattctccccagacgccgag 60

RESULT 10
AAC00214
ID AAC00214 standard; cDNA; 529 BP.
XX
XX AAC00214;
XX
XX DT 06-OCT-2000 (first entry)
XX
XX DE Human secreted protein 5' EST, SEQ ID NO: 212.
XX
XX KW Human; 5' EST; expressed sequence tag; secreted protein; cDNA isolation;
XX gene therapy; chromosome mapping; ss.
XX
XX OS Homo sapiens.
XX
XX PN EP1033401-A2.
XX
XX PD 06-SEP-2000.
XX
XX PF 21-FEB-2000; 2000EP-0200610.
XX
XX KW Human; 5' EST; expressed sequence tag; secreted protein; cDNA isolation;
XX gene therapy; chromosome mapping; ss.
XX
XX OS Homo sapiens.
XX
XX PN EP1033401-A2.
XX
XX PD 06-SEP-2000.
XX
XX PF 21-FEB-2000; 2000EP-0200610.
XX
XX PR 26-FEB-1999; 99US-0122487.
XX
XX PA (GEST ) GENSET.
XX
XX PI Dumas Milne Edwards J, Duclert A, Giordano J;
XX
XX WPI; 2000-500381/45.
XX P-PSDB; AAG00206.
XX
XX PF New nucleic acid that is a 5' expressed sequence tag (5' EST) for
XX obtaining cDNAs and genomic DNAs that correspond to 5'ESTs and for
XX diagnostic, forensic, gene therapy and chromosome mapping procedures -
XX Claim 1; SEQ ID 212; 71pp + CD-ROM; English.
XX
XX CC The present sequence is one of a large number of 5' ESTs derived from
XX mRNAs encoding secreted proteins. An ORF has been identified within the
XX sequence. The 5' ESTs were prepared from total human RNAs or polyA+ RNAs
XX derived from 30 different tissues. EST sequences usually correspond
XX mainly to the 3' untranslated region (UTR) of the mRNA because they are
XX often obtained from oligo-dT primed cDNA libraries. Such ESTs are not
XX well suited for isolating cDNA sequences derived from the 5' ends of
XX mRNAs and even in those cases where longer cDNA sequences have been
XX obtained, the full 5' UTR is rarely included. 5' ESTs are derived from
XX mRNAs with intact 5' ends and can therefore be used to obtain full length
XX cDNAs and genomic DNAs. 5' ESTs are also used in diagnostic, forensic,
XX gene therapy and chromosome mapping procedures. They are used to obtain
XX upstream regulatory sequences and to design expression and secretion
XX vectors.
XX
XX SQ Sequence 529 BP; 97 A; 174 C; 169 G; 83 T; 6 other;

Query Match 67.6%; Score 25; DB 21; Length 529;
Best Local Similarity 92.6%; Pred. No. 0.2;
Matches 25; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Oy 11 ggactcagaatctccccagacgccgag 37
|||||:|||||
Db 34 ggactcrgattctccccagacgccgag 60

RESULT 11
AAC00212
ID AAC00212 standard; cDNA; 432 BP.
XX
XX AAC00212;
XX
XX DT 06-OCT-2000 (first entry)
XX
XX DE Human secreted protein 5' EST, SEQ ID NO: 210.
XX
XX KW Human; 5' EST; expressed sequence tag; secreted protein; cDNA isolation;
XX gene therapy; chromosome mapping; ss.
XX
XX OS Homo sapiens.
XX
XX PN EP1033401-A2.
XX
XX PD 06-SEP-2000.
XX
XX PF 21-FEB-2000; 2000EP-0200610.
XX
XX KW Human; 5' EST; expressed sequence tag; secreted protein; cDNA isolation;
XX gene therapy; chromosome mapping; ss.
XX
XX OS Homo sapiens.
XX
XX PN EP1033401-A2.
XX
XX PD 06-SEP-2000.
XX
XX PF 21-FEB-2000; 2000EP-0200610.
XX
XX PR 26-FEB-1999; 99US-0122487.
XX
XX PA (GEST ) GENSET.
XX
XX PI Dumas Milne Edwards J, Duclert A, Giordano J;
XX
XX WPI; 2000-500381/45.
XX P-PSDB; AAG00206.
XX
XX PF New nucleic acid that is a 5' expressed sequence tag (5' EST) for
XX obtaining cDNAs and genomic DNAs that correspond to 5'ESTs and for
XX diagnostic, forensic, gene therapy and chromosome mapping procedures -
XX Claim 1; SEQ ID 212; 71pp + CD-ROM; English.
XX
XX CC The present sequence is one of a large number of 5' ESTs derived from
XX mRNAs encoding secreted proteins. An ORF has been identified within the
XX sequence. The 5' ESTs were prepared from total human RNAs or polyA+ RNAs
XX derived from 30 different tissues. EST sequences usually correspond
XX mainly to the 3' untranslated region (UTR) of the mRNA because they are
XX often obtained from oligo-dT primed cDNA libraries. Such ESTs are not
XX well suited for isolating cDNA sequences derived from the 5' ends of
XX mRNAs and even in those cases where longer cDNA sequences have been
XX obtained, the full 5' UTR is rarely included. 5' ESTs are derived from
XX cDNAs with intact 5' ends and can therefore be used to obtain full length
XX cDNAs and genomic DNAs. 5' ESTs are also used in diagnostic, forensic,
XX gene therapy and chromosome mapping procedures. They are used to obtain
XX upstream regulatory sequences and to design expression and secretion
XX vectors.
XX
XX SQ Sequence 529 BP; 97 A; 174 C; 169 G; 83 T; 6 other;

```

```

CC often obtained from oligo-dT primed cDNA libraries. Such ESTs are not
CC well suited for isolating cDNA sequences derived from the 5' ends of
CC mRNAs and even in those cases where longer cDNA sequences have been
CC obtained, the full 5' UTR is rarely included. 5' ESTs are derived from
CC mRNAs with intact 5' ends and can therefore be used to obtain full length
CC cDNAs and genomic DNAs. 5' ESTs are also used in diagnostic, forensic,
CC gene therapy and chromosome mapping procedures. They are used to obtain
CC upstream regulatory sequences and to design expression and secretion
CC vectors.
CC
XX Sequence 358 BP; 65 A; 123 C; 106 G; 52 T; 12 other;
SQ
Query Match 64.9%; Score 24; DB 21; Length 358;
Best Local Similarity 88.9%; Pred. No. 0.51;
Matches 24; Conservative 1; Mismatches 2; Indels 0; Gaps 0;
QY 11 ggactcagaatctcccagacgcgag 37
DB 34 ggactcggaattccycagacgcgag 60
||||| || |||||:|||||
RESULT 13
AAC04279
ID AAC04279 standard; cDNA; 527 BP.
XX AAC04279;
AC AC XX
DT 06-OCT-2000 (first entry)
XX Human secreted protein 5' EST, SEQ ID NO: 8354.
DE DE XX
KW Human; 5' EST; expressed sequence tag; secreted protein; cDNA isolation;
KW gene therapy; chromosome mapping; ss.
XX Homo sapiens.
OS OS XX
EF EF1033401-A2.
PN PN XX
PD PD XX
PF PF 21-FEB-2000; 2000EP-0200610.
XX XX
PR PR 26-FEB-1999; 99US-0122487.
XX (GEST ) GENSET.
XX Dumas Milne Edwards J, Duclert A, Giordano J;
XX WPI; 2000-500381/45.
DR DR XX
PT PT New nucleic acid that is a 5' expressed sequence tag (5' EST) for
PT obtaining cDNAs and genomic DNAs that correspond to 5'ESTs and for
PT diagnostic, forensic, gene therapy and chromosome mapping procedures -
XX Claim 1; SEQ ID 8354; 71pp + CD-ROM; English.
PS PS XX
CC The present sequence is one of a large number of 5' ESTs derived from
CC mRNAs encoding secreted proteins. No ORF has yet been conclusively
CC identified within the present sequence. The 5' ESTs were prepared from
CC total human RNAs or polyA+ RNAs derived from 30 different tissues. EST
CC sequences usually correspond mainly to the 3' untranslated region (UTR)
CC of the mRNA because they are often obtained from oligo-dT primed cDNA
CC libraries. Such ESTs are not well suited for isolating cDNA sequences
CC derived from the 5' ends of mRNAs and even in those cases where longer
CC cDNA sequences have been obtained, the full 5' UTR is rarely included.
CC 5' ESTs are derived from mRNAs with intact 5' ends and can therefore be
CC used to obtain full length cDNAs and genomic DNAs. 5' ESTs are also used
CC in diagnostic, forensic, gene therapy and chromosome mapping procedures.
CC They are used to obtain upstream regulatory sequences and to design
CC expression and secretion vectors.
XX Sequence 527 BP; 95 A; 176 C; 160 G; 71 T; 25 other;
SQ

```

Query Match 64.9%; Score 24; DB 21; Length 527;
Best Local Similarity 88.9%; Pred. No. 0.54;
Matches 24; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 11 ggactcagaatctccagacgcgcgag 37
||||| || |||||:|||||||
Db 34 ggactcgantctccycagacgcgcgag 60

RESULT 14

AAI63981
ID AAI63981 standard; DNA; 3357 BP.

XX
AC AAI63981;

XX 22-OCT-2001 (first entry)

XX Human polynucleotide SEQ ID NO 353.

XX Human; antiarthritic; antirheumatic; antiproliferative; vasotropic;
KW cerebroprotective; nootropic; neuroprotective; antibacterial; virucide;
KW fungicide; ophthalmological; cytostatic; immunosuppressive; nootropic;
KW neuroprotective; antiallergic; hepatotropic; antidiabetic;
KW antiinflammatory; antiulcer; vulnery; anticonvulsant; antibacterial;
KW antiparasitic; cardiant; gene therapy; cancer; immune disorder;
KW cardiovascular disorder; neurological disease; infection; human; ds.

OS Homo sapiens.

XX WO200155308-A2.

XX 02-AUG-2001.

PF 17-JAN-2001; 2001WO-US01309.

PR 31-JAN-2000; 2000US-0179065.

PR 04-FEB-2000; 2000US-0180628.

PR 24-FEB-2000; 2000US-0184664.

PR 02-MAR-2000; 2000US-0186350.

PR 16-MAR-2000; 2000US-0189874.

PR 17-MAR-2000; 2000US-0190076.

PR 18-APR-2000; 2000US-0198123.

PR 19-MAY-2000; 2000US-0205515.

PR 07-JUN-2000; 2000US-0209467.

PR 28-JUN-2000; 2000US-0214886.

PR 30-JUN-2000; 2000US-0215135.

PR 07-JUL-2000; 2000US-0216647.

PR 07-JUL-2000; 2000US-0216880.

PR 11-JUL-2000; 2000US-0217487.

PR 11-JUL-2000; 2000US-0217496.

PR 14-JUL-2000; 2000US-0218290.

PR 26-JUL-2000; 2000US-0220963.

PR 14-AUG-2000; 2000US-0220964.

PR 14-AUG-2000; 2000US-0224518.

PR 14-AUG-2000; 2000US-0224519.

PR 14-AUG-2000; 2000US-0225213.

PR 14-AUG-2000; 2000US-0225214.

PR 01-SEP-2000; 2000US-0229287.
PR 01-SEP-2000; 2000US-0229343.
PR 01-SEP-2000; 2000US-0229344.
PR 01-SEP-2000; 2000US-0229345.
PR 05-SEP-2000; 2000US-0229509.
PR 05-SEP-2000; 2000US-0229513.
PR 06-SEP-2000; 2000US-0230437.
PR 06-SEP-2000; 2000US-0230438.
PR 08-SEP-2000; 2000US-0231242.
PR 08-SEP-2000; 2000US-0231243.
PR 08-SEP-2000; 2000US-0231244.
PR 08-SEP-2000; 2000US-0231413.
PR 08-SEP-2000; 2000US-0231414.
PR 08-SEP-2000; 2000US-0232080.
PR 08-SEP-2000; 2000US-0232081.
PR 12-SEP-2000; 2000US-0231968.
PR 14-SEP-2000; 2000US-0232397.
PR 14-SEP-2000; 2000US-0232398.
PR 14-SEP-2000; 2000US-0232399.
PR 14-SEP-2000; 2000US-0232400.
PR 14-SEP-2000; 2000US-0232401.
PR 14-SEP-2000; 2000US-0233063.
PR 14-SEP-2000; 2000US-0233064.
PR 14-SEP-2000; 2000US-0233065.
PR 21-SEP-2000; 2000US-0234223.
PR 21-SEP-2000; 2000US-0234274.
PR 25-SEP-2000; 2000US-0234997.
PR 25-SEP-2000; 2000US-0234998.
PR 26-SEP-2000; 2000US-0235484.
PR 27-SEP-2000; 2000US-0235834.
PR 27-SEP-2000; 2000US-0235836.
PR 29-SEP-2000; 2000US-0236327.
PR 29-SEP-2000; 2000US-0236367.
PR 29-SEP-2000; 2000US-0236368.
PR 29-SEP-2000; 2000US-0236369.
PR 29-SEP-2000; 2000US-0236370.
PR 02-OCT-2000; 2000US-0236802.
PR 02-OCT-2000; 2000US-0237037.
PR 02-OCT-2000; 2000US-0237038.
PR 02-OCT-2000; 2000US-0237039.
PR 02-OCT-2000; 2000US-0237040.
PR 13-OCT-2000; 2000US-0239935.
PR 13-OCT-2000; 2000US-0239937.
PR 20-OCT-2000; 2000US-0240960.
PR 20-OCT-2000; 2000US-0241221.
PR 20-OCT-2000; 2000US-0241785.
PR 20-OCT-2000; 2000US-0241786.
PR 20-OCT-2000; 2000US-0241787.
PR 20-OCT-2000; 2000US-0241808.
PR 20-OCT-2000; 2000US-0241809.
PR 20-OCT-2000; 2000US-0241826.
PR 01-NOV-2000; 2000US-0244617.
PR 08-NOV-2000; 2000US-0246474.
PR 08-NOV-2000; 2000US-0246475.
PR 08-NOV-2000; 2000US-0246476.
PR 08-NOV-2000; 2000US-0246477.
PR 08-NOV-2000; 2000US-0246478.
PR 08-NOV-2000; 2000US-0246523.
PR 08-NOV-2000; 2000US-0246524.
PR 08-NOV-2000; 2000US-0246525.
PR 08-NOV-2000; 2000US-0246526.
PR 08-NOV-2000; 2000US-0246527.
PR 08-NOV-2000; 2000US-0246528.
PR 08-NOV-2000; 2000US-0246532.
PR 08-NOV-2000; 2000US-0246609.
PR 08-NOV-2000; 2000US-0246610.
PR 08-NOV-2000; 2000US-0246611.
PR 08-NOV-2000; 2000US-0246613.
PR 17-NOV-2000; 2000US-0249207.
PR 17-NOV-2000; 2000US-0249208.
PR 17-NOV-2000; 2000US-0249209.
PR 17-NOV-2000; 2000US-0249210.
PR 17-NOV-2000; 2000US-0249211.

```

PR 17-NOV-2000; 2000US-0249212.
PR 17-NOV-2000; 2000US-0249213.
PR 17-NOV-2000; 2000US-0249214.
PR 17-NOV-2000; 2000US-0249215.
PR 17-NOV-2000; 2000US-0249216.
PR 17-NOV-2000; 2000US-0249217.
PR 17-NOV-2000; 2000US-0249218.
PR 17-NOV-2000; 2000US-0249244.
PR 17-NOV-2000; 2000US-0249245.
PR 17-NOV-2000; 2000US-0249264.
PR 17-NOV-2000; 2000US-0249265.
PR 17-NOV-2000; 2000US-0249297.
PR 17-NOV-2000; 2000US-0249299.
PR 17-NOV-2000; 2000US-0249300.
PR 01-DEC-2000; 2000US-0250160.
PR 01-DEC-2000; 2000US-0250391.
PR 01-DEC-2000; 2000US-0251030.
PR 05-DEC-2000; 2000US-0251988.
PR 05-DEC-2000; 2000US-0256719.
PR 06-DEC-2000; 2000US-0251479.
PR 08-DEC-2000; 2000US-0251856.
PR 08-DEC-2000; 2000US-0251868.
PR 08-DEC-2000; 2000US-0251869.
PR 08-DEC-2000; 2000US-0251989.
PR 08-DEC-2000; 2000US-0251990.
PR 11-DEC-2000; 2000US-0254097.
PR 05-JAN-2001; 2001US-0259678.
XX
XX (HUMA-) HUMAN GENOME SCI INC.
XX
XX Rosen CA, Barash SC, Ruben SM;
XX
XX WPI; 2001-488781/53.
XX
XX New isolated nucleic acids and polypeptides, useful for diagnosing,
XX treating and/or preventing human diseases and disorders -
XX
XX Disclosure; SEQ ID NO 353; 664pp + Sequence Listing; English.
XX
XX The invention relates to human polynucleotides (AAI63803-AAI64012) and
XX the encoded proteins (AAI634497-AAI63660) useful for preventing, treating
XX or ameliorating medical conditions e.g. by protein or gene therapy. The
XX genes were isolated from a range of human tissues disclosed in the
XX specification. The nucleic acids, proteins, antibodies and (ant)agonists
XX are useful in the diagnosis, treatment and prevention of: (a) cancer,
XX e.g. breast and ovarian cancer and other cancers of the adrenal gland,
XX bone, bone marrow, breast, gastrointestinal tract, liver, lung, or
XX urogenital; (b) immune disorders e.g. Addison's disease, allergies,
XX autoimmune haemolytic anaemia, autoimmune thyroiditis, diabetes mellitus,
XX Crohn's disease, multiple sclerosis, rheumatoid arthritis and ulcerative
XX colitis; (c) cardiovascular disorders such as myocardial ischaemias;
XX (d) wound healing; (e) neurological diseases e.g. cerebral anoxia and
XX epilepsy; and (f) infectious diseases such as viral, bacterial, fungal
XX and parasitic infections.
XX
XX Note: The sequence data for this patent did not form part of the
XX printed specification, but was obtained in electronic format directly
XX from WIPO at ftp.wipo.int/pub/published_pct_sequences.
XX
XX Sequence 3357 BP; 645 A; 947 C; 1035 G; 730 T; 0 other;
XX
XX
XX Query Match 64.3%; Score 23.8; DB 22; Length 3357;
XX Best Local Similarity 92.6%; Pred. No. 0.86;
XX Matches 25; Conservative 0; Mismatches 2; Indels 0; Gaps 0;
XX
XX Oy 11 ggactcagaatctcccccagacgcgag 37
XX ||||| ||||| ||||| |||||
XX Db 38 ggactcagagtctctcagacgcgag 64
XX
XX RESULT 15
XX AAI63979
XX ID AAI63979 standard; DNA; 3372 BP.
```

```

XX AAI63979;
AC 22-OCT-2001 (first entry)
XX
XX Human polynucleotide SEQ ID NO 351.
XX
XX Human; antiarthritic; antirheumatic; antiproliferative; vasotropic;
XX cerebroprotective; nootropic; neuroprotective; antibacterial; virucide;
XX fungicide; ophthalmological; cytostatic; immunosuppressive; nootropic;
XX neuroprotective; antiallergic; hepatotropic; antidiabetic;
XX neuroinflammatory; antiulcer; vulnery; anticonvulsant; antibacterial;
XX antiparasitic; cardiant; gene therapy; cancer; immune disorder;
XX cardiovascular disorder; neurological disease; infection; human; ds.
XX
XX Homo sapiens.
XX
XX WO200155308-A2.
XX
XX 02-AUG-2001.
XX
XX 17-JAN-2001; 2001WO-US01309.
XX
XX 31-JAN-2000; 2000US-0179065.
XX 04-FEB-2000; 2000US-0180628.
XX 24-FEB-2000; 2000US-0184664.
XX 02-MAR-2000; 2000US-0186350.
XX 16-MAR-2000; 2000US-0189874.
XX 17-MAR-2000; 2000US-0190076.
XX 18-APR-2000; 2000US-0198123.
XX 19-MAY-2000; 2000US-0205515.
XX 07-JUN-2000; 2000US-0209467.
XX 28-JUN-2000; 2000US-0214886.
XX 30-JUN-2000; 2000US-0215135.
XX 07-JUL-2000; 2000US-0216647.
XX 11-JUL-2000; 2000US-0216880.
XX 11-JUL-2000; 2000US-0217487.
XX 14-JUL-2000; 2000US-0217496.
XX 26-JUL-2000; 2000US-0220963.
XX 14-AUG-2000; 2000US-0220964.
XX 14-AUG-2000; 2000US-0224518.
XX 14-AUG-2000; 2000US-0224519.
XX 14-AUG-2000; 2000US-0225213.
XX 14-AUG-2000; 2000US-0225214.
XX 14-AUG-2000; 2000US-0225266.
XX 14-AUG-2000; 2000US-0225267.
XX 14-AUG-2000; 2000US-0225268.
XX 14-AUG-2000; 2000US-0225270.
XX 14-AUG-2000; 2000US-0225447.
XX 14-AUG-2000; 2000US-0225757.
XX 14-AUG-2000; 2000US-0225758.
XX 14-AUG-2000; 2000US-0225759.
XX 18-AUG-2000; 2000US-0226279.
XX 22-AUG-2000; 2000US-0226681.
XX 22-AUG-2000; 2000US-0226868.
XX 22-AUG-2000; 2000US-0227182.
XX 23-AUG-2000; 2000US-0227009.
XX 30-AUG-2000; 2000US-0228924.
XX 01-SEP-2000; 2000US-0229287.
XX 01-SEP-2000; 2000US-0229343.
XX 01-SEP-2000; 2000US-0229344.
XX 05-SEP-2000; 2000US-0229345.
XX 05-SEP-2000; 2000US-0229509.
XX 06-SEP-2000; 2000US-0229513.
XX 06-SEP-2000; 2000US-0230437.
XX 06-SEP-2000; 2000US-0230438.
XX 08-SEP-2000; 2000US-0231242.
XX 08-SEP-2000; 2000US-0231243.
XX 08-SEP-2000; 2000US-0231244.
XX 08-SEP-2000; 2000US-0231413.
XX 08-SEP-2000; 2000US-0231414.
XX 08-SEP-2000; 2000US-0232080.
```

PR	08-SEP-2000;	2000US-0232081;
PR	12-SEP-2000;	2000US-0231968;
PR	14-SEP-2000;	2000US-0232397;
PR	14-SEP-2000;	2000US-0232398;
PR	14-SEP-2000;	2000US-0232399;
PR	14-SEP-2000;	2000US-0232400;
PR	14-SEP-2000;	2000US-0232401;
PR	14-SEP-2000;	2000US-0233063;
PR	14-SEP-2000;	2000US-0233064;
PR	14-SEP-2000;	2000US-0233065;
PR	21-SEP-2000;	2000US-0234223;
PR	21-SEP-2000;	2000US-0234274;
PR	25-SEP-2000;	2000US-0234597;
PR	25-SEP-2000;	2000US-0234598;
PR	26-SEP-2000;	2000US-0234584;
PR	27-SEP-2000;	2000US-0235834;
PR	27-SEP-2000;	2000US-0235835;
PR	29-SEP-2000;	2000US-0236327;
PR	29-SEP-2000;	2000US-0236367;
PR	29-SEP-2000;	2000US-0236368;
PR	29-SEP-2000;	2000US-0236369;
PR	29-SEP-2000;	2000US-0236370;
PR	02-OCT-2000;	2000US-0236802;
PR	02-OCT-2000;	2000US-0237037;
PR	02-OCT-2000;	2000US-0237038;
PR	02-OCT-2000;	2000US-0237039;
PR	02-OCT-2000;	2000US-0241121;
PR	20-OCT-2000;	2000US-0241785;
PR	20-OCT-2000;	2000US-0241786;
PR	20-OCT-2000;	2000US-0241787;
PR	20-OCT-2000;	2000US-0241808;
PR	20-OCT-2000;	2000US-0241809;
PR	20-OCT-2000;	2000US-0241826;
PR	01-NOV-2000;	2000US-0244617;
PR	08-NOV-2000;	2000US-0246474;
PR	08-NOV-2000;	2000US-0246475;
PR	08-NOV-2000;	2000US-0246476;
PR	08-NOV-2000;	2000US-0246477;
PR	08-NOV-2000;	2000US-0246478;
PR	08-NOV-2000;	2000US-0246523;
PR	08-NOV-2000;	2000US-0246524;
PR	08-NOV-2000;	2000US-0246525;
PR	08-NOV-2000;	2000US-0245526;
PR	08-NOV-2000;	2000US-0245527;
PR	08-NOV-2000;	2000US-0245528;
PR	08-NOV-2000;	2000US-0245532;
PR	08-NOV-2000;	2000US-0245609;
PR	08-NOV-2000;	2000US-0246610;
PR	08-NOV-2000;	2000US-0246611;
PR	08-NOV-2000;	2000US-0246613;
PR	17-NOV-2000;	2000US-0249207;
PR	17-NOV-2000;	2000US-0249208;
PR	17-NOV-2000;	2000US-0249209;
PR	17-NOV-2000;	2000US-0249210;
PR	17-NOV-2000;	2000US-0249211;
PR	17-NOV-2000;	2000US-0249212;
PR	17-NOV-2000;	2000US-0249213;
PR	17-NOV-2000;	2000US-0249214;
PR	17-NOV-2000;	2000US-0249245;
PR	17-NOV-2000;	2000US-0249246;
PR	17-NOV-2000;	2000US-0249247;
PR	17-NOV-2000;	2000US-0249248;
PR	17-NOV-2000;	2000US-0249249;
PR	17-NOV-2000;	2000US-0249250;
PR	17-NOV-2000;	2000US-0249251;
PR	17-NOV-2000;	2000US-0249252;
PR	17-NOV-2000;	2000US-0249253;
PR	17-NOV-2000;	2000US-0249257;
PR	17-NOV-2000;	2000US-0249258;
PR	17-NOV-2000;	2000US-0249259;
PR	17-NOV-2000;	2000US-0249260;
PR	17-NOV-2000;	2000US-0249261;
PR	17-NOV-2000;	2000US-0249262;
PR	17-NOV-2000;	2000US-0249263;
PR	17-NOV-2000;	2000US-0249264;
PR	17-NOV-2000;	2000US-0249265;
PR	17-NOV-2000;	2000US-0249266;
PR	17-NOV-2000;	2000US-0249267;
PR	17-NOV-2000;	2000US-0249268;
PR	17-NOV-2000;	2000US-0249269;
PR	17-NOV-2000;	2000US-0249270;
PR	17-NOV-2000;	2000US-0249271;
PR	17-NOV-2000;	2000US-0249272;
PR	17-NOV-2000;	2000US-0249273;
PR	17-NOV-2000;	2000US-0249274;
PR	17-NOV-2000;	2000US-0249275;
PR	17-NOV-2000;	2000US-0249276;
PR	17-NOV-2000;	2000US-0249277;
PR	17-NOV-2000;	2000US-0249278;
PR	17-NOV-2000;	2000US-0249279;
PR	17-NOV-2000;	2000US-0249280;
PR	17-NOV-2000;	2000US-0249281;
PR	17-NOV-2000;	2000US-0249282;
PR	17-NOV-2000;	2000US-0249283;
PR	17-NOV-2000;	2000US-0249284;
PR	17-NOV-2000;	2000US-0249285;

```

PR 01-DEC-2000; 2000US-0250160.
PR 01-DEC-2000; 2000US-0250391.
PR 05-DEC-2000; 2000US-0251030.
PR 05-DEC-2000; 2000US-0251030.
PR 05-DEC-2000; 2000US-0251988.
PR 05-DEC-2000; 2000US-0256719.
PR 06-DEC-2000; 2000US-0251479.
PR 08-DEC-2000; 2000US-0251856.
PR 08-DEC-2000; 2000US-0251868.
PR 08-DEC-2000; 2000US-0251869.
PR 08-DEC-2000; 2000US-0251989.
PR 08-DEC-2000; 2000US-0251990.
PR 11-DEC-2000; 2000US-0254097.
PR 05-JAN-2001; 2001US-0259678.
XX
XX (HUMA-) HUMAN GENOME SCI INC.
XX
XX Rosen CA, Barash SC, Ruben SM;
XX WPI; 2001-488781/53.
XX
XX New isolated nucleic acids and polypeptides, useful for diagnosing,
XX treating and/or preventing human diseases and disorders -
XX
XX Disclosure; SEQ ID NO 351; 664pp + Sequence Listing; English.
XX
XX The invention relates to human polynucleotides (AAI63803-AAI64012) and
XX the encoded proteins (AAM434497-AAM43660) useful for preventing, treating
XX or ameliorating medical conditions e.g. by protein or gene therapy. The
XX genes were isolated from a range of human tissues disclosed in the
XX specification. The nucleic acids, proteins, antibodies and (ant)agonists
XX are useful in the diagnosis, treatment and prevention of: (a) cancer,
XX e.g. breast and ovarian cancer and other cancers of the adrenal gland,
XX bone, bone marrow, breast, gastrointestinal tract, liver, lung, or
XX urogenital; (b) immune disorders e.g. Addison's disease, allergies,
XX autoimmune haemolytic anaemia, autoimmune thyroiditis, diabetes mellitus,
XX Crohn's disease, multiple sclerosis, rheumatoid arthritis and ulcerative
XX colitis; (c) cardiovascular disorders such as myocardial ischaemia;
XX (d) wound healing; (e) neurological diseases e.g. cerebral anoxia and
XX epilepsy; and (f) infectious diseases such as viral, bacterial, fungal
XX and parasitic infections.
XX
XX Note: The sequence data for this patent did not form part of the
XX printed specification, but was obtained in electronic form directly
XX from WIPO at ftp.wipo.int/pub/published_pct_sequences.
XX
XX Sequence 3372 BP; 663 A; 961 C; 1024 G; 724 T; 0 other;
XX

```

Query Match	64.3%	Score 23.8;	DB 22;	Length 3372;
Best Local Similarity	92.6%	Pred. No. 0.86;		
Matches 25;	Conservative	0;	Mismatches 2;	Indels 0;
				Gaps 0;

Qy 11 ggactcagaatctccccagacgccgag 37
 ||||| || ||||| ||||| |||||
 Db 27 ggactcggattctccccagacgccgag 53

Search completed: December 6, 2001, 10:01:23
Job time: 4267 sec

THIS PAGE BLANK (USPTO)

Result No.	Query			DB	ID	Description
	Score	Match	Length			
1	25.4	68.6	6553	1	US-08-522-942-1	Sequence 1, Appli
2	19.2	51.9	1419	1	US-08-480-525-1	Sequence 1, Appli
3	19.2	51.9	1419	5	PCT-US94-06422-1	Sequence 1, Appli
4	19	51.4	1510	5	PCT-US92-07103-1	Sequence 1, Appli
C 5	19	51.4	17138	4	US-09-813-819-3	Sequence 3, Appli
C 6	18.8	50.8	270	4	US-08-793-660B-10	Sequence 10, Appli
C 7	18.8	50.8	2000	3	US-09-039-555B-19	Sequence 19, Appli
8	18.6	50.3	852	2	US-09-078-459-3	Sequence 3, Appli
9	18.6	50.3	3262	2	US-08-678-039A-41	Sequence 41, Appli
10	18.4	49.7	421	4	US-09-102-204-3	Sequence 3, Appli
11	18.4	49.7	463	4	US-09-104-308-3	Sequence 3, Appli
12	18.4	49.7	463	4	US-09-321-981-3	Sequence 3, Appli
13	18.4	49.7	497	3	US-09-248-528-4	Sequence 4, Appli
14	18.4	49.7	497	4	US-09-549-108-4	Sequence 4, Appli
15	18.4	49.7	497	4	US-09-549-111-4	Sequence 4, Appli
16	18.4	49.7	497	4	US-09-549-106-4	Sequence 4, Appli
17	18.4	49.7	497	4	US-09-550-394-4	Sequence 4, Appli
18	18.4	49.7	500	3	US-09-248-528-1	Sequence 1, Appli
19	18.4	49.7	500	4	US-09-549-108-1	Sequence 1, Appli
20	18.4	49.7	500	4	US-09-549-111-1	Sequence 1, Appli
21	18.4	49.7	500	4	US-09-549-106-1	Sequence 1, Appli
22	18.4	49.7	500	4	US-09-550-394-1	Sequence 1, Appli
23	18.4	49.7	759	3	US-08-995-960-14	Sequence 14, Appli
C 24	18.4	49.7	1177	2	US-08-841-349-11	Sequence 11, Appli
25	18.4	49.7	1464	2	US-08-938-858-1	Sequence 11, Appli
26	18.4	49.7	1506	4	US-09-198-955A-13	Sequence 13, Appli
27	18.4	49.7	1508	4	US-09-198-955A-14	Sequence 14, Appli

RESULT 2
US-08-480-525-1
; Sequence 1, Application US/08480525
; Patent No. 5556754
; GENERAL INFORMATION:
; APPLICANT: SINGER, DINAH, S.; KOHN,
; APPLICANT: LEONARD; MOZES, EDNA; SAJI, MOTOYASU;
; APPLICANT: WEISSMAN, JOCELYN; NAPOLITANO, GIORGIO;
; APPLICANT: LEDLEY, FRED, D
; TITLE OF INVENTION: METHODS OF TREATING
; TITLE OF INVENTION: AUTOIMMUNE DISEASES AND TRANSPLANTATION
; NUMBER OF SEQUENCES: 38
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: MORGAN & FINNEGAN
; STREET: 345 PARK AVENUE
; CITY: NEW YORK
; STATE: NEW YORK
; COUNTRY: USA
; ZIP: 10154
; COMPUTER READABLE FORM:
; MEDIUM TYPE: FLOPPY DISK
; COMPUTER: IBM PC COMPATIBLE
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WORDPERFECT 5.1
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/480,525
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/073,830
; FILING DATE: 07-JUN-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: CAROL M. GRUPPI
; REGISTRATION NUMBER: P-37,341
; REFERENCE/DOCKET NUMBER: 2026-4066
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212) 758-4800
; TELEFAX: (212) 751-6849
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1419
; TYPE: NUCLEIC ACID
; STRANDEDNESS: DOUBLE
; TOPOLOGY: UNKNOWN
; PCT-US94-06422-1

Query Match 51.9%; Score 19.2; DB 1; Length 1419;
Best Local Similarity 87.5%; Pred. No. 23;
Matches 21; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 14 ctcagaatctccccagcgcag 37
||||| ||||| ||||| |||||
Db 1088 CTCAGCTCTCCCCAGACTCCGAG 1111

RESULT 3
PCT-US94-06422-1
; Sequence 1, Application PC/TUS9406422
; GENERAL INFORMATION:
; APPLICANT: METHODS OF TREATING
; TITLE OF INVENTION: AUTOIMMUNE DISEASES AND TRANSPLANTATION
; NUMBER OF SEQUENCES: 38
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: MORGAN & FINNEGAN
; STREET: 345 PARK AVENUE
; CITY: NEW YORK
; STATE: NEW YORK

COUNTRY: USA
ZIP: 10154
COMPUTER READABLE FORM:
MEDIUM TYPE: FLOPPY DISK
COMPUTER: IBM PC COMPATIBLE
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: WORDPERFECT 5.1
CURRENT APPLICATION DATA:
APPLICATION NUMBER: PCT/US94/06422
FILING DATE: JUNE 7, 1994
CLASSIFICATION:
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US/08/073,830
FILING DATE: 07-JUN-1993
CLASSIFICATION:
ATTORNEY/AGENT INFORMATION:
NAME: CAROL M. GRUPPI
REGISTRATION NUMBER: 37,341
REFERENCE/DOCKET NUMBER: 2026-4066PCT
TELECOMMUNICATION INFORMATION:
TELEPHONE: (212) 758-4800
TELEFAX: (212) 751-6849
INFORMATION FOR SEQ ID NO: 1:
SEQUENCE CHARACTERISTICS:
LENGTH: 1419
TYPE: NUCLEIC ACID
STRANDEDNESS: DOUBLE
TOPOLOGY: UNKNOWN
PCT-US94-06422-1

Query Match 51.9%; Score 19.2; DB 5; Length 1419;
Best Local Similarity 87.5%; Pred. No. 23;
Matches 21; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 14 ctcagaatctccccagcgcag 37
||||| ||||| ||||| |||||
Db 1088 CTCAGCTCTCCCCAGACTCCGAG 1111

RESULT 4
PCT-US92-07103-1
; Sequence 1, Application PC/TUS9207103
; GENERAL INFORMATION:
; APPLICANT: Massachusetts Institute of Technology; Forsyth Dental
; APPLICANT: Center and Ohio State University
; TITLE OF INVENTION: NOVEL STRAIN OF CHLAMYDIA
; NUMBER OF SEQUENCES: 1
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: HAMILTON, BROOK, SMITH & REYNOLDS, P.C.
; STREET: TWO MILITIA DRIVE
; CITY: LEXINGTON
; STATE: MA
; COUNTRY: USA
; ZIP: 02173
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: PCT/US92/07103
; FILING DATE: 19920824
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/748,998
; FILING DATE: 23-AUG-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Brook, David E.
; REGISTRATION NUMBER: 22,592
; REFERENCE/DOCKET NUMBER: MIT-5643A PCT
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (617) 861-6240


```
; TELEFAX: (617) 861-9540
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1510 base pairs
; TYPE: NUCLEIC ACID
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: rRNA
; HYPOTHETICAL: NO
; ANTI-SENSE: NO
; ORIGINAL SOURCE:
; ORGANISM: Chlamydia sp.
; STRAIN: novel
; POSITION IN GENOME:
; CHROMOSOME/SEGMENT: 165
; PUBLICATION INFORMATION:
; AUTHORS: Stills Jr., Harold F.
; TITLE: Isolation of an Intracellular Bacterium
; JOURNAL: Infect. Immun.
; VOLUME: 59
; ISSUE: 9
; DATE: August 24-1991
; PCT-US92-07103-1

Query Match          51.4%; Score 19; DB 5; Length 1510;
Best Local Similarity 62.9%; Pred. No. 28;
Matches 22; Conservative 3; Mismatches 10; Indels 0; Gaps 0;

QY 2 ggcagcttgactcagaatctcccagacgcga 36
   ||| | : |||| | | | : ||||| || |
Db 316 GCCACACUGGACUGACACACUGCCCGACUCCUA 350

RESULT 5
US-09-813-819-3/c
; Sequence 3, Application US/09813819
; Patent No. 6294368
; GENERAL INFORMATION:
; APPLICANT: MERKULOV, Gennady et al
; TITLE OF INVENTION: ISOLATED HUMAN PROTEASE PROTEINS,
; TITLE OF INVENTION: NUCLEIC ACID MOLECULES ENCODING HUMAN PROTEASE PROTEINS, AND
; FILE REFERENCE: CL001177
; CURRENT APPLICATION NUMBER: US/09/813,819
; NUMBER OF SEQ ID NOS: 4
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 3
; LENGTH: 17138
; TYPE: DNA
; ORGANISM: Human
; FEATURE:
; NAME/KEY: misc.feature
; LOCATION: (1)..(17138)
; OTHER INFORMATION: n - A,T,C or G
US-09-813-819-3

Query Match          51.4%; Score 19; DB 4; Length 17138;
Best Local Similarity 81.5%; Pred. No. 40;
Matches 22; Conservative 0; Mismatches 5; Indels 0; Gaps 0;

QY 3 gcaagcttgactcagaatctcccag 29
   |||| |||| ||| ||| ||| |||||
Db 3730 GCAAGTTGGCTTCAACAATTTCCTCCAG 3704

RESULT 6
US-08-793-660B-10/c
; Sequence 10, Application US/08793660B
; Patent No. 6214614
; GENERAL INFORMATION:
; APPLICANT: MULLER, Rolf
; TITLE OF INVENTION: CELL CYCLE REGULATED REPRESSOR
; NUMBER OF SEQUENCES: 25
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: DIKE, BRONSTEIN, ROBERTS & CUSHMAN, LLP
; STREET: 130 Water Street
; CITY: Boston
; STATE: MA
; COUNTRY: USA
; ZIP: 02109
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/793,660B
; FILING DATE: 09-SEP-1997
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 96/06943
; FILING DATE: 07-MAR-1996
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 95/06466
; FILING DATE: 29-MAR-1995
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 94/17366
; FILING DATE: 26-AUG-1994
; ATTORNEY/AGENT INFORMATION:
; NAME: Lowen, Cara Z.
; REGISTRATION NUMBER: 38,227
; REFERENCE/DOCKET NUMBER: 47211
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 617-523-3400
; TELEFAX: 617-523-6440
; INFORMATION FOR SEQ ID NO: 10:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 270 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: DNA
US-08-793-660B-10

Query Match          50.8%; Score 18.8; DB 4; Length 270;
Best Local Similarity 76.7%; Pred. No. 27;
Matches 23; Conservative 0; Mismatches 7; Indels 0; Gaps 0;

QY 1 ggcgaagcttgactcagaatctcccaga 30
   || ||| | ||||| ||| ||| ||
Db 170 GGCCACGTCGGACTCAGAGTCTTCCCTGA 141

RESULT 7
US-09-039-555B-19/c
; Sequence 19, Application US/09039555B
; Patent No. 6033856
; GENERAL INFORMATION:
; APPLICANT: Koerner, Kathrin
; APPLICANT: Mueller, Rolf
; APPLICANT: Sadacek, Hans-Harald
; TITLE OF INVENTION: PROMOTER OF THE CDC25B GENE, ITS
; TITLE OF INVENTION: PREPARATION AND USE
; NUMBER OF SEQUENCES: 19
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Foley & Lardner
; STREET: 3000 K Street, N.W., Suite 500
; CITY: Washington
; STATE: D.C.
; COUNTRY: USA
; ZIP: 20007-5109
; COMPUTER READABLE FORM:
```

;; MEDIUM TYPE: Floppy disk
;; COMPUTER: IBM PC compatible
;; OPERATING SYSTEM: PC-DOS/MS-DOS
;; SOFTWARE: PatentIn Release #1.0, Version #1.30
;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/09/039,555B
;; FILING DATE: 16-MAR-1998
;; CLASSIFICATION: 514
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER: DE 19710643.9
;; FILING DATE: 14-MAR-1997
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Bent, Stephen A.
;; REGISTRATION NUMBER: 29,768
;; REFERENCE/DOCKET NUMBER: 016779/0131
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: (202)672-5300
;; TELEFAX: (202)672-5399
;; TELEX: 9041136
;; INFORMATION FOR SEQ ID NO: 19:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 2000 base pairs
;; TYPE: nucleic acid
;; STRANDEDNESS: single
;; TOPOLOGY: linear
;; MOLECULE TYPE: DNA (genomic)
;; US-09-039-555B-19

Query Match 50.8%; Score 18.8; DB 3; Length 2000;
Best Local Similarity 76.7%; Pred. No. 36;
Matches 23; Conservative 0; Mismatches 7; Indels 0; Gaps 0;
QY 1 gggcaagcttgactcagaatctcccccaga 30
Db 1900 GGCACAGCTCGACTCAGACTCTCCCTGA 1871

RESULT 8
US-09-078-459-3
;; Sequence 3, Application US/09078459
;; Patent No. 5885818
;; GENERAL INFORMATION:
;; APPLICANT: XU, SHUANG-YONG
;; APPLICANT: MAUNUS, ROBERT E.
;; APPLICANT: LUNNEN, KEITH D.
;; APPLICANT: ALLEN, RACHEL
;; TITLE OF INVENTION: METHOD FOR CLONING
;; TITLE OF INVENTION: AND PRODUCING THE AgeI RESTRICTION
;; NUMBER OF SEQUENCES: 23
;; CORRESPONDENCE ADDRESS:
;; ADDRESSEE: New England Biolabs, Inc.
;; STREET: 32 Tozer Road
;; CITY: Beverly
;; STATE: MA
;; COUNTRY: US
;; ZIP: 01915
;; COMPUTER READABLE FORM:
;; MEDIUM TYPE: Diskette
;; COMPUTER: IBM Compatible
;; OPERATING SYSTEM: DOS
;; SOFTWARE: FastSeq Version 2.0
;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/09/078,459
;; FILING DATE:
;; CLASSIFICATION:
;; PRIOR APPLICATION DATA:
;; APPLICATION NUMBER:
;; FILING DATE:
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Williams, Gregory D
;; REGISTRATION NUMBER: 30901

;; REFERENCE/DOCKET NUMBER: NEB-136
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: 978-927-5054
;; TELEFAX: 978-927-1705
;; TELEX:
;; INFORMATION FOR SEQ ID NO: 3:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 852 base pairs
;; TYPE: nucleic acid
;; STRANDEDNESS: single
;; TOPOLOGY: linear
;; MOLECULE TYPE: cDNA
;; FEATURE:
;; NAME/KEY: Coding Sequence
;; LOCATION: 1...849
;; OTHER INFORMATION:
;; US-09-078-459-3

Query Match 50.3%; Score 18.6; DB 2; Length 852;
Best Local Similarity 72.7%; Pred. No. 38;
Matches 24; Conservative 0; Mismatches 9; Indels 0; Gaps 0;
QY 5 aagcttgactcagaatctcccccagagccag 37
Db 472 AAGCAGGAGGCGGACGCTCTCCGCGCGAG 504

RESULT 9
US-08-678-039A-41
;; Sequence 41, Application US/08678039A
;; Patent No. 5858662
;; GENERAL INFORMATION:
;; APPLICANT: Keating, Mark T.
;; APPLICANT: Morris, Colleen A.
;; TITLE OF INVENTION: Diagnosis of Williams Syndrome and
;; TITLE OF INVENTION: Williams Syndrome Cognitive Profile by Analysis of the
;; NUMBER OF SEQUENCES: 42
;; CORRESPONDENCE ADDRESS:
;; ADDRESSEE: Rothwell, Figg, Ernst & Kurz, P.C.
;; STREET: 555 Thirteenth Street, N.W., Suite 701 East
;; CITY: Washington
;; STATE: DC
;; COUNTRY: U.S.A.
;; ZIP: 20004
;; COMPUTER READABLE FORM:
;; MEDIUM TYPE: Floppy disk
;; COMPUTER: IBM PC compatible
;; OPERATING SYSTEM: PC-DOS/MS-DOS
;; SOFTWARE: PatentIn Release #1.0, Version #1.30
;; CURRENT APPLICATION DATA:
;; APPLICATION NUMBER: US/08/678,039A
;; FILING DATE: 10-JUL-1996
;; CLASSIFICATION: 435
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Saxe, Stephen A.
;; REGISTRATION NUMBER: 38,609
;; REFERENCE/DOCKET NUMBER: 2323-120A
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: 202-624-1589
;; TELEFAX: 202-783-6031
;; INFORMATION FOR SEQ ID NO: 41:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 3262 base pairs
;; TYPE: nucleic acid
;; STRANDEDNESS: double
;; TOPOLOGY: linear
;; MOLECULE TYPE: cDNA
;; HYPOTHETICAL: NO
;; ANTI-SENSE: NO
;; ORIGINAL SOURCE:

```
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: CDS
; LOCATION: 96..2036
US-08-678-039A-41

Query Match          50.3%; Score 18.6; DB 2; Length 3262;
Best Local Similarity 72.7%; Pred. No. 46;
Matches 24; Conservative 0; Mismatches 9; Indels 0; Gaps 0;

QY 2 ggcaagcttgagctcagaatctccccagccg 34
||||| ||||| | ||||| |||||
Db 615 GGCAAGCGTGGACTTTCAGTCTCCATGACCC 647

RESULT 10
US-09-102-204-3
; Sequence 3, Application US/09102204
; Patent No. 6190899
; GENERAL INFORMATION:
; APPLICANT: Jones, Brian E.
; APPLICANT: Van Der Kleij, Wilhelmus A.H.
; APPLICANT: Van Solingen, Piet
; APPLICANT: Weyler, Walter
; TITLE OF INVENTION: No. 6190899el Cellulase Producing
; TITLE OF INVENTION: Actinomycetes, Cellulase Produced Therefrom
; NUMBER OF SEQUENCES: 3
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Genencor International, Inc.
; STREET: 925 Page Mill Road
; CITY: Palo Alto
; STATE: California
; COUNTRY: USA
; ZIP: 94304-1013
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSeq for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09102,204
; FILING DATE: 22-JUN-1998
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/974,041
; FILING DATE: 19-NOV-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Stone, Christopher L.
; REGISTRATION NUMBER: 35,696
; REFERENCE/DOCKET NUMBER: GC539
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 650-845-6504
; TELEFAX: 650-845-6504
; INFORMATION FOR SEQ ID NO: 3:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 421 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
US-09-102-204-3

Query Match          49.7%; Score 18.4; DB 4; Length 421;
Best Local Similarity 69.4%; Pred. No. 42;
Matches 25; Conservative 0; Mismatches 11; Indels 0; Gaps 0;

QY 1 ggcaagcttgagctcagaatctccccagccg 36
||||| ||||| ||| | ||||| |||
Db 289 GGCCACTGGGACTGAGACAGCGGCCAGACTCCTA 324

RESULT 11
US-09-104-308-3
; Sequence 3, Application US/09321981
; Patent No. 6287839
; GENERAL INFORMATION:
; APPLICANT: Genencor International, Inc.
; TITLE OF INVENTION: No. 6287839el Cellulase Producing Actinomycetes,
; TITLE OF INVENTION: Cellulase Produced Therefrom and Method of Producing Same
; FILE REFERENCE: GC540-2
; CURRENT APPLICATION NUMBER: US/09/321,981
; CURRENT FILING DATE: 1999-05-28
; PRIOR APPLICATION NUMBER: PCT/US99/11971
; PRIOR FILING DATE: 1999-05-28
; PRIOR APPLICATION NUMBER: 09/104,308
; PRIOR FILING DATE: 1998-06-24
; PRIOR APPLICATION NUMBER: 08/974,042
; PRIOR FILING DATE: 1997-11-19
; NUMBER OF SEQ ID NOS: 5
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 3
```

QY 1 ggccaagcttgactcagaatctcccagacgcga 36
||| ||| ||| ||| ||| ||| ||| |||
Db 291 ggccaaactggactgagacaggccccagactcta 326

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM nucleic - nucleic search, using sw model

Run on: December 6, 2001, 08:50:16 : Search time 2220.1 seconds
(without alignments)
179.088 Million cell updates/sec

Title: US-09-673-795-3

Perfect score: 37

Sequence: 1 gggcaagcttgactcagaatctccccagacgcgag 37

Scoring table: IDENTITY_NUC
Gapop 10.0 , Gapext 1.0

Searched: 11351937 seqs, 5372889281 residues

Total number of hits satisfying chosen parameters: 22703874

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Listing first 45 summaries

Database :

```
EST:*
1: em_estfun:*
2: em_esthum:*
3: em_estin:*
4: em_estom:*
5: em_estpl:*
6: em_estba:*
7: em_estro:*
8: em_estov:*
9: em_htc:*
10: gb_estl:*
11: gb_est2:*
12: gb_hic:*
13: gb_gss:*
14: em_gss_fun:*
15: em_gss_hum:*
16: em_gss_inv:*
17: em_gss_pin:*
18: em_gss_pro:*
19: em_gss_rod:*
20: em_gss_vrt:*
21: em_gss_other:*
```

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	25.8	69.7	719	11	BG721571
2	25.4	68.6	50	10	AU106142
3	25.4	68.6	50	10	AU106167
4	25.4	68.6	185	11	BF170215
5	25.4	68.6	315	11	BF806991
6	25.4	68.6	490	11	BG537751
7	25.4	68.6	550	11	BF724208
8	25.4	68.6	652	11	BG108345
9	25.4	68.6	721	11	BG325639
10	25.4	68.6	763	11	BF969741
11	25.4	68.6	802	10	AL549560
12	25.4	68.6	891	10	AL537221

13	25.4	68.6	962	11	BG775632
14	25.4	68.6	1139	11	BE894912
c 15	24.8	67.0	486	10	AU088719
c 16	24.8	67.0	741	11	BG476157
17	24.6	66.5	257	10	BE476868
18	24.4	65.9	722	11	BG536621
19	23.8	64.3	419	10	AA102697
20	23.8	64.3	519	11	BG340457
21	23.8	64.3	575	11	BG546413
22	23.8	64.3	698	11	BG751030
23	23.8	64.3	718	11	BG755440
24	23.8	64.3	733	11	BF568512
c 25	23.8	64.3	768	11	BG476149
26	23.8	64.3	786	11	BG830531
27	23.8	64.3	795	11	BG884727
28	23.4	63.2	965	10	AL533479
29	23	62.2	415	11	BG693832
30	23	62.2	636	11	BG691647
31	22.8	61.6	50	10	AU106135
32	22.4	60.5	752	11	BF579406
33	22.2	60.0	50	10	AU106243
34	22.2	60.0	50	10	AU106245
35	22.2	60.0	400	11	BG818707
36	22.2	60.0	812	11	BG718363
37	22	59.5	244	10	BE486369
38	21.6	58.4	593	13	CNS01PXO
39	21.4	57.8	50	10	AU106172
40	21.4	57.8	50	10	AU106177
41	21.4	57.8	50	10	AU106184
42	21.4	57.8	50	10	AU106191
43	21.4	57.8	50	10	AU106195
44	21.4	57.8	50	10	AU106208
45	21.4	57.8	50	10	AU106215

ALIGNMENTS

```
RESULT 1
BG721571
LOCUS 602695180F1 NIH_MGC_97 Homo sapiens cDNA clone IMAGE:4827499 5',
DEFINITION mRNA sequence.
ACCESSION BG721571.1 GI:14000758
VERSION BG721571
KEYWORDS EST.
SOURCE human.
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE 1 (bases 1 to 719)
AUTHORS NIH-MGC http://mgc.nci.nih.gov/.
TITLE National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL Unpublished (1999)
COMMENT Contact: Robert Strausberg, Ph.D.
Email: cgabps@email.nih.gov
Tissue procurement: Miklos Palkovits, M.D., Ph.D.
cDNA Library Preparation: Michael J. Brownstein (NHGRI), Shiraki
Toshiyuki and Piero Carninci (RIKEN)
cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
DNA Sequencing by: Incyte Genomics, Inc.
Clone distribution: MGC clone distribution information can be
found through the I.M.A.G.E. Consortium/LLNL at:
http://image.llnl.gov
Plate: LLAM10743 row: 0 column: 20
High quality sequence stop: 719.
FEATURES
Location/Qualifiers
1..719
/organism="Homo sapiens"
/db_xref="taxon:9606"
/clone="IMAGE:4827499"
/clone_lib="NIH_MGC_97"
/lab_host="DH10B"
```

RESULT	3
U106167	
LOCUS	AU106167 50 bp mRNA EST
DEFINITION	AU106167 Sugano Homo sapiens cdna library Homo sapiens CDNA clone HRC09410, mRNA sequence.
	05-APR-2001

SIGNATURES

10 University Ave., 5-126, Toronto, Ontario, M5G 2M9, Canada
tel: (416) 946-4639
fax: (416) 946-6546
email: k.stewart@utoronto.ca

CCR Primers
FORWARD: 5'-GCCAGGTCGAAATTAAACCCCTCACTAAAGGG-3'
REVERSE: 5'-CCAGTAATGTATACGACTCAGTATAGGCG-3'
seq primer: 5'-GAAATTAACCCCTCACTAAAGG-3'

```

1. .103
/organism="Homo sapiens"
/db_xref="taxon:9606"

```

```

Location/Qualifiers
1..315
/organism="Homo sapiens"
/db_xref="taxon:9606"
/clone_lib="CI0151"
/dev_stage="Adult"
/note="Organ: colon_ins; Vector: puc18; Site_1: SmaI;
Site_2: SmaI; A mini-library was made by cloning products
derived from ORESTES PCR (U.S. Letters Patent application
No. 196,716 - Ludwig Institute for Cancer Research)
profiles into the pUC 18 vector. Reverse transcription of
tissue mRNA and cDNA amplification were performed under
low stringency conditions."
BASE COUNT      52 a   102 c   110 g   51 t
ORIGIN

Query Match      68.6%; Score 25.4; DB 11; Length 315;
Best Local Similarity 96.3%; Pred. No. 5.9;
Matches 26; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 11 ggactcagaatctccccagacgcgag 37
      ||||||| ||||||| |||||||
Db 122 GGACTCAGATTCTCCCGACGCGCGAG 148

```

BG537751	490 bp	EST	03-APR-2001
LOCUS	602366102F1	NT_H_MGC_77	Homo sapiens cDNA clone IMAGE:4690512
DEFINITION	mRNA sequence.		
ACCESSION	BG537751		
VERSION	BG537751.1		
KEYWORDS	GI:13529983		
SOURCE	EST.		
	human.		

REFERENCE	AUTHORS	TITLE	JOURNAL	COMMENT
1	(bases 1 to 490)	NIH-MGC http://mgc.nci.nih.gov/ . National Institutes of Health, Mammalian Gene Collection (MGC) Unpublished (1999)	Contact: Robert Strausberg, Ph.D. Email: cgabbs-r@mail.nih.gov	Tissue procurement: CLONTECH Laboratories, Inc.

DNA sequencing by: Incyte Genomics, Inc.
 Clone distribution: MGC clone distribution information can be
 found through the I.M.A.G.E. Consortium/LLNL at:
<http://image.llnl.gov>
 Plate: LLCM1508 row: d column: 01
 High quality sequence stop: 462.
 Location/Qualifiers
 1 490
FEATURES
 source

/organism="Homo sapiens"
 /db_xref="taxon:9606"
 /clone="IMAGE:4690512"
 /clone_lib="NIH_MGC_77"
 /lab_host="DH10B (T1 phage-resistant)"
 /note="Organ: lung; Vector: pDNR-LIB (Clontech); Site_1:
 SfiI (ggcgctcgcc); Site_2: SfiI (ggcattatggc); 5' and
 3' adaptors were used in cloning as follows: 5' adaptor
 sequence: 5'-CACGCCATATTGCCC-3' and 3' adaptor sequence:
 5'-ATTCTAGAGCGAGCGCGCCGACATG-TT(30)BN-3' (where B = A,
 C, G and N = A, C, G, or T). Average insert size 1.9
 kb (range 0.5-4.0 kb). 12/15 colonies contained inserts
 by PCR. This library was enriched for full-length clones
 and was constructed by Clontech Laboratories (Palo Alto,
 CA). Note: this is a NIH_MGC Library."
 94 a 158 c 159 g 79 t

BASE COUNT
 ORIGIN

```

Query Match      68.6%; Score 25.4; DB 11; Length 490;
Best Local Similarity 96.3%; Pred. No. 6.3;
Matches 26; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 11 ggactcagaatctcccgagccgcgag 37
||||| ||||| ||||| ||||| |||||
Db 1  GGACTCAGATCTCTCCGAGCCGCGAG 27

RESULT 7
BF724208
LOCUS
DEFINITION      bx02b09.y1 Human Iris cDNA (Un-normalized, unamplified): Bx Homo
sapiens cDNA clone bx02b09 5', mRNA sequence.
ACCESSION      BF724208
VERSION        BF724208.1 GI:12040117
KEYWORDS       EST.
SOURCE         human.
ORGANISM       Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
1 (bases 1 to 550)
AUTHORS        Wistow,G.J., Bernstein,S., Behal,A. and Smith,D.
TITLE          NEIBANK: EST analysis and bioinformatics for ocular genomics
JOURNAL        Invest. Ophthalmol. Vis. Sci. 41 (2000) In press
COMMENT        Contact: Wistow G
Section on Molecular Structure and Function
National Eye Institute
6/331, NIH, Bethesda, MD 20892-2740, USA
Tel: 301 402 3452
Fax: 301 496 0078
Email: graeme@helix.nih.gov
Plate: 02 row: b column: 09
Seq primer: M13RP1 reverse primer (ABI).
FEATURES
    source
        1..550
            /organism="Homo sapiens"
            /db_xref="taxon:9606"
            /clone="bx02b09"
            /tissue_type="Human Iris cDNA (Un-normalized, unamplified):
            Bx"
            /dev_stage="Adult"
            /lab_host="EMDH10B"
            /note="Organ: Eye; Vector: pCMVSPORT6; Post-mortem iris
            tissue was pooled from 10 individuals ranging in age from
            4-80 years and RNA was extracted. From this pooled sample
            an aliquot of 60ug of total RNA yielded 2.17ug of mRNA. A
            directionally cloned cDNA library in the pCMVSPORT6 vector
            was constructed at Life Technologies, essentially
            following the protocols of the SuperScript Plasmid System
            full details of which are contained in the manufacturer's
            instruction manual (http://www.lifetech.com/). First
            strand synthesis was carried out using a Not I
            primer-adaptor [5'-pGACTAGTCTAGATCGGCGGCCG(T)15-3'
            1. Not I blunt end inserts were cloned into the Not I/ECOR
            V sites in the vector. EST analysis was performed on the
            unamplified library at the NIH Intramural Sequencing
            Center (NISC).
    111 a 190 c 172 g 76 t 1 others

Query Match      68.6%; Score 25.4; DB 11; Length 550;
Best Local Similarity 96.3%; Pred. No. 6.4;
Matches 26; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 11 ggactcagaatctcccgagccgcgag 37
||||| ||||| ||||| ||||| |||||
Db 12 GGACTCAGATCTCTCTCAGACCCGAG 38

```

```

RESULT 8
BG108345
LOCUS
DEFINITION      652 bp mRNA EST 30-JAN-2001
602280354F1 NIH_MGC_86 Homo sapiens cDNA clone IMAGE:4368132 5',
mRNA sequence.
ACCESSION      BG108345
VERSION        BG108345.1 GI:12602191
KEYWORDS       EST.
SOURCE         human.
ORGANISM       Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
1 (bases 1 to 652)
AUTHORS        NIH-MGC http://mgc.nci.nih.gov/.
TITLE          National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL        Unpublished (1999)
COMMENT        Contact: Robert Strausberg, Ph.D.
Email: cgapbs-r@mail.nih.gov
Tissue Procurement: ATCC
cDNA Library Preparation: Life Technologies, Inc.
cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
DNA Sequencing by: Incyte Genomics, Inc.
Clone distribution: MGC clone distribution information can be
found through the I.M.A.G.E. Consortium/LLNL at:
http://image.llnl.gov
Plate: LLAM10021 row: k column: 13
High quality sequence stop: 649.
FEATURES
    Location/Qualifiers
        1..652
            /organism="Homo sapiens"
            /db_xref="taxon:9606"
            /clone="IMAGE:4368132"
            /clone_lib="NIH_MGC_86"
            /tissue_type="osteosarcoma, cell line"
            /lab_host="DH10B (phage-resistant)"
            /note="Organ: bone; Vector: pCMV-SPORT6; Site_1: NotI;
            Site_2: SalI; Cloned unidirectionally; oligo-dT primed.
            Average insert size 1.533 kb. Library enriched for
            full-length clones and constructed by Life Technologies.
            Note: this is a NIH_MGC library."
    133 a 215 c 217 g 87 t

Query Match      68.6%; Score 25.4; DB 11; Length 652;
Best Local Similarity 96.3%; Pred. No. 6.6;
Matches 26; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 11 ggactcagaatctcccgagccgcgag 37
||||| ||||| ||||| ||||| |||||
Db 23 GGACTCAGATCTCTCTCAGACCCGAG 49

RESULT 9
BG325639
LOCUS
DEFINITION      721 bp mRNA EST 27-FEB-2001
602424355F1 NIH_MGC_14 Homo sapiens cDNA clone IMAGE:4562485 5',
mRNA sequence.
ACCESSION      BG325639
VERSION        BG325639.1 GI:13132076
KEYWORDS       EST.
SOURCE         human.
ORGANISM       Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
1 (bases 1 to 721)
AUTHORS        NIH-MGC http://mgc.nci.nih.gov/.
TITLE          National Institutes of Health, Mammalian Gene Collection (MGC)
JOURNAL        Unpublished (1999)
COMMENT        Contact: Robert Strausberg, Ph.D.
Email: cgapbs-r@mail.nih.gov
Tissue Procurement: DCTD/DTP
cDNA Library Preparation: Ling Hong/Rubin Laboratory

```


LOCUS	AL537221	891 bp	mRNA	EST	13-FEB-2001
DEFINITION	AL537221	LT1_FU013_FBRn1	Homo sapiens	cdna clone	CSODF019YC10.5
ACCESSION	AL537221	prime, mRNA sequence.			
VERSION	AL537221.1	GI:12800714			

LOCUS	AL537221	891 bp	mRNA	EST	13-FEB-2001
DEFINITION	AL537221	LT1_FU013_FBRn1	Homo sapiens	cdna clone	CSODF019YC10.5
ACCESSION	AL537221	prime, mRNA sequence.			
VERSION	AL537221.1	GI:12800714			

```

KEYWORDS EST.
SOURCE human.
ORGANISM Homo sapiens
REFERENCE Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
AUTHORS Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
TITLE 1 (bases 1 to 891)
JOURNAL Li.W.B., Gruber.C., Jessee,J. and Polayes.D.
COMMENT Full-length cDNA libraries and normalization
Contact: Genoscope
Genoscope - Centre National de Sequencage
BP 191 91006 EVRY cedex - France
Email: seqref@genoscope.cns.fr, Web : www.genoscope.cns.fr.
FEATURES Location/Qualifiers
Source
1. 891
/organism="Homo sapiens"
/db_xref="taxon:9606"
/clone="CS0DF019YC10"
/clone_lib="LTI_FL013_FBrn1"
/dev_stage="pooled tissue from post conception fetuses (20
week, 24 week and 26 week)"
/lab_host="DH10B"
/notes="Organ: Fetal brain; Vector: pCMVSPORT 6; 1st strand
cDNA was primed with a NotI-oligo(dT) primer. Five prime
end enriched, double-stranded cDNA was digested with Not I
and cloned into the Not I and Eco RV sites of the
pCMVSPORT 6 vector. Library was constructed by Life
Technologies. Contact : Feng Liang Life Technologies, a
division of Invitrogen 9800 Medical Center Drive Rockville
, Maryland 20850, USA Fax : (1) 301 610 8371 Email :
fliang@lifetech.com URL :
http://fulllength.invitrogen.com"
BASE COUNT 182 a 282 c 238 g 129 t
ORIGIN

Query Match 68.6%; Score 25.4; DB 10; Length 891;
Best Local Similarity 96.3%; Pred. No. 6.9;
Matches 26; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 11 ggactcagaatctccacagaccgag 37
||||||| ||||||| ||||||| |||||||
Db 11 GGACTCAGATTCTCCCGAGACGCCGAG 37

RESULT 13
BG775632 962 bp mRNA EST 15-MAY-2001
LOCUS 602650569F1 NIH_MGC_40 Homo sapiens cDNA clone IMAGE:4761328 5',
DEFINITION mRNA sequence.
ACCESSION BG775632
VERSION BG775632.1 GI:14045949
KEYWORDS EST.
SOURCE human.
ORGANISM Homo sapiens
REFERENCE Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
AUTHORS Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
TITLE 1 (bases 1 to 962)
JOURNAL NIH-MGC http://mgc.nci.nih.gov/.
COMMENT National Institutes of Health, Mammalian Gene Collection (MGC)
Contact: Robert Strausberg, Ph.D.
Email: cgapbs-r@mail.nih.gov
Tissue Procurement: DCTD/DTP
cDNA Library Preparation: Ling Hong/Rubin Laboratory
cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
DNA Sequencing by: Incyte Genomics, Inc.
Clone distribution: MGC clone distribution information can be
found through the I.M.A.G.E. Consortium/LLNL at:
http://image.llnl.gov
Plate: LLM9753 row: j column: 17
High quality sequence stop: 837.
Location/Qualifiers

```

```

1. 962
/organism="Homo sapiens"
/db_xref="taxon:9606"
/clone="IMAGE:4761328"
/clone_lib="NIH_MGC_40"
/tissue_type="carcinoma, cell line"
/lab_host="DH10B (phage-resistant)"
/notes="Organ: prostate; Vector: pOTB7; Site_1: XhoI;
Site_2: EcoRI; cDNA made by oligo-dT priming.
Directionally cloned into EcoRI/XhoI sites using the
GGCAGAG(G). Library constructed by
Ling Hong in the laboratory of Gerald M. Rubin (University
of California, Berkeley) using ZAP-cDNA synthesis kit
(Stratagene) and Superscript II RT (Life Technologies).
Note: this is a NIH_MGC Library."
BASE COUNT 188 a 304 c 322 g 148 t
ORIGIN

Query Match 68.6%; Score 25.4; DB 11; Length 962;
Best Local Similarity 96.3%; Pred. No. 7;
Matches 26; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 11 ggactcagaatctccacagaccgag 37
||||||| ||||||| ||||||| |||||||
Db 32 GGACTCAGATTCTCCCGAGACGCCGAG 58

RESULT 14
BE894912 1139 bp mRNA EST 20-OCT-2000
LOCUS 601436104F1 NIH_MGC_72 Homo sapiens cDNA clone IMAGE:3921072 5',
DEFINITION mRNA sequence.
ACCESSION BE894912
VERSION BE894912.1 GI:10357776
KEYWORDS EST.
SOURCE human.
ORGANISM Homo sapiens
REFERENCE Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
AUTHORS Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
TITLE 1 (bases 1 to 1139)
JOURNAL NIH-MGC http://mgc.nci.nih.gov/.
COMMENT National Institutes of Health, Mammalian Gene Collection (MGC)
Contact: Robert Strausberg, Ph.D.
Email: cgapbs-r@mail.nih.gov
Tissue Procurement: ATCC/DCTD/DTP
cDNA Library Preparation: Life Technologies, Inc.
cDNA Library Arrayed by: The I.M.A.G.E. Consortium (LLNL)
DNA Sequencing by: Incyte Genomics, Inc.
Clone distribution: MGC clone distribution information can be
found through the I.M.A.G.E. Consortium/LLNL at:
http://image.llnl.gov
Plate: LLM9753 row: h column: 01
High quality sequence stop: 432.
Location/Qualifiers
Source
1. 1139
/organism="Homo sapiens"
/db_xref="taxon:9606"
/clone="IMAGE:3921072"
/clone_lib="NIH_MGC_72"
/tissue_type="melanotic melanoma"
/lab_host="DH10B (phage-resistant)"
/notes="Organ: skin; Vector: pCMV-SPORT6; Site_1: NotI;
Site_2: SalI; Cloned unidirectionally. Primer: Oligo dT.
Average insert size 2 kb. Library constructed by Life
Technologies."
BASE COUNT 181 a 585 c 268 g 104 t
ORIGIN

Query Match 68.6%; Score 25.4; DB 11; Length 1139;
Best Local Similarity 96.3%; Pred. No. 7.2;

```

Matches 26; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 11 ggactcagaatctcccccagacgag 37
Db 1 GGACTCAGATTCCTCCCGACGCCGAG 27

RESULT 15
AU088719/c
LOCUS AU088719 486 bp mRNA EST 31-MAR-2000
DEFINITION AU088719 Rice shoot Oryza sativa cDNA clone S4716, mRNA sequence.
ACCESSION AU088719
VERSION AU088719.1 GI:7378448
KEYWORDS EST.
SOURCE Oryza sativa.
ORGANISM Oryza sativa.
Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
Spermatophyta; Magnoliophyta; Liliopsida; Poales; Poaceae;
Ehrhartoideae; Oryzaceae; Oryza.
1 (bases 1 to 486)
Sasaki.T. and Yamamoto.K.
Rice cDNA from etiolated shoot (2000)
UNPUBLISHED (2000)
Contact: Takuji Sasaki
National Institute of Agrobiological Resources
Rice Genome Research Program, Kannondai 2-1-2, Tsukuba, Ibaraki
305-8602, Japan
Tel: 81-298-38-7441
Fax: 81-298-38-7468
Email: tsasaki@abr.affrc.go.jp, URL:http://rgp.dna.affrc.go.jp/
PROJECT "RGP".
S4716_10Z.

FEATURES
Source
1..486
/organism="Oryza sativa"
/strain="Nipponbare, sub_species Japonica"
/db_xref="taxon:4530"
/clone="S4716"
/clone_lib="Rice shoot"
/note="Etiolated shoot (8 days old)"
BASE COUNT 116 a 91 c 105 g 170 t 4 others
ORIGIN

Query Match 67.0%; Score 24.8; DB 10; Length 486;
Best Local Similarity 80.6%; Pred.No.11;
Matches 29; Conservative 0; Mismatches 7; Indels 0; Gaps 0;

QY 1 gggcaagcttgactcagaatctcccccagacgag 36
Db 93 GGACAAGCTGGGACTCAGAAAATCACCAGAGCCGA 58

Search completed: December 6, 2001, 09:29:42
Job time: 2366 sec

THIS PAGE BLANK (USPTO)

THIS PAGE BLANK (uspto)

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM nucleic - nucleic search, using sw model

Run on: December 6, 2001, 09:57:28 ; Search time 1647.92 Seconds
(without alignments)
360.393 Million cell updates/sec

Title: US-09-673-795-4

Perfect score: 36

Sequence: 1 gccctcagatctcagtcctccacaaagcgagctgctc 36

Scoring table: IDENTITY_NUC

Gapop 10.0 , Gapext 1.0

Searched: 1472140 seqs, 8248589755 residues

Total number of hits satisfying chosen parameters: 2944280

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

GenEmbl:*

1: gb_ba.*

2: gb_htg.*

3: gb_in.*

4: gb_om.*

5: gb_ov.*

6: gb_pat.*

7: gb_ph.*

8: gb_pl.*

9: gb_pr.*

10: gb_ro.*

11: gb_sts.*

12: gb_sy.*

13: gb_un.*

14: gb_vl.*

15: em_ba.*

16: em_fun.*

17: em_hum.*

18: em_in.*

19: em_om.*

20: em_or.*

21: em_ov.*

22: em_pat.*

23: em_ph.*

24: em_pl.*

25: em_ro.*

26: em_sts.*

27: em_sy.*

28: em_un.*

29: em_vl.*

30: em_htgo_hum.*

31: em_htgo_inv.*

32: em_htgo_rod.*

33: em_htg_hum.*

34: em_htg_inv.*

35: em_htg_rod.*

36: em_htg_other.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

8

Result No.	Score	Query Match	Length	DB	ID	Description
1	36	100.0	36	6	AX012956	AX012956 Sequence
c 2	27.2	75.6	1347	9	CHPMHCAE	M24048 Chimpanzee
c 3	27.2	75.6	1359	9	CHPMHCA	M24044 Chimpanzee
c 4	27.2	75.6	1516	9	PTCHLAB2	X13116 Chimpanzee
c 5	27.2	75.6	1517	9	CHPMHCBAB	M30679 Pan troglod
c 6	26.4	73.3	39	6	AR073931	AR073931 Sequence
c 7	26.4	73.3	39	6	AR075099	AR075099 Sequence
c 8	26.2	72.8	427	11	G07078	G07078 human STS W
c 9	26.2	72.8	1270	9	HSHLA35A	Z22651 H.sapiens H
c 10	26.2	72.8	1270	9	HUMHLAB44A	L42345 Homo sapien
c 11	26.2	72.8	1272	9	HSHLAB27X	Z33453 H.sapiens m
c 12	26.2	72.8	1273	9	GGBO201	X60253 G.gorilla M
c 13	26.2	72.8	1273	9	AF157406	AF157406 Gorilla g
c 14	26.2	72.8	1323	9	HUMHBIATW3	M27540 Human MHC c
c 15	26.2	72.8	1357	9	HUMHLABH	L42024 Homo sapien
c 16	26.2	72.8	1479	9	HUMHMB82	M28204 Homo sapien
c 17	26.2	72.8	1500	9	HUMHMB44	M15470 Human MHC c
c 18	26.2	72.8	1504	9	D87665	D87665 Human heart
c 19	26.2	72.8	1507	9	HUMHMB27A	X12678 Human HLA-B
c 20	26.2	72.8	1507	9	PTCHLAB1	X13115 Chimpanzee
c 21	26.2	72.8	1521	9	HUMHMB7A	M16102 Human MHC H
c 22	26.2	72.8	1535	9	BC007243	BC007243 Homo sapi
c 23	26.2	72.8	1537	9	CHPMHCAA	M24045 Chimpanzee
c 24	26.2	72.8	1550	9	AY007140	AY007140 Homo sapi
c 25	26.2	72.8	1639	9	HSHLAK2	X03667 Human class
c 26	26.2	72.8	1639	9	HSHLAW2	X03666 Human class
c 27	26.2	72.8	3019	9	HSAL33267	AJ133267 Homo sapi
c 28	26.2	72.8	3027	9	HSU56246	U56246 Human MHC c
c 29	26.2	72.8	3036	9	HSJ294938	AJ294938 Homo sapi
c 30	26.2	72.8	3036	9	HSJ294939	AJ294939 Homo sapi
c 31	26.2	72.8	3039	9	HSJ309047	AJ309047 Homo sapi
c 32	26.2	72.8	3135	9	HSJ297317	AJ297317 Homo sapi
c 33	26.2	72.8	3139	9	HSJ292253	AJ292253 Homo sapi
c 34	26.2	72.8	3170	9	HSJ308398	AJ308398 Homo sapi
c 35	26.2	72.8	3180	9	HSJ278903	AJ278903 Homo sapi
c 36	26.2	72.8	3187	9	HSJ245869	AJ245869 Homo sapi
c 37	26.2	72.8	3190	9	HSJ295141	AJ295141 Homo sapi
c 38	26.2	72.8	3190	9	HSJ300180	AJ300180 Homo sapi
c 39	26.2	72.8	3337	9	HSJ309193	AJ309193 Homo sapi
c 40	26.2	72.8	3350	9	HSJ309936	AJ309936 Homo sapi
c 41	26.2	72.8	3350	9	HSJ309937	AJ309937 Homo sapi
c 42	26.2	72.8	3370	9	HSJ310358	AJ310358 Homo sapi
c 43	26.2	72.8	3375	9	HSJ278944	AJ278944 Homo sapi
c 44	26.2	72.8	3437	9	HSJ301657	AJ301657 Homo sapi
c 45	26.2	72.8	3445	9	HSJ311601	AJ311601 Homo sapi

ALIGNMENTS

RESULT	1					
LOCUS	AX012956	36 bp	DNA	PAT	07-SEP-2000	
DEFINITION	Sequence 4 from Patent WO9954464.					
ACCESSION	AX012956					
VERSION	AX012956.1	GI:10040206				
KEYWORDS						
SOURCE	human.					
ORGANISM	Homo sapiens					
REFERENCE	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;					
AUTHORS	Mammalia; Eutheria; Primates; Catarrhini; Homnidae; Homo.					
TITLE	1 (bases 1 to 36)					
JOURNAL	Gaudin,C. and Triebel,F.					
FEATURES	Mutated peptide compounds, derived from hsp70, useful in cancer immunotherapy					
source	ROUSSY INST GUSTAVE (FR); GAUDIN CATHERINE (FR); TRIEBEL FREDERIC (FR)					
Location/Qualifiers						
	1..36					

```

SOURCE COUNT 7 a 14 c 7 g 8 t
ORIGIN /organism="Homo sapiens"
/db_xref="taxon:9606"

Query Match 100.0%; Score 36; DB 6; Length 36;
Best Local Similarity 100.0%; Pred. No. 1.5e-05;
Matches 36; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 gcccttagatctcagtcctcacaggcagctgtc 36
|||||
Db 1 gcccttagatctcagtcctcacaggcagctgtc 36

RESULT 2
CHPMHCAE/c
LOCUS CHPMHCAE 1347 bp mRNA PRI 27-SEP-1993
DEFINITION Chimpanzee MHC class I ChIA chain mRNA, complete cds, clone 18.
ACCESSION M24048 M24029
VERSION M24048.1 GI:176820
KEYWORDS cell surface antigen; cell surface glycoprotein; class I gene;
Integral membrane protein; major histocompatibility complex.
SOURCE Chimpanzee (Tank) EBV-transformed B lymphoblastoid cell, cDNA to
mRNA, clone 18.
ORGANISM Pan troglodytes
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Pan.
REFERENCE 1 (bases 1 to 918; 919 to 1347)
AUTHORS Parham,P., Lawlor,D.A., Lomen,C.E. and Ennis,P.D.
TITLE Diversity and diversification of HLA class I alleles
JOURNAL J. Immunol. 142, 3937-3950 (1989)
MEDLINE 89235215
COMMENT Draft entry and computer-readable sequence for [1] kindly submitted
by P.D.Ennis, 14-APR-1989.
FEATURES
source
Location/Qualifiers
1..1347
/organism="Pan troglodytes"
/db_xref="taxon:9598"
/map="5"
<1..1347
/product="MHC ChIA chain"
/codon_start=1
/translation="VWFSDAASPKEPRIPWIEQSGPEYWDRETQISKNTAYRVG
LRNLRYNQSEASHWQTFMGDVGPGRLRGYQAYDGKDYALNODLSWTA
ADTAQITQRKWEARVAEQRLAYLEGTCVEMLRRLYENGKETLQADPKTHVTHP
ISDHEATLRCAWGFYPAETLTWQDGEDQTDTELVTREPAGDRTFOKAAVVPFS
GEQRYTCHVOHEGLPKPLTRWEPSSQSTIPITVIGVAGLAVLVVVIGAVVAVMCR
RKSSGGKGGYSQAASDSQAQSDSLTA"
BASE COUNT 300 a 369 c 400 g 278 t
ORIGIN

Query Match 75.6%; Score 27.2; DB 9; Length 1347;
Best Local Similarity 90.6%; Pred. No. 0.11;
Matches 29; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 5 tctagatctcagtcctcacaggcagctgtc 36
|||||
Db 959 TCTGCATCTCAGTCCCTCACAGGACGCTGTC 928

RESULT 3
CHPMHCA/c
LOCUS CHPMHCA 1359 bp mRNA PRI 27-SEP-1993
DEFINITION Chimpanzee MHC class I ChIA chain mRNA, partial cds, clone 7.
ACCESSION M24044 M24029
VERSION M24044.1 GI:176812
KEYWORDS cell surface antigen; cell surface glycoprotein; class I gene;

```

```

SOURCE COUNT 7 a 14 c 7 g 8 t
ORIGIN /organism="Homo sapiens"
/db_xref="taxon:9606"

Query Match 100.0%; Score 36; DB 6; Length 36;
Best Local Similarity 100.0%; Pred. No. 1.5e-05;
Matches 36; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 gcccttagatctcagtcctcacaggcagctgtc 36
|||||
Db 1 gcccttagatctcagtcctcacaggcagctgtc 36

RESULT 2
CHPMHCAE/c
LOCUS CHPMHCAE 1347 bp mRNA PRI 27-SEP-1993
DEFINITION Chimpanzee MHC class I ChIA chain mRNA, complete cds, clone 18.
ACCESSION M24048 M24029
VERSION M24048.1 GI:176820
KEYWORDS cell surface antigen; cell surface glycoprotein; class I gene;
Integral membrane protein; major histocompatibility complex.
SOURCE Chimpanzee (Tank) EBV-transformed B lymphoblastoid cell, cDNA to
mRNA, clone 18.
ORGANISM Pan troglodytes
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Pan.
REFERENCE 1 (bases 1 to 918; 919 to 1347)
AUTHORS Parham,P., Lawlor,D.A., Lomen,C.E. and Ennis,P.D.
TITLE Diversity and diversification of HLA class I alleles
JOURNAL J. Immunol. 142, 3937-3950 (1989)
MEDLINE 89235215
COMMENT Draft entry and computer-readable sequence for [1] kindly submitted
by P.D.Ennis, 14-APR-1989.
FEATURES
source
Location/Qualifiers
1..1359
/organism="Pan troglodytes"
/db_xref="taxon:9598"
/map="5"
<1..1359
/product="MHC ChIA mRNA"
/codon_start=3
/translation="TQFVWFSDAASPKEPRAPWIEQSGPEYWDRETQISKNTACTY
RESLRNLGYNQSEAGSHLIQRMVGCMDGPGRLRGYQAYDGKDYALNODLS
WTAADTAQITQRKWEARVAEQRLAYLEGTCVEMLRRLYENGKETLQADPKTHVTH
HPSIDHEATLRCAWGFYPAETLTWQDGEDQTDTELVTREPAGDRTFOKAAVAVV
VPSGEQRYTCHVOHEGLPKPLTRWEPSSQSTIPITVIGVAGLAVLVVVIGAVVAAV
MCRKSSGGKGGYSQAASDSQAQSDSLTA"
BASE COUNT 308 a 372 c 401 g 278 t
ORIGIN

Query Match 75.6%; Score 27.2; DB 9; Length 1359;
Best Local Similarity 90.6%; Pred. No. 0.11;
Matches 29; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 5 tctagatctcagtcctcacaggcagctgtc 36
|||||
Db 970 TCTGCATCTCAGTCCCTCACAGGACGCTGTC 939

RESULT 4
PTCHLAB2/c
LOCUS PTCHLAB2 1516 bp mRNA PRI 27-MAR-1995
DEFINITION Chimpanzee mRNA for class I antigen ChLA-B2.
ACCESSION X13116 X12781
VERSION X13116.1 GI:38208
KEYWORDS antigen; cell surface glycoprotein; class I antigen; major
histocompatibility complex; surface antigen.
SOURCE chimpanzee.
ORGANISM Pan troglodytes
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Pan.
REFERENCE 1 (bases 11 to 1516)
AUTHORS Mayer,W.E.
TITLE Direct Submission
JOURNAL Submitted (03-OCT-1988) W.E. Mayer, Stanford University, Dept. of
Biological Sciences, Stanford, CA 94305-5020, USA
REFERENCE 2 (bases 11 to 1516)
AUTHORS Mayer,W.E., Jonker,M., Klein,D., Ivanyi,P., van Seventer,G. and
Klein,J.
TITLE Nucleotide sequences of chimpanzee MHC class I alleles: evidence
for trans-species mode of evolution
JOURNAL EMBO J. 7 (9), 2765-2774 (1988)
MEDLINE 89030641
REFERENCE 3 (bases 1 to 1516)
AUTHORS Mayer,W.
TITLE Direct Submission
JOURNAL Submitted (17-FEB-1989) to the EMBL/GenBank/DBJ databases
COMMENT Position 617 is c in [1], [3] and u in [2].

```

integral membrane protein; major histocompatibility complex.
 Chimpanzee (Kasey) EBV transformed B lymphoblastoid cell, cDNA to
 mRNA, clone 7.
 Pan troglodytes
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Pan.
 1 (bases 1 to 929; 930 to 1359)
 Parham,P., Lawlor,D.A., Lomen,C.E. and Ennis,P.D.
 Diversity and diversification of HLA class I alleles
 J. Immunol. 142, 3937-3950 (1989)
 89235215
 Computer-readable copy of sequence [1] kindly submitted by
 P.D.Ennis 14-APR-1989.

FEATURES
 source
 Location/Qualifiers
 1..1359
 /organism="Pan troglodytes"
 /db_xref="taxon:9598"
 /map="5"
 <1..1359
 /product="MHC ChIA mRNA"
 /note="MHC ChIA chain"
 /codon_start=3
 /protein_id="AAA35423.1"
 /db_xref="GI:176813"
 /translation="TQFVWFSDAASPKEPRAPWIEQSGPEYWDRETQISKNTACTY
 RESLRNLGYNQSEAGSHLIQRMVGCMDGPGRLRGYQAYDGKDYALNODLS
 WTAADTAQITQRKWEARVAEQRLAYLEGTCVEMLRRLYENGKETLQADPKTHVTH
 HPSIDHEATLRCAWGFYPAETLTWQDGEDQTDTELVTREPAGDRTFOKAAVAVV
 VPSGEQRYTCHVOHEGLPKPLTRWEPSSQSTIPITVIGVAGLAVLVVVIGAVVAAV
 MCRKSSGGKGGYSQAASDSQAQSDSLTA"

BASE COUNT 308 a 372 c 401 g 278 t

Query Match 75.6%; Score 27.2; DB 9; Length 1359;
 Best Local Similarity 90.6%; Pred. No. 0.11;
 Matches 29; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
 Qy 5 tctagatctcagtcctcacaggcagctgtc 36
 ||| |||||
 Db 970 TCTGCATCTCAGTCCCTCACAGGACGCTGTC 939

PTCHLAB2 1516 bp mRNA PRI 27-MAR-1995
 Chimpanzee mRNA for class I antigen ChLA-B2.
 X13116 X12781
 X13116.1 GI:38208
 antigen; cell surface glycoprotein; class I antigen; major
 histocompatibility complex; surface antigen.
 chimpanzee.
 Pan troglodytes
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Pan.

1 (bases 11 to 1516)
 Mayer,W.E.
 Direct Submission
 Submitted (03-OCT-1988) W.E. Mayer, Stanford University, Dept. of
 Biological Sciences, Stanford, CA 94305-5020, USA
 2 (bases 11 to 1516)
 Mayer,W.E., Jonker,M., Klein,D., Ivanyi,P., van Seventer,G. and
 Klein,J.

Nucleotide sequences of chimpanzee MHC class I alleles: evidence
 for trans-species mode of evolution
 EMBO J. 7 (9), 2765-2774 (1988)
 89030641
 3 (bases 1 to 1516)
 Mayer,W.
 Direct Submission
 Submitted (17-FEB-1989) to the EMBL/GenBank/DBJ databases
 Position 617 is c in [1], [3] and u in [2].

FEATURES	Location/Qualifiers	
	source	1..1516
source	/organism="Pan troglodytes"	
	/db_xref="taxon:9598"	
sig_peptide	/chromosome="5."	
	/tissue_type="lymphocyte"	
misc_feature	/cell_line="Hugo-EBV"	
	/clone="p2B2."	
CDS	1..72	
	/product="leader peptide (AA -24 to -1)"	
sig_peptide	1..1089	
	/product="ChLA-B2 protein precursor (AA -24 to 338)"	
CDS	/codon_start=1	
	/protein_id="CAA31508.1"	
misc_feature	/db_xref="GI:38209"	
	/db_xref="SWISS-PROT:P13751"	
mat_peptide	/translation="MQVTAPRTVLLLSAALALTETWAGSHSMKYFYTAVSRPGRGEP	
	RFISGVYDDTQFVWFDSDAASPREEPAPWIEQEGPEYWDRETOISKTNAQTYRESL	
misc_feature	RNLRGYNNQSEAGSHIIQRMYGCDMGPDGRLLRGYQVAYDKDYIALNEDLSWTTAA	
	DTAAQITQRKWEAAWAEQLRAYLEGTCEVWLLRYLENGKETLORADPKTHVTHPI	
misc_feature	SDHEATLRCAWLGFPVPAEITLTWQDGEDQDTDELVETRPAGDRTFQKWAAVVPSG	
	EEQYTCVHQHEGLPKPLTLRWEPSSQSTIPVIGIVAGLAVLVVIGAVVAVMCR	
misc_feature	KSSGKGGSYQAASSDSQAQSDVSLTA"	
	73..1086	
misc_feature	/product="ChLA-B2 mature protein (AA 1-338)"	
	73..342	
misc_feature	/note="alpha-1 domain"	
	343..618	
misc_feature	/note="alpha-2 domain"	
	619..894	
misc_feature	/note="alpha-3 domain"	
	895..1011	
misc_feature	/note="transmembrane domain"	
	1012..1086	
misc_feature	/note="cytoplasmic domain"	
	1495..1500	
polyA_site	/note="polyA signal"	
	1516	
BASE COUNT	328 a	433 c 449 g 306 t
	ORIGIN	
Query Match	75.6%; Score 27.2; DB 9; Length 1516;	
	Best Local Similarity 90.6%; Pred. No. 0.11; Mismatches 0; Indels 0; Gaps 0;	
Matches	29; Conservative	0; Mismatches 3; Indels 0; Gaps 0;
QY	5	tctagatctcagtcctccacaggcagctgtc 36
Db	1130	TCTGCATCTCAGTCCCTCACAGACAGCTGTC 1099
RESULT	6	
	AR073931	
LOCUS	AR073931	39 bp DNA
	DEFINITION	Sequence 4 from patent US 5952228.
ACCESSION	AR073931	
	VERSION	AR073931.1 GI:10000691
KEYWORDS	Unknown.	
	ORGANISM	
SOURCE	Unknown.	
	ORGANISM	
REFERENCE	1 (bases 1 to 39)	
	AUTHORS	
TITLE	van der Bruggen, P., Mandruzzato, S. and Boon-Falleur, T.	
	Isolated cytolytic T cells which are specific for complexes of HLA-	
JOURNAL	B35 molecules and the peptide PHE Pro Ser Asp Ser Trp Cys Tyr PHE,	
	and uses thereof	
FEATURES	Patent: US 5952228-A 4 14-SEP-1999;	
	Location/Qualifiers	
BASE COUNT	8 a	15 c 7 g 9 t
	ORIGIN	
Query Match	73.3%; Score 26.4; DB 6; Length 39;	
	Best Local Similarity 83.3%; Pred. No. 0.34; Mismatches 0; Indels 0; Gaps 0;	
Matches	30; Conservative	0; Mismatches 6; Indels 0; Gaps 0;
QY	5	tctagatctcagtcctccacaggcagctgtc 36
Db	1130	TCTGCATCTCAGTCCCTCACAGACAGCTGTC 1099
RESULT	5	
	CHPMHCBAE/C	
LOCUS	CHPMHCBAE	1517 bp mRNA
	DEFINITION	Pan troglodytes MHC class I protein mRNA (MHCPTAB5).
ACCESSION	M30679	
	VERSION	M30679.1 GI:176924
KEYWORDS	cell surface antigen; cell surface glycoprotein; integral membrane	
	protein; major histocompatibility complex.	
SOURCE	p.troglodytes male B-cell (cell line Colin) cDNA to mRNA.	
	ORGANISM	
REFERENCE	1 (bases 1 to 1517)	
	AUTHORS	
TITLE	Lawlor, D.A., Warren, E., Ward, F.E. and Parham, P.	
	Comparison of class I MHC alleles in humans and apes	
JOURNAL	Immunol. Rev. 113, 147-185 (1990)	
	MEDLINE	
COMMENT	90201944	
	Authorin copy of sequence [Immunol. Rev. (1990) In press] kindly	
FEATURES	submitted E.Warren	
	13-DEC-1989.	
Location/Qualifiers		

QY 1 gccctctagatctcagtcctcctcacaggcagctgtc 36
 |||||
 Db 4 GCCCGAATTCCTCAGTCCTCCTCACAGGACGCTGTC 39

RESULT 7
 AR075099
 LOCUS AR075099 39 bp DNA PAT 28-AUG-2000
 DEFINITION Sequence 4 from patent US 5955313.
 ACCESSION AR075099
 VERSION AR075099.1 GI:10001851
 KEYWORDS
 SOURCE Unknown.
 ORGANISM Unknown.

REFERENCE 1 (bases 1 to 39)
 AUTHORS van der Bruggen, P., Mandruzzato, S. and Boon-Falleur, T.
 TITLE Nucleic acid molecule encoding a bifunctional protein, the protein
 so encoded uses thereof
 JOURNAL Patent: US 5955313-A 4 21-SEP-1999;
 FEATURES Location/Qualifiers
 source 1..39
 BASE COUNT 8 a 15 c 7 g 9 t
 ORIGIN

Query Match 73.3%; Score 26.4; DB 6; Length 39;
 Best Local Similarity 83.3%; Pred. No. 0.34;
 Matches 30; Conservative 0; Mismatches 5; Indels 0; Gaps 0;

QY 1 gccctctagatctcagtcctcctcacaggcagctgtc 36
 |||||
 Db 4 GCCCGAATTCCTCAGTCCTCCTCACAGGACGCTGTC 39

RESULT 8
 G07078/c
 LOCUS G07078 427 bp DNA STS 19-OCT-1995
 DEFINITION human STS WI-9014.
 ACCESSION G07078
 VERSION G07078.1 GI:860323
 KEYWORDS STS sequence; primer; sequence tagged site.
 SOURCE human STS derived from sequences in dbEST and the Unigene collection.

ORGANISM Homo sapiens
 Eukaryota; Eukaryota; Metazoa; Chordata; Vertebrata; Gnathostomata; Osteichthyes; Sarcopterygii; Choanata; Tetrapoda; Amniota; Mammalia; Theria; Eutheria; Archonta; Primates; Catarrhini; Hominidae; Homo.
 REFERENCE 1 (bases 1 to 427)
 AUTHORS Hudson, T.
 TITLE Whitehead Institute/MIT Center for Genome Research; Physically
 JOURNAL Mapped ESTs
 COMMENT Unpublished (1995)

Contact: Thomas Hudson
 Whitehead Institute/MIT Center for Genome Research
 Whitehead Institute for Biomedical Research
 9 Cambridge Center, Cambridge MA 02142 USA
 Tel: 617 252 1900
 Fax: 617 252 1902
 Email: thudson@genome.wi.mit.edu

Primer A: CCCTGTCCTCCATGCTGAC
 Primer B: AGAAGTTCCAGCTCAGTGCA
 STS size: 115
 PCR profile:

Presoak:
 Denaturation:
 Annealing: 56 degrees C
 Polymerization:

PCR Cycles: 35
 Thermal Cycler:
 Protocol:

Template: 10 ng
 Primer: each 5 pM
 dNTPs: each 4 mM
 Taq Polymerase: 0.025 units/ul
 Total Vol: 20 ul

Buffer:
 MgCl2: 1.5 mM
 KCl: 50 mM
 Tris-HCl: 10 mM
 pH: 9.3

Prepared with primer pairs derived from M12678 -- Unigene.

FEATURES
 source 1..427
 STS /organism="Homo sapiens"
 primer_bind 179..293
 primer_bind 179..196
 primer_bind complement(274..293)
 BASE COUNT 103 a 104 c 94 g 126 t
 ORIGIN

Query Match 72.8%; Score 26.2; DB 11; Length 427;
 Best Local Similarity 90.3%; Pred. No. 0.35;
 Matches 28; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 6 ctgatatctcagtcctcctcacaggcagctgtc 36
 |||||
 Db 40 CTGCATCTCAGTCCTCCTCACAGGACGCTGTC 10

RESULT 9
 HSHLA35A/c
 LOCUS HSHLA35A 1270 bp mRNA PRI 08-AUG-1994
 DEFINITION H. sapiens HLA-B35 mRNA.
 ACCESSION 222651
 VERSION 222651.1 GI:297142
 KEYWORDS HLA-B35.
 SOURCE human.
 ORGANISM Homo sapiens
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 REFERENCE 1 (bases 1 to 1270)
 AUTHORS Steinle, A., Reinhardt, C., Nossner, E., Uchauska-Ziegler, B., Ziegler, A., and Schendel, D.J.
 TITLE Microheterogeneity in HLA-B35 alleles influences peptide-dependent allorecognition by cytotoxic T cells but not binding of a peptide-restricted monoclonal antibody
 JOURNAL Hum. Immunol. 38 (4), 261-269 (1993)
 MEDLINE 94186367
 REFERENCE 2 (bases 1 to 1270)
 AUTHORS Steinle, A.
 TITLE Direct Submission
 JOURNAL Submitted (27-APR-1993) Steinle A., University of Munich, Institute of Immunology, Goethestrasse 31, W-8000 MUENCHEN 2, GERMANY

FEATURES
 source 1..1270

/organism="Homo sapiens"
 /isolate="TL"
 /db_xref="taxon:9606"
 /chromosome="6"
 /germline
 /haplotype="A24 Cw4 B35 DR3 DQw2, A2 Cw6 B13 DR7 DQw2"
 /clone="TL4"
 /cell_type="lymphoblastoid B-cell line"
 1..1089
 /standard_name="HLA-B35"
 /function="peptide presentation"
 /codon_start=1

CDS


```
/evidence=experimental
/product="HLA-B35 variant"
/protein_id="CAA80366.1"
/db_xref="GI:297143"
/db_xref="SWISS-PROT:P30474"
/translation="MRVAPRTVLILLGAVALTETWAGSHSMRYFYTAMSRPGRGEP
RFIAYVYDDTQFVRFSDAASPTEPRAPWTEQEGPEYWDNTQIFKNTQTYRESL
RNLGYVNOSEAGSHIORMYCDLPGDGLLRHGDQAYDKGDIYALNEDLSWTAA
DTAAOITORKWEAAVQDRAYLEGLCVELRRYLENGKETLQRADPPKTHVTHPV
SDHEATLRCWALGFYPAEITLWQRGDQDTQDTLVELTRPAGDRFTFOKAAVVPFG
BEQRYTCHVQHGLPKPLTLRWEPSSQSTPIPIVIGAVLAVLVVIGAVVAVMCCR
KSSGGKGSYSQAASDSQAQSDSLTA"
1. .72
sig_peptide
mat_peptide
73. .1086
/standard_name="HLA-B35"
/evidence=experimental
/product="HLA-B35 variant"
1090. .>1270
3'UTR 258 a 388 c 405 g 219 t
BASE COUNT
ORIGIN

Query Match 72.8%; Score 26.2; DB 9; Length 1270;
Best Local Similarity 90.3%; Pred. No. 0.32;
Matches 28; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 6 ctgatatctcagtcctccacaggcagctgtc 36
|| ||||| ||||| ||||| ||||| |||||
Db 1129 CTGCATCTCAGTCCCTCACAGACAGCTGTC 1099

RESULT 10
HUMHLAB44A/c
LOCUS HUMHLAB44A 1270 bp mRNA PRI 18-JAN-1996
DEFINITION Homo sapiens lymphocyte antigen HLA-B*4402 and HLA-B*5101 mRNA,
exons 1-7, complete cds.
ACCESSION L42345
VERSION L42345.1 GI:1160933
KEYWORDS HLA-B*4402 gene; HLA-B*5101 gene; HLA-B-51x44 gene; lymphocyte
antigen.
SOURCE Homo sapiens
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE 1. (bases 1 to 1270)
AUTHORS Zhao, W., Fernandez-Vina, M.A. and Stastny, P.
TITLE Novel HLA-B allele part B*5101 and part B*4402
JOURNAL Unpublished (1995)
FEATURES
Location/Qualifiers
source
1. .1270
/organism="Homo sapiens"
/db_xref="taxon:9606"
/cell_type="leukocyte"
1. .1089
/codon_start=1
/product="lymphocyte antigen"
CDS
/protein_id="AAB59610.1"
/db_xref="GI:1160934"
/translation="MRVAPRTVLILLGAVALTETWAGSHSMRYFYTAMSRPGRGEP
RFIAYVYDDTQFVRFSDAASPTEPRAPWTEQEGPEYWDNTQIFKNTQTYRENL
RIALYVNOSEAGSHIORMYCDVPGDGLLRHGDQAYDKGDIYALNEDLSWTAA
DTAAOITORKWEAAVQDRAYLEGLCVESLRRYLENGKETLQRADPPKTHVTHPV
SDHEVTLRCWALGFYPAEITLWQRGDQDTQDTLVELTRPAGDRFTFOKAAVVPFG
BEQRYTCHVQHGLPKPLTLRWEPSSQSTPIPIVIGAVLAVLVVIGAVVAVMCCR
KSSGGKGSYSQAASDSQAQSDSLTA"
<1. .73
exon
1. .343
/number=1
exon
74. .343
/number=2
variation
141. .144
/gene="HLA-B*4402"
/replace="tgca"
141. .311
gene
```

```
/gene="HLA-B*4402"
165. .167
/gene="HLA-B*4402"
/replace="cca"
193
/number=1
/gene="HLA-B*4402"
/replace="g"
206
/gene="HLA-B*4402"
/replace="c"
213
/gene="HLA-B*4402"
/replace="c"
259. .261
/gene="HLA-B*4402"
/replace="aac"
272
/gene="HLA-B*4402"
/replace="t"
309. .311
/gene="HLA-B*4402"
/replace="gat"
344. .619
/number=3
exon
620. .895
/number=4
exon
896. .1012
/number=5
exon
1013. .1045
/number=6
exon
1046. .1089
/number=7
exon
1090. .1270
3'UTR 259 a 386 c 406 g 219 t
BASE COUNT
ORIGIN

Query Match 72.8%; Score 26.2; DB 9; Length 1270;
Best Local Similarity 90.3%; Pred. No. 0.32;
Matches 28; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 6 ctgatatctcagtcctccacaggcagctgtc 36
|| ||||| ||||| ||||| ||||| |||||
Db 1129 CTGCATCTCAGTCCCTCACAGACAGCTGTC 1099

RESULT 11
HSHLAB27X/c
LOCUS HSHLAB27X 1272 bp mRNA PRI 02-FEB-1995
DEFINITION H. sapiens mRNA for human leukocyte antigen HLA-B27.
ACCESSION Z33453
VERSION Z33453.1 GI:486652
KEYWORDS HLA-B27 antigen; human leukocyte antigen.
SOURCE human.
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE 1. (bases 1 to 1272)
AUTHORS Del Porto, P., D'Amato, M., Fiorillo, M.T., Tuosto, L., Piccolella, E.
and Sorrentino, R.
TITLE Identification of a novel HLA-B27 subtype by restriction analysis
of a cytotoxic gamma delta T cell clone
JOURNAL J. Immunol. 153 (7), 3093-3100 (1994)
MEDLINE 94375872
REFERENCE 2. (bases 1 to 1272)
AUTHORS D'Amato, M.
DIRECT SUBMISSION
TITLE Submitted (10-MAY-1994) D'Amato M., Institute of Cell Biology-CNR,
Immunobiology, Viale Marx 43, Rome, Italy, 00143
JOURNAL
FEATURES
Location/Qualifiers
source
1. .1272
/organism="Homo sapiens"
/isolate="Ci"
```

```

/db_xref="taxon:9606"
/chromosome="6"
/haplotype="HLA-A2/-A10/-B16/-B27/-Cw1"
/sex="Male"
/clone="M13Ci"
/dev_stage="Adult"
/tissue_type="blood"
/cell_type="B-cell"
/cell_line="Ci"
2..1090
/codon_start=1
/product="human lymphocyte antigen HLA-B27"
/protein_id="CAA83876.1"
/db_xref="GI:486653"
/db_xref="SPTREMBL:Q29846"
/translation="NRVTAAPRTLLLLGAVALTETWAGSHSMRYFHTSVSRPGRGEPRITVGVYDDTLFVRFSDAASPKEPRPTWIEQEGPEYWDRETOICKAKAOTDREDLRIILRYNQSAGSTLQNMVCDVPGDGLLRGYHGHAYDKGKXIALNEDLSSTAAATAAQITQRKWAARVAEQRLRAYLEGEVWLRRLYENKQETLQRLADPPKTHVTHPI SDHEATLRCAWLGFPYPAETITLWQRDGEDQTDTELVEVTRPAGDRFTFKWAAVVPVPSG EQRVTCRVQHEGLPEPLTLRWEPSSQSTPIVGIAGVLAVLVVTVAVVAVMCR RKSSGGKGSYSQAASSDSAQSGDVSUTA"
253 a 386 c 415 g 218 t
BASE COUNT
ORIGIN
Query Match 72.8%; Score 26.2; DB 9; Length 1272;
Best Local Similarity 90.3%; Pred. No. 0.32;
Matches 28; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
QY 6 ctgatatcagtcctcacaggcagctgtc 36
|| ||||| ||||| ||||| ||||| |||||
Db 1130 CTGCATCTCAGTCCTCACAGACAGCTGTC 1100

RESULT 12
GGB0201/c 1273 bp mRNA PRI 07-FEB-1992
LOCUS G.gorilla MhcGogo-B0201 gene for Mhc class I heavy chain.
DEFINITION X60253
ACCESSION X60253
VERSION X60253.1 GI:22871
KEYWORDS B locus allele; Class I major histocompatibility gene; heavy chain; major histocompatibility gene; peptide binding protein; transplantation antigen.
SOURCE gorilla.
ORGANISM Gorilla gorilla
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Homnidae; Gorilla.
Lawlor,D.A.
Direct Submission
Submitted (25-JUN-1991) D.A. Lawlor, Stanford Univ School of Medicine, Dept of Cell Biology, Stanford CA 94305, USA
2 (bases 1 to 1092)
Lawlor,D.A., Warren,E., Taylor,P. and Parham,P.
Gorilla class I major histocompatibility complex alleles: comparison to human and chimpanzee class I
J. Exp. Med. 174 (6), 1491-1509 (1991)
92078860
MEDLINE
COMMENT See X60248-59 & X60692-3.
FEATURES
source
1..1273
Location/Qualifiers
/organism="Gorilla gorilla"
/isolate="Oko"
/db_xref="taxon:9593"
/cell_type="lymphoblast"
/cell_line="Oko B lymphoblastoid cell line"
/clone_lib="OKB192"
1..1092
/gene="MhcGogo-B0201"
1..73
/gene="MhcGogo-B0201"
/number=1
gene
exon
1..73

```



```
/gene="HLA-B39"
/number=2
/product="major histocompatibility complex"
431..706
/gene="HLA-B39"
/number=3
441..449
/gene="HLA-B39"
/replace="cctccagag"
707..982
/gene="HLA-B39"
/standard_name="4e"
/number=4
983..1099
/gene="HLA-B39"
/number=5
1100..1132
/gene="HLA-B39"
/number=6
1133..1176
/gene="HLA-B39"
/number=7
1177..>1357
/gene="HLA-B39"
279 a 415 c 428 g 235 t
BASE COUNT
ORIGIN
```

```
Query Match      72.8%; Score 26.2; DB 9; Length 1357;
Best local Similarity 90.3%; Pred. No. 0.32;
Matches 28; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy      6 ctagatctcagtcctccacaagcagctgtc 36
        || ||||| ||||| ||||| |||||
Db 1216 CTGCATCTCAGTCCCTCACAAAGACAGTGTGTC 1186
```

Search completed: December 6, 2001, 09:57:30
Job time: 4034 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM nucleic - nucleic search, using sw model

Run on: December 6, 2001, 10:01:23 ; Search time 230.64 Seconds
(without alignments)
133.818 Million cell updates/sec

Title: US-09-673-795-4

Perfect score: 36

Sequence: 1 gccctcgtatctcagtcctccacagcagctgtc 36

Scoring table: IDENTITY_NUC

Gapop 10.0 , Gapext 1.0

Searched: 930621 seqs, 428662619 residues

Total number of hits satisfying chosen parameters: 1861242

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

N_Geneseq_1101.*
1: /SIDS8/gcgdata/geneseq/geneseq/NA1980.DAT.*
2: /SIDS8/gcgdata/geneseq/geneseq/NA1981.DAT.*
3: /SIDS8/gcgdata/geneseq/geneseq/NA1982.DAT.*
4: /SIDS8/gcgdata/geneseq/geneseq/NA1983.DAT.*
5: /SIDS8/gcgdata/geneseq/geneseq/NA1984.DAT.*
6: /SIDS8/gcgdata/geneseq/geneseq/NA1985.DAT.*
7: /SIDS8/gcgdata/geneseq/geneseq/NA1986.DAT.*
8: /SIDS8/gcgdata/geneseq/geneseq/NA1987.DAT.*
9: /SIDS8/gcgdata/geneseq/geneseq/NA1988.DAT.*
10: /SIDS8/gcgdata/geneseq/geneseq/NA1989.DAT.*
11: /SIDS8/gcgdata/geneseq/geneseq/NA1990.DAT.*
12: /SIDS8/gcgdata/geneseq/geneseq/NA1991.DAT.*
13: /SIDS8/gcgdata/geneseq/geneseq/NA1992.DAT.*
14: /SIDS8/gcgdata/geneseq/geneseq/NA1993.DAT.*
15: /SIDS8/gcgdata/geneseq/geneseq/NA1994.DAT.*
16: /SIDS8/gcgdata/geneseq/geneseq/NA1995.DAT.*
17: /SIDS8/gcgdata/geneseq/geneseq/NA1996.DAT.*
18: /SIDS8/gcgdata/geneseq/geneseq/NA1997.DAT.*
19: /SIDS8/gcgdata/geneseq/geneseq/NA1998.DAT.*
20: /SIDS8/gcgdata/geneseq/geneseq/NA1999.DAT.*
21: /SIDS8/gcgdata/geneseq/geneseq/NA2000.DAT.*
22: /SIDS8/gcgdata/geneseq/geneseq/NA2001.DAT.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	ID	Description
1	36	100.0	36	21	AAZ22706 Human HLA allele a
2	26.4	73.3	39	19	AAV21517 HLA-B35 cDNA antis
3	26.2	72.8	1441	22	AAO08377 Human secreted pro
4	26.2	72.8	3357	22	AAI63980 Human polynucleoti
5	26.2	72.8	3357	22	AAI63981 Human polynucleoti
6	26.2	72.8	3874	8	AAV70225 Sequence of genom
7	26.2	72.8	4059	16	AAQ75974 pHLA-B7 expression
8	26.2	72.8	4965	16	AAQ75973 pHLA-B7/beta-2 mic
9	26.2	72.8	6553	18	AAV61639 HLA B27 consensus
10	25.4	70.6	509	22	AAV44886 Human breast cance
11	25.2	70.0	456	21	AAZ38041 T lymphocyte cDNA

C 12	25	69.4	439	21	AAZ07491	Human secreted pro
C 13	25	69.4	1817	22	AAH02916	Human shear stress
C 14	25	69.4	4756	22	AAI63974	Human polynucleoti
C 15	25	69.4	4756	22	AAI63975	Human polynucleoti
C 16	24.4	67.8	452	16	AAI20964	Human gene signatu
C 17	24.4	67.8	828	22	AAI10663	Human polynucleoti
C 18	24.4	67.8	943	22	AAI59277	Human polynucleoti
C 19	24.4	67.8	1567	22	AAH98676	Human EST-derived
C 20	20.8	57.8	70	20	AAZ25761	Human oligonucleot
C 21	20.8	57.8	137	20	AAZ25752	Human HLA-G gene e
C 22	20.8	57.8	151	20	AAZ25751	Human HLA-G gene e
C 23	20.8	57.8	443	16	AAI03428	HLA-G 3-5 from whi
C 24	20.8	57.8	2441	20	AAZ25757	Human HLA-G gene D
C 25	20.8	57.8	2441	20	AAZ25758	Human HLA-G gene D
C 26	20.8	57.8	2442	20	AAZ25755	Human HLA-G gene I
C 27	20.8	57.8	2442	20	AAZ25756	Human HLA-G gene I
C 28	20	55.6	1129	21	AAZ79821	Human secreted pro
C 29	19.6	54.4	280	16	AAZ24989	Human gene signatu
C 30	19.6	54.4	3622	22	AAH89966	Human bone marrow
C 31	19.4	53.9	150	19	AAI12144	Human biallelic po
C 32	19.2	53.3	253	21	AAH76194	Human sulfonyleurea
C 33	19.2	53.3	333	21	AAZ74628	Human ORFX ORF183
C 34	19.2	53.3	1928	22	AAZ29743	Castor bean calret
C 35	19.2	53.3	3517	21	AAI14339	cDNA encoding muri
C 36	19.2	53.3	3517	21	AAI13378	Mouse MT4-MMP (2)
C 37	19.2	53.3	3551	22	AAH18414	Human cDNA sequenc
C 38	19.2	53.3	103929	21	AAZ22287	BAC containing rep
C 39	19	52.8	19	21	AAH47587	Primer for amplif
C 40	19	52.8	660	21	AAI18009	Lung cancer associ
C 41	19	52.8	908	22	AAZ09957	DNA encoding human
C 42	19	52.8	926	21	AAI12553	Aspergillus oryzae
C 43	19	52.8	966	22	AAH31904	Human olfactory re
C 44	19	52.8	996	22	AAH31616	Human olfactory re
C 45	19	52.8	1638	22	AAZ74495	Clone 16467945.0.8

ALIGNMENTS

RESULT 1
AAZ22706
ID AAZ22706 standard; DNA; 36 BP.
XX
AC AAZ22706;
XX
DT 15-FEB-2000 (first entry)
XX
DE Human HLA allele amplification primer 3P2-X.

Human; heat shock protein 70; hsp70; identification; tumour; mutation;
T cell response; amplification; vector; bacterium; cancer; allele;
cytotoxic factor; interleukin; interferon; tumour necrosis factor; HLA;
immune defence; immunogenicity; specificity; human leucocyte antigen;
PCR; primer; amplification; ss.

XX Synthetic.

OS Homo sapiens.

XX WO954464-A1.

XX 28-OCT-1999.

XX 22-APR-1999;

XX 99WO-FR00957.

XX 22-APR-1998;

XX 98FR-0005033.

XX (INSR) INST ROUSSY GUSTAVE.

XX Triebel F, Gaudin C;

XX WPI; 2000-013251/01.

XX Identifying mutant peptides from heat-shock protein 70, for treatment

PT of cancer -

XX Example 7; Page 24; 56pp; French.

XX The invention relates to a method of identifying peptides, derived from
 XX hsp70 that stimulate a tumour-specific T cell response (e.g. AAY44199
 XX and AAY4200). Identification of the hsp70 peptides that have at least
 XX one mutation or alteration compared with the native sequence, and induce
 XX a tumour-specific T-cell response, comprises: (i) amplifying hsp70
 XX encoding DNA from one or more tumours; (ii) cloning the amplified
 XX sequences into a vector that can be replicated in bacteria; (iii)
 XX sequencing fragments in each cultured bacterial colony to identify any
 XX hsp70 mutations, and (iv) determining the immunogenicity of the mutant
 XX peptides identified. The peptides, optionally formulated with an agent
 XX that induces cellular stress, are used for treatment of cancer,
 XX particularly solid cancers (carcinoma, sarcoma, melanoma, neuroblastoma,
 XX cancers of head and neck, particularly kidney cancer). The peptides may
 XX also be used to increase the proportion of tumour-specific cytotoxic T
 XX lymphocytes in a cell culture and/or induce these cells to secrete
 XX cytotoxic factors (specifically interleukin-2, interferon-gamma and
 XX tumour necrosis factor), particularly where the cells are used to
 XX stimulate immune defences. The method identifies peptides with high
 XX immunogenicity and high specificity for particular HLA (human leucocyte
 XX antigen) alleles. The primers AAZ22705-22706 were used to PCR amplify
 XX HLA alleles for the method of the invention.

SQ Sequence 36 BP; 7 A; 14 C; 7 G; 8 T; 0 other;

Query Match 100.0%; Score 36; DB 21; Length 36;

Best Local Similarity 100.0%; Pred. No. 2.2e-06;
 Matches 36; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 gcccttagatctcagtcctccacagcgagctgtc 36

Db 1 gcccttagatctcagtcctccacagcgagctgtc 36

RESULT 2

AAV21517
 ID NAV21517 standard; DNA; 39 BP.

XX AAV21517;

XX 14-SEP-1998 (first entry)

DE HLA-B35 cDNA antisense primer.

KW Tumour rejection antigen; HLA-B35; cysteine protease; apoptosis;
 KW diagnosis; therapy; human; PCR; primer; ss.

OS Synthetic.
 OS Homo sapiens.

XX WO9813374-A1.

PN 02-APR-1998.

XX 09-JUL-1997; 97WO-US12431.

XX 26-SEP-1996; 96US-0718964.

XX (LUDW-) LUDWIG INST CANCER RES.

XX Boon-Falleur T, Mandruzzato S, Van Der Bruggen P;

XX WPI; 1998-230629/20.

PT New tumour rejection antigen - used to develop products for the
 PT diagnosis and treatment of conditions characterised by HLA-B35
 PT positive cells

XX Example 5; Page 8; 30pp; English.

XX

CC This antisense primer and a sense primer (see AAV21516) were
 CC designed for the PCR amplification of HLA-B35 cDNA. The PCR
 CC product was cloned into pCDNA3, and used with plasmids containing
 CC cDNA from B49-SCCHN head and neck squamous cell carcinoma cells to
 CC cotransfect COS-7 cells. Transfectants were tested to determine if
 CC they could stimulate tumour necrosis factor production by CTL
 CC clones 328a/69 and 328a/121. A 2649 bp cDNA clone (see AAV21515)
 CC was obtained that codes for a novel tumour rejection antigen
 CC precursor that is processed to an antigenic peptide (see AAW54237)
 CC that can be used to develop products for the diagnosis and
 CC treatment of conditions characterised by HLA-B35 positive cells,
 CC e.g. tumours.

XX Sequence 39 BP; 8 A; 15 C; 7 G; 9 T; 0 other;

Query Match 73.3%; Score 26.4; DB 19; Length 39;

Best Local Similarity 83.3%; Pred. No. 0.028;
 Matches 30; Conservative 0; Mismatches 6; Indels 0; Gaps 0;

QY 1 gcccttagatctcagtcctccacagcgagctgtc 36

Db 4 gcccgaaattctcagtcctccacagcgagctgtc 39

RESULT 3

AAAD08377/c

ID AAD08377 standard; cDNA; 1441 BP.

XX AAD08377;

XX 09-AUG-2001 (first entry)

DE Human, secreted protein-encoding gene 33 cDNA clone HTXDC77, SEQ ID NO:43.

KW Human; secreted protein; proliferative disorder; cancer; tumour;
 KW foetal abnormality; developmental abnormality; haematopoietic disorder;
 KW immune system disorder; AIDS; autoimmune disease; rheumatoid arthritis;
 KW inflammation; allergy; neurological disorder; Alzheimer's disease;
 KW Parkinson's disease; cognitive disorder; schizophrenia; asthma;
 KW skin disorder; psoriasis; sepsis; diabetes; atherosclerosis;
 KW cardiovascular disorder; angiogenic disorder; kidney disorder;
 KW gastrointestinal disorder; pregnancy-related disorder;
 KW endocrine disorder; infection; wound healing; vulnerability;
 KW cell culture; chemotaxis; food additive; gene therapy;
 KW binding partner identification; ss.

XX Homo sapiens.

XX Key Location/Qualifiers

FT CDS 65..520

FT /tag= a

FT /product= "Human secreted protein precursor"

FT /transl_except= (pos:74..76, aa:Xaa)

FT /transl_except= (pos:89..91, aa:Xaa)

FT /transl_except= (pos:104..106, aa:Xaa)

FT /transl_except= (pos:113..115, aa:Xaa)

FT /transl_except= (pos:170..172, aa:Xaa)

FT /transl_except= (pos:269..271, aa:Xaa)

FT /transl_except= (pos:275..277, aa:Xaa)

FT /transl_except= (pos:323..325, aa:Xaa)

FT /transl_except= (pos:338..340, aa:Xaa)

FT /transl_except= (pos:347..349, aa:Xaa)

FT /transl_except= (pos:386..388, aa:Xaa)

FT /transl_except= (pos:419..421, aa:Xaa)

FT /transl_except= (pos:512..514, aa:Xaa)

FT /note= "Xaa equals any of the naturally occurring

FT L-amino acids"

FT 65..118

FT /tag= b

FT mat_peptide 119..517

FT /tag= c

FT /product= "Mature human secreted protein"

XX W0200077022-A1.

XX 21-DEC-2000.

XX 01-JUN-2000; 2000WO-US15136.

XX 11-JUN-1999; 99US-0138629.

XX (HUMA-) HUMAN GENOME SCI INC.

PI Rosen CA, Ruben SM, Komatsoulis GA;

XX WPI; 2001-367020/38.

DR P-PSDB; AAE03930.

XX Nucleic acids encoding 50 human secreted polypeptides, useful for preventing, diagnosing and/or treating diseases, e.g. Parkinson's disease, botulism, cancers and Scimitar syndrome -

XX Claim 1; Page 513; 614pp; English.

CC AAD08345-AAD08394 represent cDNAs corresponding to 50 human secreted protein genes and AAE03898-AAE03947 represent the proteins they encode.

CC AAE03948-AAE03996 represent human secreted protein fragments or variants.

CC The genes and their secreted proteins are useful for preventing, treating or ameliorating medical conditions, e.g., by protein or gene therapy. Pathological conditions can be diagnosed by determining the amount of the new protein in a sample or by determining the presence of mutations in the new genes. Specific uses are described for each of the 50 genes, based on the tissues in which they are most highly expressed, and include developing products for the diagnosis or treatment of proliferative disorders, cancer, tumours, foetal and developmental abnormalities, haematopoietic disorders, diseases of the immune system, AIDS, autoimmune diseases (e.g., rheumatoid arthritis), inflammation, allergies, neurological disorders (e.g., Alzheimer's disease, Parkinson's disease), cognitive disorders, schizophrenia, asthma, skin disorders (e.g., psoriasis), sepsis, diabetes, atherosclerosis, cardiovascular disorders, angiogenic disorders, kidney disorders, gastrointestinal disorders, pregnancy-related disorders, endocrine disorders, and infections. The proteins can also be used to aid wound healing and epithelial cell proliferation, to prevent skin aging due to sunburn, to maintain organs before transplantation, for supporting cell culture of primary tissues, to regenerate tissues, to identify their cognate ligands or binding partners, and in chemotaxis, and can be used as a food additive or preservative to modify storage properties.

CC Antibodies specific for a protein of the invention can be used in alleviating symptoms associated with the disorders mentioned above, and in diagnostic immunoassays e.g., radioimmunoassay or enzyme linked immunosorbent assay (ELISA). The present sequence represents a human secreted protein-encoding cDNA of the invention.

XX Sequence 1441 BP; 299 A; 403 C; 412 G; 283 T; 44 other;

SQ

Query Match 72.8%; Score 26.2; DB 22; Length 1441;

Best Local Similarity 90.3%; Pred. No. 0.065; Indels 0; Gaps 0;

Matches 28; Conservative 0; Mismatches 3;

Qy 6 ctgatctcagtcctctcaagcagctgtc 36
II |||||

Db 990 CTGCATCTCAGTCCCTCACAGACAGCTGTC 960

RESULT 4

ID AAI63980/c

XX AAI63980 standard; DNA; 3357 BP.

AC AAI63980;

XX 22-OCT-2001 (first entry)

DT

XX

DE Human polynucleotide SEQ ID NO 352.

XX Human; antiarthritic; antirheumatic; antiproliferative; vasotropic; cerebroprotective; nootropic; neuroprotective; antibacterial; virucide; fungicide; ophthalmological; cytostatic; immunosuppressive; nootropic; neuroprotective; antiallergic; hepatotropic; antidiabetic; antinflammatory; antiulcer; vulnery; cancer; immune disorder; antiparasitic; cardiant; gene therapy; cancer; immune disorder; cardiovascular disorder; neurological disease; infection; human; ds.

OS Homo sapiens.

XX W0200155308-A2.

XX 02-AUG-2001.

XX 17-JAN-2001; 2001WO-US01309.

XX 31-JAN-2000; 2000US-0179065.

PR 04-FEB-2000; 2000US-0180628.

PR 24-FEB-2000; 2000US-0184664.

PR 02-MAR-2000; 2000US-0186350.

PR 16-MAR-2000; 2000US-0189874.

PR 17-MAR-2000; 2000US-0190076.

PR 18-APR-2000; 2000US-0198123.

PR 19-MAY-2000; 2000US-0205515.

PR 07-JUN-2000; 2000US-0209467.

PR 28-JUN-2000; 2000US-0214886.

PR 30-JUN-2000; 2000US-0215135.

PR 07-JUL-2000; 2000US-0216647.

PR 07-JUL-2000; 2000US-0216880.

PR 11-JUL-2000; 2000US-0217487.

PR 11-JUL-2000; 2000US-0217496.

PR 14-JUL-2000; 2000US-0218290.

PR 26-JUL-2000; 2000US-0220963.

PR 26-JUL-2000; 2000US-0220964.

PR 14-AUG-2000; 2000US-0224518.

PR 14-AUG-2000; 2000US-0224519.

PR 14-AUG-2000; 2000US-0225213.

PR 14-AUG-2000; 2000US-0225214.

PR 14-AUG-2000; 2000US-0225266.

PR 14-AUG-2000; 2000US-0225267.

PR 14-AUG-2000; 2000US-0225268.

PR 14-AUG-2000; 2000US-0225270.

PR 14-AUG-2000; 2000US-0225447.

PR 14-AUG-2000; 2000US-0225757.

PR 14-AUG-2000; 2000US-0225758.

PR 14-AUG-2000; 2000US-0225759.

PR 18-AUG-2000; 2000US-0226279.

PR 22-AUG-2000; 2000US-0226681.

PR 22-AUG-2000; 2000US-0226868.

PR 22-AUG-2000; 2000US-0227182.

PR 23-AUG-2000; 2000US-0227009.

PR 30-AUG-2000; 2000US-0228924.

PR 01-SEP-2000; 2000US-0229287.

PR 01-SEP-2000; 2000US-0229343.

PR 01-SEP-2000; 2000US-0229344.

PR 01-SEP-2000; 2000US-0229345.

PR 05-SEP-2000; 2000US-0229509.

PR 06-SEP-2000; 2000US-0229513.

PR 06-SEP-2000; 2000US-0230437.

PR 06-SEP-2000; 2000US-0230438.

PR 08-SEP-2000; 2000US-0231242.

PR 08-SEP-2000; 2000US-0231243.

PR 08-SEP-2000; 2000US-0231244.

PR 08-SEP-2000; 2000US-0231413.

PR 08-SEP-2000; 2000US-0231414.

PR 08-SEP-2000; 2000US-0232080.

PR 08-SEP-2000; 2000US-0232081.

PR 12-SEP-2000; 2000US-0231968.

PR 14-SEP-2000; 2000US-0232397.

PR 14-SEP-2000; 2000US-0232398.

PR 14-SEP-2000; 2000US-0232399.

```
PR 14-SEP-2000; 2000US-0232400.
PR 14-SEP-2000; 2000US-0232401.
PR 14-SEP-2000; 2000US-0233063.
PR 14-SEP-2000; 2000US-0233064.
PR 14-SEP-2000; 2000US-0233065.
PR 21-SEP-2000; 2000US-0234223.
PR 21-SEP-2000; 2000US-0234274.
PR 25-SEP-2000; 2000US-0234997.
PR 25-SEP-2000; 2000US-0234998.
PR 26-SEP-2000; 2000US-0235484.
PR 27-SEP-2000; 2000US-0235834.
PR 27-SEP-2000; 2000US-0235836.
PR 29-SEP-2000; 2000US-0236327.
PR 29-SEP-2000; 2000US-0236367.
PR 29-SEP-2000; 2000US-0236368.
PR 29-SEP-2000; 2000US-0236369.
PR 29-SEP-2000; 2000US-0236370.
PR 02-OCT-2000; 2000US-0236802.
PR 02-OCT-2000; 2000US-0237037.
PR 02-OCT-2000; 2000US-0237038.
PR 02-OCT-2000; 2000US-0237039.
PR 02-OCT-2000; 2000US-0237040.
PR 13-OCT-2000; 2000US-0239935.
PR 13-OCT-2000; 2000US-0239937.
PR 20-OCT-2000; 2000US-0240960.
PR 20-OCT-2000; 2000US-0241221.
PR 20-OCT-2000; 2000US-0241785.
PR 20-OCT-2000; 2000US-0241786.
PR 20-OCT-2000; 2000US-0241787.
PR 20-OCT-2000; 2000US-0241808.
PR 20-OCT-2000; 2000US-0241809.
PR 20-OCT-2000; 2000US-0241826.
PR 01-NOV-2000; 2000US-0246177.
PR 01-NOV-2000; 2000US-0246178.
PR 08-NOV-2000; 2000US-0246474.
PR 08-NOV-2000; 2000US-0246475.
PR 08-NOV-2000; 2000US-0246476.
PR 08-NOV-2000; 2000US-0246477.
PR 08-NOV-2000; 2000US-0246478.
PR 08-NOV-2000; 2000US-0246523.
PR 08-NOV-2000; 2000US-0246524.
PR 08-NOV-2000; 2000US-0246525.
PR 08-NOV-2000; 2000US-0246526.
PR 08-NOV-2000; 2000US-0246527.
PR 08-NOV-2000; 2000US-0246528.
PR 08-NOV-2000; 2000US-0246532.
PR 08-NOV-2000; 2000US-0246609.
PR 08-NOV-2000; 2000US-0246610.
PR 08-NOV-2000; 2000US-0246611.
PR 08-NOV-2000; 2000US-0246613.
PR 17-NOV-2000; 2000US-0249207.
PR 17-NOV-2000; 2000US-0249208.
PR 17-NOV-2000; 2000US-0249209.
PR 17-NOV-2000; 2000US-0249210.
PR 17-NOV-2000; 2000US-0249211.
PR 17-NOV-2000; 2000US-0249212.
PR 17-NOV-2000; 2000US-0249213.
PR 17-NOV-2000; 2000US-0249214.
PR 17-NOV-2000; 2000US-0249215.
PR 17-NOV-2000; 2000US-0249216.
PR 17-NOV-2000; 2000US-0249217.
PR 17-NOV-2000; 2000US-0249218.
PR 17-NOV-2000; 2000US-0249244.
PR 17-NOV-2000; 2000US-0249245.
PR 17-NOV-2000; 2000US-0249264.
PR 17-NOV-2000; 2000US-0249265.
PR 17-NOV-2000; 2000US-0249297.
PR 17-NOV-2000; 2000US-0249299.
PR 17-NOV-2000; 2000US-0249300.
PR 01-DEC-2000; 2000US-0250160.
PR 01-DEC-2000; 2000US-0250391.
PR 05-DEC-2000; 2000US-0251030.
PR 05-DEC-2000; 2000US-0251988.
PR 05-DEC-2000; 2000US-0256719.

PR 06-DEC-2000; 2000US-0251479.
PR 08-DEC-2000; 2000US-0251856.
PR 08-DEC-2000; 2000US-0251868.
PR 08-DEC-2000; 2000US-0251869.
PR 08-DEC-2000; 2000US-0251989.
PR 08-DEC-2000; 2000US-0251990.
PR 11-DEC-2000; 2000US-0254097.
PR 05-JAN-2001; 2001US-0259678.
XX (HUMA-) HUMAN GENOME SCI INC.
XX
XX Rosen CA, Barash SC, Ruben SM;
XX WPI; 2001-488781/53.
XX
XX New isolated nucleic acids and polypeptides, useful for diagnosing,
XX treating and/or preventing human diseases and disorders -
XX
XX Disclosure; SEQ ID NO 352; 664pp + Sequence Listing; English.
XX
XX The invention relates to human polynucleotides (AAI63803-AAI64012) and
XX the encoded proteins (AAI634497-AAI63660) useful for preventing, treating
XX or ameliorating medical conditions e.g. by protein or gene therapy. The
XX genes were isolated from a range of human tissues disclosed in the
XX specification. The nucleic acids, proteins, antibodies and (ant)agonists
XX are useful in the diagnosis, treatment and prevention of: (a) cancer,
XX e.g. breast and ovarian cancer and other cancers of the adrenal gland,
XX bone, bone marrow, breast, gastrointestinal tract, liver, lung, or
XX urogenital; (b) immune disorders e.g. Addison's disease, allergies,
XX autoimmune haemolytic anaemia, autoimmune thyroiditis, diabetes mellitus,
XX Crohn's disease, multiple sclerosis, rheumatoid arthritis and ulcerative
XX colitis; (c) cardiovascular disorders such as myocardial ischaemias;
XX (d) wound healing; (e) neurological diseases e.g. cerebral anoxia and
XX epilepsy; and (f) infectious diseases such as viral, bacterial, fungal
XX and parasitic infections.
XX
XX Note: The sequence data for this patent did not form part of the
XX printed specification, but was obtained in electronic format directly
XX from WIPO at ftp.wipo.int/pub/published_pct_sequences.
XX
XX Sequence 3357 BP; 647 A; 949 C; 1036 G; 725 T; 0 other;

Query Match 72.8%; Score 26.2; DB 22; Length 3357;
Best Local Similarity 90.3%; Pred. No. 0.075;
Matches 28; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 6 ctgattctcagtcctccacagcagctgtc 36
Db 2962 CTGCATCTCAGTCCCTCACAAGACAGCTGTC 2932

RESULT 5
AAI63981/C
ID AAI63981 standard; DNA; 3357 BP.
XX
XX AAI63981;
XX
XX 22-OCT-2001 (first entry)
XX
XX Human polynucleotide SEQ ID NO 353.
XX
XX Human; antiarthritic; antirheumatic; antiproliferative; vasotropic;
XX cerebroprotective; neurotropic; neuroprotective; antibacterial; virucide;
XX fungicide; ophthalmological; cytostatic; immunosuppressive; nootropic;
XX neuroprotective; antiallergic; hepatotropic; antidiabetic;
XX antiinflammatory; antiulcer; vulnerable; anticonvulsant; antibacterial;
XX antiparasitic; cardiant; gene therapy; cancer; immune disorder;
XX cardiovascular disorder; neurological disease; infection; human; ds.
XX Homo sapiens.
XX
XX WO200155308-A2.
XX
```


PD 02-AUG-2001.
XX 17-JAN-2001; 2001WO-US01309.
XX 31-JAN-2000; 2000US-0179065.
PR 04-FEB-2000; 2000US-0180628.
PR 24-FEB-2000; 2000US-0184664.
PR 02-MAR-2000; 2000US-0186350.
PR 16-MAR-2000; 2000US-0189874.
PR 17-MAR-2000; 2000US-0190076.
PR 18-APR-2000; 2000US-0198123.
PR 19-MAY-2000; 2000US-0205515.
PR 07-JUN-2000; 2000US-0209467.
PR 28-JUN-2000; 2000US-0214886.
PR 30-JUN-2000; 2000US-0215135.
PR 07-JUL-2000; 2000US-0216647.
PR 07-JUL-2000; 2000US-0216880.
PR 11-JUL-2000; 2000US-0217487.
PR 11-JUL-2000; 2000US-0217496.
PR 14-JUL-2000; 2000US-0218290.
PR 26-JUL-2000; 2000US-0220963.
PR 26-JUL-2000; 2000US-0220964.
PR 14-AUG-2000; 2000US-0224518.
PR 14-AUG-2000; 2000US-0224519.
PR 14-AUG-2000; 2000US-0225213.
PR 14-AUG-2000; 2000US-0225214.
PR 14-AUG-2000; 2000US-0225266.
PR 14-AUG-2000; 2000US-0225267.
PR 14-AUG-2000; 2000US-0225268.
PR 14-AUG-2000; 2000US-0225270.
PR 14-AUG-2000; 2000US-0225447.
PR 14-AUG-2000; 2000US-0225757.
PR 14-AUG-2000; 2000US-0225758.
PR 14-AUG-2000; 2000US-0225759.
PR 18-AUG-2000; 2000US-0226279.
PR 22-AUG-2000; 2000US-0226681.
PR 22-AUG-2000; 2000US-0226686.
PR 23-AUG-2000; 2000US-0227182.
PR 23-AUG-2000; 2000US-0227009.
PR 30-AUG-2000; 2000US-0228924.
PR 01-SEP-2000; 2000US-0229287.
PR 01-SEP-2000; 2000US-0229343.
PR 01-SEP-2000; 2000US-0229344.
PR 01-SEP-2000; 2000US-0229345.
PR 05-SEP-2000; 2000US-0229509.
PR 05-SEP-2000; 2000US-0229513.
PR 06-SEP-2000; 2000US-0230437.
PR 06-SEP-2000; 2000US-0230438.
PR 08-SEP-2000; 2000US-0231242.
PR 08-SEP-2000; 2000US-0231243.
PR 08-SEP-2000; 2000US-0231244.
PR 08-SEP-2000; 2000US-0231413.
PR 08-SEP-2000; 2000US-0231414.
PR 08-SEP-2000; 2000US-0232080.
PR 12-SEP-2000; 2000US-0232081.
PR 14-SEP-2000; 2000US-0232397.
PR 14-SEP-2000; 2000US-0232398.
PR 14-SEP-2000; 2000US-0232399.
PR 14-SEP-2000; 2000US-0232400.
PR 14-SEP-2000; 2000US-0232401.
PR 14-SEP-2000; 2000US-0233063.
PR 14-SEP-2000; 2000US-0233064.
PR 14-SEP-2000; 2000US-0233065.
PR 21-SEP-2000; 2000US-0234223.
PR 21-SEP-2000; 2000US-0234274.
PR 25-SEP-2000; 2000US-0234997.
PR 25-SEP-2000; 2000US-0234998.
PR 26-SEP-2000; 2000US-0235484.
PR 27-SEP-2000; 2000US-0235834.
PR 29-SEP-2000; 2000US-0236327.
PR 29-SEP-2000; 2000US-0236367.
PR 29-SEP-2000; 2000US-0236368.
PR 29-SEP-2000; 2000US-0236369.
PR 29-SEP-2000; 2000US-0236370.
PR 02-OCT-2000; 2000US-0236802.
PR 02-OCT-2000; 2000US-0237037.
PR 02-OCT-2000; 2000US-0237038.
PR 02-OCT-2000; 2000US-0237039.
PR 02-OCT-2000; 2000US-0237040.
PR 13-OCT-2000; 2000US-0239935.
PR 13-OCT-2000; 2000US-0239937.
PR 20-OCT-2000; 2000US-0240960.
PR 20-OCT-2000; 2000US-0241221.
PR 20-OCT-2000; 2000US-0241785.
PR 20-OCT-2000; 2000US-0241786.
PR 20-OCT-2000; 2000US-0241787.
PR 20-OCT-2000; 2000US-0241808.
PR 20-OCT-2000; 2000US-0241809.
PR 20-OCT-2000; 2000US-0241826.
PR 01-NOV-2000; 2000US-0244617.
PR 08-NOV-2000; 2000US-0246474.
PR 08-NOV-2000; 2000US-0246475.
PR 08-NOV-2000; 2000US-0246476.
PR 08-NOV-2000; 2000US-0246477.
PR 08-NOV-2000; 2000US-0246478.
PR 08-NOV-2000; 2000US-0246523.
PR 08-NOV-2000; 2000US-0246524.
PR 08-NOV-2000; 2000US-0246525.
PR 08-NOV-2000; 2000US-0246526.
PR 08-NOV-2000; 2000US-0246527.
PR 08-NOV-2000; 2000US-0246528.
PR 08-NOV-2000; 2000US-0246532.
PR 08-NOV-2000; 2000US-0246609.
PR 08-NOV-2000; 2000US-0246610.
PR 08-NOV-2000; 2000US-0246611.
PR 08-NOV-2000; 2000US-0246613.
PR 17-NOV-2000; 2000US-0249207.
PR 17-NOV-2000; 2000US-0249208.
PR 17-NOV-2000; 2000US-0249209.
PR 17-NOV-2000; 2000US-0249210.
PR 17-NOV-2000; 2000US-0249211.
PR 17-NOV-2000; 2000US-0249212.
PR 17-NOV-2000; 2000US-0249213.
PR 17-NOV-2000; 2000US-0249214.
PR 17-NOV-2000; 2000US-0249215.
PR 17-NOV-2000; 2000US-0249216.
PR 17-NOV-2000; 2000US-0249217.
PR 17-NOV-2000; 2000US-0249218.
PR 17-NOV-2000; 2000US-0249244.
PR 17-NOV-2000; 2000US-0249245.
PR 17-NOV-2000; 2000US-0249264.
PR 17-NOV-2000; 2000US-0249265.
PR 17-NOV-2000; 2000US-0249297.
PR 17-NOV-2000; 2000US-0249299.
PR 17-NOV-2000; 2000US-0249300.
PR 01-DEC-2000; 2000US-0250160.
PR 01-DEC-2000; 2000US-0250391.
PR 05-DEC-2000; 2000US-0251030.
PR 05-DEC-2000; 2000US-0251988.
PR 05-DEC-2000; 2000US-0256719.
PR 06-DEC-2000; 2000US-0251479.
PR 08-DEC-2000; 2000US-0251856.
PR 08-DEC-2000; 2000US-0251868.
PR 08-DEC-2000; 2000US-0251869.
PR 08-DEC-2000; 2000US-0251989.
PR 11-DEC-2000; 2000US-0251990.
PR 05-JAN-2001; 2001US-0259678.
XX (HUMA-) HUMAN GENOME SCI INC.
PA Rosen CA, Barash SC, Ruben SM;
PI WPI; 2001-488781/53.
XX
DR

XX New isolated nucleic acids and polypeptides, useful for diagnosing,
 PT treating and/or preventing human diseases and disorders -
 XX
 PS Disclosure; SEQ ID NO 353; 664pp + Sequence Listing; English.
 XX
 CC The invention relates to human polynucleotides (AAI63803-AAI64012) and
 CC the encoded proteins (AAM434497-AAM43660) useful for preventing, treating
 CC or ameliorating medical conditions e.g. by protein or gene therapy. The
 CC genes were isolated from a range of human tissues disclosed in the
 CC specification. The nucleic acids, proteins, antibodies and (ant)agonists
 CC are useful in the diagnosis, treatment and prevention of: (a) cancer,
 CC e.g. breast and ovarian cancer and other cancers of the adrenal gland,
 CC bone, bone marrow, breast, gastrointestinal tract, liver, lung, or
 CC urogenital; (b) immune disorders e.g. Addison's disease, allergies,
 CC autoimmune haemolytic anaemia, autoimmune thyroiditis, diabetes mellitus,
 CC Crohn's disease, multiple sclerosis, rheumatoid arthritis and ulcerative
 CC colitis; (c) cardiovascular disorders such as myocardial ischaemias;
 CC (d) wound healing; (e) neurological diseases e.g. cerebral anoxia and
 CC epilepsy; and (f) infectious diseases such as viral, bacterial, fungal
 CC and parasitic infections.
 CC Note: The sequence data for this patent did not form part of the
 CC printed specification, but was obtained in electronic format directly
 CC from WIPO at ftp.wipo.int/pub/published_pct_sequences.
 XX
 SQ Sequence 3357 BP; 645 A; 947 C; 1035 G; 730 T; 0 other;

Query Match 72.8%; Score 26.2; DB 22; Length 3357;
 Best Local Similarity 90.3%; Pred. No. 0.075;
 Matches 28; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 6 ctatgattcagtcctccacagcagctgtc 36
 || |||||

Db 2962 CTGCATCTCAGTCCCTCACAGACAGCTGTC 2932

RESULT 6
 ID AAN70225/c
 XX AAN70225 standard; DNA; 3874 BP.
 AC AAN70225;
 XX
 DT 03-APR-1991 (first entry)
 XX
 DE Sequence of genomic DNA encoding human histocompatibility antigen
 DE HLA-B 27.
 XX
 KW Ankylosing spondylitis; rheumatic disorder; diagnosis; ss.
 XX
 OS Homo sapiens.

XX
 FH Key Location/Qualifiers
 FT intron 518..590
 FT intron /*tag= a
 FT intron 720..989
 FT intron /*tag= b
 FT intron 1090..1506
 FT intron /*tag= c
 FT intron 1932..2357
 FT intron /*tag= d
 FT intron 2450..2566
 FT intron /*tag= e
 FT intron 3009..3041
 FT intron /*tag= f
 FT intron 3148..3191
 FT intron /*tag= g

XX EP226069-A.

XX 24-JUN-1987.

XX 21-NOV-1986; 86EP-0116139.

XX 21-DEC-1985; 85DE-3545576.
 PR 01-JAN-1985; 85DE-3542024.
 XX
 PA (BEHW) BEHRINGWERKE AG.
 XX
 PI Szots H, Weiss E, Dorner C, Lang M, Meo T, Riethmuller G;
 XX
 DR WPI; 1987-171469/25.
 DR P-PSDB; AAP70155.
 XX
 PT DNA coding for human histocompatibility antigen HLA-B 27 - useful
 PT for diagnosis and antigen and antibody prodn.
 XX
 PS Claim 1; p6; 13pp; German.
 XX
 CC The DNA may be used to detect the HLA-B 27 gene (opt. mutated) in
 CC human genetic material. The HLA-B 27 may be used to detect anti-HLA-
 CC B 27 antibodies in human serum. The antibodies may be used to
 CC determine HLA-B 27 levels in human serum, e.g. for diagnosis of
 CC rheumatic disorders, esp. ankylosing spondylitis.
 XX
 SQ Sequence 3874 BP; 751 A; 1094 C; 1171 G; 858 T; 0 other;

Query Match 72.8%; Score 26.2; DB 8; Length 3874;
 Best Local Similarity 90.3%; Pred. No. 0.077;
 Matches 28; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 6 ctatgattcagtcctccacagcagctgtc 36
 || |||||

Db 3272 CTGCATCTCAGTCCCTCACAGACAGCTGTC 3242

RESULT 7
 ID AAO75974
 XX AAO75974 standard; CDNA; 4059 BP.
 AC AAO75974;
 XX
 DT 23-AUG-1995 (first entry)
 XX
 DE pHLA-B7 expression vector.
 XX
 KW expression vector; pHLA-B7; heavy human HLA-B7; bicistronic mRNA;
 KW light beta-2 microglobulin; class I major histocompatibility complex;
 KW MHC; human leukocyte antigen; HLA; covalently closed circular DNA; ds.
 XX
 OS Synthetic.

XX
 FH Key Location/Qualifiers
 FT misc_feature 1..354
 FT /*tag= a
 FT /*note= "pBR322 backbone contg. bacterial origin of
 FT replication"
 FT CDS 355..1170
 FT /*tag= b
 FT /*note= "kanamycin resistance gene open reading frame;
 FT the gene is taken from the transposable element
 FT Tn903"
 FT polyA_signal complement (1410..1177)
 FT /*tag= c
 FT /*note= "SV40 polyA signal sequence"
 FT intron complement (1412..1560)
 FT /*tag= d
 FT /*note= "SV40 small t intron"
 FT 3'UTR complement (1561..1794)
 FT /*tag= e
 FT /*note= "3' untranslated region of HLA-B7
 FT heavy chain mRNA"
 FT CDS complement (1795..2880)
 FT /*tag= f
 FT /*note= "HLA-B7 open reading frame"

```
FT LTR complement (2886..3415)
FT /tag= g
FT /note= "Rous sarcoma virus 3' LTR promoter region"
FT misc_feature 3416..4059
FT /tag= h
FT /note= "pBR322 backbone"
FT XX
FT PN W09429469-A.
FT XX
FT PD 22-DEC-1994.
FT XX
FT PF 27-MAY-1994; 94WO-US06069.
FT XX
FT PR 07-JUN-1993; 93US-0074344.
FT XX
FT PA (UNMI ) UNIV MICHIGAN.
FT PA (VICA-) VICAL INC.
FT XX
FT PI Lew D, Marquet M, Nabel EG, Nabel GJ;
FT XX
FT DR WPI; 1995-036494/05.
FT XX
FT XX New vectors for gene therapy, partic for tumours - comprising
FT PT genetic material encoding one or more cistron(s) which express
FT PT immunogenic or therapeutic peptide(s)
FT XX
FT PS Claim 9; Page 42-43; 50pp; English.
FT XX
FT CC This HLA-B7 antigen encoding plasmid was developed to incorporate many
FT CC advantageous features, eg. the kanamycin resistance gene. The
FT CC indication of two open reading frames encoding portions of SV40 viral
FT CC proteins lowers the risk of tumorigenicity. The vector may also operate
FT CC as a cassette into which cistrons may be inserted and removed at will
FT CC for the transcription and subsequent translation of peptides of interest.
FT CC The vector is used partic. for the treatment of neoplastic disease,
FT CC eg. melanoma, and provides enhanced gene delivery and expression
FT CC in vivo.
FT XX
FT SQ Sequence 4059 BP; 975 A; 1051 C; 1033 G; 1000 T; 0 other;
FT XX
FT Query Match 72.8%; Score 26.2; DB 16; Length 4059;
FT Best Local Similarity 90.3%; Pred. NO. 0.078;
FT Matches 28; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
FT XX
FT QY 6 ctatgctcagtcctccacaaagcagctgctc 36
FT || ||||| ||||| ||||| ||||| |||||
FT Db 1755 ctgcatctcagtcctccacaaagcagctgctc 1785
FT XX
FT RESULT 8
FT AAQ75973/c
FT ID AAQ75973 standard: cDNA; 4965 BP.
FT XX
FT AC AAQ75973;
FT XX
FT DT 23-AUG-1995 (first entry)
FT XX
FT DE pHLA-B7/beta-2 microglobulin expression vector.
FT XX
FT KW expression vector; pHLA-B7/beta-2 microglobulin; heavy human HLA-B7;
FT KW light beta-2 microglobulin; class I major histocompatibility complex;
FT KW MHC; bicistronic mRNA; human leukocyte antigen; HLA;
FT KW covalently closed circular DNA; ds.
FT XX
FT OS Synthetic.
FT XX
FT FH Key Location/Qualifiers
FT FT LTR 1..529
FT /tag= a
FT /note= "Rous sarcoma virus LTR promoter domain, derived
FT for the Schmidt-Rupin strain nucleotides
FT 8673-9146. This region also includes a 56 bp
FT XX
```

```
FT region of a synthetic oligonucleotide which
FT modifies this regulatory sequence to effect a
FT higher level of expression of downstream
FT sequences. The oligonucleotide removes a
FT polyadenylation signal sequence originally found
FT in the RSV DNA sequence."
FT 531..534
FT /tag= b
FT /label= consensus_Kozak_signal_sequence
FT 535..1620
FT /tag= c
FT /note= "HLA-B7 heavy chain open reading frame"
FT 535..606
FT /tag= d
FT /note= "encodes putative signal peptide of the
FT HLA-B7 heavy chain"
FT 607..1620
FT /tag= e
FT /note= "encodes putative HLA-B7 heavy chain mature
FT peptide"
FT 1621..1853
FT /tag= f
FT /note= "3' untranslated sequence of HLA-B7 heavy
FT chain mRNA"
FT 1854..1888
FT /tag= g
FT /note= "multiple cloning site, forms a junction
FT between the HLA-B7 sequence and the EMCV-CITE
FT sequence, and is used to facilitate subcloning"
FT 1889..2479
FT /tag= h
FT /note= "murine encephalomyocarditis CAP-independent
FT translational enhancer (EMCV-CITE); taken from
FT nucleotides 255-843 of cloned EMCV genomic DNA.
FT It is a non-coding regulatory sequence functioning
FT as an internal entry point for the eukaryotic
FT ribosomal subunits when located within a mRNA
FT mol.. It enables the translational start codon of
FT the beta-2 microglobulin, downstream of the HLA-B7
FT stop codon on this bicistronic mRNA to be
FT recognised by the ribosome"
FT 2480..2839
FT /tag= i
FT /note= "encodes beta-2 microglobulin; this cDNA is
FT deriv. from chimpanzee (differs to the human
FT cDNA by only 4 bases)"
FT 2840..2846
FT /tag= j
FT /note= "3' untranslated region of the beta-2
FT microglobulin mRNA"
FT 2847..2870
FT /tag= k
FT /note= "synthetic linker"
FT ..3111
FT /tag= l
FT /note= "bovine growth hormone 3'UTR and transcriptional
FT terminator; it starts at a blunt-ended BglI site
FT within the 3'UTR of the mRNA coding sequence"
FT 2979..2984
FT /tag= m
FT 3112..3151
FT /tag= n
FT /note= "synthetic linker to facilitate cloning"
FT complement (3151..3967)
FT /tag= o
FT /note= "kanamycin resistance gene open reading frame;
FT the gene is taken from the transposable element
FT Tn903"
FT 4014..4965
FT /tag= p
FT /note= "pBR322 backbone contg. bacterial origin of
FT replication, it represents nucleotides 2244-3193"
FT XX
```

PN WO9429469-A.
 XX
 PD 22-DEC-1994.
 XX
 PF 27-MAY-1994; 94WO-US06069.
 XX
 PR 07-JUN-1993; 93US-0074344.
 XX
 XX (UNMI) UNIV MICHIGAN.
 PA (VICA-) VICAL INC.
 XX
 PI Lew D, Marquet M, Nabel EG, Nabel GJ;
 XX
 XX WPI; 1995-036494/05.
 DR
 XX New vectors for gene therapy, partic for tumours - comprising
 FT genetic material encoding one or more cistron(s) which express
 PT immunogenic or therapeutic peptide(s)
 XX
 XX Claim 8; Page 41-42; 50pp; English.
 XX
 CC The pHLA-B7/beta-2 microglobulin plasmid expression vector, in addition
 CC to the kanamycin resistance gene, contains the plasmid DNA encoding the
 CC heavy (human HLA-B7) and light (beta-2 microglobulin) proteins of a
 CC class I major histocompatibility complex (MHC) antigen. The plasmid is
 CC designed to express these two proteins via a bicistronic mRNA in
 CC eukaryotic cells. Initiation of transcription of the mRNA is dependent
 CC on a Rous Sarcoma Virus (RSV) promoter sequence deriv. from the 3' long
 CC terminal repeat. Termination of transcription is dependent upon the
 CC polyadenylation signal sequence deriv. from the bovine growth hormone
 CC gene. Eukaryotic cell translation of the heavy chain is regulated by the
 CC 5' cap-dependent protein start site. Translation of the light chain is
 CC controlled by the CITE. Finally the replication of the plasmid in
 CC bacterial cells is controlled by the presence of a bacterial origin of
 CC replication. The vector is used partic. for the treatment of neoplastic
 CC disease, eg. melanoma, and provides enhanced gene delivery and expression
 CC in vivo.
 XX
 SQ Sequence 4965 BP; 1171 A; 1293 C; 1338 G; 1163 T; 0 other;

Query Match 72.8%; Score 26.2; DB 16; Length 4965;
 Best Local Similarity 90.3%; Pred. NO. 0.081;
 Matches 28; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 6 ctatgatctcagtcctccacaaagcagctgtc 36
 || |||||
 Db 1663 CTGCATCTCAGTCCCTCACAAGACAGCTGTC 1633

RESULT 9
 AAT61639/c
 ID AAT61639 standard; DNA; 6553 BP.
 XX
 AC AAT61639;
 XX
 DT 05-JUN-1997 (first entry)
 XX
 DE HLA B27 consensus sequence.
 XX
 KW HLA B27; seronegative spondylarthropathy; ankylosing spondylitis;
 KW Reiter's syndrome; arthritis; acute anterior uveitis; diagnosis;
 KW ss; ds.
 XX
 OS Homo sapiens.
 XX
 XX Key Location/Qualifiers
 FH 3968..6653
 FT mRNA /*tag= a
 FT /*note= "HLA-B27 3' flanking region, downstream of
 FT 3' untranslated region"
 FT mRNA 4112..4556
 FT /*tag= b

FT
 FT /note= "3' flanking region diagnostic for genetic
 FT predisposition to SNSA"
 FT 4270..4556
 FT /*tag= b
 FT /note= "3' flanking region diagnostic for genetic
 FT predisposition to SNSA"
 FT misc_difference 4495
 FT /*tag= d
 FT /note= "absence of cytosine at this site is
 FT indicative of a predisposition to SNSA"
 PN WO9709450-A1.
 XX
 PD 13-MAR-1997.
 XX
 XX 16-AUG-1996; 96WO-US13256.
 PF
 XX 01-SEP-1995; 95US-0522942.
 PR
 XX (CEDA-) CEDARS SINAI MEDICAL CENT.
 PA
 XX Tyan DB;
 PI
 XX WPI; 1997-192924/17.
 DR
 XX Detecting pre-disposition to seronegative spondylarthropathies -
 FT from the absence of a C residue at a specific position in the
 PT 3'-flanking region of the HLA B27 allele
 XX
 PS Claim 1; Page 52-56; 68pp; English.
 XX
 CC Genetic predisposition to seronegative spondylarthropathies (SNSA)
 CC is detected by determining the absence of a cytosine nucleotide in
 CC the 3' flanking region (see also AAT61647-48) of an HLA-B gene at a
 CC position corresponding to nucleotide 4495 of the HLA-B27 consensus
 CC sequence given in AAT61639. Probes and primers (see also AAT61640-46)
 CC based on this region can be used in diagnostic assays to detect the
 CC genetic predisposition to SNSA, and permit the distinction of B27+
 CC individuals who are resistant to SNSA from B27+ normal individuals
 CC who are susceptible (but as yet unaffected) to such diseases.
 XX
 SQ Sequence 6553 BP; 1443 A; 1619 C; 2017 G; 1474 T; 0 other;

Query Match 72.8%; Score 26.2; DB 18; Length 6553;
 Best Local Similarity 90.3%; Pred. No. 0.085;
 Matches 28; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 6 ctatgatctcagtcctccacaaagcagctgtc 36
 || |||||
 Db 3579 CTGCATCTCAGTCCCTCACAAGACAGCTGTC 3549

RESULT 10
 AAF44886/c
 ID AAF44886 standard; cDNA; 509 BP.
 XX
 AC AAF44886;
 XX
 DT 28-MAR-2001 (first entry)
 XX
 DE Human breast cancer related protein coding sequence SEQ ID NO: 42.
 XX
 KW Human; breast cancer; diagnosis; therapy; vaccine; ss.
 XX
 OS Homo sapiens.
 XX
 PN WO200078960-A2.
 XX
 PD 28-DEC-2000.
 XX
 PF 23-JUN-2000; 2000WO-US17536.
 XX

PR 23-JUN-1999; 99US-0140903.
 PR 12-OCT-1999; 99US-0158980.
 PA (CORI-) CORIXA CORP.
 XX
 PI Yuqiu J, Mitcham JL;
 XX
 DR WPI; 2001-041426/05.
 XX
 PT New polynucleotides encoding breast tumor specific proteins, useful for
 PT prevention, treatment and diagnosis of breast cancer -
 PS
 PS Claim 25; Page 132-133; 165pp; English.
 XX
 CC The present invention provides the coding sequences for a number of
 CC breast cancer related proteins. These can be used in vaccinations
 CC against, diagnosis of and treatment of cancer, particularly breast
 CC cancer.
 XX
 SQ Sequence 509 BP; 120 A; 124 C; 119 G; 146 T; 0 other;

Query Match 70.6%; Score 25.4; DB 22; Length 509;
 Best Local Similarity 96.3%; Pred. No. 0.12;
 Matches 26; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 10 atctcagtcctccacaaagcagctgtc 36
 |||||
 DB 118 ATCTCAGTCCCTCACAAGACAGCTGTC 92

RESULT 11
 AAZ38041/c
 ID AAZ38041 standard; cDNA; 456 BP.
 XX
 AC AAZ38041;
 XX
 DT 07-FEB-2000 (first entry)
 XX
 DE T lymphocyte cDNA sequence ID No: 29 of WO9957130.
 XX
 KW T lymphocyte; sterile inflammatory disease; autoimmune disorder; GVHD;
 KW immunodeficiency disease; cancer; graft-versus-host-disease; psoriasis;
 KW rheumatoid arthritis; asthma; genetic disease; cytokine gene; Jurkat; ss.
 XX
 OS Homo sapiens.
 XX
 PN WO9957130-A1.
 XX
 PD 11-NOV-1999.
 XX
 PF 05-MAY-1999; 99WO-US09761.
 XX
 PR 05-MAY-1998; 98US-0084329.
 XX
 PA (GENE-) GENE LOGIC INC.
 XX
 PI Prashar Y, Weissman S;
 XX
 DR WPI; 2000-023547/02.
 XX
 PT Studying changes in gene expression in T lymphocytes used to identify
 PT therapeutic or prophylactic agents which modulate T lymphocyte
 PT populations -
 XX
 PS Disclosure; Page 74; 78pp; English.
 XX
 CC The invention provides methods to identify a therapeutic or prophylactic
 CC agent that modulates a T lymphocyte population found in a subject having
 CC a sterile inflammatory disease, autoimmune disorder, immunodeficiency
 CC disease, cancer or graft-versus-host-disease (GVHD). The methods can be
 CC used to identify therapeutic or prophylactic agents that modulate T
 CC lymphocyte populations in subjects having a sterile inflammatory disease

CC (e.g. psoriasis, rheumatoid arthritis, glomerulonephritis, asthma,
 CC allergic rhinitis, cardiac and renal reperfusion injury, thrombosis,
 CC adult respiratory distress syndrome, inflammatory bowel disease, Crohn's
 CC disease, ulcerative colitis, periodontal disease, lymphocytopenias,
 CC autoimmune lymphoproliferative syndrome, synovitis, sarcoidosis,
 CC DiGeorge's syndrome, Nezelof syndrome, Ataxia-telangiectasia, Cartilage-
 CC syndromes, Wiskott-Aldrich syndrome, severe combined immunodeficiency
 CC hair hypoplasia, immunodeficiency with thymoma and leukocyte adhesion
 CC deficiency 1). cancer (15 T lymphocyte leukemia/lymphoma's are listed in
 CC the specification), immunodeficiency disease, autoimmune disorder (20
 CC listed in the specification) or a genetic disease. The methods can also
 CC be used to identify an agent that induces the differentiation of
 CC quiescent pre-, cortical or medullary T lymphocytes into a
 CC differentiated T lymphocyte subpopulation. The methods are especially
 CC useful for identifying cytokine genes, genes encoding cell surface
 CC receptors and genes encoding intermediary signaling molecules. Sequences
 CC AAZ38026-37 represent T lymphocyte cDNA sequences.
 XX
 SQ Sequence 456 BP; 94 A; 109 C; 99 G; 136 T; 18 other;

Query Match 70.0%; Score 25.2; DB 21; Length 456;
 Best Local Similarity 90.0%; Pred. No. 0.14;
 Matches 27; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
 QY 6 ctgagtctcagtcctccacaaagcagctgt 35
 |||||
 DB 80 CTGCATCTCAGTCCCTCACAAGACAGCTGT 51

RESULT 12
 AAC07491/c
 ID AAC07491 standard; cDNA; 439 BP.
 XX
 AC AAC07491;
 XX
 DT 06-OCT-2000 (first entry)
 XX
 DE Human secreted protein 5' EST, SEQ ID NO: 11566.
 XX
 KW Human; 5' EST; expressed sequence tag; secreted protein; cDNA isolation;
 KW gene therapy; chromosome mapping; ss.
 OS Homo sapiens.
 XX
 PN EP1033401-A2.
 XX
 PD 06-SEP-2000.
 XX
 PF 21-FEB-2000; 2000EP-0200610.
 XX
 PR 26-FEB-1999; 99US-0122487.
 XX
 PA (GEST) GENSET.
 XX
 PI Dumas Milne Edwards J, Duclert A, Giordano J;
 XX
 DR WPI; 2000-500381/45.
 XX
 PT New nucleic acid that is a 5' expressed sequence tag (5' EST) for
 PT obtaining cDNAs and genomic DNAs that correspond to 5'ESTs and for
 PT diagnostic, forensic, gene therapy and chromosome mapping procedures -
 XX
 PS Claim 1; SEQ ID 11566; 71pp + CD-ROM; English.
 XX
 CC The present sequence is one of a large number of 5' ESTs derived from
 CC mRNAs encoding secreted proteins. No ORF has yet been conclusively
 CC identified within the present sequence. The 5' ESTs were prepared from
 CC total human RNAs or polyA+ RNAs derived from 30 different tissues. EST
 CC sequences usually correspond mainly to the 3' untranslated region (UTR)
 CC of the mRNA because they are often obtained from oligo-dT primed cDNA
 CC libraries. Such ESTs are not well suited for isolating cDNA sequences
 CC derived from the 5' ends of mRNAs and even in those cases where longer

CC cDNA sequences have been obtained, the full 5' UTR is rarely included.
 CC 5' ESTs are derived from mRNAs with intact 5' ends and can therefore be
 CC used to obtain full length cDNAs and genomic DNAs. 5' ESTs are also used
 CC in diagnostic, forensic, gene therapy and chromosome mapping procedures.
 CC They are used to obtain upstream regulatory sequences and to design
 CC expression and secretion vectors.

SQ Sequence 439 BP; 93 A; 110 C; 147 G; 85 T; 4 other;

Query Match 69.4%; Score 25; DB 21; Length 439;
 Best Local Similarity 84.8%; Pred. No. 0.17;
 Matches 28; Conservative 0; Mismatches 5; Indels 0; Gaps 0;

QY 4 cctagatctcagtcctcacaaggcagctgtc 36
 ||| | ||||| | ||||| |||||
 Db 422 CTGTGCATCTCAGTCGCACACAGGCGAGCTGTC 390

RESULT 13
 AAH02916/c
 ID AAH02916 standard; DNA; 1817 BP.

AC AAH02916;

XX
 XX
 XX 15-JUN-2001 (first entry)

DE Human shear stress-response coding sequence SEQ ID NO: 85.

KW Human; shear stress-response protein; vascular disease;
 KW arteriosclerosis; ds.

OS Homo sapiens.

XX
 XX WO200125427-A1.

XX
 XX 12-APR-2001.

XX
 XX 02-OCT-2000; 2000WO-JP06840.

XX
 XX 01-OCT-1999; 99JP-0280976.

XX
 XX (KYOW) KYOWA HAKKO KOGYO KK.
 XX (NOJIT) NOJIMA H.

XX Nojima H, Yoshisue H, Obayashi M, Ota T, Kawabata A, Sakurada K;
 PI Kuga T, Sekine S, Nakamura Y, Sugano S;
 XX

XX
 XX WPI; 2001-266308/27.
 XX P-PSDB; AAB90793.

XX
 XX DNA sequences, proteins encoded by them and antibodies against them
 PT useful in diagnosis and treatment of vascular disease caused by
 PT arteriosclerosis -

XX
 XX Claim 20; Page 469-471; 678pp; Japanese.

XX The present invention provides the protein and coding sequences of a
 CC number of human shear stress response proteins. These are useful in the
 CC diagnosis, treatment and screening of vascular diseases caused by
 CC arteriosclerosis, including heart failure, post-PTCA restenosis and
 CC hypertension.

XX
 XX Sequence 1817 BP; 465 A; 449 C; 489 G; 414 T; 0 other;

Query Match 69.4%; Score 25; DB 22; Length 1817;
 Best Local Similarity 84.8%; Pred. No. 0.22;
 Matches 28; Conservative 0; Mismatches 5; Indels 0; Gaps 0;

QY 4 cctagatctcagtcctcacaaggcagctgtc 36
 ||| | ||||| | ||||| |||||
 Db 404 CTGTGCATCTCAGTCGCACACAGGCGAGCTGTC 372

RESULT 14
 AAI63974/c
 ID AAI63974 standard; DNA; 4756 BP.

XX
 XX AAI63974;

XX
 XX AAI63974;

XX 22-OCT-2001 (first entry)

DE Human polynucleotide SEQ ID NO 346.

XX Human; antiarthritic; antirheumatic; antiproliferative; vasotropic;
 KW cerebroprotective; neurotropic; neuroprotective; antibacterial; virucide;
 KW fungicide; ophthalmological; cytostatic; immunosuppressive; nootropic;
 KW neuroprotective; antiallergic; hepatotropic; antidiabetic;
 KW antiinflammatory; antitumor; anticonvulsant; antibacterial;
 KW antiparasitic; cardiant; gene therapy; cancer; immune disorder;
 KW cardiovascular disorder; neurological disease; infection; human; ds.

OS Homo sapiens.

XX
 XX WO200155308-A2.

XX
 XX 02-AUG-2001.

XX 17-JAN-2001; 2001WO-US01309.

XX 31-JAN-2000; 2000US-0179065.

XX 04-FEB-2000; 2000US-0180628.

XX 24-FEB-2000; 2000US-0184664.

XX 02-MAR-2000; 2000US-0186350.

XX 16-MAR-2000; 2000US-0189874.

XX 17-MAR-2000; 2000US-0190076.

XX 18-APR-2000; 2000US-0198123.

XX 19-MAY-2000; 2000US-0205515.

XX 07-JUN-2000; 2000US-0209467.

XX 28-JUN-2000; 2000US-0214886.

XX 30-JUN-2000; 2000US-0215135.

XX 07-JUL-2000; 2000US-0216647.

XX 07-JUL-2000; 2000US-0216880.

XX 11-JUL-2000; 2000US-0217487.

XX 14-JUL-2000; 2000US-0218290.

XX 26-JUL-2000; 2000US-0220963.

XX 26-JUL-2000; 2000US-0220964.

XX 14-AUG-2000; 2000US-0224518.

XX 14-AUG-2000; 2000US-0224519.

XX 14-AUG-2000; 2000US-0225213.

XX 14-AUG-2000; 2000US-0225214.

XX 14-AUG-2000; 2000US-0225266.

XX 14-AUG-2000; 2000US-0225267.

XX 14-AUG-2000; 2000US-0225268.

XX 14-AUG-2000; 2000US-0225270.

XX 14-AUG-2000; 2000US-0225447.

XX 14-AUG-2000; 2000US-0225757.

XX 14-AUG-2000; 2000US-0225758.

XX 18-AUG-2000; 2000US-0225759.

XX 22-AUG-2000; 2000US-0226279.

XX 22-AUG-2000; 2000US-0226681.

XX 22-AUG-2000; 2000US-0226868.

XX 23-AUG-2000; 2000US-0227182.

XX 23-AUG-2000; 2000US-0227009.

XX 30-AUG-2000; 2000US-022824.

XX 01-SEP-2000; 2000US-0229287.

XX 01-SEP-2000; 2000US-0229343.

XX 01-SEP-2000; 2000US-0229344.

XX 05-SEP-2000; 2000US-0229345.

XX 05-SEP-2000; 2000US-0229509.

XX 06-SEP-2000; 2000US-0229513.

XX 06-SEP-2000; 2000US-0230437.

XX 08-SEP-2000; 2000US-0230438.

XX 08-SEP-2000; 2000US-0231242.

```
PR 08-SEP-2000; 2000US-0231243.
PR 08-SEP-2000; 2000US-0231244.
PR 08-SEP-2000; 2000US-0231245.
PR 08-SEP-2000; 2000US-0231413.
PR 08-SEP-2000; 2000US-0231414.
PR 08-SEP-2000; 2000US-0231415.
PR 08-SEP-2000; 2000US-0232080.
PR 08-SEP-2000; 2000US-0232081.
PR 12-SEP-2000; 2000US-0231968.
PR 14-SEP-2000; 2000US-0232397.
PR 14-SEP-2000; 2000US-0232398.
PR 14-SEP-2000; 2000US-0232399.
PR 14-SEP-2000; 2000US-0232400.
PR 14-SEP-2000; 2000US-0232401.
PR 14-SEP-2000; 2000US-0233063.
PR 14-SEP-2000; 2000US-0233064.
PR 14-SEP-2000; 2000US-0233065.
PR 21-SEP-2000; 2000US-0234223.
PR 21-SEP-2000; 2000US-0234224.
PR 21-SEP-2000; 2000US-0234273.
PR 25-SEP-2000; 2000US-0234997.
PR 25-SEP-2000; 2000US-0234998.
PR 26-SEP-2000; 2000US-0235484.
PR 27-SEP-2000; 2000US-0235834.
PR 27-SEP-2000; 2000US-0235836.
PR 29-SEP-2000; 2000US-0236327.
PR 29-SEP-2000; 2000US-0236367.
PR 29-SEP-2000; 2000US-0236368.
PR 29-SEP-2000; 2000US-0236369.
PR 29-SEP-2000; 2000US-0236370.
PR 02-OCT-2000; 2000US-0236802.
PR 02-OCT-2000; 2000US-0237037.
PR 02-OCT-2000; 2000US-0237038.
PR 02-OCT-2000; 2000US-0237039.
PR 02-OCT-2000; 2000US-0237040.
PR 13-OCT-2000; 2000US-0239935.
PR 13-OCT-2000; 2000US-0239937.
PR 20-OCT-2000; 2000US-0240960.
PR 20-OCT-2000; 2000US-0241221.
PR 20-OCT-2000; 2000US-0241785.
PR 20-OCT-2000; 2000US-0241786.
PR 20-OCT-2000; 2000US-0241787.
PR 20-OCT-2000; 2000US-0241808.
PR 20-OCT-2000; 2000US-0241809.
PR 01-NOV-2000; 2000US-0241826.
PR 08-NOV-2000; 2000US-0244617.
PR 08-NOV-2000; 2000US-0246474.
PR 08-NOV-2000; 2000US-0246475.
PR 08-NOV-2000; 2000US-0246476.
PR 08-NOV-2000; 2000US-0246477.
PR 08-NOV-2000; 2000US-0246478.
PR 08-NOV-2000; 2000US-0246523.
PR 08-NOV-2000; 2000US-0246524.
PR 08-NOV-2000; 2000US-0246525.
PR 08-NOV-2000; 2000US-0246526.
PR 08-NOV-2000; 2000US-0246527.
PR 08-NOV-2000; 2000US-0246528.
PR 08-NOV-2000; 2000US-0246532.
PR 08-NOV-2000; 2000US-0246609.
PR 08-NOV-2000; 2000US-0246610.
PR 08-NOV-2000; 2000US-0246611.
PR 08-NOV-2000; 2000US-0246613.
PR 17-NOV-2000; 2000US-0249207.
PR 17-NOV-2000; 2000US-0249208.
PR 17-NOV-2000; 2000US-0249209.
PR 17-NOV-2000; 2000US-0249210.
PR 17-NOV-2000; 2000US-0249211.
PR 17-NOV-2000; 2000US-0249212.
PR 17-NOV-2000; 2000US-0249213.
PR 17-NOV-2000; 2000US-0249214.
PR 17-NOV-2000; 2000US-0249215.
PR 17-NOV-2000; 2000US-0249216.
PR 17-NOV-2000; 2000US-0249217.
PR 17-NOV-2000; 2000US-0249218.
PR 17-NOV-2000; 2000US-0249244.
PR 17-NOV-2000; 2000US-0249245.

PA (HUMA-) HUMAN GENOME SCI INC.
PI Rosen CA, Barash SC, Ruben SM;
XX WPI; 2001-488781/53.
DR New isolated nucleic acids and polypeptides, useful for diagnosing,
PT treating and/or preventing human diseases and disorders -
XX Disclosure; SEQ ID NO 346; 664pp + Sequence Listing; English.
XX The invention relates to human polynucleotides (AAI63803-AAI64012) and
CC the encoded proteins (AAI634497-AAI63660) useful for preventing, treating
CC or ameliorating medical conditions e.g. by protein or gene therapy. The
CC genes were isolated from a range of human tissues disclosed in the
CC specification. The nucleic acids, proteins, antibodies and (ant)agonists
CC are useful in the diagnosis, treatment and prevention of: (a) cancer,
CC e.g. breast and ovarian cancer and other cancers of the adrenal gland,
CC bone, bone marrow, breast, gastrointestinal tract, liver, lung, or
CC urogenital; (b) immune disorders e.g. Addison's disease, allergies,
CC autoimmune haemolytic anaemia, autoimmune thyroiditis, diabetes mellitus,
CC Crohn's disease, multiple sclerosis, rheumatoid arthritis and ulcerative
CC colitis; (c) cardiovascular disorders such as myocardial ischaemia;
CC (d) wound healing; (e) neurological diseases e.g. cerebral anoxia and
CC epilepsy; and (f) infectious diseases such as viral, bacterial, fungal
CC and parasitic infections.
CC Note: The sequence data for this patent did not form part of the
CC printed specification, but was obtained in electronic format directly
CC from WIPO at ftp.wipo.int/pub/published_pct_sequences.
XX Sequence 4756 BP; 1043 A; 1299 C; 1340 G; 1074 T; 0 other;
SQ

Query Match 69.4%; Score 25; DB 22; Length 4756;
Best Local Similarity 84.8%; Pred. No. 0.26;
Matches 28; Conservative 0; Mismatches 5; Indels 0; Gaps 0;

QY 4 ctctagatctcagtcctccacaggcagctgtc 36
||| | ||||| | ||||| |||||
Db 3337 CTGTGATCTCAGTCGCACACAAAGGCAGCTGTC 3305

RESULT 15
AAI63975/c
ID AAI63975 standard; DNA: 4756 BP.
XX
AC AAI63975;
XX
DT 22-OCT-2001 (first entry)
XX
DE Human polynucleotide SEQ ID NO 347.
XX
KW Human; antiarthritic; antirheumatic; antiproliferative; vasotropic;
cerebroprotective; nootropic; neuroprotective; antibacterial; virucide;
```

KW fungicide; ophthalmological; cytostatic; immunosuppressive; nootropic;
KW neuroprotective; anti-allergic; hepatotropic; antidiabetic;
KW anti-inflammatory; antitumor; vulnary; anticonvulsant; antibacterial;
KW antiparasitic; cardiant; gene therapy; cancer; immune disorder;
XX cardiovascular disorder; neurological disease; infection; human; ds.

OS Homo sapiens.

XX

PN WO200155308-A2.

XX

PD 02-AUG-2001.

XX

XX 17-JAN-2001; 2001WO-US01309.

XX 31-JAN-2000; 2000US-0179065.

PR 04-FEB-2000; 2000US-0180628.

PR 24-FEB-2000; 2000US-0184664.

PR 02-MAR-2000; 2000US-0186350.

PR 16-MAR-2000; 2000US-0189674.

PR 17-MAR-2000; 2000US-0190076.

PR 18-APR-2000; 2000US-0198123.

PR 19-MAY-2000; 2000US-0205515.

PR 07-JUN-2000; 2000US-0209467.

PR 28-JUN-2000; 2000US-0214886.

PR 30-JUN-2000; 2000US-0215135.

PR 07-JUL-2000; 2000US-0216647.

PR 11-JUL-2000; 2000US-0217487.

PR 14-JUL-2000; 2000US-0217496.

PR 26-JUL-2000; 2000US-0218290.

PR 26-JUL-2000; 2000US-0220963.

PR 14-AUG-2000; 2000US-0220964.

PR 14-AUG-2000; 2000US-0224518.

PR 14-AUG-2000; 2000US-0224519.

PR 14-AUG-2000; 2000US-0225213.

PR 14-AUG-2000; 2000US-0225214.

PR 14-AUG-2000; 2000US-0225266.

PR 14-AUG-2000; 2000US-0225267.

PR 14-AUG-2000; 2000US-0225268.

PR 14-AUG-2000; 2000US-0225270.

PR 14-AUG-2000; 2000US-0225447.

PR 14-AUG-2000; 2000US-0225757.

PR 14-AUG-2000; 2000US-0225758.

PR 18-AUG-2000; 2000US-0225759.

PR 22-AUG-2000; 2000US-0226279.

PR 22-AUG-2000; 2000US-0226681.

PR 22-AUG-2000; 2000US-0226686.

PR 23-AUG-2000; 2000US-0227182.

PR 30-AUG-2000; 2000US-0227009.

PR 01-SEP-2000; 2000US-0228924.

PR 01-SEP-2000; 2000US-0229287.

PR 01-SEP-2000; 2000US-0229343.

PR 01-SEP-2000; 2000US-0229344.

PR 01-SEP-2000; 2000US-0229345.

PR 05-SEP-2000; 2000US-0229509.

PR 05-SEP-2000; 2000US-0229513.

PR 06-SEP-2000; 2000US-0230437.

PR 06-SEP-2000; 2000US-0230438.

PR 08-SEP-2000; 2000US-0231242.

PR 08-SEP-2000; 2000US-0231243.

PR 08-SEP-2000; 2000US-0231244.

PR 08-SEP-2000; 2000US-0231413.

PR 08-SEP-2000; 2000US-0231414.

PR 08-SEP-2000; 2000US-0232080.

PR 12-SEP-2000; 2000US-0232081.

PR 14-SEP-2000; 2000US-0231968.

PR 14-SEP-2000; 2000US-0232397.

PR 14-SEP-2000; 2000US-0232398.

PR 14-SEP-2000; 2000US-0232399.

PR 14-SEP-2000; 2000US-0232400.

PR 14-SEP-2000; 2000US-0232401.

PR 14-SEP-2000; 2000US-0233063.

PR 14-SEP-2000; 2000US-0233064.

PR 14-SEP-2000; 2000US-0233065.

PR 21-SEP-2000; 2000US-0234223.

PR 21-SEP-2000; 2000US-0234274.

PR 25-SEP-2000; 2000US-0234997.

PR 25-SEP-2000; 2000US-0234998.

PR 26-SEP-2000; 2000US-0235484.

PR 27-SEP-2000; 2000US-0235834.

PR 27-SEP-2000; 2000US-0235836.

PR 29-SEP-2000; 2000US-0236327.

PR 29-SEP-2000; 2000US-0236367.

PR 29-SEP-2000; 2000US-0236368.

PR 29-SEP-2000; 2000US-0236369.

PR 02-OCT-2000; 2000US-0236370.

PR 02-OCT-2000; 2000US-0236802.

PR 02-OCT-2000; 2000US-0237037.

PR 02-OCT-2000; 2000US-0237038.

PR 02-OCT-2000; 2000US-0237039.

PR 13-OCT-2000; 2000US-0237040.

PR 13-OCT-2000; 2000US-0239935.

PR 13-OCT-2000; 2000US-0239937.

PR 20-OCT-2000; 2000US-0240960.

PR 20-OCT-2000; 2000US-0241221.

PR 20-OCT-2000; 2000US-0241785.

PR 20-OCT-2000; 2000US-0241786.

PR 20-OCT-2000; 2000US-0241787.

PR 20-OCT-2000; 2000US-0241808.

PR 20-OCT-2000; 2000US-0241809.

PR 20-OCT-2000; 2000US-0241826.

PR 01-NOV-2000; 2000US-0244617.

PR 08-NOV-2000; 2000US-0244674.

PR 08-NOV-2000; 2000US-0244675.

PR 08-NOV-2000; 2000US-0246476.

PR 08-NOV-2000; 2000US-0246477.

PR 08-NOV-2000; 2000US-0246478.

PR 08-NOV-2000; 2000US-0246523.

PR 08-NOV-2000; 2000US-0246524.

PR 08-NOV-2000; 2000US-0246525.

PR 08-NOV-2000; 2000US-0246526.

PR 08-NOV-2000; 2000US-0246527.

PR 08-NOV-2000; 2000US-0246528.

PR 08-NOV-2000; 2000US-0246532.

PR 08-NOV-2000; 2000US-0246609.

PR 08-NOV-2000; 2000US-0246610.

PR 08-NOV-2000; 2000US-0246611.

PR 08-NOV-2000; 2000US-0246613.

PR 17-NOV-2000; 2000US-0249207.

PR 17-NOV-2000; 2000US-0249208.

PR 17-NOV-2000; 2000US-0249209.

PR 17-NOV-2000; 2000US-0249210.

PR 17-NOV-2000; 2000US-0249211.

PR 17-NOV-2000; 2000US-0249212.

PR 17-NOV-2000; 2000US-0249213.

PR 17-NOV-2000; 2000US-0249214.

PR 17-NOV-2000; 2000US-0249215.

PR 17-NOV-2000; 2000US-0249216.

PR 17-NOV-2000; 2000US-0249217.

PR 17-NOV-2000; 2000US-0249218.

PR 17-NOV-2000; 2000US-0249244.

PR 17-NOV-2000; 2000US-0249245.

PR 17-NOV-2000; 2000US-0249264.

PR 17-NOV-2000; 2000US-0249265.

PR 17-NOV-2000; 2000US-0249297.

PR 17-NOV-2000; 2000US-0249299.

PR 17-NOV-2000; 2000US-0249300.

PR 01-DEC-2000; 2000US-0250160.

PR 01-DEC-2000; 2000US-0250391.

PR 05-DEC-2000; 2000US-0251030.

PR 05-DEC-2000; 2000US-0251988.

PR 05-DEC-2000; 2000US-0256719.

PR 06-DEC-2000; 2000US-0256719.

PR 08-DEC-2000; 2000US-0251479.

PR 08-DEC-2000; 2000US-0251856.

PR 08-DEC-2000; 2000US-0251868.

PR 08-DEC-2000; 2000US-0251869.

PR 08-DEC-2000; 2000US-0251989.
PR 08-DEC-2000; 2000US-0251990.
PR 11-DEC-2000; 2000US-0254097.
PR 05-JAN-2001; 2001US-0259678.
XX
XX (HUMA-) HUMAN GENOME SCI INC.
PA
XX Rosen CA, Barash SC, Ruben SM;
PI WPI; 2001-488781/53.
XX
DR New isolated nucleic acids and polypeptides, useful for diagnosing,
PT treating and/or preventing human diseases and disorders -
XX
PS Disclosure; SEQ ID NO 347; 664pp + Sequence Listing; English.
XX
CC The invention relates to human polynucleotides (AAI63803-AAI64012) and
CC the encoded proteins (AAM43497-AAM43660) useful for preventing, treating
CC or ameliorating medical conditions e.g. by protein or gene therapy. The
CC genes were isolated from a range of human tissues disclosed in the
CC specification. The nucleic acids, proteins, antibodies and (ant)agonists
CC are useful in the diagnosis, treatment and prevention of: (a) cancer,
CC e.g. breast and ovarian cancer and other cancers of the adrenal gland,
CC bone, bone marrow, breast, gastrointestinal tract, liver, lung, or
CC urogenital; (b) immune disorders e.g. Addison's disease, allergies,
CC autoimmune haemolytic anaemia, autoimmune thyroiditis, diabetes mellitus,
CC Crohn's disease, multiple sclerosis, rheumatoid arthritis and ulcerative
CC colitis; (c) cardiovascular disorders such as myocardial ischaemias;
CC (d) wound healing; (e) neurological diseases e.g. cerebral anoxia and
CC epilepsy; and (f) infectious diseases such as viral, bacterial, fungal
CC and parasitic infections.
CC Note: The sequence data for this patent did not form part of the
CC printed specification, but was obtained in electronic format directly
CC from WIPO at ftp.wipo.int/pub/published_pct_sequences.
XX
SQ Sequence 4756 BP; 1041 A; 1298 C; 1342 G; 1075 T; 0 other;

Query Match 69.4%; Score 25; DB 22; Length 4756;
Best Local Similarity 84.8%; Pred. No. 0.26;
Matches 28; Conservative 0; Mismatches 5; Indels 0; Gaps 0;
OY 4 ctctagatctcagtcctcacaggcagctgtc 36
||| | ||||| ||| | ||||| |||||
DB 3337 CTGTGCATCTCAGTCGCCACACAGGCAGCTGTC 3305

Search completed: December 6, 2001, 10:01:25
Job time: 4269 sec

THIS PAGE BLANK (USPTO)

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM nucleic - nucleic search, using sw model

Run on: December 6, 2001, 08:52:34 ; Search time 116.28 Seconds
(without alignments)
70.117 Million cell updates/sec

Title: US-09-673-795-4

Perfect score: 36

Sequence: 1 gccctctagatctcagtcctcacaaggcagctgtc 36

Scoring table:

IDENTITY_NUC

Gapop 10.0 , Gapext 1.0

Searched: 351203 seqs, 113238999 residues

Total number of hits satisfying chosen parameters: 702406

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

Issued_Patents_NA:*

1: /cgn2_6/ptodata/2/lna/5A_COMB.seq:*

2: /cgn2_6/ptodata/2/lna/5B_COMB.seq:*

3: /cgn2_6/ptodata/2/lna/6A_COMB.seq:*

4: /cgn2_6/ptodata/2/lna/6B_COMB.seq:*

5: /cgn2_6/ptodata/2/lna/PCTUS_COMB.seq:*

6: /cgn2_6/ptodata/2/lna/backfiles1.seq:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	26.4	73.3	39	2	US-08-718-964-4
2	26.4	73.3	39	2	US-09-059-964A-4
3	26.4	73.3	39	2	US-08-842-341-4
4	26.2	72.8	4059	5	PCT-US94-06069-2
5	26.2	72.8	4965	2	US-08-564-313-2
6	26.2	72.8	4965	2	PCT-US94-06069-1
7	26.2	72.8	4965	5	PCT-US94-06069-1
8	26.2	72.8	6553	1	US-08-522-942-1
9	20.8	57.8	440	2	US-08-406-051-1
10	20.8	57.8	440	4	US-08-958-316-1
11	19.2	53.3	1928	4	US-08-675-816-1
12	18.2	50.6	1200	3	US-08-859-167-5
13	18.2	50.6	1200	3	US-09-109-273-5
14	18.2	50.6	1200	4	US-09-276-993-5
15	18.2	50.6	1828	2	US-08-888-497-29
16	18.2	50.6	1828	5	PCT-US94-07926-29
17	18.2	50.6	2272	2	US-08-726-228-1
18	18.2	50.6	2272	3	US-08-870-815-1
19	18.2	50.6	2272	3	US-08-949-004-1
20	18.2	50.6	2581	1	US-08-200-900A-1
21	18.2	50.6	2581	5	PCT-US94-00616-1
22	18.2	50.6	3901	1	US-08-188-582-31
23	18.2	50.6	3901	1	US-08-646-715-31
24	18.2	50.6	3807	1	US-08-022-835-5
25	18.2	50.6	3807	1	US-08-388-809-5
26	18.2	50.6	3807	2	US-08-647-714-5
27	18.2	50.6	20137	4	US-09-262-773-206

c 28	17.8	49.4	3039	2	US-08-680-326-27	Sequence 27, Appl
c 29	17.8	49.4	15766	4	US-09-338-907-73	Sequence 73, Appl
c 30	17.8	49.4	37950	4	US-09-338-907-183	Sequence 183, App
c 31	17.6	48.9	355	3	US-09-157-177-130	Sequence 130, App
c 32	17.6	48.9	707	1	US-08-592-126-119	Sequence 119, App
c 33	17.6	48.9	1022	4	US-09-257-584-5	Sequence 5, Appl
c 34	17.6	48.9	1023	4	US-09-257-584-4	Sequence 4, Appl
c 35	17.6	48.9	1939	4	US-09-357-251-25	Sequence 25, Appl
c 36	17.6	48.9	4220	4	US-09-183-846A-11	Sequence 11, Appl
c 37	17.4	48.3	1724	3	US-08-993-260-2	Sequence 2, Appl
c 38	17.4	48.3	1769	2	US-08-588-983-19	Sequence 19, Appl
c 39	17.4	48.3	1769	2	US-08-588-976-19	Sequence 19, Appl
c 40	17.4	48.3	2297	2	US-08-588-983-21	Sequence 21, Appl
c 41	17.4	48.3	2297	2	US-08-588-976-21	Sequence 21, Appl
c 42	17.4	48.3	2911	2	US-08-588-983-8	Sequence 8, Appl
c 43	17.4	48.3	2911	2	US-08-588-983-11	Sequence 11, Appl
c 44	17.4	48.3	2911	2	US-08-588-976-8	Sequence 8, Appl
c 45	17.4	48.3	2911	2	US-08-588-976-11	Sequence 11, Appl

ALIGNMENTS

RESULT 1
US-08-718-964-4
; Sequence 4, Application US/08718964
; Patent No. 5932694
; GENERAL INFORMATION:
; APPLICANT: van der Bruggen, Pierre; Mandruzzato, Susanna;
; APPLICANT: Boon-Falleur, Thierry
; TITLE OF INVENTION: Nucleic Acid Molecule Encoding A Functional
; TITLE OF INVENTION: Protein, The Protein So Encoded And Uses Thereof
; NUMBER OF SEQUENCES: 6
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Felie & Lynch
; STREET: 805 Third Avenue
; CITY: New York City
; STATE: New York
; ZIP: 10022

COMPUTER READABLE FORM:
MEDIUM TYPE: Diskette, 3.5 inch, 360 kb storage

COMPUTER: IBM
OPERATING SYSTEM: PC-DOS
SOFTWARE: Wordperfect
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/718,964
FILING DATE: 26-September-1996
CLASSIFICATION: 536
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/669,590
FILING DATE: 24-JUNE-1995
ATTORNEY/AGENT INFORMATION:
NAME: Hanson, No. 5932694man D.
REGISTRATION NUMBER: 30,946
REFERENCE/DOCKET NUMBER: LUD 5442.1
TELECOMMUNICATION INFORMATION:
TELEPHONE: (212) 688-9200
TELEFAX: (212) 838-3884
INFORMATION FOR SEQ ID NO: 4:
SEQUENCE CHARACTERISTICS:
LENGTH: 39 nucleotides
TYPE: nucleic acid
STRANDEDNESS: single
TOPOLOGY: linear

Query Match 73.3%; Score 26.4; DB 2; Length 39;
Best Local Similarity 83.3%; Pred. No. 0.0053;
Matches 30; Conservative 0; Mismatches 6; Indels 0; Gaps 0;

QY 1 gccctctagatctcagtcctcacaaggcagctgtc 36
|||||

Db 4 GCCCGAATTCTCTCAGTCCCTCACAAGGCAGCTGTC 39

RESULT 2
US-09-959-964A-4
; Sequence 4, Application US/09059964A
; Patent No. 595228
; GENERAL INFORMATION:
; APPLICANT: van der Bruggen, Pierre; Mandruzzato, Susanna;
; APPLICANT: Boon-Falleur, Thierry
; TITLE OF INVENTION: Nucleic Acid Molecule Encoding A Functional
; TITLE OF INVENTION: Protein, The Protein So Encoded And Uses Thereof
; NUMBER OF SEQUENCES: 6
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Fulbright & Jaworski, L.L.P..
; STREET: 555 Fifth Avenue
; CITY: New York City
; STATE: New York
; COUNTRY: USA
; ZIP: 10103
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette, 3.5 inch, 360 kb storage
; COMPUTER: IBM
; OPERATING SYSTEM: PC-DOS
; SOFTWARE: Wordperfect
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/059,964A
; FILING DATE: 24-JUNE-1995
; PRIORITY INFORMATION:
; NAME: Hanson, No. 595228man D.
; REGISTRATION NUMBER: 30,946
; REFERENCE/DOCKET NUMBER: LUD 5442.1
; TELEPHONE: (212) 688-9200
; TELEFAX: (212) 838-3884
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 39 nucleotides
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; US-09-059-964A-4

Query Match 73.3%; Score 26.4; DB 2; Length 39;
Best Local Similarity 83.3%; Pred. No. 0.0053;
Matches 30; Conservative 0; Mismatches 6; Indels 0; Gaps 0;

QY 1 gccctctagatctcagtcctccctcacaaggcagctgtc 36
Db 4 GCCCGAATTCTCTCAGTCCCTCACAAGGCAGCTGTC 39

RESULT 3
US-08-842-341-4
; Sequence 4, Application US/08842341
; Patent No. 5955313
; GENERAL INFORMATION:
; APPLICANT: van der Bruggen, Pierre; Mandruzzato, Susanna;
; APPLICANT: Boon-Falleur, Thierry
; TITLE OF INVENTION: Nucleic Acid Molecule Encoding A Functional
; TITLE OF INVENTION: Protein, The Protein So Encoded And Uses Thereof
; NUMBER OF SEQUENCES: 6
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Felfe & Lynch
; STREET: 805 Third Avenue
; CITY: New York City

; STATE: New York
; ZIP: 10022
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette, 3.5 inch, 360 kb storage
; COMPUTER: IBM
; OPERATING SYSTEM: PC-DOS
; SOFTWARE: Wordperfect
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/842,341
; FILING DATE: 24-APR-1997
; PRIORITY INFORMATION:
; NAME: Hanson, No. 5955313man D.
; REGISTRATION NUMBER: 30,946
; REFERENCE/DOCKET NUMBER: LUD 5442.1
; TELEPHONE: (212) 688-9200
; TELEFAX: (212) 838-3884
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 39 nucleotides
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; US-08-842-341-4

Query Match 73.3%; Score 26.4; DB 2; Length 39;
Best Local Similarity 83.3%; Pred. No. 0.0053;
Matches 30; Conservative 0; Mismatches 6; Indels 0; Gaps 0;

QY 1 gccctctagatctcagtcctccctcacaaggcagctgtc 36
Db 4 GCCCGAATTCTCTCAGTCCCTCACAAGGCAGCTGTC 39

RESULT 4
US-08-564-313-2
; Sequence 2, Application US/08564313
; Patent No. 5910488
; GENERAL INFORMATION:
; APPLICANT: Nabel, Elizabeth
; APPLICANT: Nabel, Gary
; APPLICANT: Lew, Denise
; APPLICANT: Marquet, Magda
; TITLE OF INVENTION: PLASMIDS SUITABLE FOR GENE THERAPY
; NUMBER OF SEQUENCES: 2
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Knobbe, Martens, Olson and Bear
; STREET: 620 Newport Center Drive 16th Floor
; CITY: Newport Beach
; STATE: CA
; COUNTRY: USA
; ZIP: 92660
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSeq Version 1.1
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/564,313
; FILING DATE: 01-DEC-1995
; CLASSIFICATION: 514
; PRIORITY INFORMATION:
; NAME: Israelien, Ned

REGISTRATION NUMBER: 29,655
REFERENCE/DOCKET NUMBER: VICAL.033CP1
TELEPHONE: 619-235-8550
TELEFAX: 619-235-0176
TELEX:

INFORMATION FOR SEQ ID NO: 2:

SEQUENCE CHARACTERISTICS:
LENGTH: 4059 base pairs
TYPE: nucleic acid
STRANDEDNESS: double
TOPOLOGY: circular
MOLECULE TYPE: cDNA
HYPOTHETICAL: NO
ANTI-SENSE: NO
FRAGMENT TYPE:
IMMEDIATE SOURCE:
CLONE: HLA-B7
US-08-564-313-2

Query Match 72.8%; Score 26.2; DB 2; Length 4059;
Best Local Similarity 90.3%; Pred. No. 0.015;
Matches 28; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 6 ctatgctcagtcctccacaaaggcagctgtc 36
|| |||||
DB 1755 CTGCATCTCAGTCCCTCACAAGACAGCTGTC 1785

RESULT 5

PCT-US94-06069-2

Sequence 2, Application PC/TUS9406069

GENERAL INFORMATION:

APPLICANT: Vical Incorporated

APPLICANT: Regents of the University of Michigan

APPLICANT: Nabel, Elizabeth

APPLICANT: Nabel, Gary

APPLICANT: Lew, Denise

APPLICANT: Marquet, Magda

TITLE OF INVENTION: PLASMIDS SUITABLE FOR GENE THERAPY

NUMBER OF SEQUENCES: 2

CORRESPONDENCE ADDRESS:

ADDRESSEE: Knobbe, Martens, Olson and Bear

STREET: 620 Newport Center Drive 16th Floor

CITY: Newport Beach

STATE: CA

COUNTRY: USA

ZIP: 92660

COMPUTER READABLE FORM:

MEDIUM TYPE: Diskette

COMPUTER: IBM Compatible

OPERATING SYSTEM: DOS

SOFTWARE: FastSEQ Version 1.1

CURRENT APPLICATION DATA:

APPLICATION NUMBER: PCT/US94/06069

FILING DATE:

CLASSIFICATION:

PRIOR APPLICATION DATA:

APPLICATION NUMBER: 08/074,344

FILING DATE: 07-JUN-1993

ATTORNEY/AGENT INFORMATION:

NAME: Israelsen, Ned

REGISTRATION NUMBER: 29,655

REFERENCE/DOCKET NUMBER: VICAL.033VPC

TELECOMMUNICATION INFORMATION:

TELEPHONE: 619-235-8550

TELEFAX: 619-235-0176

TELEX:

INFORMATION FOR SEQ ID NO: 2:

SEQUENCE CHARACTERISTICS:

LENGTH: 4059 base pairs

TYPE: nucleic acid

STRANDEDNESS: double
TOPOLOGY: circular
MOLECULE TYPE: cDNA
HYPOTHETICAL: NO
ANTI-SENSE: NO
FRAGMENT TYPE:
ORIGINAL SOURCE:
STRAIN: HLA-B7
PCT-US94-06069-2

Query Match 72.8%; Score 26.2; DB 5; Length 4059;
Best Local Similarity 90.3%; Pred. No. 0.015;
Matches 28; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 6 ctatgctcagtcctccacaaaggcagctgtc 36
|| |||||
DB 1755 CTGCATCTCAGTCCCTCACAAGACAGCTGTC 1785

RESULT 6

US-08-564-313-1/c

Sequence 1, Application US/08564313

Patent No. 5910488

GENERAL INFORMATION:

APPLICANT: Nabel, Elizabeth

APPLICANT: Nabel, Gary

APPLICANT: Lew, Denise

APPLICANT: Marquet, Magda

TITLE OF INVENTION: PLASMIDS SUITABLE FOR GENE THERAPY

NUMBER OF SEQUENCES: 2

CORRESPONDENCE ADDRESS:

ADDRESSEE: Knobbe, Martens, Olson and Bear

STREET: 620 Newport Center Drive 16th Floor

CITY: Newport Beach

STATE: CA

COUNTRY: USA

ZIP: 92660

COMPUTER READABLE FORM:

MEDIUM TYPE: Diskette

COMPUTER: IBM Compatible

OPERATING SYSTEM: DOS

SOFTWARE: FastSEQ Version 1.1

CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/08/564,313

FILING DATE: 01-DEC-1995

CLASSIFICATION: 514

PRIOR APPLICATION DATA:

APPLICATION NUMBER: 08/074,344

FILING DATE: 07-JUN-1993

ATTORNEY/AGENT INFORMATION:

NAME: Israelsen, Ned

REGISTRATION NUMBER: 29,655

REFERENCE/DOCKET NUMBER: VICAL.033CP1

TELECOMMUNICATION INFORMATION:

TELEPHONE: 619-235-8550

TELEFAX: 619-235-0176

TELEX:

INFORMATION FOR SEQ ID NO: 1:

SEQUENCE CHARACTERISTICS:

LENGTH: 4965 base pairs

TYPE: nucleic acid

STRANDEDNESS: double

TOPOLOGY: circular

MOLECULE TYPE: cDNA

HYPOTHETICAL: NO

ANTI-SENSE: NO

FRAGMENT TYPE:

IMMEDIATE SOURCE:

CLONE: HLA-B7 and Beta-2

US-08-564-313-1

Query Match 72.8%; Score 26.2; DB 2; Length 4965;
Best Local Similarity 90.3%; Pred. No. 0.015;
Matches 28; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 6 ctatgattcagtcctccacaggcagctgtc 36
|| |||||
Db 1663 CTGCATCTCAGTCCCTCACAGACAGCTGTC 1633

RESULT 7

PCT-US94-06069-1/c
; Sequence 1, Application PC/TUS9406069
; GENERAL INFORMATION:
; APPLICANT: Vical Incorporated
; APPLICANT: Regents of the University of Michigan
; APPLICANT: Nabel, Elizabeth
; APPLICANT: Nabel, Gary
; APPLICANT: Lew, Denise
; APPLICANT: Marquet, Magda
; TITLE OF INVENTION: PLASMIDS SUITABLE FOR GENE THERAPY
; NUMBER OF SEQUENCES: 2
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Knobbe, Martens, Olson and Bear
; STREET: 620 Newport Center Drive 16th Floor
; CITY: Newport Beach
; STATE: CA
; COUNTRY: USA
; ZIP: 92660
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSeq Version 1.1
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: PCT/US94/06069
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/074,344
; FILING DATE: 07-JUN-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Israelsen, Ned
; REGISTRATION NUMBER: 29,655
; REFERENCE/DOCKET NUMBER: VICAL 033VPC
; TELEPHONE: 619-235-8550
; TELEFAX: 619-235-0176
; TELEX:
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 4965 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: double
; TOPOLOGY: circular
; MOLECULE TYPE: cDNA
; HYPOTHETICAL: NO
; ANTI-SENSE: NO
; FRAGMENT TYPE:
; ORIGINAL SOURCE:
; STRAIN: HLA-B7 and Beta-2
PCT-US94-06069-1

Query Match 72.8%; Score 26.2; DB 5; Length 4965;
Best Local Similarity 90.3%; Pred. No. 0.015;
Matches 28; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 6 ctatgattcagtcctccacaggcagctgtc 36
|| |||||
Db 1663 CTGCATCTCAGTCCCTCACAGACAGCTGTC 1633

RESULT 8

US-08-523-942-1/c
; Sequence 1, Application US/08522942
; Patent No. 5753442
; GENERAL INFORMATION:
; APPLICANT: Tyan, Dolly B.
; TITLE OF INVENTION: METHOD FOR DETERMINING GENETIC
; TITLE OF INVENTION: PREDISPOSITION FOR SERONEGATIVE SPONDYLOARTHROPATHIES AND
; TITLE OF INVENTION: PRODUCTS THEREFOR
; NUMBER OF SEQUENCES: 8
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Pretty, Schroeder, Brueggemann & Clark
; STREET: 4365 Executive Drive, Suite 1500
; CITY: San Diego
; STATE: CA
; COUNTRY: USA
; ZIP: 92121
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/522,942
; FILING DATE:
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Ramos, Robert T.
; REGISTRATION NUMBER: 37,915
; REFERENCE/DOCKET NUMBER: P07 33624
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 619-546-1995
; TELEFAX: 619-546-9392
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 6553 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: both
; TOPOLOGY: both
; MOLECULE TYPE: DNA (genomic)
US-08-522-942-1

Query Match 72.8%; Score 26.2; DB 1; Length 6553;
Best Local Similarity 90.3%; Pred. No. 0.016;
Matches 28; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 6 ctatgattcagtcctccacaggcagctgtc 36
|| |||||
Db 3579 CTGCATCTCAGTCCCTCACAGACAGCTGTC 3549

RESULT 9

US-08-406-057-1/c
; Sequence 1, Application US/08406057
; Patent No. 5856442
; GENERAL INFORMATION:
; APPLICANT: CAROSELLA, EDGARDO D
; APPLICANT: MOREAU, PHILIPPE
; APPLICANT: GLUCKMAN, ELIANE
; APPLICANT: KIRSZENBAUM, MAREK
; TITLE OF INVENTION: TRANSCRIPTS OF THE MHC CLASS I HLA-G
; TITLE OF INVENTION: GENE AND THEIR APPLICATIONS
; NUMBER OF SEQUENCES: 15
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: OBOLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT
; STREET: 1755 S. JEFFERSON DAVIS HIGHWAY, FOURTH FLOOR
; CITY: ARLINGTON
; STATE: VIRGINIA
; COUNTRY: USA
; ZIP: 2202
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Tape
; COMPUTER: IBM PC compatible

OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patentin Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/406,057
FILING DATE: 17-MAR-1995
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: FR 94 03179
FILING DATE: 18-MAR-1994
ATTORNEY/AGENT INFORMATION:
NAME: OBLON, NORMAN F
REGISTRATION NUMBER: 24,618
REFERENCE/DOCKET NUMBER: 846-331-0
TELECOMMUNICATION INFORMATION:
TELEPHONE: (703) 413-3000
TELEFAX: (703) 413-2220
TELEX: 248855 OPAT UR
INFORMATION FOR SEQ ID NO: 1:
SEQUENCE CHARACTERISTICS:
LENGTH: 440 base pairs
TYPE: nucleic acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: cDNA to mRNA
US-08-406-057-1

Query Match 57.8%; Score 20.8; DB 2; Length 440;
Best Local Similarity 91.7%; Pred. No. 2.2;
Matches 22; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 12 ctacgtccctcacaggcagctgt 35
||||| ||||| ||||| |||||
Db 278 CTCAGTCCACACAGGGCAGCTGT 255

RESULT 10
US-08-958-316-1/c
Sequence 1, Application US/08958316
Patent No. 6291659
GENERAL INFORMATION:
APPLICANT: CAROSELIA, EDGARDO D
APPLICANT: MOREAU, PHILIPPE
APPLICANT: GLUCKMAN, ELIANE
APPLICANT: KIRSZENBAUM, MAREK
TITLE OF INVENTION: TRANSCRIPTS OF THE MHC CLASS I HLA-G
NUMBER OF SEQUENCES: 17
CORRESPONDENCE ADDRESS:
ADDRESSEE: OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT
STREET: 1755 S. JEFFERSON DAVIS HIGHWAY, FOURTH FLOOR
CITY: ARLINGTON
STATE: VIRGINIA
COUNTRY: USA
ZIP: 22202
COMPUTER READABLE FORM:
MEDIUM TYPE: Tape
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patentin Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/958,316
FILING DATE: 27-OCT-1997
CLASSIFICATION: 530
PRIOR APPLICATION DATA:
APPLICATION NUMBER: FR 94 03179
FILING DATE: 18-MAR-1994
ATTORNEY/AGENT INFORMATION:
NAME: OBLON, NORMAN F
REGISTRATION NUMBER: 24,618
REFERENCE/DOCKET NUMBER: 0846-0437-0
TELECOMMUNICATION INFORMATION:
TELEPHONE: (703) 413-3000

TELEFAX: (703) 413-2220
TELEX: 248855 OPAT UR
INFORMATION FOR SEQ ID NO: 1:
SEQUENCE CHARACTERISTICS:
LENGTH: 440 base pairs
TYPE: nucleic acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: cDNA to mRNA
US-08-958-316-1

Query Match 57.8%; Score 20.8; DB 4; Length 440;
Best Local Similarity 91.7%; Pred. No. 2.2;
Matches 22; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 12 ctacgtccctcacaggcagctgt 35
||||| ||||| ||||| |||||
Db 278 CTCAGTCCACACAGGGCAGCTGT 255

RESULT 11
US-08-675-816-4
Sequence 4, Application US/08675816
Patent No. 6171864
GENERAL INFORMATION:
APPLICANT: Coughlan, Sean J.
APPLICANT: Winfrey, Jr., Ron J.
TITLE OF INVENTION: CALRETICULIN AND CALNEXIN GENES AND PROMOTER REGIONS AND US
NUMBER OF SEQUENCES: 16
CORRESPONDENCE ADDRESS:
ADDRESSEE: Seed and Berry
STREET: 701 Fifth Ave. Suite 6300
CITY: Seattle
STATE: Washington
COUNTRY: U.S.A.
ZIP: 98104-7092
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patentin Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/675,816
FILING DATE: 05-JUL-1996
CLASSIFICATION: 435
ATTORNEY/AGENT INFORMATION:
NAME: No. 6171864tenburg, Carol
REGISTRATION NUMBER: 39,317
REFERENCE/DOCKET NUMBER: 750027.401
TELECOMMUNICATION INFORMATION:
TELEPHONE: (206)-622-4900
TELEFAX: (206)-682-6031
INFORMATION FOR SEQ ID NO: 4:
SEQUENCE CHARACTERISTICS:
LENGTH: 1928 base pairs
TYPE: nucleic acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: DNA (genomic)
HYPOTHETICAL: NO
ANTI-SENSE: NO
US-08-675-816-4

Query Match 53.3%; Score 19.2; DB 4; Length 1928;
Best Local Similarity 87.5%; Pred. No. 14;
Matches 21; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 13 tcagtcctccacaggcagctgtc 36
||||| ||||| ||||| |||||
Db 29 TCAGACCTCCACAAAGCTGCTGC 52

```
RESULT 12
US-08-859-167-5
; Sequence 5, Application US/08859167
; Patent No. 6037461
; GENERAL INFORMATION:
; APPLICANT: Alnemri, Emad S.
; APPLICANT: Fernandez-Alnemri, Teresa
; TITLE OF INVENTION: FADD-LIKE ANTI-APOPTOTIC MOLECULES, METHODS OF
; TITLE OF INVENTION: USING THE SAME, AND COMPOSITIONS FOR AND METHODS
; TITLE OF INVENTION: OF MAKING THE SAME
; NUMBER OF SEQUENCES: 17
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Woodcock, Washburn, Kurtz, Mackiewicz & No. 6037461ris
; CITY: Philadelphia
; STATE: PA
; COUNTRY: USA
; ZIP: 19103
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: WINDOWS
; SOFTWARE: WordPerfect
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/859,167
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 33,229
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: Deluca, Mark
; REGISTRATION NUMBER: 33,229
; REFERENCE/DOCKET NUMBER: TJU-
; TELEPHONE: (215) 568-3100
; TELEFAX: (215) 568-3439
; INFORMATION FOR SEQ ID NO: 5:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1200 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: double
; TOPOLOGY: both
; MOLECULE TYPE: CDNA
; FEATURE:
; NAME/KEY: CDS
; LOCATION: 32..988
; US-08-859-167-5

Query Match 50.6%; Score 18.2; DB 3; Length 1200;
Best Local Similarity 74.2%; Pred. No. 34;
Matches 23; Conservative 0; Mismatches 8; Indels 0; Gaps 0;

QY 5 tctagatctcagtcctccacaaagcgactgt 35
||| ||| ||| ||| ||| ||| ||| ||| |||
Db 855 TCTTCATCACAGACTCTCTCAAGCAAGCTGT 885

RESULT 13
US-09-109-273-5
; Sequence 5, Application US/09109273
; Patent No. 6063760
; GENERAL INFORMATION:
; APPLICANT: Alnemri, Emad S.
; APPLICANT: Fernandez-Alnemri, Teresa
; TITLE OF INVENTION: FADD-LIKE ANTI-APOPTOTIC MOLECULES, METHODS OF
; TITLE OF INVENTION: USING THE SAME, AND COMPOSITIONS FOR AND METHODS
; TITLE OF INVENTION: OF MAKING THE SAME
; NUMBER OF SEQUENCES: 17
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Woodcock, Washburn, Kurtz, Mackiewicz & No. 6063760ris
; STREET: One Liberty Place, 46th floor
; CITY: Philadelphia
; STATE: PA
; COUNTRY: USA
; ZIP: 19103
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: WINDOWS
; SOFTWARE: WordPerfect
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/276,993
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/859,167
; FILING DATE:
```

```
COUNTRY: USA
ZIP: 19103
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: WINDOWS
SOFTWARE: WordPerfect
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/109,273
FILING DATE:
CLASSIFICATION:
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/859,167
FILING DATE:
ATTORNEY/AGENT INFORMATION:
NAME: Deluca, Mark
REGISTRATION NUMBER: 33,229
REFERENCE/DOCKET NUMBER: TJU-
TELEPHONE: (215) 568-3100
TELEFAX: (215) 568-3439
INFORMATION FOR SEQ ID NO: 5:
SEQUENCE CHARACTERISTICS:
LENGTH: 1200 base pairs
TYPE: nucleic acid
STRANDEDNESS: double
TOPOLOGY: both
MOLECULE TYPE: CDNA
FEATURE:
NAME/KEY: CDS
LOCATION: 32..988
US-09-109-273-5

Query Match 50.6%; Score 18.2; DB 3; Length 1200;
Best Local Similarity 74.2%; Pred. No. 34;
Matches 23; Conservative 0; Mismatches 8; Indels 0; Gaps 0;

QY 5 tctagatctcagtcctccacaaagcgactgt 35
||| ||| ||| ||| ||| ||| ||| ||| |||
Db 855 TCTTCATCACAGACTCTCTCAAGCAAGCTGT 885

RESULT 14
US-09-276-993-5
; Sequence 5, Application US/09276993
; Patent No. 6207801
; GENERAL INFORMATION:
; APPLICANT: Alnemri, Emad S.
; APPLICANT: Fernandez-Alnemri, Teresa
; TITLE OF INVENTION: FADD-LIKE ANTI-APOPTOTIC MOLECULES, METHODS OF
; TITLE OF INVENTION: USING THE SAME, AND COMPOSITIONS FOR AND METHODS
; TITLE OF INVENTION: OF MAKING THE SAME
; NUMBER OF SEQUENCES: 17
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Woodcock, Washburn, Kurtz, Mackiewicz & No. 6207801ris
; STREET: One Liberty Place, 46th floor
; CITY: Philadelphia
; STATE: PA
; COUNTRY: USA
; ZIP: 19103
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: WINDOWS
; SOFTWARE: WordPerfect
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/276,993
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/859,167
; FILING DATE:
```



```

;
; ATTORNEY/AGENT INFORMATION:
; NAME: Deluca, Mark
; REGISTRATION NUMBER: 33,229
; REFERENCE/DOCKET NUMBER: RJU-
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (215) 568-3100
; TELEFAX: (215) 568-3439
; INFORMATION FOR SEQ ID NO: 5:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1200 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: double
; TOPOLOGY: both
; MOLECULE TYPE: cDNA
; FEATURE:
; NAME/KEY: CDS
; LOCATION: 32..988
;
US-09-276-993-5

Query Match 50.6%; Score 18.2; DB 4; Length 1200;
Best Local Similarity 74.2%; Pred. No. 34;
Matches 23; Conservative 0; Mismatches 8; Indels 0; Gaps 0;

Qy 5 tctagatctcagtcctccacaggcagctgt 35
    ||| ||| ||| ||| ||| ||| ||| |||
Db 855 TCTTCACAGACTCTCTCAAGCAAGCTGT 885

RESULT 15
US-08-888-497-29/c
; Sequence 29, Application US/08888497
; Patent No. 5972677
; GENERAL INFORMATION:
; APPLICANT: Tischnfield, Jay A.
; TITLE OF INVENTION: Mammalian Phospholipase A2 Nucleotide
; TITLE OF INVENTION: Sequences and Low Molecular Weight Amino Acid Sequences
; TITLE OF INVENTION: Encoded Thereby, Antisense Sequences and Nucleotide
; TITLE OF INVENTION: Sequences Having Internal Ribosome Binding Sites
; NUMBER OF SEQUENCES: 44
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Ruden, Barnett, McClosky, Smith, Schuster &
; ADDRESSEE: Russell PA
; STREET: 200 East Broward Boulevard
; CITY: Fort Lauderdale
; STATE: FL
; COUNTRY: USA
; ZIP: 33301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/888,497
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/08/651,405
; FILING DATE:
; APPLICATION NUMBER: US 08/097,354
; FILING DATE: 26-JUL-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Manso, Peter J.
; REGISTRATION NUMBER: 32,264
; REFERENCE/DOCKET NUMBER: IN21044-5
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 305-527-2498
; TELEFAX: 305-764-4996
; INFORMATION FOR SEQ ID NO: 29:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1828 base pairs
    
```

```

;
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: cDNA
; FEATURE:
; NAME/KEY: CDS
; LOCATION: 233..643
;
US-08-888-497-29

Query Match 50.6%; Score 18.2; DB 2; Length 1828;
Best Local Similarity 74.2%; Pred. No. 37;
Matches 23; Conservative 0; Mismatches 8; Indels 0; Gaps 0;

Qy 4 ctctagatctcagtcctccacaggcagctg 34
    ||| ||| ||| ||| ||| ||| ||| |||
Db 823 CTCATACATCAGAGTCCCTCTCTAGGATTCTG 793

Search completed: December 6, 2001, 08:52:36
Job time: 140 sec
    
```

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM nucleic - nucleic search, using sw model

Run on: December 6, 2001, 09:29:42 ; Search time 2220.1 seconds
(without alignments)
174.248 Million cell updates/sec

Title: US-09-673-795-4
Perfect score: 36
Sequence: 1 gccctctagatctcagtcctcacaggcagctgtc 36

Scoring table: IDENTITY_NUC
Gapop 10.0 , Gapext 1.0

Searched: 11351937 seqs, 5372889281 residues
Total number of hits satisfying chosen parameters: 22703874

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database :

- EST:*
- 1: em_estfun:**
 - 2: em_esthum:**
 - 3: em_estin:**
 - 4: em_estom:**
 - 5: em_estpl:**
 - 6: em_estba:**
 - 7: em_estro:**
 - 8: em_estov:**
 - 9: em_htc:**
 - 10: gb_estl:**
 - 11: gb_est2:**
 - 12: gb_hic:**
 - 13: gb_gss:**
 - 14: em_gss_fun:**
 - 15: em_gss_hum:**
 - 16: em_gss_inv:**
 - 17: em_gss_pin:**
 - 18: em_gss_pro:**
 - 19: em_gss_rod:**
 - 20: em_gss_vrt:**
 - 21: em_gss_other:**

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	28.2	78.3	317	10	BE708567
2	28.2	78.3	347	10	BE708216
3	28.2	78.3	399	11	BG978548
4	27.8	77.2	476	11	BF083691
5	27.8	77.2	489	10	AW973450
6	27.8	77.2	559	10	AW361438
7	27.2	75.6	237	10	AW806440
8	27.2	75.6	323	11	BI017003
9	27.2	75.6	479	10	AI801734
10	27.2	75.6	541	10	AI290139
11	27.2	75.6	546	10	AA622717
12	27	75.0	174	10	AW607375

C 13	26.8	74.4	376	10	BE183227
C 14	26.6	73.9	159	10	AW752350
C 15	26.6	73.9	442	11	N93531
C 16	26.6	73.9	461	11	BF875422
C 17	26.6	73.9	515	11	BF770493
C 18	26.6	73.9	515	11	BF771086
C 19	26.6	73.9	546	10	AW380132
C 20	26.6	73.9	682	10	BE312926
C 21	26.6	73.9	768	10	BE292884
C 22	26.6	73.9	1135	10	AL545658
C 23	26.2	72.8	67	10	AA468055
C 24	26.2	72.8	113	11	BI052969
C 25	26.2	72.8	116	11	BI020663
C 26	26.2	72.8	120	10	AW389745
C 27	26.2	72.8	140	10	AW376423
C 28	26.2	72.8	140	11	BE826430
C 29	26.2	72.8	145	10	AW795954
C 30	26.2	72.8	150	11	BI016093
C 31	26.2	72.8	154	10	AW796825
C 32	26.2	72.8	167	10	AW366718
C 33	26.2	72.8	171	10	AW376219
C 34	26.2	72.8	173	11	BG978500
C 35	26.2	72.8	173	11	BE832464
C 36	26.2	72.8	178	11	BG978883
C 37	26.2	72.8	181	10	AW376395
C 38	26.2	72.8	188	10	AW389460
C 39	26.2	72.8	189	10	AW935309
C 40	26.2	72.8	196	10	AW799966
C 41	26.2	72.8	196	11	BE828995
C 42	26.2	72.8	197	11	BF330967
C 43	26.2	72.8	203	10	BE149515
C 44	26.2	72.8	211	10	AW793386
C 45	26.2	72.8	211	11	BF909066

ALIGNMENTS

RESULT 1	BE708567	317 bp	MRNA	EST	12-SEP-2000
LOCUS	MR0-HT0559-020800-032-d06	HT0559	Homo sapiens	cDNA, mRNA	sequence.
DEFINITION	BE708567				
ACCESSION	BE708567.1	GI:10096832			
VERSION	EST				
KEYWORDS	human.				
SOURCE	Homo sapiens				
ORGANISM	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.				
REFERENCE	1 (bases 1 to 317)				
AUTHORS	Dias Neto,E., Garcia Correa,R., Verjovski-Almeida,S., Briones,M.R., Nagai,M.A., da Silva,W. Jr., Zago,M.A., Bordin,S., Costa,F.F., Goldman,G.H., Carvalho,A.F., Matsukuma,A., Bala,G.S., Simpson,D.H., Brunstein,A., deOliveira,P.S., Bucher,P., Jongeneel,C.V., O'Hare ,M.J., Soares,F., Brentani,R.R., Reis,L.F., de Souza,S.J. and Simpson,A.J.				
TITLE	Shotgun sequencing of the human transcriptome with ORF expressed				
JOURNAL	Proc. Natl. Acad. Sci. U.S.A.	97 (7)			3491-3496 (2000)
MEDLINE	20202663				
COMMENT	Contact: Simpson A.J.G. Laboratory of Cancer Genetics Ludwig Institute for Cancer Research Rua Prof. Antonio Prudente 109, 4 andar, 01509-010, Sao Paulo-SP, Brazil Tel: +55-11-2704922 Fax: +55-11-2707001 Email: asimpson@ludwig.org.br This sequence was derived from the FAPESP/LICR Human Cancer Genome Project. This entry can be seen in the following URL (http://www.ludwig.org.br/scripts/gethtml2.pl?tl=6t3-MR0-HT0559-020 800-032-d06t3-2000-08-02&t4=1) Seq primer: puc 18 forward				

Site 2: SmaI; A mini-library was made by cloning products derived from ORESTES PCR (U.S. Letters Patent application No. 196,716 - Ludwig Institute for Cancer Research) profiles into the pUC 18 vector. Reverse transcription of tissue mRNA and cDNA amplification were performed under

Db
85, CTCTTGCTCTCAGTCCACACAAGGCAGCTGTC 117

RESULT	3
BG978548	
LOCUS	BG978548
DEFINITION	PM1-CN0098-020101-002-f02 CN0098
EST	EST
MRNA	MRNA
HOMO	HOMO
SABIOS	SABIOS
CNNA	CNNA
TBRNA	TBRNA
2000	2000
12-JUN-2001	

ACCESSION · BG978548
VERSION BG978548.1
KEYWORDS EST.
SOURCE human

REFERENCE
AUTHORS

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Homiidae; Homo.

1 (bases 1 to 399)

Dias Neto,E., Garcia Correa,R., Verjovsky-Almeida,S., Briones,M.R., Galgal,M.A., da Silva,W. Jr., Zago,M.A., Bordin,S., Costa,F.F., Nogueira,G.H., Carvalho,A.F., Matsukuma,A., Baia,G.S., Simpson,D.H., Brustin,A., deoliveira,P.S., Bucher,P., Jongeneel,C.V., O'Hare,M.J., Soares,F., Brentani,R.R., Reis,L.F., de Souza,S.J. and

TITLE	Simpson, A.J.
JOURNAL	Shotgun sequencing of the human transcriptome with ORF expressed
MEDLINE	sequence tags
COMMENT	Proc. Natl. Acad. Sci. U.S.A. 97 (7), 3491-3496 (2000)
	20202663
	Contact: Simpson A.J.G.
	Laboratory of Cancer Genetics
	Ludwig Institute for Cancer Research
	Rua Prof. Antonio Prudente 109, 4 andar, 01509-010, Sao Paulo-SP,
	Brazil
	Tel: +55-11-2704922
	Fax: +55-11-2707001
	Email: asimpson@ludwig.org.br
	This sequence was derived from the FAPESP/LICR Human Cancer Genome

```
Project. This entry can be seen in the following URL
' (http://www.ludwig.org.br/scripts/gethtml2.pl?ti=PM1st2=PM1-CN0098-
020101-002-f02st3=2001-01-02st4=1)
;
; Seq primer: puc l8 forward
; High quality sequence start: 16
; High quality sequence stop: 398.
Location/Qualifiers
1. .399
/organism="Homo sapiens"
/db_xref="+taxon:9606"
/clone_lib="CN0098"
/dev_stage="Adult"
/note="Organ: colon_normal; Vector: puc18; Site_1: Sma1;
Site_2: Sma1; A mini-library was made by cloning products
derived from ORESTES PCR (U.S. Letters Patent application
no. 195,716 - Ludwig Institute for Cancer Research,
La Jolla, CA 92037, USA)"
FEATURES
source
```

BASE COUNT 103 a 117 c 100 g 78 t 1 others
ORIGIN ;
Query Match 78 3a: score 28 2: DB 11: length 300:
attitude for cancer research)
profiles into the puc 18
tissue mRNA and cDNA amplification were performed under
low stringency conditions.

```
78.3%; Score 28.2; DB 11; Length 399;
```

Best Local Similarity 90.9%; Pred. No. 1;
Matches 30; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 4 cctagatctcagtcctccacaaaggcagctgtc 36
||||| ||||||| ||||||| ||||||| |||||||

DB 99 cttctgctctcagtcctccacaaaggcagctgtc 131
||||| ||||||| ||||||| ||||||| |||||||

RESULT 4
LOCUS BF083691/c 476 bp mRNA EST 18-OCT-2000
DEFINITION MR2-CT0456-190900-003-c07 CT0456 Homo sapiens cDNA, mRNA sequence.
ACCESSION BF083691
VERSION BF083691.1 GI:10877430
KEYWORDS EST.
SOURCE human.

ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
1 (bases 1 to 476)
Nagai,M.A., da Silva,W. Jr., Zago,M.A., Bordin,S., Costa,F.F.,
Goldman,G.H., Carvalho,A.F., Matsukuma,A., Bala,G.S., Simpson,D.H.,
Brunstein,A., deoliveira,P.S., Bucher,P., Jongeneel,C.V., O'Hare
,M.J., Soares,F., Brentani,R.R., Reis,L.F., de Souza,S.J. and
Simpson,A.J.

TITLE Shotgun sequencing of the human transcriptome with ORF expressed
sequence tags
JOURNAL Proc. Natl. Acad. Sci. U.S.A. 97 (7), 3491-3496 (2000)
MEDLINE 20202663
COMMENT Contact: Simpson A.J.G.
Laboratory of Cancer Genetics
Ludwig Institute for Cancer Research
Rua Prof. Antonio Prudente 109, 4 andar, 01509-010, Sao Paulo-SP,
Brazil
Tel: +55-11-2704922
Fax: +55-11-2707001
Email: asimpson@ludwig.org.br

This sequence was derived from the FAPESP/LICR Human Cancer Genome
Project. This entry can be seen in the following URL
(http://www.ludwig.org.br/scripts/gethtml2.pl?tl=&t2=MR2-CT0456-190
900-003-c07&t3=2000-09-19&t4=1)
Seq primer: puc 18 forward
High quality sequence start: 13
High quality sequence stop: 475.

FEATURES

source
1. .476
/organism="Homo sapiens"
/db_xref="taxon:9606"
/clone_lib="CT0456"
/dev_stage="Adult"
/note="Organ: colon; Vector: puc18; Site_1: SmaI; Site_2:
SmaI; A mini-library was made by cloning products derived
from ORESTES PCR (U.S. Letters Patent application No. 196
,716 - Ludwig Institute for Cancer Research) profiles
into the pUC 18 vector. Reverse transcription of tissue
mRNA and cDNA amplification were performed under low
stringency conditions."

BASE COUNT 119 a 133 c 110 g 114 t

Query Match 77.2%; Score 27.8; DB 11; Length 476;
Best Local Similarity 93.5%; Pred. No. 1.5;
Matches 29; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 6 ctatgcttcagtcctccacaaaggcagctgtc 36
||||| ||||||| ||||||| ||||||| |||||||

DB 398 CTACATCTCAGTCCCTCACAAAGACAGCTGTC 368

RESULT 5
AW973450

LOCUS AW973450 489 bp mRNA EST 02-JUN-2000
DEFINITION EST385443 MAGE resequencences, MAGM Homo sapiens cDNA, mRNA sequence.
ACCESSION AW973450
VERSION AW973450.1 GI:8164521
KEYWORDS EST.
SOURCE human.

ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
1 (bases 1 to 489)
Hegde,P., Qi,R., Abernathy,K., Dharap,S., Gaspard,R., Gay,C., Holt
,I.E., Saeed,A.I., Sharov,V., Lee,N.H., Yeatman,T.J. and
Quackenbush,J.

TITLE Assessment of gene expression patterns in a model of colon tumor
metastasis using a 19,200 element cDNA microarray

JOURNAL Unpublished (2000)
COMMENT Contact: John Quackenbush
The Institute for Genomic Research
9712 Medical Center Dr., Rockville, MD 20850, USA
Tel: 301 838 3528
Fax: 301 838 0208
Email: johnq@tigr.org
Plate: 318

Seq primer: Forward.

FEATURES Location/Qualifiers

source
1. .489
/organism="Homo sapiens"
/db_xref="taxon:9606"
/clone_lib="MAGE resequencences, MAGM"
/note="Vector: pBluescriptSkm"

BASE COUNT 144 a 107 c 117 g 121 t

Query Match 77.2%; Score 27.8; DB 10; Length 489;
Best Local Similarity 93.5%; Pred. No. 1.5;
Matches 29; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 6 ctatgcttcagtcctccacaaaggcagctgtc 36
||||| ||||||| ||||||| ||||||| |||||||

DB 387 CTCGATCTCAGTCCCTCACAAAGACAGCTGTC 417

RESULT 6
AW361438 559 bp mRNA EST 04-FEB-2000

LOCUS AW361438 559 bp mRNA EST 04-FEB-2000
DEFINITION RC3-CT0255-031099-011-e09 CT0255 Homo sapiens cDNA, mRNA sequence.
ACCESSION AW361438
VERSION AW361438.1 GI:6866088
KEYWORDS EST.
SOURCE human.

ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

REFERENCE 1 (bases 1 to 559)

AUTHORS HCGP http://www.ludwig.org.br/ORESTES.

TITLE The FAPESP/LICR Human Cancer Genome Project

JOURNAL Unpublished (1999)

COMMENT Contact: Simpson A.J.G.

Laboratory of Cancer Genetics

Ludwig Institute for Cancer Research

Rua Prof. Antonio Prudente 109, 4 andar, 01509-010, Sao Paulo-SP,

Brazil

Tel: +55-11-2704922

Fax: +55-11-2707001

Email: asimpson@ludwig.org.br

This sequence was derived from the FAPESP/LICR Human Cancer Genome
Project. This entry can be seen in the following URL
(http://www.ludwig.org.br/scripts/gethtml2.pl?tl=RC3&t2=RC3-CT0255-
031099-011-e09&t3=1999-10-03&t4=1)

Seq primer: puc 18 forward

High quality sequence start: 52

High quality sequence stop: 541.


```

QY 5 tctagatctcagtcctccacaaaggcagctgtc 36
   ||| | ||||| ||||| ||||| ||||| |||||
Db 130 TCTGCTCTCAGTCCACACAAAGCAGCTGTC 161

RESULT 9
AI801734
LOCUS      479 bp      mRNA      14-DEC-1999
DEFINITION 14-DEC-1999
            t094f10.x1 NCI-CGAP_Gas4 Homo sapiens cDNA clone IMAGE:2185963 3'
            similar to gb:MI2678 HLA CLASS I HISTOCOMPATIBILITY ANTIGEN, B-27
            B*2705 ALPHA (HUMAN);, mRNA sequence.

ACCESSION  AI801734
VERSION     AI801734.1 GI:5367206
KEYWORDS   EST.
SOURCE     human.

ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE  1 (bases 1 to 479)
AUTHORS   NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
TITLE     National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
            Tumor Gene Index
JOURNAL   Unpublished (1997)
COMMENT   Contact: Robert Strausberg, Ph.D.
            Email: cgabps-r@mail.nih.gov
            Tissue Procurement: Christopher Moskaluk, M.D., Ph.D., Michael R.
            Emmert-Buck, M.D., Ph.D.
            cDNA Library Preparation: Life Technologies, Inc.
            DNA Sequencing by: Greg Lennon, Ph.D.
            Clone distribution: NCI-CGAP clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            www-bio.llnl.gov/bbrp/image/image.html
            Insert Length: 556 Std Error: 0.00
            Seq primer: -400P from Gibco
            High quality sequence stop: 222.

FEATURES   Location/Qualifiers
            1..479
            /organism="Homo sapiens"
            /db_xref="taxon:9606"
            /clone="IMAGE:2185963"
            /clone_lib="NCI-CGAP_Gas4"
            /tissue_type="poorly differentiated adenocarcinoma with
            signet ring cell features"
            /lab_host="DH10B"
            /note="Organ: stomach; Vector: pCMV-SPORT6; Site_1: SalI;
            Site_2: NotI; Cloned unidirectionally. Primer: Oligo dT.
            Average insert size 1.69 kb. Life Technologies catalog #:
            11549-011"
BASE COUNT 139 a 109 c 116 g 114 t 1 others
ORIGIN

Query Match 75.6%; Score 27.2; DB 10; Length 479;
Best Local Similarity 90.6%; Pred. No. 2.5;
Matches 29; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 5 tctagatctcagtcctccacaaaggcagctgtc 36
   ||| | ||||| ||||| ||||| ||||| |||||
Db 390 TCTGCTCTCAGTCCCTCACAAGCAGCTGTC 421

RESULT 10
AI290139
LOCUS      541 bp      mRNA      21-DEC-1998
DEFINITION 21-DEC-1998
            qw31q10.x1 NCI-CGAP_Ut4 Homo sapiens cDNA clone IMAGE:1992738 3'
            similar to gb:M28204 HLA CLASS I HISTOCOMPATIBILITY ANTIGEN, B-8
            B*0801 ALPHA (HUMAN);, mRNA sequence.

ACCESSION  AI290139
VERSION     AI290139.1 GI:3931805
KEYWORDS   EST.
SOURCE     human.

ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE  1 (bases 1 to 541)
AUTHORS   NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
TITLE     National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
            Tumor Gene Index
JOURNAL   Unpublished (1997)
COMMENT   Contact: Robert Strausberg, Ph.D.
            Email: cgabps-r@mail.nih.gov
            Tissue Procurement: L. Jeffrey Medeiros, M.D., Michael R.
            Emmert-Buck, M.D., Ph.D.
            cDNA Library Preparation: Stratagene, Inc., David B. Krizman,
            Ph.D.
            CDNA Library Arraying: Greg Lennon, Ph.D.
            DNA Sequencing by: Washington University Genome Sequencing Center
            Clone distribution: NCI-CGAP clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            www-bio.llnl.gov/bbrp/image/image.html
            Insert Length: 1662 Std Error: 0.00
            Seq primer: -400P from Gibco
            High quality sequence stop: 249.

FEATURES   Location/Qualifiers
            1..541
            /organism="Homo sapiens"
            /db_xref="taxon:9606"
            /clone="IMAGE:1992738"
            /clone_lib="NCI-CGAP_Ut4"
            /tissue_type="serous papillary carcinoma, high grade, 2
            pooled tumors"
            /lab_host="DH10B"
            /note="Organ: uterus; Vector: pCMV-SPORT6; Site_1: SalI;
            Site_2: NotI; Cloned unidirectionally. Primer: Oligo dT.
            Average insert size 1.48 kb. Life Technologies catalog #:
            11542-016"
BASE COUNT 146 a 120 c 120 g 155 t
ORIGIN

Query Match 75.6%; Score 27.2; DB 10; Length 541;
Best Local Similarity 90.6%; Pred. No. 2.5;
Matches 29; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 5 tctagatctcagtcctccacaaaggcagctgtc 36
   ||| | ||||| ||||| ||||| ||||| |||||
Db 410 TCTGCTCTCAGTCCCTCACAAGCAGCTGTC 441

RESULT 11
AA622717
LOCUS      546 bp      mRNA      21-OCT-1997
DEFINITION 21-OCT-1997
            np36e01.s1 NCI-CGAP_Lu1 Homo sapiens cDNA clone IMAGE:1118424 3'
            similar to gb:MI2678 HLA CLASS I HISTOCOMPATIBILITY ANTIGEN, B-27
            B*2705 ALPHA (HUMAN);, mRNA sequence.

ACCESSION  AA622717
VERSION     AA622717.1 GI:2526593
KEYWORDS   EST.
SOURCE     human.

ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE  1 (bases 1 to 546)
AUTHORS   NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
TITLE     National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
            Tumor Gene Index
JOURNAL   Unpublished (1997)
COMMENT   Contact: Robert Strausberg, Ph.D.
            Email: cgabps-r@mail.nih.gov
            Tissue Procurement: L. Jeffrey Medeiros, M.D., Michael R.
            Emmert-Buck, M.D., Ph.D.
            cDNA Library Preparation: Stratagene, Inc., David B. Krizman,
            Ph.D.
            CDNA Library Arraying: Greg Lennon, Ph.D.
            DNA Sequencing by: Washington University Genome Sequencing Center
            Clone distribution: NCI-CGAP clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            www-bio.llnl.gov/bbrp/image/image.html
            Insert Length: 1662 Std Error: 0.00
            Seq primer: -400P from Gibco
            High quality sequence stop: 249.

FEATURES   Location/Qualifiers
            1..541
            /organism="Homo sapiens"
            /db_xref="taxon:9606"
            /clone="IMAGE:1992738"
            /clone_lib="NCI-CGAP_Ut4"
            /tissue_type="serous papillary carcinoma, high grade, 2
            pooled tumors"
            /lab_host="DH10B"
            /note="Organ: uterus; Vector: pCMV-SPORT6; Site_1: SalI;
            Site_2: NotI; Cloned unidirectionally. Primer: Oligo dT.
            Average insert size 1.48 kb. Life Technologies catalog #:
            11542-016"
BASE COUNT 146 a 120 c 120 g 155 t
ORIGIN

```

```

ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE  1 (bases 1 to 541)
AUTHORS   NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
TITLE     National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
            Tumor Gene Index
JOURNAL   Unpublished (1997)
COMMENT   Contact: Robert Strausberg, Ph.D.
            Email: cgabps-r@mail.nih.gov
            Tissue Procurement: Christopher Moskaluk, M.D., Ph.D., Michael R.
            Emmert-Buck, M.D., Ph.D.
            cDNA Library Preparation: Life Technologies, Inc.
            DNA Sequencing by: Greg Lennon, Ph.D.
            Clone distribution: NCI-CGAP clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            www-bio.llnl.gov/bbrp/image/image.html
            Insert Length: 1662 Std Error: 0.00
            Seq primer: -400P from Gibco
            High quality sequence stop: 249.

FEATURES   Location/Qualifiers
            1..541
            /organism="Homo sapiens"
            /db_xref="taxon:9606"
            /clone="IMAGE:1992738"
            /clone_lib="NCI-CGAP_Ut4"
            /tissue_type="serous papillary carcinoma, high grade, 2
            pooled tumors"
            /lab_host="DH10B"
            /note="Organ: uterus; Vector: pCMV-SPORT6; Site_1: SalI;
            Site_2: NotI; Cloned unidirectionally. Primer: Oligo dT.
            Average insert size 1.48 kb. Life Technologies catalog #:
            11542-016"
BASE COUNT 146 a 120 c 120 g 155 t
ORIGIN

Query Match 75.6%; Score 27.2; DB 10; Length 541;
Best Local Similarity 90.6%; Pred. No. 2.5;
Matches 29; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 5 tctagatctcagtcctccacaaaggcagctgtc 36
   ||| | ||||| ||||| ||||| ||||| |||||
Db 410 TCTGCTCTCAGTCCCTCACAAGCAGCTGTC 441

RESULT 11
AA622717
LOCUS      546 bp      mRNA      21-OCT-1997
DEFINITION 21-OCT-1997
            np36e01.s1 NCI-CGAP_Lu1 Homo sapiens cDNA clone IMAGE:1118424 3'
            similar to gb:MI2678 HLA CLASS I HISTOCOMPATIBILITY ANTIGEN, B-27
            B*2705 ALPHA (HUMAN);, mRNA sequence.

ACCESSION  AA622717
VERSION     AA622717.1 GI:2526593
KEYWORDS   EST.
SOURCE     human.

ORGANISM   Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE  1 (bases 1 to 546)
AUTHORS   NCI-CGAP http://www.ncbi.nlm.nih.gov/ncicgap.
TITLE     National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
            Tumor Gene Index
JOURNAL   Unpublished (1997)
COMMENT   Contact: Robert Strausberg, Ph.D.
            Email: cgabps-r@mail.nih.gov
            Tissue Procurement: L. Jeffrey Medeiros, M.D., Michael R.
            Emmert-Buck, M.D., Ph.D.
            cDNA Library Preparation: Stratagene, Inc., David B. Krizman,
            Ph.D.
            CDNA Library Arraying: Greg Lennon, Ph.D.
            DNA Sequencing by: Washington University Genome Sequencing Center
            Clone distribution: NCI-CGAP clone distribution information can be
            found through the I.M.A.G.E. Consortium/LLNL at:
            www-bio.llnl.gov/bbrp/image/image.html
            Insert Length: 1662 Std Error: 0.00
            Seq primer: -400P from Gibco
            High quality sequence stop: 249.

FEATURES   Location/Qualifiers
            1..541
            /organism="Homo sapiens"
            /db_xref="taxon:9606"
            /clone="IMAGE:1992738"
            /clone_lib="NCI-CGAP_Ut4"
            /tissue_type="serous papillary carcinoma, high grade, 2
            pooled tumors"
            /lab_host="DH10B"
            /note="Organ: uterus; Vector: pCMV-SPORT6; Site_1: SalI;
            Site_2: NotI; Cloned unidirectionally. Primer: Oligo dT.
            Average insert size 1.48 kb. Life Technologies catalog #:
            11542-016"
BASE COUNT 146 a 120 c 120 g 155 t
ORIGIN

```

tissue mRNA and cDNA amplification were performed under low stringency conditions."

Query Match 75.0%: Score 27: DB 10: Length 174;

	Query Match	75.0%;	Score 27;	DB 10;	Length 174;
	Best Local Similarity	85.7%;	Pred. No. 2.4;		
	Matches 30;	Conservative	0;	Mismatches 5;	Indels 0;
QY	2	cocctctgattctcagtcctccctccacaaagggcagctgtc	36		
Db	28	CACCTTCGCCTCTCAGTCCACACAAAGGCAGCTGTC	62		

153 a	124 c	128 q	141 t
-------	-------	-------	-------

RESULT	13
BE183227/c	
LOCUS	BE183227
DEFINITION	CM2-HT0657-150400-156.h06 Homo sapiens cDNA, mRNA sequence.
ACCESSION	BE183227
VERSION	BE183227.1 GI:8662312
KEYWORDS	EST, human.
SOURCE	human.

RESULT	12
AW607375	
LOCUS	AW607375 174 bp mRNA EST 23-MAR-2000
DEFINITION	RC4-HT0469-010200-012-c04 HT0469 Homo sapiens cDNA, mRNA sequence.
ACCESSION	AW607375
VERSION	AW607375.1
KEYWORDS	GI:7312025
SOURCE	EST.
ORGANISM	human.
	Homo sapiens

REFERENCE
AUTHORS
TITLE
JOURNAL
1 (bases 1 to 174)
HCGP <http://www.ludwig.org.br/ORESTES>.
The FAPESP/LICR Human Cancer Genome Project
Unpublished (1999)

COMMENT

Contact: Simpson A. J. G.
Laboratory of Cancer Genetics
Ludwig Institute for Cancer Research
Rua Prof. Antonio Prudente 109, 4 andar, 01509-010, Sao Paulo-SP,
Brazil
Tel: +55-11-2704922
Fax: +55-11-2707001

Email: asimpson@ludwig.org.br
 This sequence was derived from the FAPESP/LICR Human Cancer Genome
 Project. This entry can be seen in the following URL
 (<http://www.ludwig.org.br/scripts/gethtml2.pl?tl=RC4&ts=RC4-HR0469-010200-012-c04&t3=2000-02-01&t4=1>)
 Seq primer: puc 18 forward
 High quality sequence start: 30
 High quality sequence stop: 174.

```

FEATURES
  source
    Location/Qualifiers
      1. .174
        /organism="Homo sapiens"
        /db_xref="taxon:9606"
        /clone_lib="HT0469"
        /rev_stage="Adult"

```

==organ: head_neck; Vector: puc18; Site_1: Sma1;
Site_2: Sma1; A mini-library was made by cloning products
derived from ORESTES PCR (U.S. Letters Patent application
NO. 196,716 - Ludwig Institute for Cancer Research)
profiles into the pUC 18 vector. Reverse transcription of

```

Query Match      74.4%; Score 26.8; DB 10; Length 376;
Best Local Similarity 93.3%; Pred. No. 3.3;
Matches 28; Conservative 0; Mismatches 2; Indels 0

```

0

RESULT	15
N93531	
LOCUS	
DEFINITION	
	N93531 442 bp mRNA EST 20-AUG-1996
	2b55f05.s1 Soares_fetal_lung_NBHL19W Homo sapiens cDNA clone
	IMAGE:307521 3' similar to gb:M28204 HLA CLASS I HISTOCOMPATIBILITY

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:56:53 ; Search time 170.25 seconds
(without alignments)
7.732 Million cell updates/sec

Title: PEPL-MOD8F

Perfect score: 48

Sequence: 1 SLFEGIDFY 9

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 473505 seqs, 14627329 residues

Total number of hits satisfying chosen parameters: 473505

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

SPTREMBL_17.*
1: sp_archaea.*
2: sp_bacteria.*
3: sp_fungi.*
4: sp_human.*
5: sp_invertebrate.*
6: sp_mammal.*
7: sp_mhc.*
8: sp_organelle.*
9: sp_phage.*
10: sp_plant.*
11: sp_rodent.*
12: sp_virus.*
13: sp_invertebrate.*
14: sp_unclassified.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	48	100.0	146	5 Q9U667	Q9u667 littorina p
2	48	100.0	153	5 Q9U670	Q9u670 littorina s
3	48	100.0	155	5 Q9U669	Q9u669 littorina s
4	48	100.0	157	5 Q9U665	Q9u665 littorina p
5	48	100.0	158	5 Q9U671	Q9u671 littorina s
6	48	100.0	158	5 Q9U668	Q9u668 littorina p
7	48	100.0	158	5 Q9U666	Q9u666 littorina p
8	48	100.0	220	5 P81159	P81159 aplysia cal
9	48	100.0	278	13 Q90520	Q90520 oncorhynch
10	48	100.0	367	13 Q98899	Q98899 fugu rubrip
11	48	100.0	455	11 Q63718	Q63718 rattus norv
12	48	100.0	467	5 Q44350	Q44350 chondrosia
13	48	100.0	467	5 Q44352	Q44352 petrobiona
14	48	100.0	467	5 Q9NJ92	Q9NJ92 guancha lac
15	48	100.0	468	5 Q44349	Q44349 funiculina
16	48	100.0	469	5 Q44351	Q44351 eunicella c
17	48	100.0	526	13 Q98897	Q98897 fugu rubrip
18	48	100.0	617	10 Q9C7X7	Q9C7X7 arabidopsis
19	48	100.0	628	5 Q93147	Q93147 botryllus s

20	48	100.0	629	5 Q93146	Q93146 botryllus s
21	48	100.0	632	5 O15766	O15766 dictyostell
22	48	100.0	639	13 Q98900	Q98900 fugu rubrip
23	48	100.0	639	13 Q918F9	Q918F9 oryzias lat
24	48	100.0	640	5 Q93601	Q93601 caenorhabdi
25	48	100.0	640	13 Q93240	Q93240 paralichthy
26	48	100.0	641	11 Q63256	Q63256 rattus norv
27	48	100.0	641	11 Q9QWJ5	Q9QWJ5 mus musculu
28	48	100.0	645	5 Q96541	Q96541 setaria dig
29	48	100.0	645	5 Q9NJ77	Q9NJ77 wuchereria
30	48	100.0	645	5 Q9NGK9	Q9NGK9 wuchereria
31	48	100.0	645	10 Q48563	Q48563 brassica na
32	48	100.0	647	3 Q59855	Q59855 schizosacch
33	48	100.0	647	10 Q41027	Q41027 pisum sativ
34	48	100.0	650	5 Q9U777	Q9U777 stylophora
35	48	100.0	650	10 Q9ZS55	Q9ZS55 arabidopsis
36	48	100.0	650	10 Q9LHA8	Q9LHA8 arabidopsis
37	48	100.0	652	10 P93937	P93937 ascophylium
38	48	100.0	653	5 Q94805	Q94805 trichoplusi
39	48	100.0	659	5 Q9XZJ2	Q9XZJ2 crassostrea
40	47	97.9	190	5 Q9U9B4	Q9U9B4 mytilus edu
41	47	97.9	467	5 Q44346	Q44346 asbestoplum
42	47	97.9	467	5 Q44347	Q44347 petrosia fl
43	47	97.9	467	5 Q9GPM5	Q9GPM5 monosiga ov
44	47	97.9	639	13 Q73922	Q73922 oreochromis
45	47	97.9	642	3 Q9UVM0	Q9UVM0 rhizopus st

ALIGNMENTS

RESULT 1
Q9U667 PRELIMINARY; PRT; 146 AA.
AC Q9U667; 01-MAY-2000 (Tremblrel. 13, Created)
DT 01-MAY-2000 (Tremblrel. 13, Last sequence update)
DT 01-JUN-2001 (Tremblrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina plena.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31219;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina."
RL Submitted (Oct-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191828; AAF12787.1;
DR HSSP; P19120; 1BAL.
DR InterPro; IPR001023; HSP70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 146
SQ SEQUENCE 146 AA; 16607 MW; C3F3556A1AF438BB CRC64;

Query Match 100.0%; Score 48; DB 5; Length 146;
Best Local Similarity 100.0%; Pred. No. 0.079;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
Db 79 SLFEGIDFY 87
RESULT 2
Q9U670 PRELIMINARY; PRT; 153 AA.
ID Q9U670
AC Q9U670;
DT 01-MAY-2000 (Tremblrel. 13, Created)
DT 01-MAY-2000 (Tremblrel. 13, Last sequence update)

DT 01-JUN-2001 (Tremblrel. 17, Last annotation update)
 DE HEAT-SHOCK PROTEIN (FRAGMENT).
 GN HSC70.
 OS Littorina scutulata.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 OC Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
 OX NCBI_TaxID=31221;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina.";
 RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF191825; AAF12784.1; -
 DR HSSP; PI9120; IBA1.
 DR InterPro; IPR001023; HSP70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 1
 FT NON_TER 153
 SQ SEQUENCE 153 AA; 17352 MW; E29EE20C4CAF934D CRC64;

Query Match 100.0%; Score 48; DB 5; Length 153;
 Best Local Similarity 100.0%; Pred. No. 0.084;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
 Db 80 SLFEGIDFY 88

RESULT 3
 Q9U669
 ID Q9U669 PRELIMINARY; PRT; 155 AA.
 AC Q9U669;
 DT 01-MAY-2000 (Tremblrel. 13, Created)
 DT 01-MAY-2000 (Tremblrel. 13, Last sequence update)
 DT 01-JUN-2001 (Tremblrel. 17, Last annotation update)
 DE HEAT-SHOCK PROTEIN (FRAGMENT).
 GN HSC70.
 OS Littorina scutulata.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 OC Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
 OX NCBI_TaxID=31221;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina.";
 RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF191826; AAF12785.1; -
 DR HSSP; PI9120; IBA1.
 DR InterPro; IPR001023; HSP70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 1
 FT NON_TER 155
 SQ SEQUENCE 155 AA; 17676 MW; C191F6E5B1F346C2 CRC64;

Query Match 100.0%; Score 48; DB 5; Length 155;
 Best Local Similarity 100.0%; Pred. No. 0.085;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
 Db 82 SLFEGIDFY 90

RESULT 4
 Q9U665
 ID Q9U665 PRELIMINARY; PRT; 157 AA.
 AC Q9U665;
 DT 01-MAY-2000 (Tremblrel. 13, Created)
 DT 01-MAY-2000 (Tremblrel. 13, Last sequence update)
 DT 01-JUN-2001 (Tremblrel. 17, Last annotation update)

DE HEAT-SHOCK PROTEIN (FRAGMENT).
 GN HSC70.
 OS Littorina plena.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 OC Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
 OX NCBI_TaxID=31219;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina.";
 RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF191830; AAF12789.1; -
 DR HSSP; PI9120; IBA1.
 DR InterPro; IPR001023; HSP70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 1
 FT NON_TER 157
 SQ SEQUENCE 157 AA; 17834 MW; E8F743382B285EB2 CRC64;

Query Match 100.0%; Score 48; DB 5; Length 157;
 Best Local Similarity 100.0%; Pred. No. 0.087;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
 Db 84 SLFEGIDFY 92

RESULT 5
 Q9U671
 ID Q9U671 PRELIMINARY; PRT; 158 AA.
 AC Q9U671;
 DT 01-MAY-2000 (Tremblrel. 13, Created)
 DT 01-MAY-2000 (Tremblrel. 13, Last sequence update)
 DT 01-JUN-2001 (Tremblrel. 17, Last annotation update)
 DE HEAT-SHOCK PROTEIN (FRAGMENT).
 GN HSC70.
 OS Littorina scutulata.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 OC Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
 OX NCBI_TaxID=31221;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina.";
 RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF191824; AAF12783.1; -
 DR HSSP; PI9120; IBA1.
 DR InterPro; IPR001023; HSP70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 1
 FT NON_TER 158
 SQ SEQUENCE 158 AA; 17887 MW; B41E5356A24CAD2F CRC64;

Query Match 100.0%; Score 48; DB 5; Length 158;
 Best Local Similarity 100.0%; Pred. No. 0.087;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
 Db 85 SLFEGIDFY 93

RESULT 6
 Q9U668
 ID Q9U668 PRELIMINARY; PRT; 158 AA.
 AC Q9U668;
 DT 01-MAY-2000 (Tremblrel. 13, Created)
 DT 01-MAY-2000 (Tremblrel. 13, Last sequence update)

DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina plena.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31219;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina."
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191827; AAF12786.1; -.
DR HSP; P19120; 1BA1.
DR InterPro: IPR001023; HSP70.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 158
SQ SEQUENCE 158 AA; 17868 MW; D2ECE71042EC44CB CRC64;

Query Match 100.0%; Score 48; DB 5; Length 158;
Best Local Similarity 100.0%; Pred. No. 0.087;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 SLFEGIDFY 9
Db 85 SLFEGIDFY 93

RESULT 7
Q90666 PRELIMINARY; PRT; 158 AA.
AC Q90666;
DT 01-MAY-2000 (TREMBlrel. 13, Created)
DT 01-MAY-2000 (TREMBlrel. 13, Last sequence update)
DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina plena.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31219;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina."
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191829; AAF12788.1; -.
DR HSP; P19120; 1BA1.
DR InterPro: IPR001023; HSP70.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 158
SQ SEQUENCE 158 AA; 17891 MW; B41E5356BCECAD2F CRC64;

Query Match 100.0%; Score 48; DB 5; Length 158;
Best Local Similarity 100.0%; Pred. No. 0.087;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
Db 85 SLFEGIDFY 93

RESULT 8
P81159 PRELIMINARY; PRT; 220 AA.
AC P81159;
DT 01-JUN-1998 (TREMBlrel. 06, Created)

DT 01-JUN-1998 (TREMBlrel. 06, Last sequence update)
DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
DE HEAT-SHOCK COGNATE 71 KDA PROTEIN (FRAGMENT).
GN HSC70.
OS Aplysia californica (California sea hare).
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Opisthobranchia; Anasplidea;
OC Aplysiidae; Aplysia.
OX NCBI_TaxID=6500;
RN [1]
RP SEQUENCE FROM N.A.
RA MEDLINE=93077669; PubMed=1360013;
RA Kuhl D., Kennedy T., Barzilai A., Kandel E.;
RT "Long-term sensitization training in Aplysia leads to an increase in the expression of Bip, the major protein chaperon of the ER."
RL J. Cell Biol. 119:1069-1076(1992).
CC -I- INDUCTION: CONSTITUTIVELY SYNTHESIZED IN A WIDE VARIETY OF CELLS.
CC -I- SIMILARITY: BELONGS TO HEAT SHOCK PROTEIN 70 FAMILY.
DR EMBL; Z15039; CAA78757.1; -.
DR HSP; P19120; 1BA1.
DR InterPro: IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock; Multigene family.
FT NON_TER 1
FT NON_TER 220
SQ SEQUENCE 220 AA; 24684 MW; FA8557F2BB85C37A CRC64;

Query Match 100.0%; Score 48; DB 5; Length 220;
Best Local Similarity 100.0%; Pred. No. 0.13;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
Db 138 SLFEGIDFY 146

RESULT 9
Q90520 PRELIMINARY; PRT; 278 AA.
AC Q90520;
DT 01-NOV-1996 (TREMBlrel. 01, Created)
DT 01-NOV-1996 (TREMBlrel. 01, Last sequence update)
DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
DE RAINBOW TROUT 70 KDA HEAT SHOCK PROTEIN (FRAGMENT).
OS Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
OX NCBI_TaxID=8022;
RN [1]
RP SEQUENCE FROM N.A.
RA MEDLINE=85036330; PubMed=6092938;
RA Kothary R.K., Jones D., Candido E.P.M.;
RT "70-Kilodalton heat shock polypeptides from rainbow trout: characterization of cDNA sequences."
RL Mol. Cell. Biol. 4:1785-1791(1984).
DR EMBL; K02549; AAA49562.1; -.
DR HSP; P08109; 1CKR.
DR InterPro: IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock; Multigene family.
FT NON_TER 1
FT NON_TER 278
SQ SEQUENCE 278 AA; 30327 MW; E4C745DE5484C17A CRC64;

Query Match 100.0%; Score 48; DB 13; Length 278;

```
Best Local Similarity 100.0%; Pred. No. 0.17;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
Db 156 SLFEGIDFY 164
|||||

RESULT 10
ID Q98899 PRELIMINARY; PRT; 367 AA.
AC Q98899;
DT 01-FEB-1997 (TREMBlrel. 02, Created)
DT 01-FEB-1997 (TREMBlrel. 02, Last sequence update)
DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
DE 70 KDA HEAT SHOCK PROTEIN (FRAGMENT).
GN HSP70-3.
OS Fugu rubripes (Japanese pufferfish) (Takifugu rubripes).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
OC Acanthomorpha; Acanthopterygii; Percomorpha; Tetraodontiformes;
OC Tetraodontidae; Takifugu.
OX NCBI_TaxID=31033;
RN [1]
RP SEQUENCE FROM N.A.
RA Lim E.H.;
RL Submitted (OCT-1996) to the EMBL/GenBank/DBJ databases.
DR EMBL; Y08578; CAA69892.1; -.
DR HSSP; P19120; 3HSC.
DR InterPro; IPR001023; HSP70.
DR PRINTS; PF00012; HSP70; 1.
DR PROSITE; PS00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock. 367
FT NON_TER 367
SQ SEQUENCE 367 AA; 40405 MW; 8CD3DD8DF6E3C2CA CRC64;

Query Match 100.0%; Score 48; DB 13; Length 367;
Best Local Similarity 100.0%; Pred. No. 0.23;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
Db 268 SLFEGIDFY 276
|||||

RESULT 11
ID Q63718 PRELIMINARY; PRT; 455 AA.
AC Q63718;
DT 01-NOV-1996 (TREMBlrel. 01, Created)
DT 01-NOV-1996 (TREMBlrel. 01, Last sequence update)
DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
DE HEAT SHOCK ROTEN 70 (FRAGMENT).
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX NCBI_TaxID=10116;
RN [1]
RP SEQUENCE FROM N.A.
RA Angeletti B., Passarelli F., Orru D., Pascale E., Butler R.H.,
RA D'Ambrosio E.;
RL Submitted (NOV-1993) to the EMBL/GenBank/DBJ databases.
DR EMBL; Z27118; CAA81642.1; -.
DR HSSP; P08107; 1HJO.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock. 455
FT NON_TER 455
SQ SEQUENCE 455 AA; 50404 MW; 0F45F12CBA1E2971 CRC64;

Query Match 100.0%; Score 48; DB 11; Length 455;
Best Local Similarity 100.0%; Pred. No. 0.3;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
Db 254 SLFEGIDFY 262
|||||

RESULT 12
ID O44350 PRELIMINARY; PRT; 467 AA.
AC O44350;
DT 01-JUN-1998 (TREMBlrel. 06, Created)
DT 01-JUN-1998 (TREMBlrel. 06, Last sequence update)
DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN HSP70 (FRAGMENT).
GN HSP70.
OC Chondrosia reniformis.
OC Eukaryota; Metazoa; Porifera; Demospongiae; Tetractinomorpha;
OC Chondrosida; Chondrillidae; Chondrosia.
OX NCBI_TaxID=68574;
RN [1]
RP SEQUENCE FROM N.A.
RA Borchelliini C., Le Parco Y.;
RL Submitted (SEP-1997) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF026517; AAC05362.1; -.
DR HSSP; P08109; 1CKR.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 467
SQ SEQUENCE 467 AA; 51707 MW; 0DBE6920F2E6EA96 CRC64;

Query Match 100.0%; Score 48; DB 5; Length 467;
Best Local Similarity 100.0%; Pred. No. 0.31;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
Db 252 SLFEGIDFY 260
|||||

RESULT 13
ID O44352 PRELIMINARY; PRT; 467 AA.
AC O44352;
DT 01-JUN-1998 (TREMBlrel. 06, Created)
DT 01-JUN-1998 (TREMBlrel. 06, Last sequence update)
DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN HSP70 (FRAGMENT).
GN HSP70.
OC Petrobionta massillana.
OC Eukaryota; Metazoa; Porifera; Calcareia; Calcaronea; Petrobionidae;
OC Petrobionta.
OX NCBI_TaxID=68578;
RN [1]
RP SEQUENCE FROM N.A.
RA Borchelliini C., Le Parco Y.;
RL Submitted (SEP-1997) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF026520; AAC05364.1; -.
DR HSSP; P08109; 1CKR.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
```

DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 467
SQ SEQUENCE 467 AA; 51458 MW; 23EB28FFD1873DA6 CRC64;

Query Match 100.0%; Score 48; DB 5; Length 467;
Best Local Similarity 100.0%; Pred. No. 0.31;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 SLFEGIDFY 9
|||||
Db 252 SLFEGIDFY 260

RESULT 14
Q9NJ92 PRELIMINARY; PRT; 467 AA.
AC Q9NJ92;
DT 01-OCT-2000 (TRENBLrel. 15, Created)
DT 01-OCT-2000 (TRENBLrel. 15, Last sequence update)
DT 01-JUN-2001 (TRENBLrel. 17, Last annotation update)
DE HEAT SHOCK PROTEIN 70 (FRAGMENT).
OS Guancha lacunosa.
OC Eukaryota; Metazoa; Porifera; Calcarea; Clathrinida;
OC Clathrinidae; Guancha.
OX NCBI_TaxID=115120;
RN [1]
RP SEQUENCE FROM N.A.
RA Borchelliini C.; Le Parco Y.;
RT "Sponges paraphyly and the origin of Metazoa";
RL Submitted (SEP-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF182195; AAF61297.1; -.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 467
SQ SEQUENCE 467 AA; 51318 MW; F36FC06CB1DEE131 CRC64;

Query Match 100.0%; Score 48; DB 5; Length 467;
Best Local Similarity 100.0%; Pred. No. 0.31;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 SLFEGIDFY 9
|||||
Db 252 SLFEGIDFY 260

RESULT 15
O44349 PRELIMINARY; PRT; 468 AA.
ID O44349
AC O44349;
DT 01-JUN-1998 (TRENBLrel. 06, Created)
DT 01-JUN-1998 (TRENBLrel. 06, Last sequence update)
DT 01-JUN-2001 (TRENBLrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN HSP70 (FRAGMENT).
GN HSP70.
OS Funiculina quadrangularis.
OC Eukaryota; Metazoa; Chnidaria; Anthozoa; Alcyonaria; Funiculinidae;
OC Funiculina.
OX NCBI_TaxID=68568;
RN [1]
RP SEQUENCE FROM N.A.
RA Borchelliini C.; Le Parco Y.;
RL Submitted (SEP-1997) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF026516; AAC05361.1; -.
DR HSP; P08109; ICKR.
DR InterPro; IPR001023; HSP70.

DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; UNKNOWN_1.
FT NON_TER 1
FT NON_TER 468
SQ SEQUENCE 468 AA; 51533 MW; EDED2B4699283FBC CRC64;

Query Match 100.0%; Score 48; DB 5; Length 468;
Best Local Similarity 100.0%; Pred. No. 0.31;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 SLFEGIDFY 9
|||||
Db 253 SLFEGIDFY 261

Search completed: December 6, 2001, 07:56:53
Job time: 181 sec

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:59:57 ; Search time 81.43 Seconds
(without alignments)
2.764 Million cell updates/sec

Title: US-09-673-795-2
Perfect score: 51
Sequence: 1 SLFEGIDIYT 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 212252 seqs, 22503292 residues

Total number of hits satisfying chosen parameters: 212252

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Issued_Patents_AA:*
1: /cgn2_6/ptodata/2/1aa/5A_COMB.pep:*
2: /cgn2_6/ptodata/2/1aa/5B_COMB.pep:*
3: /cgn2_6/ptodata/2/1aa/6A_COMB.pep:*
4: /cgn2_6/ptodata/2/1aa/6B_COMB.pep:*
5: /cgn2_6/ptodata/2/1aa/PCTUS_COMB.pep:*
6: /cgn2_6/ptodata/2/1aa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	46	90.2	643	4	US-08-797-358B-3
2	44	86.3	646	1	US-08-441-139-14
3	34	66.7	36	1	US-08-487-890A-19
4	34	66.7	36	2	US-08-478-435-19
5	34	66.7	36	2	US-08-337-483-19
6	34	66.7	36	2	US-08-478-373-19
7	34	66.7	36	3	US-08-474-671-19
8	34	66.7	36	3	US-08-483-577A-19
9	34	66.7	36	5	PCT-US95-13975-72
10	34	66.7	301	5	US-08-897-438-19
11	34	66.7	435	3	US-08-911-321-8
12	34	66.7	911	1	US-08-487-890A-107
13	34	66.7	911	2	US-08-478-435-107
14	34	66.7	911	2	US-08-337-483-107
15	34	66.7	911	2	US-08-478-373-107
16	34	66.7	911	3	US-08-474-671-107
17	34	66.7	911	3	US-08-483-577A-107
18	34	66.7	911	4	US-08-897-438-107
19	34	66.7	913	1	US-08-487-890A-5
20	34	66.7	913	2	US-08-478-435-5
21	34	66.7	913	2	US-08-337-483-5
22	34	66.7	913	2	US-08-478-373-5
23	34	66.7	913	3	US-08-474-671-5
24	34	66.7	913	3	US-08-483-577A-5
25	34	66.7	913	4	US-08-897-438-5
26	33	64.7	332	2	US-08-637-763B-6
27	33	64.7	332	2	US-08-637-763B-8

28	33	64.7	332	3	US-09-170-354-6	Sequence 6, Appli
29	33	64.7	332	3	US-09-170-354-8	Sequence 8, Appli
30	33	64.7	339	3	US-08-928-692-52	Sequence 52, Appl
31	33	64.7	789	3	US-08-727-308-1	Sequence 1, Appli
32	33	64.7	912	1	US-08-487-890A-7	Sequence 7, Appli
33	33	64.7	912	1	US-08-487-890A-9	Sequence 9, Appli
34	33	64.7	912	2	US-08-478-435-7	Sequence 7, Appli
35	33	64.7	912	2	US-08-478-435-9	Sequence 9, Appli
36	33	64.7	912	2	US-08-337-483-7	Sequence 7, Appli
37	33	64.7	912	2	US-08-337-483-9	Sequence 9, Appli
38	33	64.7	912	2	US-08-478-373-7	Sequence 7, Appli
39	33	64.7	912	2	US-08-478-373-9	Sequence 9, Appli
40	33	64.7	912	3	US-08-474-671-7	Sequence 7, Appli
41	33	64.7	912	3	US-08-474-671-9	Sequence 9, Appli
42	33	64.7	912	3	US-08-483-577A-7	Sequence 7, Appli
43	33	64.7	912	3	US-08-483-577A-9	Sequence 9, Appli
44	33	64.7	912	3	US-08-613-009A-15	Sequence 15, Appl
45	33	64.7	912	4	US-08-897-438-7	Sequence 7, Appli

ALIGNMENTS

RESULT 1
US-08-797-358B-3
; Sequence 3, Application US/08797358B
; Patent No. 6268478
; GENERAL INFORMATION:
; APPLICANT: Adams, John
; TITLE OF INVENTION: INTRACELLULAR VITAMIN D BINDING PROTEIN
; NUMBER OF SEQUENCES: 9
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/797,358B
; FILING DATE: 11-Feb-1997
; CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 60/011,491
; FILING DATE: 12-FEB-1996
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-CE 3165
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 3:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 643 amino acids
; TYPE: amino acid
; STRANDEDNESS: unknown
; TOPOLOGY: unknown
; MOLECULE TYPE: protein
; SEQUENCE DESCRIPTION: SEQ ID NO: 3:
US-08-797-358B-3

Query Match 90.2%; Score 46; DB 4; Length 643;
Best Local Similarity 80.0%; Pred. No. 0.41;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIYT 10

Db 288 SLFEGVDFT 297
||||:|
RESULT 2
US-08-441-139-14
; Sequence 14, Application US/08441139
; Patent No. 5773245
; GENERAL INFORMATION:
; APPLICANT: Wittup, Dr. Karl D.
; APPLICANT: Robinson, Anne S.
; TITLE OF INVENTION: METHODS FOR INCREASING SECRETION OF
; TITLE OF INVENTION: RECOMBINANTLY EXPRESSED PROTEINS
; NUMBER OF SEQUENCES: 20
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: SCULLY, SCOTT, MURPHY & PRESSER
; STREET: 400 Garden City Plaza
; CITY: Garden City
; STATE: NY
; COUNTRY: USA
; ZIP: 11530
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/441.139
; FILING DATE: 15-MAY-1995
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/089,997
; FILING DATE: 06-JUL-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Digiglio, Frank S.
; REGISTRATION NUMBER: 31,346
; REFERENCE/DOCKET NUMBER: 8646
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 516-742-4343
; TELEFAX: 516-742-4366
; TELEX: 230 901 SANS UR
; INFORMATION FOR SEQ ID NO: 14:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 646 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-441-139-14

Query Match 86.3%; Score 44; DB 1; Length 646;
Best Local Similarity 80.0%; Pred. No. 0.99;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDYIT 10
||:|||||
Db 286 SLYEGIDFT 295

RESULT 3
US-08-487-890A-19
; Sequence 19, Application US/08487890A
; Patent No. 5708149
; GENERAL INFORMATION:
; APPLICANT: Loosmore, Sheena
; APPLICANT: Harkness, Robin
; APPLICANT: Schryvers, Anthony
; APPLICANT: Chong, Pele
; APPLICANT: Gray-Owen, Scott
; APPLICANT: Yang, Yan-Ping
; APPLICANT: Mordin, Andrew
; APPLICANT: Klein, Michel
; TITLE OF INVENTION: Transferrin Receptor Genes

; NUMBER OF SEQUENCES: 147
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sim & McBurney
; STREET: 6th Floor, 330 University Avenue
; CITY: Toronto
; STATE: Ontario
; COUNTRY: Canada
; ZIP: M5G 1R7
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/487,890A
; FILING DATE: 07-JUN-1993
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/175,116
; FILING DATE: 29-DEC-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/148,968
; FILING DATE: 08-NOV-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Stewart, Michael I
; REGISTRATION NUMBER: 24,973
; REFERENCE/DOCKET NUMBER: 1038-466 MIS:jb
; TELEPHONE: (416) 595-1155
; TELEFAX: (416) 595-1163
; INFORMATION FOR SEQ ID NO: 19:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 36 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
US-08-487-890A-19

Query Match 66.7%; Score 34; DB 1; Length 36;
Best Local Similarity 75.0%; Pred. No. 3.6;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 FEGIDYIT 10
||:||||
Db 28 FEGVAYIT 35

RESULT 4
US-08-478-435-19
; Sequence 19, Application US/08478435
; Patent No. 5922323
; GENERAL INFORMATION:
; APPLICANT: Loosmore, Sheena
; APPLICANT: Harkness, Robin
; APPLICANT: Schryvers, Anthony
; APPLICANT: Chong, Pele
; APPLICANT: Gray-Owen, Scott
; APPLICANT: Yang, Yan-Ping
; APPLICANT: Mordin, Andrew
; APPLICANT: Klein, Michel
; TITLE OF INVENTION: Transferrin Receptor Genes
; NUMBER OF SEQUENCES: 147
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sim & McBurney
; STREET: Suite 701, 330 University Avenue
; CITY: Toronto
; STATE: Ontario
; COUNTRY: Canada
; ZIP: M5G 1R7
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/478,435
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/337,483
; FILING DATE: 08-NOV-1994
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/175,116
; FILING DATE: 29-DEC-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/148,968
; FILING DATE: 08-NOV-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Stewart, Michael I
; REGISTRATION NUMBER: 24,973
; REFERENCE/DOCKET NUMBER: 1038-462 MIS:vg
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (416) 595-1155
; TELEFAX: (416) 595-1163
; INFORMATION FOR SEQ ID NO: 19:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 36 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
US-08-478-435-19

Query Match 66.7%; Score 34; DB 2; Length 36;
Best Local Similarity 75.0%; Pred. No. 3.6;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 3 FEGIDIYT 10
|||: |||
Db 28 FEGVAIYT 35

RESULT 5
US-08-337-483-19
; Sequence 19, Application US/08337483
; Patent No. 5922562
; GENERAL INFORMATION:
; APPLICANT: Loosmore, Sheena
; APPLICANT: Harkness, Robin
; APPLICANT: Schryvers, Anthony
; APPLICANT: Chong, Pele
; APPLICANT: Gray-Owen, Scott
; APPLICANT: Yang, Yan-Ping
; APPLICANT: Murdin, Andrew
; APPLICANT: Klein, Michel
; TITLE OF INVENTION: Transferrin Receptor Genes
; NUMBER OF SEQUENCES: 147
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sim & McBurney
; STREET: Suite 701, 330 University Avenue
; CITY: Toronto
; STATE: Ontario
; COUNTRY: Canada
; ZIP: M5G 1R7
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/337,483
; FILING DATE: 08-NOV-1994
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:

; NAME: Stewart, Michael I
; REGISTRATION NUMBER: 24,973
; REFERENCE/DOCKET NUMBER: 1038-410 MIS:jb
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (416) 595-1155
; TELEFAX: (416) 595-1163
; INFORMATION FOR SEQ ID NO: 19:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 36 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
US-08-337-483-19

Query Match 66.7%; Score 34; DB 2; Length 36;
Best Local Similarity 75.0%; Pred. No. 3.6;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 3 FEGIDIYT 10
|||: |||
Db 28 FEGVAIYT 35

RESULT 6
US-08-478-373-19
; Sequence 19, Application US/08478373
; Patent No. 5922841
; GENERAL INFORMATION:
; APPLICANT: Loosmore, Sheena
; APPLICANT: Harkness, Robin
; APPLICANT: Schryvers, Anthony
; APPLICANT: Chong, Pele
; APPLICANT: Gray-Owen, Scott
; APPLICANT: Yang, Yan-Ping
; APPLICANT: Murdin, Andrew
; APPLICANT: Klein, Michel
; TITLE OF INVENTION: Transferrin Receptor Genes
; NUMBER OF SEQUENCES: 147
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sim & McBurney
; STREET: Suite 701, 330 University Avenue
; CITY: Toronto
; STATE: Ontario
; COUNTRY: Canada
; ZIP: M5G 1R7
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/478,373
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/337,483
; FILING DATE: 08-NOV-1994
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/175,116
; FILING DATE: 29-DEC-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/148,968
; FILING DATE: 08-NOV-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Stewart, Michael I
; REGISTRATION NUMBER: 24,973
; REFERENCE/DOCKET NUMBER: 1038-463 MIS:vg
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (416) 595-1155
; TELEFAX: (416) 595-1163
; INFORMATION FOR SEQ ID NO: 19:

SEQUENCE CHARACTERISTICS:
 LENGTH: 36 amino acids
 TYPE: amino acid
 STRANDEDNESS: single
 TOPOLOGY: linear
 US-08-478-373-19

Query Match 66.7%; Score 34; DB 2; Length 36;
 Best Local Similarity 75.0%; Pred. No. 3.6;
 Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 FEGIDIYT 10
 Db 28 FEGVAIYT 35

RESULT 7
 US-08-474-671-19
 ; Sequence 19, Application US/08474671
 ; Patent No. 6008326
 ; GENERAL INFORMATION:
 ; APPLICANT: Loosmore, Sheena
 ; APPLICANT: Harkness, Robin
 ; APPLICANT: Schryvers, Anthony
 ; APPLICANT: Chong, Pele
 ; APPLICANT: Gray-Owen, Scott
 ; APPLICANT: Yang, Yan-Ping
 ; APPLICANT: Mardin, Andrew
 ; APPLICANT: Klein, Michel
 ; TITLE OF INVENTION: Transferrin Receptor Genes
 ; NUMBER OF SEQUENCES: 147
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Sim & McBurney
 ; STREET: Suite 701, 330 University Avenue
 ; CITY: Toronto
 ; STATE: Ontario
 ; COUNTRY: Canada
 ; ZIP: M5G 1R7
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: Patent In Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/08/474,671
 ; FILING DATE: 07-JUN-1995
 ; CLASSIFICATION: 530
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 08/337,483
 ; FILING DATE: 08-NOV-1994
 ; CLASSIFICATION: 530
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 08/175,116
 ; FILING DATE: 29-DEC-1993
 ; APPLICATION DATA:
 ; APPLICATION NUMBER: US 08/148,968
 ; FILING DATE: 08-NOV-1993
 ; CLASSIFICATION: 530
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 08/175,116
 ; FILING DATE: 29-DEC-1993
 ; APPLICATION DATA:
 ; APPLICATION NUMBER: US 08/148,968
 ; FILING DATE: 08-NOV-1993
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Stewart, Michael I
 ; REGISTRATION NUMBER: 24,973
 ; REFERENCE/DOCKET NUMBER: 1038-465 MIS:vg
 ; TELEPHONE: (416) 595-1155
 ; TELEFAX: (416) 595-1163
 ; INFORMATION FOR SEQ ID NO: 19:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 36 amino acids
 ; TYPE: amino acid
 ; STRANDEDNESS: single
 ; TOPOLOGY: linear
 ; US-08-474-671-19

Query Match 66.7%; Score 34; DB 3; Length 36;
 Best Local Similarity 75.0%; Pred. No. 3.6;
 Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 FEGIDIYT 10
 Db 28 FEGVAIYT 35

RESULT 8
 US-08-483-577A-19
 ; Sequence 19, Application US/08483577A
 ; Patent No. 6015688
 ; GENERAL INFORMATION:
 ; APPLICANT: Loosmore, Sheena
 ; APPLICANT: Harkness, Robin
 ; APPLICANT: Schryvers, Anthony
 ; APPLICANT: Chong, Pele
 ; APPLICANT: Gray-Owen, Scott
 ; APPLICANT: Yang, Yan-Ping
 ; APPLICANT: Mardin, Andrew
 ; APPLICANT: Klein, Michel
 ; TITLE OF INVENTION: Transferrin Receptor Genes
 ; NUMBER OF SEQUENCES: 160
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Sim & McBurney
 ; STREET: Suite 701, 330 University Avenue
 ; CITY: Toronto
 ; STATE: Ontario
 ; COUNTRY: Canada
 ; ZIP: M5G 1R7
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: Patent In Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/08/483,577A
 ; FILING DATE: 07-JUN-1995
 ; CLASSIFICATION: 435
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 08/337,483
 ; FILING DATE: 08-NOV-1994
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 08/175,116
 ; FILING DATE: 29-DEC-1993
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 08/148,968
 ; FILING DATE: 08-NOV-1993
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Stewart, Michael I
 ; REGISTRATION NUMBER: 24,973
 ; REFERENCE/DOCKET NUMBER: 1038-511
 ; TELEPHONE: (416) 595-1155
 ; TELEFAX: (416) 595-1163
 ; INFORMATION FOR SEQ ID NO: 19:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 36 amino acids
 ; TYPE: amino acid
 ; STRANDEDNESS: single
 ; TOPOLOGY: linear
 ; US-08-483-577A-19

Query Match 66.7%; Score 34; DB 3; Length 36;
 Best Local Similarity 75.0%; Pred. No. 3.6;
 Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 FEGIDIYT 10
 Db 28 FEGVAIYT 35

RESULT 9
 US-08-897-438-19
 ; Sequence 19, Application US/08897438
 ; Patent No. 6262016
 ; GENERAL INFORMATION:
 ; APPLICANT: Loosmore, Sheena
 ; APPLICANT: Harkness, Robin
 ; APPLICANT: Schryvers, Anthony
 ; APPLICANT: Chong, Fele
 ; APPLICANT: Gray-Owen, Scott
 ; APPLICANT: Yang, Yan-Ping
 ; APPLICANT: Mordin, Andrew
 ; APPLICANT: Klein, Michel
 ; TITLE OF INVENTION: Transferrin Receptor Genes
 ; NUMBER OF SEQUENCES: 160
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Sim & McBurney
 ; STREET: 6th Floor, 330 University Avenue
 ; CITY: Toronto
 ; STATE: Ontario
 ; COUNTRY: Canada
 ; ZIP: M5G 1R7
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/08/897,438
 ; FILING DATE:
 ; CLASSIFICATION: 435
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 08/483,577
 ; FILING DATE: 07-JUN-1995
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 08/337,483
 ; FILING DATE: 08-NOV-1994
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 08/175,116
 ; FILING DATE: 29-DEC-1993
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 08/148,968
 ; FILING DATE: 08-NOV-1993
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Stewart, Michael I
 ; REGISTRATION NUMBER: 24,973
 ; REFERENCE/DOCKET NUMBER: 1038-720
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: (416) 595-1155
 ; TELEFAX: (416) 595-1163
 ; INFORMATION FOR SEQ ID NO: 19:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 36 amino acids
 ; TYPE: amino acid
 ; STRANDEDNESS: single
 ; TOPOLOGY: linear
 ;
 US-08-897-438-19

Query Match 66.7%; Score 34; DB 4; Length 36;
 Best Local Similarity 75.0%; Pred. No. 3.6;
 Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 FEGIDIYT 10
 |||: |||
 Db 28 FEGVAIYT 35

RESULT 10
 PCT-US95-13975-72
 ; Sequence 72, Application PC/TUS9513975

; GENERAL INFORMATION:
 ; APPLICANT: Cochran, Mark D.
 ; APPLICANT: McDonnell, Michael W.
 ; TITLE OF INVENTION: Recombinant Feline Herpes virus
 ; NUMBER OF SEQUENCES: 73
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: John P. White
 ; STREET: 1185 Avenue of the Americas
 ; CITY: New York
 ; STATE: New York
 ; COUNTRY: USA
 ; ZIP: 10036
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM 330 466 DX2
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: PCT/US95/13975
 ; FILING DATE: 26-OCT-1995
 ; CLASSIFICATION:
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: 08/329,883
 ; FILING DATE: 26-OCT-1994
 ; CLASSIFICATION:
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: White, John P.
 ; REGISTRATION NUMBER: 28,678
 ; REFERENCE/DOCKET NUMBER: 39118-PCT
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: (212)278-0400
 ; TELEFAX: (212)391-0525
 ; INFORMATION FOR SEQ ID NO: 72:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 301 amino acids
 ; TYPE: amino acid
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: protein
 ; PCT-US95-13975-72

Query Match 66.7%; Score 34; DB 5; Length 301;
 Best Local Similarity 75.0%; Pred. No. 36;
 Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 FEGIDIYT 10
 |||: |||
 Db 1 FEGLIYIT 8

RESULT 11
 US-08-911-321-8
 ; Sequence 8, Application US/08911321
 ; Patent No. 6010703
 ; GENERAL INFORMATION:
 ; APPLICANT: Roger K. Maes and Stephen J. Spatz
 ; TITLE OF INVENTION: Recombinant Foxvirus
 ; TITLE OF INVENTION: Vaccine Against
 ; TITLE OF INVENTION: Feline Rhinotracheitis
 ; NUMBER OF SEQUENCES: 11
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Ian C. McLeod
 ; STREET: 2190 Commons Parkway
 ; CITY: Okemos
 ; STATE: Michigan
 ; COUNTRY: USA
 ; ZIP: 48864
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Diskette, 5.25 inch, 360 Kb
 ; MEDIUM TYPE: storage
 ; COMPUTER: IBM Compatible
 ; OPERATING SYSTEM: MS-DOS
 ; SOFTWARE: Wordperfect 5.1

```

; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/911,321
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION NUMBER: 08/096,183
; FILING DATE: JULY 26, 1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Ian C. McLeod
; REGISTRATION NUMBER: 20,931
; REFERENCE/DOCKET NUMBER: MSU 4.1-166
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (517) 347-4100
; TELEFAX: (517) 347-4103
; TELEX: NO. 6010703e
; INFORMATION FOR SEQ ID NO: 8:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 435
; TYPE: Amino Acid
; STRANDEDNESS: Single
; MOLECULE TYPE:
; TOPOLOGY: Linear
; DESCRIPTION:
; HYPOTHETICAL: NO
; ANTI-SENSE: NO
; ORIGINAL SOURCE:
; ORGANISM: Feline herpesvirus-1
; STRAIN: 1
; INDIVIDUAL ISOLATE: C-27
; CELL TYPE: N/A
; FEATURE:
; NAME/KEY:
; LOCATION:
; IDENTIFICATION METHOD: Deduced Sequence
; OTHER INFORMATION: 9G
US-08-911-321-8

```

```

Query Match      66.7%; Score 34; DB 3; Length 435;
Best Local Similarity 75.0%; Pred. No. 54;
Matches 6; Conservative 1; Mismatches 1; Indels 1; Gaps 0;

```

```

QY 3 FEGIDIYT 10
    |||: |||
DB 135 FEGLIYIT 142

```

```

RESULT 12
US-08-487-890A-107
; Sequence 107, Application US/08487890A
; Patent No. 5708149
; GENERAL INFORMATION:
; APPLICANT: Loosmore, Sheena
; APPLICANT: Harkness, Robin
; APPLICANT: Schryvers, Anthony
; APPLICANT: Chong, Pele
; APPLICANT: Gray-Owen, Scott
; APPLICANT: Yang, Yan-ping
; APPLICANT: Mordin, Andrew
; APPLICANT: Klein, Michel
; TITLE OF INVENTION: Transferrin Receptor Genes
; NUMBER OF SEQUENCES: 147
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sim & McBurney
; STREET: 6th Floor, 330 University Avenue
; CITY: Toronto
; STATE: Ontario
; COUNTRY: Canada
; ZIP: M5G 1R7
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; STREET: 6th Floor, 330 University Avenue
; CITY: Toronto
; STATE: Ontario
; COUNTRY: Canada
; ZIP: M5G 1R7

```

```

; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/487,890A
; FILING DATE: 07-JUN-1993
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/175,116
; FILING DATE: 29-DEC-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/148,968
; FILING DATE: 08-NOV-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Stewart, Michael I
; REGISTRATION NUMBER: 24,973
; REFERENCE/DOCKET NUMBER: 1038-466 MIS:jb
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (416) 595-1155
; TELEFAX: (416) 595-1163
; INFORMATION FOR SEQ ID NO: 107:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 911 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; US-08-487-890A-107

```

```

Query Match      66.7%; Score 34; DB 1; Length 911;
Best Local Similarity 75.0%; Pred. No. 1.2e+02;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

```

```

QY 3 FEGIDIYT 10
    |||: |||
DB 228 FEGVAIYT 235

```

```

RESULT 13
US-08-478-435-107
; Sequence 107, Application US/08478435
; Patent No. 5922323
; GENERAL INFORMATION:
; APPLICANT: Loosmore, Sheena
; APPLICANT: Harkness, Robin
; APPLICANT: Schryvers, Anthony
; APPLICANT: Chong, Pele
; APPLICANT: Gray-Owen, Scott
; APPLICANT: Yang, Yan-ping
; APPLICANT: Mordin, Andrew
; APPLICANT: Klein, Michel
; TITLE OF INVENTION: Transferrin Receptor Genes
; NUMBER OF SEQUENCES: 147
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sim & McBurney
; STREET: Suite 701, 330 University Avenue
; CITY: Toronto
; STATE: Ontario
; COUNTRY: Canada
; ZIP: M5G 1R7
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/478,435
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/337,483
; FILING DATE: 08-NOV-1994
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/175,116

```

```
; FILING DATE: 29-DEC-1993
; PRIOR APPLICATION DATA: US 08/148,968
; APPLICATION NUMBER: 08-NOV-1993
; FILING DATE: 08-NOV-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Stewart, Michael I
; REGISTRATION NUMBER: 24,973
; REFERENCE/DOCKET NUMBER: 1038-462 MIS:vg
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (416) 595-1155
; TELEFAX: (416) 595-1163
; INFORMATION FOR SEQ ID NO: 107:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 911 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; US-08-478-435-107

Query Match 66.7%; Score 34; DB 2; Length 911;
Best Local Similarity 75.0%; Pred. No. 1.2e+02;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 FEGIDIYT 10
Db 228 FEGVAIYT 235

RESULT 14
US-08-337-483-107
; Sequence 107, Application US/08337483
; Patent No. 5922562
; GENERAL INFORMATION:
; APPLICANT: Loosmore, Sheena
; APPLICANT: Harkness, Robin
; APPLICANT: Schryvers, Anthony
; APPLICANT: Chong, Pele
; APPLICANT: Gray-Owen, Scott
; APPLICANT: Yang, Yan-Ping
; APPLICANT: Murdin, Andrew
; APPLICANT: Klein, Michel
; TITLE OF INVENTION: Transferrin Receptor Genes
; NUMBER OF SEQUENCES: 147
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sim & McBurney
; STREET: Suite 701, 330 University Avenue
; CITY: Toronto
; STATE: Ontario
; COUNTRY: Canada
; ZIP: M5G 1R7
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/337,483
; FILING DATE: 08-NOV-1994
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/337,483
; FILING DATE: 08-NOV-1994
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/175,116
; FILING DATE: 29-DEC-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/148,968
; FILING DATE: 08-NOV-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Stewart, Michael I
; REGISTRATION NUMBER: 24,973
; REFERENCE/DOCKET NUMBER: 1038-410 MIS:jb
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (416) 595-1155
; TELEFAX: (416) 595-1163
; INFORMATION FOR SEQ ID NO: 107:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 911 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; US-08-478-435-107

Query Match 66.7%; Score 34; DB 2; Length 911;
Best Local Similarity 75.0%; Pred. No. 1.2e+02;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 3 FEGIDIYT 10
Db 228 FEGVAIYT 235

RESULT 15
US-08-478-373-107
; Sequence 107, Application US/08478373
; Patent No. 5922841
; GENERAL INFORMATION:
; APPLICANT: Loosmore, Sheena
; APPLICANT: Harkness, Robin
; APPLICANT: Schryvers, Anthony
; APPLICANT: Chong, Pele
; APPLICANT: Gray-Owen, Scott
; APPLICANT: Yang, Yan-Ping
; APPLICANT: Murdin, Andrew
; APPLICANT: Klein, Michel
; TITLE OF INVENTION: Transferrin Receptor Genes
; NUMBER OF SEQUENCES: 147
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sim & McBurney
; STREET: Suite 701, 330 University Avenue
; CITY: Toronto
; STATE: Ontario
; COUNTRY: Canada
; ZIP: M5G 1R7
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/478,373
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/337,483
; FILING DATE: 08-NOV-1994
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/175,116
; FILING DATE: 29-DEC-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/148,968
; FILING DATE: 08-NOV-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Stewart, Michael I
; REGISTRATION NUMBER: 24,973
; REFERENCE/DOCKET NUMBER: 1038-463 MIS:vg
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (416) 595-1155
; TELEFAX: (416) 595-1163
; INFORMATION FOR SEQ ID NO: 107:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 911 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; US-08-478-373-107

Query Match 66.7%; Score 34; DB 2; Length 911;
Best Local Similarity 75.0%; Pred. No. 1.2e+02;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
```

Oy 3 FEGIDITYT 10
| | | : | | |
Db 228 FEGVAITYT 235

Search completed: December 6, 2001, 07:59:57
Job time: 365 sec

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:58:27 ; Search time 88.19 seconds
(without alignments)
8.638 Million cell updates/sec

Title: US-09-673-795-2

Perfect score: 51

Sequence: 1 SLFEGIDIYV 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 219241 seqs, 76174552 residues

Total number of hits satisfying chosen parameters: 219241

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

PIR_68:*

1: pir1.*

2: pir2.*

3: pir3.*

4: pir4.*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Match	Length	DB	ID	Description
1	47	92.2	208	2	B44261	dnak-type molecule
2	47	92.2	278	2	I51344	dnak-type molecule
3	47	92.2	467	2	T45477	heat-shock protein
4	47	92.2	467	2	T45479	heat-shock protein
5	47	92.2	468	2	T45476	heat-shock protein
6	47	92.2	469	2	T45478	heat-shock protein
7	47	92.2	632	2	T45471	dnak-type molecule
8	47	92.2	634	2	A25646	dnak-type molecule
9	47	92.2	636	2	A48872	dnak-type molecule
10	47	92.2	638	2	S31766	dnak-type molecule
11	47	92.2	639	2	JC1391	dnak-type molecule
12	47	92.2	639	2	S20139	dnak-type molecule
13	47	92.2	640	1	HHKWA	dnak-type molecule
14	47	92.2	640	2	A29160	dnak-type molecule
15	47	92.2	640	2	S37394	dnak-type molecule
16	47	92.2	640	2	T21394	hypothetical prote
17	47	92.2	640	2	T43724	dnak-type molecule
18	47	92.2	641	2	S53357	dnak-type molecule
19	47	92.2	641	2	S35718	dnak-type molecule
20	47	92.2	641	2	I54542	dnak-type molecule
21	47	92.2	641	2	A45871	dnak-type molecule
22	47	92.2	642	1	HHBYA1	dnak-type molecule
23	47	92.2	642	2	JH0095	dnak-type molecule
24	47	92.2	642	2	B36590	dnak-type molecule
25	47	92.2	644	2	A45635	dnak-type molecule
26	47	92.2	645	2	I51129	dnak-type molecule
27	47	92.2	646	2	T46650	heat shock protein
28	47	92.2	647	1	HHXL70	dnak-type molecule
29	47	92.2	647	2	T41121	heat shock protein

30 46 90.2 209 2 A44261
31 46 90.2 214 2 A03309
32 46 90.2 372 2 P00138
33 46 90.2 379 2 I46588
34 46 90.2 467 2 T45473
35 46 90.2 467 2 T45474
36 46 90.2 641 2 JN0668
37 46 90.2 641 2 PC7036
38 46 90.2 643 2 S25585
39 46 90.2 643 2 S09036
40 46 90.2 651 2 T45517
41 46 90.2 651 2 JC7132
42 44 86.3 209 2 S48024
43 44 86.3 209 2 S48025
44 44 86.3 630 2 A34041
45 44 86.3 636 2 T45468

ALIGNMENTS

RESULT 1

B44261

dnak-type molecular chaperone HSC70 - California sea hare (fragment)

N:Alternate names: heat shock protein 70 homolog HSC70

C:Species: Aplysia californica (California sea hare)

C>Date: 04-Sep-1998 #sequence_revision 04-Sep-1998 #text_change 13-Aug-1999

C:Accession: B44261

R:Kuhl, D.; Kennedy, T.E.; Barzilai, A.; Kandel, E.R.

J. Cell Biol. 119, 1069-1076, 1992

A:Title: Long-term sensitization training in Aplysia leads to an increase in the expr

A:Reference number: A44261; MUID:93077669

A:Accession: B44261

A>Status: preliminary; not compared with conceptual translation

A:Molecule type: nucleic acid

A:Residues: 1-208 <KUH>

A:Note: sequence extracted from NCBI backbone (NCBIP:118950)

C:Genetics:

A:Gene: HSC70

C:Function:

A:Description: involved in protein folding and assembling/disassembling of protein co

C:Superfamily: heat shock protein 70

C:Keywords: ATP; molecular chaperone

Query Match 92.2%; Score 47; DB 2; Length 208;

Best Local Similarity 90.0%; Pred. No. 0.064;

Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Oy 1 SLFEGIDIYV 10

Db 132 SLFEGIDFVT 141

RESULT 2

I51344

dnak-type molecular chaperone (clone pTHS70.7) - rainbow trout (fragment)

N:Alternate names: 70K heat shock protein

C:Species: Oncorhynchus mykiss (rainbow trout)

C>Date: 21-Feb-1997 #sequence_revision 21-Feb-1997 #text_change 20-Aug-1999

C:Accession: I51344

R:Kothary, R.K.; Jones, D.; Candido, E.P.M.

Mol. Cell. Biol. 4, 1785-1791, 1984

A:Title: 70-kilodalton heat shock polypeptides from rainbow trout: Characterization o

A:Reference number: I51344; MUID:85036330

A:Accession: I51344

A>Status: preliminary; translated from GB/EMBL/DBJ

A:Molecule type: mRNA

A:Residues: 1-278 <KOT>

A:Cross-references: GB:K02549; MID:g213803; PIDN:AAA49562.1; PID:g213804

C:Function:

A:Description: involved in protein folding and assembling/disassembling of protein co

C:Superfamily: heat shock protein 70

C;Keywords: ATP; molecular chaperone

Query Match 92.2%; Score 47; DB 2; Length 278;
Best Local Similarity 90.0%; Pred. No. 0.089;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIY 10
|||||

Db 156 SLFEGIDFYT 165

RESULT 3

T45477
heat-shock protein 70 [imported] - Chondrosia reniformis (fragment)

C;Species: Chondrosia reniformis
C;Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000

C;Accession: T45477

R;Borchliellini, C.; Le Parco, Y.

submitted to the EMBL Data Library, September 1997

A;Reference number: Z22983

A;Accession: T45477

A;Status: preliminary; translated from GB/EMBL/DBDJ

A;Molecule type: mRNA

A;Residues: 1-467 <BOR>

A;Cross-references: EMBL:AF026517; PIDN:AAC05362.1

C;Genetics:

A;Gene: Hsp70

C;Superfamily: heat shock protein 70

Query Match 92.2%; Score 47; DB 2; Length 467;

Best Local Similarity 90.0%; Pred. No. 0.16;

Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIY 10
|||||

Db 252 SLFEGIDFYT 261

RESULT 4

T45479
heat-shock protein 70 [imported] - Eunicella cavolini (fragment)

C;Species: Eunicella cavolini
C;Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000

C;Accession: T45479

R;Borchliellini, C.; Le Parco, Y.

submitted to the EMBL Data Library, September 1997

A;Reference number: Z22983

A;Accession: T45479

A;Status: preliminary; translated from GB/EMBL/DBDJ

A;Molecule type: mRNA

A;Residues: 1-467 <BOR>

A;Cross-references: EMBL:AF026520; PIDN:AAC05364.1

C;Genetics:

A;Gene: Hsp70

C;Superfamily: heat shock protein 70

Query Match 92.2%; Score 47; DB 2; Length 467;

Best Local Similarity 90.0%; Pred. No. 0.16;

Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIY 10
|||||

Db 252 SLFEGIDFYT 261

RESULT 5

T45476

heat-shock protein 70 [imported] - Funiculina quadrangularis (fragment)

C;Species: Funiculina quadrangularis

C;Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000

C;Accession: T45476
R;Borchliellini, C.; Le Parco, Y.
submitted to the EMBL Data Library, September 1997
A;Reference number: Z22983
C;Accession: T45476
A;Status: preliminary; translated from GB/EMBL/DBDJ
A;Molecule type: mRNA
A;Residues: 1-468 <BOR>
A;Cross-references: EMBL:AF026516; PIDN:AAC05361.1
C;Genetics:
A;Gene: Hsp70
C;Superfamily: heat shock protein 70

Query Match 92.2%; Score 47; DB 2; Length 468;
Best Local Similarity 90.0%; Pred. No. 0.16;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIY 10
|||||

Db 253 SLFEGIDFYT 262

RESULT 6

T45478

heat-shock protein 70 [imported] - Eunicella cavolini (fragment)

C;Species: Eunicella cavolini

C;Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000

C;Accession: T45478

R;Borchliellini, C.; Le Parco, Y.

submitted to the EMBL Data Library, September 1997

A;Reference number: Z22983

A;Accession: T45478

A;Status: preliminary; translated from GB/EMBL/DBDJ

A;Molecule type: mRNA

A;Residues: 1-469 <BOR>

A;Cross-references: EMBL:AF026518; PIDN:AAC05363.1

C;Genetics:

A;Gene: Hsp70

C;Superfamily: heat shock protein 70

Query Match 92.2%; Score 47; DB 2; Length 469;

Best Local Similarity 90.0%; Pred. No. 0.16;

Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIY 10
|||||

Db 254 SLFEGIDFYT 263

RESULT 7

T45471

dnak-type molecular chaperone hsc70 [imported] - slime mold (Dictyostelium discoideum)

N;Alternate names: heat shock cognate protein 70

C;Species: Dictyostelium discoideum

C;Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 18-Feb-2000

C;Accession: T45471

R;Boves, H.; Mintert, U.; Dittlich, W.; Faix, J.; Gerisch, G.

submitted to the EMBL Data Library, September 1997

A;Reference number: Z22980

A;Accession: T45471

A;Status: preliminary; translated from GB/EMBL/DBDJ

A;Molecule type: mRNA

A;Residues: 1-632 <BOV>

A;Cross-references: EMBL:AF025951; PIDN:AAB81865.1

C;Genetics:

A;Gene: hsc70

A;Note: localized to filopodias and cortex

C;Superfamily: heat shock protein 70

Query Match 92.2%; Score 47; DB 2; Length 632;
 Best Local Similarity 90.0%; Pred. No. 0.22;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIY 10
 ||||| ||

Db 285 SLFEGIDFYT 294

RESULT 8

A:Accession: A25646
 dnak-type molecular chaperone - chicken
 N:Alternate names: heat shock protein 70
 C:Species: Gallus gallus (chicken)
 C:Date: 19-Nov-1988 #sequence_revision 19-Nov-1988 #text_change 20-Aug-1999
 C:Accession: A25646
 R:Morimoto, R.I.; Hunt, C.; Huang, S.Y.; Berg, K.L.; Banerji, S.S.
 J. Biol. Chem. 261, 12692-12699, 1986
 A:Title: Organization, nucleotide sequence, and transcription of the chicken HSP70 gene.
 A:Reference number: A25646; MUID:86304452
 A:Accession: A25646
 A:Molecule type: DNA
 A:Residues: 1-634 <MOR>
 A:Cross-references: GB:J02579; NID:g211940; PIDN:AAA48825.1; PID:g211941
 A:Note: the authors translated the codon TCG for residue 583 as Trp
 C:Function:
 A:Description: involved in protein folding and assembling/disassembling of protein compl
 C:Superfamily: heat shock protein 70
 C:Keywords: ATP; molecular chaperone

Query Match 92.2%; Score 47; DB 2; Length 634;
 Best Local Similarity 90.0%; Pred. No. 0.22;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIY 10
 ||||| ||

Db 289 SLFEGIDFYT 298

RESULT 9

A:Accession: A48872
 dnak-type molecular chaperone hspB - slime mold (Dictyostelium discoideum) (fragment)
 N:Alternate names: 70k heat shock cognate protein aginactin; F-actin capping protein agi
 C:Species: Dictyostelium discoideum
 C:Date: 19-May-1995 #sequence_revision 19-May-1995 #text_change 20-Aug-1999
 C:Accession: A48872
 R:Eddy, R.J.; Sauterer, R.A.; Condeelis, J.S.
 J. Biol. Chem. 268, 23267-23274, 1993
 A:Title: Aginactin, an agonist-regulated F-actin capping activity is associated with an
 A:Reference number: A48872; MUID:94043116
 A:Accession: A48872
 A>Status: preliminary
 A:Molecule type: mRNA
 A:Residues: 1-636 <EDD>
 A:Cross-references: GB:L22736; NID:g433179; PIDN:AAA33219.1; PID:g433180
 A:Note: authors translated the codon ACA for residue 10 as Pro, GCT for residue 60 as Va
 C:Function:
 A:Description: involved in protein folding and assembling/disassembling of protein compl
 C:Superfamily: heat shock protein 70
 C:Keywords: ATP; molecular chaperone

Query Match 92.2%; Score 47; DB 2; Length 636;
 Best Local Similarity 90.0%; Pred. No. 0.22;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIY 10
 ||||| ||

Db 280 SLFEGIDFYT 289

RESULT 10

S31766
 dnak-type molecular chaperone hsp70 - green monkey
 N:Alternate names: heat shock protein 70
 C:Species: Cercopithecus aethiops (green monkey, grivet)
 C:Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 20-Aug-1999
 C:Accession: S31766; I36927
 R:Sainis, I.; Angelidis, C.; Pagoulatos, G.; Lazaridis, I.
 submitted to the EMBL Data Library, January 1993
 A:Description: Nucleotide sequence of the cDNA encoding a monkey 70kd heat shock prot
 A:Reference number: S31766
 A:Accession: S31766
 A:Molecule type: mRNA
 A:Residues: 1-638 <SAI>
 R:Sainis, I.; Angelidis, C.; Pagoulatos, G.; Lazaridis, I.
 FEBS Lett. 355, 282-286, 1994
 A:Title: The hsc70 gene which is slightly induced by heat is the main virus inducible
 A:Reference number: I36927; MUID:95080396
 A:Accession: I36927
 A>Status: preliminary; translated from GB/EMBL/DBJ
 A:Molecule type: mRNA
 A:Residues: 1-638 <RES>
 A:Cross-references: EMBL:X70684; NID:g22781; PIDN:CAA50019.1; PID:g22782
 A:Experimental source: kidney; cell line COS-1
 C:Genetics:
 A:Gene: hsp70
 C:Function:
 A:Description: involved in protein folding and assembling/disassembling of protein co
 C:Superfamily: heat shock protein 70
 C:Keywords: ATP; molecular chaperone

Query Match 92.2%; Score 47; DB 2; Length 638;
 Best Local Similarity 90.0%; Pred. No. 0.23;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIY 10
 ||||| ||

Db 284 SLFEGIDFYT 293

RESULT 11

JC1391
 dnak-type molecular chaperone 70IV - sea urchin (Paracentrotus lividus)
 N:Alternate names: heat shock protein 70IV; hsp70IV protein
 C:Species: Paracentrotus lividus (common urchin)
 C:Date: 10-Jun-1993 #sequence_revision 10-Jun-1993 #text_change 20-Aug-1999
 C:Accession: JC1391
 R:Sconzo, G.; Scardina, G.; Ferraro, M.G.
 Gene 121, 353-358, 1992
 A:Title: Characterization of a new member of the sea urchin Paracentrotus lividus hsp
 A:Reference number: JC1391; MUID:93077053
 A:Accession: JC1391
 A:Molecule type: DNA
 A:Residues: 1-639 <SCO>
 A:Cross-references: EMBL:X61379; NID:g312916; PIDN:CAA43653.1; PID:g312917
 C:Genetics:
 A:Gene: hsp70IV
 A:Introns: 61/2
 C:Function:
 A:Description: involved in protein folding and assembling/disassembling of protein co
 C:Superfamily: heat shock protein 70
 C:Keywords: ATP; heat shock; molecular chaperone; stress-induced protein

Query Match 92.2%; Score 47; DB 2; Length 639;
 Best Local Similarity 90.0%; Pred. No. 0.23;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIY 10
 ||||| ||

Db 286 SLFEGIDFYT 295

RESULT 12

dnak-type molecular chaperone SSA2 - yeast (Saccharomyces cerevisiae)
 N:Alternate names: heat shock protein YG102; protein L0971; protein YLL024c
 C:Species: Saccharomyces cerevisiae
 C>Date: 07-May-1993 #sequence_revision 07-May-1993 #text_change 20-Jun-2000
 C:Accession: S20139; S64772; S64775; S69383
 R:Slater, M.R.; Craig, E.A.
 Nucleic Acids Res. 17, 805-806, 1989
 A:Title: The SSA1 and SSA2 genes of the yeast Saccharomyces cerevisiae.
 A:Reference number: S20139; MUID:89128457
 A:Accession: S20139
 A:Status: translation not shown
 A:Molecule type: DNA
 A:Residues: 1-639 <SLA>
 A:Cross-references: EMBL:X12927; NID:g4545; PIDN:CAA31394.1; PID:g4546
 R:Goffeau, A.; Purnelle, B.
 submitted to the Protein Sequence Database, May 1996
 A:Reference number: S64761
 A:Accession: S64772
 A:Molecule type: DNA
 A:Residues: 1-639 <GOF>
 A:Cross-references: EMBL:Z73129; NID:g1360201; PIDN:CAA97472.1; PID:g1360202; MIPS:YLL024c
 A:Experimental source: strain S288C
 R:Duesterhoeft, A.; Floeth, M.; Heuss-Neitzel, D.; Hilbert, H.; Moestl, D.
 submitted to the Protein Sequence Database, May 1996
 A:Reference number: S64775
 A:Accession: S64775
 A:Molecule type: DNA
 A:Residues: 72-639 <DWE>
 A:Cross-references: EMBL:Z73129; MIPS:YLL024c
 A:Experimental source: strain S288C
 R:Purnelle, B.; Goffeau, A.
 submitted to the EMBL Data Library, April 1996
 A:Description: The sequence of 32 kb on the left arm of yeast chromosome XII reveals 14
 mily and a new ABC transporter homologous to the human multidrug resistance protein.
 A:Reference number: S69380
 A:Accession: S69383
 A:Molecule type: DNA
 A:Residues: 1-639 <PUP>
 A:Cross-references: EMBL:X97560; NID:g1297003; PIDN:CAA66167.1; PID:g1297007
 C:Genetics:
 A:Gene: SGD:SSA2
 A:Cross-references: MIPS:YLL024c; SGD:S0003947
 A:Map position: 12L
 C:Function:
 A:Description: involved in protein folding and assembling/disassembling of protein comp
 C:Superfamily: heat shock protein 70
 C:Keywords: ATP; molecular chaperone

Query Match 92.2%; Score 47; DB 2; Length 639;
 Best Local Similarity 90.0%; Pred. No. 0.23;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDITYT 10
 ||||| ||

Db 283 SLFEGIDFYT 292

RESULT 13

dnak-type molecular chaperone hsp70A - Caenorhabditis elegans
 N:Alternate names: heat shock protein 70 A
 C:Species: Caenorhabditis elegans
 C>Date: 30-Jun-1989 #sequence_revision 30-Jun-1989 #text_change 22-Jun-1999
 C:Accession: J0285
 R:Snutch, T.P.; Heschl, M.F.P.; Baillie, D.L.
 Gene 64, 241-255, 1988
 A:Title: The Caenorhabditis elegans hsp70 gene family: a molecular genetic characterizat
 A:Reference number: J0285; MUID:88297155
 A:Accession: J0285
 A:Molecule type: DNA; mRNA

A:Residues: 1-640 <SNV>
 A:Cross-references: GB:M18540; NID:g156351; PIDN:AAA28078.1; PID:g156352
 A:Note: genomic clones representing six distinct members of the hsp70 gene family wer
 A:Note: transcripts of hsp70A are abundant in control worms and also increase two- to
 A:Note: one of the three introns in hsp70A is in a position similar to an intron in D
 C:Genetics:
 A:Gene: hsp70A
 A:Map position: IV
 A:Introns: 69/1; 331/3; 558/3
 C:Function:
 A:Description: involved in protein folding and assembling/disassembling of protein co
 C:Superfamily: heat shock protein 70
 C:Keywords: ATP; heat shock; molecular chaperone; stress-induced protein

Query Match 92.2%; Score 47; DB 1; Length 640;
 Best Local Similarity 90.0%; Pred. No. 0.23;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDITYT 10
 ||||| ||

Db 287 SLFEGIDFYT 296

RESULT 14

dnak-type molecular chaperone HSPALL - human
 N:Alternate names: heat shock protein, 70K
 C:Species: Homo sapiens (man)
 C>Date: 16-Aug-1988 #sequence_revision 02-Jul-1996 #text_change 20-Aug-1999
 C:Accession: A29160; I37561; I37562
 R:Hunt, C.; Morimoto, R.I.
 Proc. Natl. Acad. Sci. U.S.A. 82, 6455-6459, 1985
 A:Title: Conserved features of eukaryotic hsp70 genes revealed by comparison with the
 A:Reference number: A29160; MUID:86016721
 A:Accession: A29160
 A:Molecule type: DNA
 A:Residues: 1-640 <HUN>
 A:Cross-references: GB:M11717; GB:M15432; NID:g184416; PIDN:AAA52697.1; PID:g386795
 A:Note: the authors mistranslated residues 463, 491, and 492
 R:Drabant, B.; Genthe, A.; Benecke, B.J.
 Nucleic Acids Res. 14, 8933-8948, 1986
 A:Title: In vitro transcription of a human hsp 70 heat shock gene by extracts prepare
 A:Reference number: I37561; MUID:87066768
 A:Accession: I37561
 A:Status: translation not shown; translated from GB/EMBL/DDBJ
 A:Molecule type: DNA
 A:Residues: 1-22 <RES>
 A:Cross-references: EMBL:X04676; NID:g32480; PIDN:CAA28381.1; PID:g32481
 A:Accession: I37562
 A:Status: translation not shown; translated from GB/EMBL/DDBJ
 A:Molecule type: DNA
 A:Residues: 616-640 <RE2>
 A:Cross-references: EMBL:X04677; NID:g32482; PIDN:CAA28382.1; PID:g32483
 C:Genetics:
 A:Gene: GDB:HSPALL; HSP70-HOM
 A:Cross-references: GDB:I20038; OMIM:140559
 A:Map position: 6p21.3-6p21.3
 A:Introns: #status absent
 C:Function:
 A:Description: involved in protein folding and assembling/disassembling of protein co
 C:Superfamily: heat shock protein 70
 C:Keywords: ATP; molecular chaperone

Query Match 92.2%; Score 47; DB 2; Length 640;
 Best Local Similarity 90.0%; Pred. No. 0.23;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDITYT 10
 ||||| ||

Db 286 SLFEGIDFYT 295

RESULT 15
S37394
dnaK-type molecular chaperone hsc70 - slime mold (Dictyostelium discoideum)
N:Alternate names: heat shock cognate protein 70
C:Species: Dictyostelium discoideum
C:date: 31-Dec-1993 #sequence_revision 31-Dec-1993 #text_change 20-Aug-1999
C:Accession: S37394
R:Haus, U.; Trommler, P.; Fisher, P.R.; Hartmann, H.; Lottspeich, F.; Noegel, A.A.; Schl
EMBO J. 12, 3763-3771, 1993
A:Title: The heat shock cognate protein from Dictyostelium affects actin polymerization
A:Reference number: S37394; MUID:94008983
A:Accession: S37394
A:Molecule type: mRNA
A:Residues: 1-640 <HAU>
A:Cross-references: EMBL:X75263; NID:g433874; PIDN:CAA53039.1; PID:g433875
C:Genetics:
A:Gene: hsc70
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein comp
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match 92.2%; Score 47; DB 2; Length 640;
Best Local Similarity 90.0%; Pred. NO. 0.23;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIYT 10
| | | | | | | |
DB 284 SLFEGIDFYT 293

Search completed: December 6, 2001, 07:58:27
Job time: 275 sec

THIS PAGE BLANK (USPTO)

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 08:00:51 ; Search time 50.21 Seconds
(without alignments)
7.302 Million cell updates/sec

Title: US-09-673-795-2
Perfect score: 51
Sequence: 1 SLFEGIDITYT 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 100059 seqs, 36664827 residues
Total number of hits satisfying chosen parameters: 100059

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : SwissProt_39;*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	DB ID	Description
1	47	92.2	322	1 HS70_ONCVO	P11503 onchocerca
2	47	92.2	503	1 HS70_PENCI	Q92260 penicillium
3	47	92.2	634	1 HS70_CHICK	P08106 gallus gall
4	47	92.2	638	1 HS71_CERAE	Q28222 cercopithec
5	47	92.2	638	1 HS72_YEAST	P10592 saccharomyc
6	47	92.2	639	1 HS74_PARLI	Q06248 paracentrot
7	47	92.2	640	1 HS7A_CAEEL	P09446 caenorhabdi
8	47	92.2	640	1 HS7C_DICDI	P36415 dictyosteli
9	47	92.2	641	1 HS7L_BOVIN	Q27975 bos taurus
10	47	92.2	641	1 HS7L_HUMAN	P08107 homo sapien
11	47	92.2	641	1 HS7L_MOUSE	P17879 mus musculu
12	47	92.2	641	1 HS7L_PIG	P34930 sus scrofa
13	47	92.2	641	1 HS7L_RAT	Q07439 rattus norv
14	47	92.2	641	1 HS7L_YEAST	P10591 saccharomyc
15	47	92.2	641	1 HS72_BOVIN	Q27965 bos taurus
16	47	92.2	641	1 HS7A_YEAST	P22202 saccharomyc
17	47	92.2	644	1 HS70_BROMA	P27541 brugia mala
18	47	92.2	644	1 HS70_ONCTS	Q91233 oncorhynch
19	47	92.2	645	1 HS70_PLEWA	Q91291 pleurodelys
20	47	92.2	646	1 HS70_NEUCR	Q01233 neurospora
21	47	92.2	647	1 HS70_XENLA	P02827 xenopus lae
22	47	92.2	649	1 HS70_BLAEM	P48720 blastoclad
23	47	92.2	652	1 HS7D_WANSE	Q90639 manduca sex
24	46	90.2	214	1 HS7A_DROSI	P02826 drosophila
25	46	90.2	372	1 HS72_PARLI	P22623 paracentrot
26	46	90.2	379	1 HS7X_PIG	P34934 sus scrofa
27	46	90.2	638	1 HS70_CERCA	P91902 ceratitidis
28	46	90.2	641	1 HS7A_DROME	P29843 drosophila
29	46	90.2	643	1 HS76_HUMAN	P17066 homo sapien
30	46	90.2	643	1 HS76_PIG	Q04967 sus scrofa
31	46	90.2	648	1 HS71_PUCGR	Q01877 puccinia gr
32	44	86.3	641	1 HS73_RAT	P55063 rattus norv
33	44	86.3	641	1 HS7H_HUMAN	P34931 homo sapien

34	44	86.3	641	1 HS7T_MOUSE	P16627 mus musculu
35	44	86.3	642	1 HS72_PICAN	P53623 pichia angu
36	44	86.3	643	1 HS71_SCHPO	Q10265 schizosacch
37	44	86.3	644	1 HS7L_PICAN	P53421 pichia angu
38	44	86.3	646	1 HS7C_CRIGR	P19378 cricetulus
39	44	86.3	646	1 HS7C_HUMAN	P11142 homo sapien
40	44	86.3	646	1 HS7C_MOUSE	P08109 mus musculu
41	44	86.3	649	1 HS70_PARRR	P87047 paracoccidi
42	44	86.3	649	1 HS73_YEAST	P09435 saccharomyc
43	44	86.3	649	1 HS7C_BEARE	Q90473 brachydanio
44	44	86.3	650	1 HS7C_BOVIN	P19120 bos taurus
45	44	86.3	651	1 HS70_ONCMY	P08108 oncorhynch

ALIGNMENTS

RESULT 1	
HS70_ONCVO	STANDARD; PRT; 322 AA.
ID HS70_ONCVO	
AC P11503:	
DT 01-OCT-1989 (Rel. 12, Created)	
DT 01-FEB-1996 (Rel. 33, Last sequence update)	
DT 01-FEB-1996 (Rel. 33, Last annotation update)	
DE HEAT SHOCK 70 KDA PROTEIN (HSP70) (FRAGMENT)	
OS Onchocerca volvulus.	
OC Eukaryota; Metazoa; Nematoda; Chromadorea; Spirurida; Filarioidea;	
OC Onchocercidae; Onchocerca.	
OX NCBI_TaxID=6282;	
RN [1]	
RP SEQUENCE FROM N.A.	
RX MEDLINE=89201313; PubMed=2704388;	
RA Rothstein N.M., Higashi G., Yates J., Rajan T.V.;	
RT "Onchocerca volvulus heat shock protein 70 is a major immunogen in amicrofilaremic individuals from a filariasis-endemic area.";	
RL Mol. Biochem. Parasitol. 33:229-236(1989).	
CC -!- DISEASE: HEAT SHOCK PROTEIN 70 IS A MAJOR IMMUNOGEN IN A MICROFILAREMIC INDIVIDUALS FROM A FILARIASIS-ENDEMIC AREA.	
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.	
CC	
CC This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See http://www.isb-sib.ch/announce/ or send an email to license@isb-sib.ch).	
CC	
DR EMBL; J04006; AAA29417.1; -	
DR HSSP; P19120; LATR.	
DR InterPro; IPR001023; HSP70.	
DR Pfam; PF00012; HSP70; 1.	
DR PROSITE; PS00297; HSP70_1; PARTIAL.	
DR PROSITE; PS00329; HSP70_2; PARTIAL.	
DR PROSITE; PS01036; HSP70_3; 1.	
KW ATP-binding; Heat shock.	
FT NON_TER 1	
FT NON_TER 322 322	
SQ SEQUENCE 322 AA; 35614 MW; 2BA3A2E8155A7180 CRC64;	

Query Match 92.2%; Score 47; DB 1; Length 322;
Best Local Similarity 90.0%; Pred. No. 0.058;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDITYT 10
|||||

Db 43 SLFEGIDITYT 52

RESULT 2
HS70_PENCI
ID HS70_PENCI STANDARD; PRT; 503 AA.

```
AC 092260;
DT 20-AUG-2001 (Rel. 40, Created)
DT 20-AUG-2001 (Rel. 40, Last sequence update)
DE 20-AUG-2001 (Rel. 40, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN (ALLERGEN PEN C 19) (FRAGMENT).
GN HSP70.
OS Penicillium citrinum.
OC Eukaryota; Fungi; Ascomycota; Pezizomycotina; Eurotiomycetes;
OC Eurotiales; Trichocomaceae; mitosporic Trichocomaceae; Penicillium.
OX NCBI_TaxID=5077;
RN [1]
RP SEQUENCE FROM N.A.
RA Shen H.D., Au L.C., Lin W.L., Liaw S.F., Tsai J.J., Han S.H.;
RT "Molecular cloning and expression of a Penicillium citrinum
RT allergen with sequence homology and antigenic cross-reactivity to
RT a hsp70 human heat shock protein.";
RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; U64207; AAB06397.1; -
DR HSSP; P19120; 3HSC.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Chaperone; Heat shock; Allergen.
FT NON_TER 1
FT SEQUENCE 503 AA; 55125 MW; B7433C11FAEA1320 CRC64;
SQ
Query Match 92.2%; Score 47; DB 1; Length 503;
Best Local Similarity 90.0%; Pred. No. 0.093;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 SLFEGIDIFT 10
DB 154 SLFEGIDIFT 163
RESULT 3
HS70_CHICK
ID HS70_CHICK STANDARD; PRT; 634 AA.
AC P08106;
DT 01-AUG-1988 (Rel. 08, Created)
DT 01-AUG-1988 (Rel. 08, Last sequence update)
DE 01-PEB-1994 (Rel. 28, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN (HSP70).
OS Gallus gallus (Chicken).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Archosauria; Aves; Neognathae; Galliformes; Phasianidae;
OC Gallus.
OX NCBI_TaxID=9031;
RN [1]
RP SEQUENCE FROM N.A.
RA MEDLINE=86304452; PubMed=3017985;
RA Morimoto R.I., Hunt C., Huang S.-Y., Berg K.L., Banerji S.S.;
RT "Organization, nucleotide sequence, and transcription of the chicken
RT HSP70 gene.";
RL J. Biol. Chem. 261:12692-12699(1986).
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
EMBL; X70684; CAA50019.1; -
```

```
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; J02579; AAA48825.1; -
DR PIR; A25646; A25646.
DR HSSP; P19120; IATR.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Heat shock; Multigene family.
SQ SEQUENCE 634 AA; 69750 MW; 4270F7F08D365AEB CRC64;
Query Match 92.2%; Score 47; DB 1; Length 634;
Best Local Similarity 90.0%; Pred. No. 0.12;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 SLFEGIDIFT 10
DB 289 SLFEGIDIFT 298
RESULT 4
HS71_CERAE
ID HS71_CERAE STANDARD; PRT; 638 AA.
AC Q28222;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1.
GN HSPAL;
OS Cercopithecus aethiops (Green monkey) (Grivet).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Cercopithecidae;
OC Cercopithecinae; Cercopithecus.
OX NCBI_TaxID=9534;
RN [1]
RP SEQUENCE FROM N.A.
RA TISSUE=Kidney;
RA MEDLINE=95080396; PubMed=7988690;
RA Sainis I., Angelidis C., Pagoulatos G., Lazaridis I.;
RT "The hsc70 gene which is slightly induced by heat is the main virus
RT inducible member of the hsp70 gene family.";
RL FEBS Lett. 355:282-286(1994).
CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC
CC RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR
CC PROTEIN TRANSLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION
CC PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE
CC PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE
CC CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE
CC SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES
CC DURING TRANSLATION AND MEMBRANE TRANSLOCATION, OR FOLLOWING
CC STRESS-INDUCED DAMAGE.
CC -!- INDUCTION: BY HEAT SHOCK.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
EMBL; X70684; CAA50019.1; -
```



```

DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
SQ SEQUENCE 638 AA; 69920 MW; D55076A0FFAB6AB3 CRC64;

Query Match          92.2%; Score 47; DB 1; Length 638;
Best Local Similarity 90.0%; Pred. No. 0.12;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIVT 10
DB 284 SLFEGIDFYT 293

RESULT 5
HS72_YEAST
AC PF0592; STANDARD; PRT; 638 AA.
DT 01-JUL-1989 (Rel. 11, Created)
DT 01-OCT-1994 (Rel. 30, Last sequence update)
DT 01-OCT-1996 (Rel. 34, Last annotation update)
DE HEAT SHOCK PROTEIN SSA2
GN SSA2 OR YL024C OR L0931.
OS Saccharomyces cerevisiae (Baker's yeast).
OC Eukaryota; Fungi; Ascomycota; Saccharomycotina; Saccharomycetes;
OC Saccharomycetales; Saccharomycetaceae; Saccharomycetes.
OX NCBI_TaxID=4932;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=S288C;
RX MEDLINE=89128457; PubMed=2644626;
RA Slater M.R., Craig E.A.;
RT "The SSA1 and SSA2 genes of the yeast Saccharomyces cerevisiae.";
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=S288C;
RA Purnelle B., Goffeau A.;
RT Submitted (APR-1996) to the EMBL/GenBank/DBJ databases.
RN [3]
RP SEQUENCE OF 71-638 FROM N.A.
RA Duesterhoeft A., Floeth M., Heuss-Neitzel D., Hilbert H., Moestl D.;
RT Submitted (MAY-1996) to the EMBL/GenBank/DBJ databases.
RN [4]
RP SEQUENCE OF 91-97 AND 325-341.
RC STRAIN=S288C;
RX MEDLINE=95203288; PubMed=7895733;
RA Garrels J.I., Futcher B., Kobayashi R., Latter G.I., Schwender B.,
RA Volpe T., Warner J.R., McLaughlin C.S.;
RT "Protein identifications for a Saccharomyces cerevisiae protein
database.";
RN [5]
RP Electrophoresis 15:1466-1486(1994).
RN [5]
RP SEQUENCE OF 186-195.
RC MEDLINE=ATCC 38531 / Y41;
RX MEDLINE=97089742; PubMed=8935650;
RA Norbeck J., Blomberg A.;
RT "Protein expression during exponential growth in 0.7 M NaCl medium of
Saccharomyces cerevisiae.";
RN [6]
RP FEMS Microbiol. Lett. 137:1-8(1996).
RN [6]
RP ACETYLATION, AND PHOSPHORYLATION.
RA Garrels J.I., Futcher B., Kobayashi R., Latter G.I., Schwender B.,
RA Volpe T., Warner J.R., McLaughlin C.S.;
RT Submitted (SEP-1994) to the SWISS-PROT data bank.
CC -1- FUNCTION: SSA2 MAY PLAY A ROLE IN THE TRANSPORT OF POLYPEPTIDES
CC BOTH ACROSS THE MITOCHONDRIAL MEMBRANES AND INTO THE
CC ENDOPLASMATIC RETICULUM. A FUNCTIONAL DIFFERENCE BETWEEN YEAST

```

```

CC SSAL AND SSA2 PROTEINS IS EXPECTED. SSA2 CAN PARTICIPATE IN THE
CC ATP-DEPENDENT DISASSEMBLY OF CLATHRIN-COATED VESICLES.
CC -1- SUBCELLULAR LOCATION: CYTOPLASMIC.
CC -1- PTM: PHOSPHORYLATED.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyrighted. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; X12927; CAA31394.1; -
CC EMBL; 273129; CAA97472.1; -
CC EMBL; X97560; CAA66167.1; -
CC PIR; S20139; S20139.
CC HSP; P19120; INGI.
CC SWISS-2DPAGE; P10592; YEAST.
CC YEPD; 9800; -
CC SGD; S0003947; SSA2.
CC InterPro; IPR001023; HSP70.
CC Pfam; PF00012; HSP70; 1.
CC PRINTS; PR00301; HEATSHOCK70.
CC PROSITE; PS00297; HSP70_1; 1.
CC PROSITE; PS00329; HSP70_2; 1.
CC PROSITE; PS01036; HSP70_3; 1.
KW Heat shock; ATP-binding; Multigene family; Acetylation;
KW Phosphorylation.
FT INIT_MET 0 0 ACETYLATION.
FT MOD_RES 1 1
SQ SEQUENCE 638 AA; 69338 MW; 23BDD120C194912 CRC64;

Query Match          92.2%; Score 47; DB 1; Length 638;
Best Local Similarity 90.0%; Pred. No. 0.12;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIVT 10
DB 282 SLFEGIDFYT 291

RESULT 6
HS74_PARLI
ID HS74_PARLI STANDARD; PRT; 639 AA.
AC Q06248;
DT 01-JUN-1994 (Rel. 29, Created)
DT 01-JUN-1994 (Rel. 29, Last sequence update)
DT 01-JUN-1994 (Rel. 29, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN IV (HSP70 IV).
GN HSP70IV.
OS Paracentrotus lividus (Common sea urchin).
OC Eukaryota; Metazoa; Echinodermata; Eleutherozoa; Echinozoa;
OC Echinoidea; Euechinoidea; Echinacea; Echinoidae; Echinidae;
OC Paracentrotus
OC NCBI_TaxID=7656;
OX [1]
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=93077053; PubMed=1339375;
RA Sconzo G., Scardina G., Ferraro M.G.;
RT "Characterization of a new member of the sea urchin Paracentrotus
lividus hsp70 gene family and its expression.";
RN [1]
RL Gene 121:353-358(1992).
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyrighted. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/

```

```
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; X61379; CAA43653.1; -.
DR PIR; JC1391; JC1391.
DR HSP; P19120; INGI.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Heat shock; Multigene family.
SQ SEQUENCE 639 AA; 69749 MW; 40E2F29570808DCC CRC64;

Query Match          92.2%; Score 47; DB 1; Length 639;
Best Local Similarity 90.0%; Pred. No. 0.12;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIYV 10
DB 286 SLFEGIDFYT 295

RESULT 7
HS7A CAEEL STANDARD; PRT; 640 AA.
AC P09446;
DT 01-MAR-1989 (Rel. 10, Created)
DT 01-MAR-1989 (Rel. 10, Last sequence update)
DE 01-FEB-1994 (Rel. 28, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN A.
GN HSP-1 OR HSP70A.
OS Caenorhabditis elegans.
OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditidae;
OC Rhabditidae; Peloderinae; Caenorhabditis.
OX NCBI_TaxID=6239;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=88297155; PubMed=2841196;
RA Snutch T.P., Heschl M.F.P., Baillie D.L.;
RT "The Caenorhabditis elegans hsp70 gene family: a molecular genetic
RL Gene 64:241-255(1988).
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; M18540; AAA28078.1; -.
DR PIR; JT0285; HKR7A.
DR HSP; P19120; INGI.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Heat shock; Multigene family.
SQ SEQUENCE 640 AA; 69823 MW; ED15409D06C500C2 CRC64;

Query Match          92.2%; Score 47; DB 1; Length 640;
Best Local Similarity 90.0%; Pred. No. 0.12;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIYV 10
DB 286 SLFEGIDFYT 295

or send an email to license@isb-sib.ch).
-----
Db 287 SLFEGIDFYT 296

RESULT 8
HS7C_DICDI STANDARD; PRT; 640 AA.
AC P36415;
DT 01-JUN-1994 (Rel. 29, Created)
DT 01-JUN-1994 (Rel. 29, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HEAT SHOCK COGNATE PROTEIN (AGINACTIN).
GN HSPB OR HSC70.
OS Dictyostelium discoideum (Slime mold).
OC Eukaryota; Mycetozoa; Dictyosteliida; Dictyostelium.
OX NCBI_TaxID=44689;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=94008983; PubMed=8404847;
RA Haus U., Trommler P., Fisher P.R., Hartmann H., Lottspeich F.,
RA Noegel A.A., Schleicher M.;
RT "The heat shock cognate protein from Dictyostelium affects actin
RT polymerization through interaction with the actin-binding protein
RT cap32/34."
RL EMBO J. 12:3763-3771(1993).
RN [2]
RP SEQUENCE FROM N.A., AND SEQUENCE OF 34-46; 102-106 AND 298-309.
RX STRAIN=AX3;
RX MEDLINE=94043116; PubMed=8226849;
RA Eddy R.J., Sauterer R.A., Condeelis J.S.;
RT "Aginactin, an agonist-regulated F-actin capping activity is
RT associated with an Hsc70 in Dictyostelium."
RL J. Biol. Chem. 268:23267-23274(1993).
CC -----
CC -1- FUNCTION: AFFECTS ACTIN POLYMERIZATION THROUGH INTERACTION WITH
CC THE ACTIN-BINDING PROTEIN CAP32/34. ACTS AS A CHAPERONE BY
CC STIMULATING THE REFOLDING OF DENATURATED CAP32 AND CAP34.
CC -1- SUBCELLULAR LOCATION: CYTOPLASMIC. FOUND IN F-ACTIN-RICH REGIONS
CC OF THE CELL CORTEX AND CELL PROTRUSIONS.
CC -1- DEVELOPMENTAL STAGE: HEAT SHOCK COGNATE PROTEINS ARE EXPRESSED
CC CONSTITUTIVELY DURING NORMAL DEVELOPMENT.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; X75263; CAA53039.1; -.
DR EMBL; L22736; AAA33219.1; -.
DR PIR; S37394; S37394.
DR HSP; P19120; INGI.
DR SWISS_2DPAGE; P36415; DICTY.
DR Dictydb; DD01078; hspB.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Chaperone.
FT CONFLICT 1 29
FT CONFLICT 32 32
FT CONFLICT 64 64
FT CONFLICT 180 180
FT CONFLICT 237 237
FT CONFLICT 240 240
FT CONFLICT 341 341
FT CONFLICT 352 352
SQ SEQUENCE 640 AA; 70499 MW; 2E6BC2DB96A9F5D CRC64;
MSSIGIDIGTYSVGVWQNDREVIAND ->
IHSHHNGATWVSGVSEVLSFN (IN REF. 2).
```

```
KW ATP-binding; Chaperone; Heat shock; Multigene family.
SQ SEQUENCE 641 AA; 70250 MW; 6D548263E98780F9 CRC64;

Query Match 92.2%; Score 47; DB 1; Length 640;
Best Local Similarity 90.0%; Pred. No. 0.12;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIYT 10
|||||
Db 284 SLFEGIDFYT 293

RESULT 9
HS7L_BOVIN
ID HS7L_BOVIN STANDARD; PRT; 641 AA.
AC Q27975; Q27964;
DT 01-NOV-1997 (Rel. 35, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70-1).
GN HSP70-1.
OS Bos taurus (Bovine).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovidae;
OC Bovidae; Bovinae; Bos.
OX NCBI_TaxID=9913;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Skeletal muscle;
RX MEDLINE=95126904; PubMed=7826329;
RA Gutierrez J.A.; Guerrier V.;
RT "Chemical modifications of a recombinant bovine stress-inducible 70
kDa heat-shock protein (Hsp70) mimics Hsp70 isoforms from tissues.";
RL Biochem. J. 305:197-203(1995).
RN [2]
RP SEQUENCE OF 212-641 FROM N.A.
RC STRAIN=ANGUS;
RX MEDLINE=95030563; PubMed=7943958;
RA Grosz M.D.; Skow L.C.; Stone R.T.;
RT "An AluI polymorphism at the bovine 70 kD heat-shock protein-1
(HSP70-1) locus."
RL Anim. Genet. 25:196-196(1994).
CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDIATE THE FOLDING
OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC
RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR
PROTEIN TRANSLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION
PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE
PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE
CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE
SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES
DURING TRANSLATION AND MEMBRANE TRANSLOCATION, OR FOLLOWING
STRESS-INDUCED DAMAGE.
CC -1- INDUCTION: BY HEAT SHOCK.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
-----
This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See http://www.isb-sib.ch/announce/
or send an email to license@isb-sib.ch).
-----
EMBL; U09861; AAA73914.1; -
DR EMBL; U02891; AAA03450.1; -
DR HSSP; P19120; INGC.
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70; 1.
DR PRINTS; PRO0301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.

KW ATP-binding; Chaperone; Heat shock; Multigene family.
SQ SEQUENCE 641 AA; 70250 MW; 6D548263E98780F9 CRC64;

Query Match 92.2%; Score 47; DB 1; Length 641;
Best Local Similarity 90.0%; Pred. No. 0.12;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIYT 10
|||||
Db 286 SLFEGIDFYT 295

RESULT 10
HS7L_HUMAN
ID HS7L_HUMAN STANDARD; PRT; 641 AA.
AC P08107; P19790; Q9UQMO; Q9UQL9;
DT 01-AUG-1988 (Rel. 08, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 20-AUG-2001 (Rel. 40, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70.1) (HSP70-1/HSP70-2).
GN (HSPA1A OR HSPA1) AND HSPA1B.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=86016721; PubMed=3931075;
RA Hunt C.; Morimoto R.I.;
RT "Conserved features of eukaryotic hsp70 genes revealed by comparison
with the nucleotide sequence of human hsp70.";
RL Proc. Natl. Acad. Sci. U.S.A. 82:6455-6459(1985).
RN [3]
RP SEQUENCE FROM N.A. (HSPA1A AND HSPA1B).
RA Rowen L.; Qin S.; Madan A.; Dickhoff R.; Dors M.; Madan A.; Hicks P.;
RA Loretz C.; Ratcliffe A.; Abbasi N.; Shaffer T.; Hood L.;
RT "Sequence of the human major histocompatibility complex class III
region."
RL Submitted (MAR-1999) to the EMBL/GenBank/DBJ databases.
RN [4]
RP SEQUENCE OF 1-36 AND 360-424 FROM N.A.
RX MEDLINE=89184548; PubMed=2538825;
RA Sargent C.A.; Dunham I.; Trowsdale J.; Campbell R.D.;
RT "Human major histocompatibility complex contains genes for the major
heat shock protein HSP70."
RL Proc. Natl. Acad. Sci. U.S.A. 86:1968-1972(1989).
RN [5]
RP SEQUENCE OF 1-22 AND 618-641 FROM N.A.
RX MEDLINE=87066768; PubMed=3786141;
RA Drabant B.; Genthe A.; Benecke B.-J.;
RT "In vitro transcription of a human hsp 70 heat shock gene by extracts
prepared from heat-shocked and non-heat-shocked human cells."
RL Nucleic Acids Res. 14:8933-8949(1986).
RN [6]
RP X-RAY CRYSTALLOGRAPHY (2.3 ANGSTROMS) OF 1-382.
RX MEDLINE=99234376; PubMed=10216320;
RA Osipuk J.; Walsh M.A.; Freeman B.C.; Morimoto R.I.; Joachimiak A.;
RT "Structure of a new crystal form of human hsp70 ATPase domain."
RL Acta Crystallogr. D 55:1105-1107(1999).
CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDIATE THE FOLDING
OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC
RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR
PROTEIN TRANSLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION
PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE
```

```
CC PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE
CC SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES
CC DURING TRANSLATION AND MEMBRANE TRANSLOCATION, OR FOLLOWING
CC STRESS-INDUCED DAMAGE.
CC
CC -!- INDUCTION: BY HEAT SHOCK.
CC
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC -----
CC EMBL; M59828; AAA63226.1; -
CC EMBL; M59830; AAA63227.1; -
CC EMBL; AF134726; AAD21816.1; -
CC EMBL; AF134726; AAD21815.1; -
CC EMBL; M11717; AAA52697.1; -
CC EMBL; M24743; AAA59844.1; -
CC EMBL; M24744; AAA59845.1; -
CC EMBL; X04676; CAA28381.1; -
CC EMBL; X04677; CAA28382.1; -
CC PIR; A29160; A29160.
CC PIR; A45871; A45871.
CC PIR; A25773; A25773.
CC PDB; 1HJO; 21-OCT-98.
CC SWISS-2DPAGE; P08107; HUMAN.
CC MIM; 140550; -
CC MIM; 603012; -
CC InterPro; IPR001023; HSP70.
CC Pfam; PF00012; HSP70.1.
CC PRINTS; PR00301; HEATSHOCK70.
CC PROSITE; PS00297; HSP70_1; 1.
CC PROSITE; PS00329; HSP70_2; 1.
CC PROSITE; PS01036; HSP70_3; 1.
CC ATP-binding; Chaperone; Heat shock; Multigene family; MHC III;
CC 3D-structure. 7 I -> V (IN REF. 2).
CC CONFLICT 110 110 E -> D (IN REF. 3; AAD21816).
CC CONFLICT 370 370 A -> G (IN REF. 2).
CC CONFLICT 469 469 MISSING (IN REF. 2).
CC CONFLICT 499 499 N -> S (IN REF. 3; AAD21815).
CC SEQUENCE 641 AA; 70052 MW; 78F513118C96DE66 CRC64;
CC
CC Query Match 92.2%; Score 47; DB 1; Length 641;
CC Best Local Similarity 90.0%; Pred. No. 0.12;
CC Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
CC
CC Qy 1 SLFEGIDIYT 10
CC Db 286 SLFEGIDFYT 295
CC
CC RESULT 11
CC HS71_MOUSE STANDARD; PRT; 641 AA.
CC AC P17879; Q61689;
CC DT 01-AUG-1990 (Rel. 15, Created)
CC DT 01-NOV-1997 (Rel. 35, Last sequence update)
CC DT 30-MAY-2000 (Rel. 39, Last annotation update)
CC DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70.1) (HSP70-1/HSP70-2).
CC GN HSPAL OR HSP70A1 OR HSP70-1 OR HCP70-1.
CC OS Mus musculus (Mouse).
CC OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
CC OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
CC OX NCBI_TaxID=10090;
CC RN [1]
CC RP SEQUENCE FROM N.A.
CC RX MEDLINE=90236310; PubMed=2332169;
```

```
RA Hunt C., Calderwood S.;
RT "Characterization and sequence of a mouse hsp70 gene and its
RL expression in mouse cell lines.";
RL Gene 87:199-204(1990).
RN [2]
RP SEQUENCE FROM N.A.
RC TISSUE=Liver;
RX MEDLINE=94357449; PubMed=8076831;
RA Perry M.D., Aujame L., Shtang S., Moran L.A.;
RT "Structure and expression of an inducible HSP70-encoding gene from
RL Mus musculus.";
RL Gene 146:273-278(1994).
CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC -----
CC EMBL; M35021; AAA37864.1; -
CC EMBL; M76613; AAA57233.1; -
CC PIR; JH0095; JH0095.
CC HSP; P19120; INGC.
CC MGD; MGI:99517; Hsp70-1.
CC InterPro; IPR001023; HSP70.
CC Pfam; PF00012; HSP70.1.
CC PRINTS; PR00301; HEATSHOCK70.
CC PROSITE; PS00297; HSP70_1; 1.
CC PROSITE; PS00329; HSP70_2; 1.
CC PROSITE; PS01036; HSP70_3; 1.
CC ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
CC CONFLICT 342 342 A -> R (IN REF. 1).
CC CONFLICT 627 627 P -> PP (IN REF. 1).
CC SEQUENCE 641 AA; 69994 MW; 41475360F6749F2F CRC64;
CC
CC Query Match 92.2%; Score 47; DB 1; Length 641;
CC Best Local Similarity 90.0%; Pred. No. 0.12;
CC Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
CC
CC Qy 1 SLFEGIDIYT 10
CC Db 286 SLFEGIDFYT 295
CC
CC RESULT 12
CC HS71_PIG STANDARD; PRT; 641 AA.
CC AC P34930;
CC DT 01-FEB-1994 (Rel. 28, Created)
CC DT 01-FEB-1994 (Rel. 28, Last sequence update)
CC DT 01-NOV-1997 (Rel. 35, Last annotation update)
CC DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70.1).
CC GN HSPAL.
CC OS Sus scrofa (Pig).
CC OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
CC OC Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.
CC OX NCBI_TaxID=9823;
CC RN [1]
CC RP SEQUENCE FROM N.A.
CC RX MEDLINE=92175874; PubMed=1339404;
CC RX Peelman L.J., de Weghe A.R., Coppieters W.R., van Zeveren A.J.,
```

RA Bouquet Y.H.;
RT "Complete nucleotide sequence of a porcine HSP70 gene.";
RL Immunogenetics 35:286-289(1992).
CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC
CC EMBL: M69100; -; NOT_ANNOTATED_CDS.
CC PIR: S35718; S35718.
CC HSP: P19120; INGC.
CC InterPro: IPR001023; HSP70.
CC Pfam: PF00012; HSP70; 1.
CC PRINTS: PR00301; HEATSHOCK70.
CC PROSITE: PS00297; HSP70_1; 1.
CC PROSITE: PS00329; HSP70_2; 1.
CC PROSITE: PS01036; HSP70_3; 1.
CC ATP-binding; Chaperone; Heat shock; Multigene family.
KW SEQUENCE 641 AA; 70083 MW; FE77BB20A03E0A33 CRC64;
SQ

Query Match 92.2%; Score 47; DB 1; Length 641;
Best Local Similarity 90.0%; Pred. No. 0.12;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIYV 10
DB 286 SLFEGIDFYT 295
|||||||

RESULT 13
HS71_RAT
ID HS71_RAT STANDARD; PRT; 641 AA.
AC Q07439; P42853;
DT 01-FEB-1995 (Rel. 31, Created)
DT 01-FEB-1995 (Rel. 31, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1/2 (HSP70.1/2).
GN HSP70-1 AND HSP70-2.
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX NCBI_TaxID=10116;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Brain;
RX MEDLINE=94096443; PubMed=8271311;
RA Longo F.M., Wang S., Narasimhan P., Zhang J.S., Chen J.,
RA Massa S.M., Sharp F.R.;
RT "cDNA cloning and expression of stress-inducible rat hsp70 in normal
RT and injured rat brain.";
RL J. Neurosci. Res. 36:325-335(1993).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=LEW.1W/GUN;
RX MEDLINE=95012453; PubMed=7927536;
RA Walter L., Rauh F., Guenther E.;
RT "Comparative analysis of the three major histocompatibility complex-
RT linked heat shock protein 70 (Hsp70) genes of the rat.";
RL Immunogenetics 40:325-330(1994).

RN SEQUENCE FROM N.A.
RP STRAIN=SPRAGUE-DAWLEY; TISSUE=Liver;
RX MEDLINE=94368874; PubMed=8086479;
RA Lisowska K., Krawczyk Z., Widlak W., Wolniczek P., Wisniewski J.;
RT "Cloning, nucleotide sequence and expression of rat heat inducible
RT hsp70 gene.";
RL Biochim. Biophys. Acta 1219:64-72(1994).
CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC -!- INDUCTION: BY HEAT SHOCK.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC
CC EMBL: L16764; AAA17441.1; -
CC EMBL: X77208; CAA54423.1; -
CC EMBL: X77207; CAA54422.1; -
CC EMBL: X74271; CAA52328.1; -
CC HSP: P19120; INGC.
CC InterPro: IPR001023; HSP70.
CC Pfam: PF00012; HSP70; 1.
CC PRINTS: PR00301; HEATSHOCK70.
CC PROSITE: PS00297; HSP70_1; 1.
CC PROSITE: PS00329; HSP70_2; 1.
CC PROSITE: PS01036; HSP70_3; 1.
CC ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
FT CONFLICT 71 72 KR -> NG (IN REF. 3).
FT CONFLICT 227 227 D -> H (IN REF. 2 AND 3).
FT CONFLICT 408 408 G -> A (IN REF. 3).
SQ SEQUENCE 641 AA; 70163 MW; D02D96751C868583 CRC64;

Query Match 92.2%; Score 47; DB 1; Length 641;
Best Local Similarity 90.0%; Pred. No. 0.12;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIYV 10
DB 286 SLFEGIDFYT 295
|||||||

RESULT 14
HS71_YEAST
ID HS71_YEAST STANDARD; PRT; 641 AA.
AC P10591;
DT 01-JUL-1989 (Rel. 11, Created)
DT 01-OCT-1994 (Rel. 30, Last sequence update)
DT 01-OCT-1996 (Rel. 34, Last annotation update)
DE HEAT SHOCK PROTEIN SSAL (HEAT SHOCK PROTEIN YG100).
GN SSAL OR YAL009C.
OS Saccharomyces cerevisiae (Baker's yeast).
OC Eukaryota; Fungi; Ascomycota; Saccharomycotina; Saccharomycetes;
OC Saccharomycetales; Saccharomycetaceae; Saccharomycetes.
OX NCBI_TaxID=4932;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=S288C;
RX MEDLINE=89128457; PubMed=2644626;
RA Slater M.R., Craig E.A.;
RT "The SSAL and SSA2 genes of the yeast Saccharomyces cerevisiae.";

Nucleic Acids Res. 17:805-806(1989).
[2]
SEQUENCE FROM N.A.
RC STRAIN=S288C / AB972;
RX MEDLINE=95028152; PubMed=7941740;
RA Clark M.W., Keng T., Storms R.K., Zhong W., Fortin N., Zeng B.,
RA Delaney S., Ouellette B.F.F., Barton A.B., Kaback D.B., Bussey H.;
RT "Sequencing of chromosome I of *Saccharomyces cerevisiae*: analysis of
RT the 42 kbp SP07-CEN1-CDL15 region.";
RL Yeast 10:535-541(1994).
[3]
SEQUENCE OF 590-641 FROM N.A.
RX MEDLINE=85087943; PubMed=6096826;
RA Ogden R.C., Lee M.-C., Knapp G.;
RT "Transfer RNA splicing in *Saccharomyces cerevisiae*: defining the
RT substrates.";
RL Nucleic Acids Res. 12:9367-9382(1984).
[4]
REVISIONS TO 207; 417 AND 421.
RA Slater M.R.;
RL Submitted (JUN-1993) to the EMBL/GenBank/DBJ databases.
[5]
SEQUENCE OF 91-97 AND 325-341.
RC STRAIN=S288C;
RX MEDLINE=95203288; PubMed=7895733;
RA Garrels J.I., Fitcher B., Kobayashi R., Latter G.I., Schwender B.,
RA Volpe T., Warner J.R., McLaughlin C.S.;
RT "Protein identifications for a *Saccharomyces cerevisiae* protein
RT database.";
RL Electrophoresis 15:1466-1486(1994).
[6]
SEQUENCE OF 186-195.
RC STRAIN=ATCC 38531 / Y41;
RX MEDLINE=97089742; PubMed=8935650;
RA Norbeck J., Blomberg A.;
RT "Protein expression during exponential growth in 0.7 M NaCl medium of
RT *Saccharomyces cerevisiae*.";
RL FEMS Microbiol. Lett. 137:1-8(1996).
[7]
ACETYLATION.
RA Garrels J.I., Fitcher B., Kobayashi R., Latter G.I., Schwender B.,
RA Volpe T., Warner J.R., McLaughlin C.S.;
RL Submitted (SEP-1994) to the SWISS-PROT data bank.
CC -1- FUNCTION: SSA1 MAY PLAY A ROLE IN THE TRANSPORT OF POLYPEPTIDES
CC BOTH ACROSS THE MITOCHONDRIAL MEMBRANES AND INTO THE
CC ENDOPLASMATIC RETICULUM. A FUNCTIONAL DIFFERENCE BETWEEN YEAST
CC SSA1 AND SSA2 PROTEINS IS EXPECTED. SSA1 CAN PARTICIPATE IN THE
CC ATP-DEPENDENT DISASSEMBLY OF CLATHRIN-COATED VESICLES.
CC -1- SUBCELLULAR LOCATION: CYTOPLASMIC.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (see <http://www.isb-sib.ch/announcement/>
CC or send an email to license@isb-sib.ch).

CC EMBL; X12926; CA31393.1; --
CC EMBL; L22015; AAC04952.1; ALT_SEQ.
CC PIR; S25438; HBBYAL.
CC PIR; S42164; S42164.
CC HSSP; P19120; IATR.
CC SWISS-2DRAGE; P10591; YEAST.
CC YEPD; 9788; --
CC SGD; S0000004; SSA1.
CC InterPro; IPR001023; HSP70.
CC Pfam; PF00012; HSP70; 1.
CC PRINTS; PR00301; HEATSHOCK70.
CC PROSITE; PS00297; HSP70_1; 1.
CC PROSITE; PS00329; HSP70_2; 1.
CC PROSITE; PS01036; HSP70_3; 1.

KW Heat shock; ATP-binding; Multigene family; Acetylation.
FT INIT_MET 0
FT MOD_RES 1 1 ACETYLATION.
SQ SEQUENCE 641 AA; 69526 MW; FA9389BAE9B1D7DA CRC64;

Query Match 92.2%; Score 47; DB 1; Length 641;
Best Local Similarity 90.0%; Pred. No. 0.12;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLEGGIDIVT 10
DB 282 SLEGGIDFYT 291
 |||||
 |||
RESULT 15
HS72_BOVIN STANDARD; PRT; 641 AA.
ID HS72_BOVIN Q28122;
AC Q27965; Q28122;
DT 01-NOV-1997 (Rel. 35, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 2 (HSP70-2).
GN HSP70-2.
OS Bos taurus (Bovine).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovidae;
OC Bovidae; Bovinae; Bos.
OX NCBI_TaxID=9913;
[1]
RN SEQUENCE FROM N.A.
RP STRAIN=ANGUS;
RC Grosz M.D., Skow L.C.;
RA Submitted (JAN-1994) to the EMBL/GenBank/DBJ databases.
[2]
RN SEQUENCE OF 1-28 FROM N.A.
RC TISSUE=Liver;
RX MEDLINE=94070117; PubMed=8249428;
RA Kowalski J., Gilbert S.A., van Drunen-Littel-Van den Hurk S.,
RA van den Hurk J., Babluk L.A., Zamb T.J.;
RT "Heat-shock promoter-driven synthesis of secreted bovine herpesvirus
RT glycoproteins in transfected cells.";
RL Vaccine 11:1100-1107(1993).
CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC
CC RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR
CC PROTEIN TRANSLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION
CC PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE
CC PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE
CC CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE
CC SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES
CC DURING TRANSLATION AND MEMBRANE TRANSLOCATION, OR FOLLOWING
CC STRESS-INDUCED DAMAGE.
CC -1- INDUCTION: BY HEAT SHOCK.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (see <http://www.isb-sib.ch/announcement/>
CC or send an email to license@isb-sib.ch).

CC EMBL; J02892; AAA03451.1; --
CC EMBL; M98823; AAA30568.1; --
CC HSSP; P19120; INGI.
CC InterPro; IPR001023; HSP70.
CC Pfam; PF00012; HSP70; 1.
CC PRINTS; PR00301; HEATSHOCK70.
CC PROSITE; PS00297; HSP70_1; 1.
CC PROSITE; PS00329; HSP70_2; 1.
CC PROSITE; PS01036; HSP70_3; 1.

DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Chaperone; Heat shock; Multigene family.
SQ SEQUENCE 641 AA; 70228 MW; 229C19EEBBF610DF CRC64;

Query Match 92.2%; Score 47; DB 1; Length 641;
Best Local Similarity 90.0%; Pred. No. 0.12;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDYIT 10
| | | | | | | |
DB 286 SLFEGIDFYT 295

Search completed: December 6, 2001, 08:00:52
Job time: 420 sec

THIS PAGE BLANK (USPTO)

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:56:53 ; Search time 170.25 seconds
(without alignments)
8.592 Million cell updates/sec

Title: US-09-673-795-2
Perfect score: 51
Sequence: 1 SLFEGIDIYT 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 473505 seqs, 146272329 residues

Total number of hits satisfying chosen parameters: 473505

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

SPTREMBL_l7:*

- 1: sp_archaea:*
- 2: sp_bacteria:*
- 3: sp_fungi:*
- 4: sp_human:*
- 5: sp_invertebrate:*
- 6: sp_mammal:*
- 7: sp_mhc:*
- 8: sp_organelle:*
- 9: sp_phage:*
- 10: sp_plant:*
- 11: sp_virus:*
- 12: sp_vertebrate:*
- 13: sp_unclassified:*
- 14: sp_unclassified:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	47	92.2	146	5 Q90667	Q90667 littorina p
2	47	92.2	153	5 Q90670	Q90670 littorina s
3	47	92.2	155	5 Q90669	Q90669 littorina s
4	47	92.2	157	5 Q90665	Q90665 littorina p
5	47	92.2	158	5 Q90671	Q90671 littorina s
6	47	92.2	158	5 Q90668	Q90668 littorina p
7	47	92.2	158	5 Q90666	Q90666 littorina p
8	47	92.2	220	5 P81159	P81159 aplysia cal
9	47	92.2	278	13 Q90520	Q90520 oncorhynch
10	47	92.2	367	13 Q98899	Q98899 fugu rubrip
11	47	92.2	455	11 Q63718	Q63718 rattus norv
12	47	92.2	467	5 O44350	O44350 chondrosia
13	47	92.2	467	5 O44352	O44352 petrobiona
14	47	92.2	467	5 O9NJ92	O9NJ92 quancha lac
15	47	92.2	468	5 O44349	O44349 funiculina
16	47	92.2	469	5 O44351	O44351 eunicella c
17	47	92.2	526	13 Q98897	Q98897 fugu rubrip
18	47	92.2	632	5 O15766	O15766 dictyosteli
19	47	92.2	639	13 Q98900	Q98900 fugu rubrip

20	47	92.2	639	13 Q918F9	Q918f9 oryzias lat
21	47	92.2	640	5 Q93601	Q93601 caenorhabdi
22	47	92.2	640	13 Q93240	Q93240 paralicthcy
23	47	92.2	641	11 Q63256	Q63256 rattus norv
24	47	92.2	641	11 Q90WJ5	Q90WJ5 mus musculu
25	47	92.2	645	5 Q96541	Q96541 setaria dig
26	47	92.2	645	5 Q9NJB7	Q9NJB7 wuchereria
27	47	92.2	645	5 Q9NGK9	Q9NGK9 wuchereria
28	47	92.2	647	3 O59855	O59855 schizosacch
29	47	92.2	650	10 Q9ZS55	Q9ZS55 arabidopsis
30	47	92.2	650	10 Q9LHA8	Q9LHA8 arabidopsis
31	47	92.2	652	10 P93937	P93937 ascorphyllum
32	47	92.2	653	5 Q94805	Q94805 trichoplusi
33	47	92.2	659	5 Q9XZJ2	Q9XZJ2 crassostrea
34	46	90.2	190	5 Q9U9B4	Q9U9B4 mytilus edu
35	46	90.2	221	5 P81157	P81157 aplysia cal
36	46	90.2	467	5 O44346	O44346 asbestoplum
37	46	90.2	467	5 O44347	O44347 petrosia fi
38	46	90.2	467	5 Q9GPM5	Q9GPM5 monosiga ov
39	46	90.2	639	13 O73922	O73922 oreochromis
40	46	90.2	642	3 Q9UVMO	Q9UVMO rhizopus st
41	46	90.2	643	6 Q9NI02	Q9NI02 saquinus oe
42	46	90.2	645	3 O94106	O94106 pneumocysti
43	46	90.2	647	3 O94104	O94104 pneumocysti
44	46	90.2	651	3 Q9UVML	Q9UVML rhizopus st
45	46	90.2	651	10 O22664	O22664 spinacia ol

ALIGNMENTS

RESULT 1
Q90667 1
ID Q90667 PRELIMINARY; PRT: 146 AA.
AC Q90667;
DT 01-MAY-2000 (TREMBLrel. 13, Created)
DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)
DT 01-JUN-2001 (TREMBLrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina plena.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31219;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina.";
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL: AF191828; AAF12787.1; -
DR HSSP: P19120; 1BAL
DR InterPro: IPR001023; HSP70.
DR PROSITE: PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 146
SQ SEQUENCE 146 AA; 16607 MW; C3F3556A1AF438BB CRC64;

Query Match 92.2%; Score 47; DB 5; Length 146;
Best Local Similarity 90.0%; Pred. No. 0.2;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIYT 10
Db 79 SLFEGIDFYT 88

RESULT 2
Q90670 2
ID Q90670 PRELIMINARY; PRT: 153 AA.
AC Q90670;
DT 01-MAY-2000 (TREMBLrel. 13, Created)
DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)

DT 01-JUN-2001 (Tremblrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina scutulata.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotaeniolglossa; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31211;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina.";
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191825; AAF12784.1; -
DR HSP; P19120; IBA1.
DR InterPro; IPR001023; HSP70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1 153
FT NON_TER 153 153
SQ SEQUENCE 153 AA; 17352 MW; E29EE20C4CAF934D CRC64;

Query Match 92.2%; Score 47; DB 5; Length 153;
Best Local Similarity 90.0%; Pred. No. 0.21;
Matches 9; Conservative 0; Mismatches 1; Indels 1; Gaps 0;

QY 1 SLFEGIDIYT 10
|||||
DB 80 SLFEGIDFYT 89

RESULT 3
Q9U669 PRELIMINARY; PRT; 155 AA.
ID Q9U669
AC Q9U669
DT 01-MAY-2000 (Tremblrel. 13, Created)
DT 01-MAY-2000 (Tremblrel. 13, Last sequence update)
DT 01-JUN-2001 (Tremblrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina scutulata.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotaeniolglossa; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31211;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina.";
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191826; AAF12785.1; -
DR HSP; P19120; IBA1.
DR InterPro; IPR001023; HSP70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1 155
FT NON_TER 155 155
SQ SEQUENCE 155 AA; 17676 MW; C191F6E5B1F346C2 CRC64;

Query Match 92.2%; Score 47; DB 5; Length 155;
Best Local Similarity 90.0%; Pred. No. 0.21;
Matches 9; Conservative 0; Mismatches 1; Indels 1; Gaps 0;

QY 1 SLFEGIDIYT 10
|||||
DB 82 SLFEGIDFYT 91

RESULT 4
Q9U665 PRELIMINARY; PRT; 157 AA.
ID Q9U665
AC Q9U665;
DT 01-MAY-2000 (Tremblrel. 13, Created)
DT 01-MAY-2000 (Tremblrel. 13, Last sequence update)
DT 01-JUN-2001 (Tremblrel. 17, Last annotation update)

DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina plena.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotaeniolglossa; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31219;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina.";
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191830; AAF12789.1; -
DR HSP; P19120; IBA1.
DR InterPro; IPR001023; HSP70.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1 157
FT NON_TER 157 157
SQ SEQUENCE 157 AA; 17834 MW; E8F743382B285EB2 CRC64;

Query Match 92.2%; Score 47; DB 5; Length 157;
Best Local Similarity 90.0%; Pred. No. 0.22;
Matches 9; Conservative 0; Mismatches 1; Indels 1; Gaps 0;

QY 1 SLFEGIDIYT 10
|||||
DB 84 SLFEGIDFYT 93

RESULT 5
Q9U671 PRELIMINARY; PRT; 158 AA.
ID Q9U671
AC Q9U671;
DT 01-MAY-2000 (Tremblrel. 13, Created)
DT 01-MAY-2000 (Tremblrel. 13, Last sequence update)
DT 01-JUN-2001 (Tremblrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina scutulata.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotaeniolglossa; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31221;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina.";
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191824; AAF12783.1; -
DR HSP; P19120; IBA1.
DR InterPro; IPR001023; HSP70.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1 158
FT NON_TER 158 158
SQ SEQUENCE 158 AA; 17887 MW; B41E5356A24CAD2F CRC64;

Query Match 92.2%; Score 47; DB 5; Length 158;
Best Local Similarity 90.0%; Pred. No. 0.22;
Matches 9; Conservative 0; Mismatches 1; Indels 1; Gaps 0;

QY 1 SLFEGIDIYT 10
|||||
DB 85 SLFEGIDFYT 94

RESULT 6
Q9U668 PRELIMINARY; PRT; 158 AA.
ID Q9U668
AC Q9U668;
DT 01-MAY-2000 (Tremblrel. 13, Created)
DT 01-MAY-2000 (Tremblrel. 13, Last sequence update)

DT 01-JUN-2001 (TrEMBLrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina plena.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31219;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina.";
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191827; AAF12786.1; -.
DR HSP; P19120; 1BA1.
DR InterPro; IPR001023; HSP70.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 158
SQ SEQUENCE 158 AA; 17868 MW; D2ECE71042EC44CB CRC64;

Query Match 92.2%; Score 47; DB 5; Length 158;
Best Local Similarity 90.0%; Pred. No. 0.22;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIFT 10
DB 85 SLFEGIDIFT 94

RESULT 7
Q9U666 PRELIMINARY; PRT; 158 AA.
ID Q9U666
AC Q9U666;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DE 01-JUN-2001 (TrEMBLrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina plena.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31219;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina.";
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191829; AAF12788.1; -.
DR HSP; P19120; 1BA1.
DR InterPro; IPR001023; HSP70.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 158
SQ SEQUENCE 158 AA; 17891 MW; B41E5356BCECAD2F CRC64;

Query Match 92.2%; Score 47; DB 5; Length 158;
Best Local Similarity 90.0%; Pred. No. 0.22;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIFT 10
DB 85 SLFEGIDIFT 94

RESULT 8
P81159 PRELIMINARY; PRT; 220 AA.
ID P81159
AC P81159;
DT 01-JUN-1998 (TrEMBLrel. 06, Created)

DT 01-JUN-1998 (TrEMBLrel. 06, Last sequence update)
DT 01-JUN-2001 (TrEMBLrel. 17, Last annotation update)
DE HEAT SHOCK COGNATE 71 KDA PROTEIN (FRAGMENT).
GN HSC70.
OS Aplysia californica (California sea hare).
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Opisthobranchia; Anaspidea;
OC Aplysiidae; Aplysia.
OX NCBI_TaxID=6500;
RN [1]
RP SEQUENCE FROM N.A.
RA MEDLINE-93077669; PubMed-1360013;
RA Kuhl D., Kennedy T., Barzilai A., Kandel E.;
RT "Long-term sensitization training in Aplysia leads to an increase in
the expression of BiP, the major protein chaperon of the ER.";
RL J. Cell Biol. 119:1069-1076(1992).
CC -/- INDUCTION: CONSTITUTIVELY SYNTHESIZED IN A WIDE VARIETY OF CELLS.
CC -/- SIMILARITY: BELONGS TO HEAT SHOCK PROTEIN 70 FAMILY.
DR EMBL; Z15039; CAA78757.1; -.
DR HSP; P19120; 1BA1.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock; Multigene family.
FT NON_TER 1
FT NON_TER 220
SQ SEQUENCE 220 AA; 24684 MW; FA8557F2BB85C37A CRC64;

Query Match 92.2%; Score 47; DB 5; Length 220;
Best Local Similarity 90.0%; Pred. No. 0.32;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIFT 10
DB 138 SLFEGIDIFT 147

RESULT 9
Q90520 PRELIMINARY; PRT; 278 AA.
ID Q90520
AC Q90520;
DT 01-NOV-1996 (TrEMBLrel. 01, Created)
DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
DE 01-JUN-2001 (TrEMBLrel. 17, Last annotation update)
DE RAINBOW TROUT 70 KDA HEAT SHOCK PROTEIN (FRAGMENT).
OS Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
OX NCBI_TaxID=8022;
RN [1]
RP SEQUENCE FROM N.A.
RA MEDLINE-85036330; PubMed-6092938;
RA Kothary R.K., Jones D., Candido E.P.M.;
RT "70-Kilodalton heat shock polypeptides from rainbow trout:
characterization of cDNA sequences.";
RL Mol. Cell. Biol. 4:1785-1791(1984).
DR EMBL; K02549; AAA49562.1; -.
DR HSP; P08109; 1CKR.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock; Multigene family.
FT NON_TER 1
FT NON_TER 278
SQ SEQUENCE 278 AA; 30327 MW; E4C745DE5484C17A CRC64;

Query Match 92.2%; Score 47; DB 13; Length 278;

```
Best Local Similarity 90.0%; Pred. No. 0.42;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIYT 10
Db 156 SLFEGIDFYT 165

RESULT 10
Q98899 PRELIMINARY; PRT; 367 AA.
AC Q98899;
DT 01-FEB-1997 (TREMBLrel. 02, Created)
DT 01-FEB-1997 (TREMBLrel. 02, Last sequence update)
DE 70 KDA HEAT SHOCK PROTEIN (FRAGMENT).
GN HSP70-3.
OS Fugu rubripes (Japanese pufferfish) (Takifugu rubripes).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
OC Acanthomorpha; Acanthopterygii; Percomorpha; Tetraodontiformes;
OC Tetraodontidae; Takifugu.
OX NCBI_TaxID=31033;
RN [1]
RN SEQUENCE FROM N.A.
RP Lim E.H.;
RL Submitted (OCT-1996) to the EMBL/GenBank/DBJ databases.
DR EMBL; Y08578; CAA69892.1; -.
DR HSSP; P19120; 3HSC.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock. 367
FT NON_TER 367
SQ SEQUENCE 367 AA; 40405 MW; 8CD3DD8DF6B3C2CA CRC64;

Query Match 92.2%; Score 47; DB 13; Length 367;
Best Local Similarity 90.0%; Pred. No. 0.59;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIYT 10
Db 268 SLFEGIDFYT 277

RESULT 11
Q63718 PRELIMINARY; PRT; 455 AA.
AC Q63718;
DT 01-NOV-1996 (TREMBLrel. 01, Created)
DT 01-NOV-1996 (TREMBLrel. 01, Last sequence update)
DE HEAT SHOCK ROTEIN 70 (FRAGMENT).
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX NCBI_TaxID=10116;
RN [1]
RN SEQUENCE FROM N.A.
RP Angeletti B., Passarelli F., Orru D., Pascale E., Butler R.H.,
RA D'Ambrosio E.;
RL Submitted (NOV-1993) to the EMBL/GenBank/DBJ databases.
DR EMBL; Z27118; CAA81642.1; -.
DR HSSP; P08107; 1HJO.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock.
```

```
FT NON_TER 1
FT NON_TER 455
SQ SEQUENCE 455 AA; 50404 MW; 0F45F12CBA1E2971 CRC64;

Query Match 92.2%; Score 47; DB 11; Length 455;
Best Local Similarity 90.0%; Pred. No. 0.75;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIYT 10
Db 254 SLFEGIDFYT 263

RESULT 12
O44350 PRELIMINARY; PRT; 467 AA.
ID O44350;
AC O44350;
DT 01-JUN-1998 (TREMBLrel. 06, Created)
DT 01-JUN-1998 (TREMBLrel. 06, Last sequence update)
DE 01-JUN-2001 (TREMBLrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN HSP70 (FRAGMENT).
GN HSP70.
OS Chondrosia reniformis.
OC Eukaryota; Metazoa; Porifera; Demospongiae; Tetractinomorpha;
OC Chondrosida; Chondrillidae; Chondrosia.
OX NCBI_TaxID=68574;
RN [1]
RN SEQUENCE FROM N.A.
RA Borchietlini C., Le Parco Y.;
RL Submitted (SEP-1997) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF026517; AAC05362.1; -.
DR HSSP; P08109; 1CKR.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 467
SQ SEQUENCE 467 AA; 51707 MW; 0DBE6920F2E6EA96 CRC64;

Query Match 92.2%; Score 47; DB 5; Length 467;
Best Local Similarity 90.0%; Pred. No. 0.78;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIYT 10
Db 252 SLFEGIDFYT 261

RESULT 13
O44352 PRELIMINARY; PRT; 467 AA.
ID O44352;
AC O44352;
DT 01-JUN-1998 (TREMBLrel. 06, Created)
DT 01-JUN-1998 (TREMBLrel. 06, Last sequence update)
DE 01-JUN-2001 (TREMBLrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN HSP70 (FRAGMENT).
GN HSP70.
OS Petrobiona massilliana.
OC Eukaryota; Metazoa; Porifera; Calcarea; Calcaronea; Petrobionidae;
OC Petrobiona.
OX NCBI_TaxID=68578;
RN [1]
RN SEQUENCE FROM N.A.
RA Borchietlini C., Le Parco Y.;
RL Submitted (SEP-1997) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF026520; AAC05364.1; -.
DR HSSP; P08109; 1CKR.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
```

```
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 467
SQ SEQUENCE 467 AA; 51458 MW; 23EB28FFD1873DA6 CRC64;

Query Match
Best Local Similarity 92.2%; Score 47; DB 5; Length 467;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIVT 10
Db 252 SLFEGIDFYT 261

RESULT 14
Q9NJ92
ID Q9NJ92 PRELIMINARY; PRT; 467 AA.
AC Q9NJ92
DT 01-OCT-2000 (TRENBLrel. 15, Created)
DT 01-OCT-2000 (TRENBLrel. 15, Last sequence update)
DT 01-JUN-2001 (TRENBLrel. 17, Last annotation update)
DE HEAT SHOCK PROTEIN 70 (FRAGMENT).
OS Guancha lacunosa.
OC Eukaryota; Metazoa; Porifera; Calcarea; Clathrinida;
OC Clathrinidae; Guancha.
OX NCBI_TaxID=115120;
RN [1]
RP SEQUENCE FROM N.A.
RA Borchelli C., Le Parco Y.;
RT "Sponges paraphyly and the origin of Metazoa.";
RL Submitted (SEP-1999) to the EMBL/GenBank/DDBJ databases.
DR EMBL; AF182195; AAF61297.1; -.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 467
SQ SEQUENCE 467 AA; 51318 MW; F36FC06CBIDEEL131 CRC64;

Query Match
Best Local Similarity 92.2%; Score 47; DB 5; Length 467;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDIVT 10
Db 252 SLFEGIDFYT 261

RESULT 15
O44349
ID O44349 PRELIMINARY; PRT; 468 AA.
AC O44349
DT 01-JUN-1998 (TRENBLrel. 06, Created)
DT 01-JUN-1998 (TRENBLrel. 06, Last sequence update)
DT 01-JUN-2001 (TRENBLrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN HSP70 (FRAGMENT).
GN HSP70.
OS Funiculina quadrangularis.
OC Eukaryota; Metazoa; Chnidaria; Anthozoa; Alcyonaria; Funiculinidae;
OC Funiculina.
OX NCBI_TaxID=68568;
RN [1]
RP SEQUENCE FROM N.A.
RA Borchelli C., Le Parco Y.;
RL Submitted (SEP-1997) to the EMBL/GenBank/DDBJ databases.
DR EMBL; AF026516; AAC05361.1; -.
DR HSSP; P08109; 1CKR.
DR InterPro; IPR001023; HSP70.
```

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:59:55 ; Search time 81.43 Seconds
(without alignments)
2.487 Million cell updates/sec

Title: PEPL-MOD8A
Perfect score: 46
Sequence: 1 SLFEGIDAY 9

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 212252 seqs, 22503292 residues

Total number of hits satisfying chosen parameters: 212252

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

- Issued_Patents_AA:*
- 1: /cgn2_6/ptodata/2/1aa/5A_COMB.pep:*
 - 2: /cgn2_6/ptodata/2/1aa/5B_COMB.pep:*
 - 3: /cgn2_6/ptodata/2/1aa/6A_COMB.pep:*
 - 4: /cgn2_6/ptodata/2/1aa/6B_COMB.pep:*
 - 5: /cgn2_6/ptodata/2/1aa/pCTUS_COMB.pep:*
 - 6: /cgn2_6/ptodata/2/1aa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	39	84.8	643	4	US-08-797-358B-3
2	37	80.4	458	4	US-09-457-046B-61
3	37	80.4	646	1	US-08-441-139-14
4	33	71.7	800	6	5183745-3
5	32	69.6	303	2	US-08-599-171A-32
6	32	69.6	303	2	US-08-646-590B-32
7	32	69.6	303	3	US-09-069-226-32
8	32	69.6	303	4	US-09-412-184-32
9	31	67.4	403	2	US-08-812-412-2
10	31	67.4	403	2	US-09-180-271-5
11	31	67.4	495	3	US-09-079-415-4
12	31	67.4	533	3	US-08-225-488-2
13	30	65.2	35	1	US-08-190-802A-221
14	30	65.2	35	4	US-08-477-346-221
15	30	65.2	83	2	US-08-245-511-22
16	30	65.2	83	2	US-08-600-993A-22
17	30	65.2	465	2	US-08-878-983-18
18	30	65.2	465	2	US-08-860-150-7
19	30	65.2	465	3	US-09-338-132-7
20	30	65.2	465	4	US-09-272-796-18
21	30	65.2	488	1	US-08-190-802A-60
22	30	65.2	488	4	US-08-477-346-60
23	30	65.2	532	2	US-08-560-910-8
24	30	65.2	532	2	US-08-676-841-8
25	30	65.2	603	2	US-08-687-865A-2
26	30	65.2	603	4	US-09-043-711-2
27	29	63.0	25	1	US-08-240-012-4

28	29	63.0	25	4	US-08-896-162A-4	Sequence 4, Appl
29	29	63.0	53	2	US-08-469-537A-7	Sequence 7, Appl
30	29	63.0	53	2	US-08-469-537A-20	Sequence 20, Appl
31	29	63.0	154	1	US-08-363-010-1	Sequence 1, Appl
32	29	63.0	154	2	US-08-911-434A-4	Sequence 4, Appl
33	29	63.0	192	1	US-08-086-428B-58	Sequence 58, Appl
34	29	63.0	192	2	US-08-468-570-58	Sequence 58, Appl
35	29	63.0	192	2	US-08-290-665A-58	Sequence 58, Appl
36	29	63.0	192	5	PCT-US95-10398-58	Sequence 58, Appl
37	29	63.0	405	4	US-09-537-357-54	Sequence 54, Appl
38	29	63.0	427	4	US-08-481-968A-15	Sequence 15, Appl
39	29	63.0	481	4	US-07-912-122-4	Sequence 4, Appl
40	29	63.0	481	5	PCT-US93-06404-4	Sequence 4, Appl
41	29	63.0	533	1	US-08-294-872-2	Sequence 2, Appl
42	29	63.0	533	5	PCT-US95-09823-2	Sequence 2, Appl
43	29	63.0	566	4	US-09-232-468A-14	Sequence 14, Appl
44	29	63.0	569	4	US-08-686-968C-227	Sequence 227, App
45	29	63.0	616	4	US-09-136-574A-47	Sequence 47, Appl

ALIGNMENTS

RESULT 1
US-08-797-358B-3
; Sequence 3, Application US/08797358B
; Patent No. 6268478
; GENERAL INFORMATION:
; APPLICANT: Adams, John
; TITLE OF INVENTION: INTRACELLULAR VITAMIN D BINDING PROTEIN
; NUMBER OF SEQUENCES: 9
; CORRESPONDENCE ADDRESS:
; ADDRESSER: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/797,358B
; FILING DATE: 11-Feb-1997
; CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 60/011,491
; FILING DATE: 12-FEB-1996
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-CE 3165
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 3:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 643 amino acids
; TYPE: amino acid
; STRANDEDNESS: unknown
; TOPOLOGY: unknown
; MOLECULE TYPE: protein
; SEQUENCE DESCRIPTION: SEQ ID NO: 3:
US-08-797-358B-3

Query Match 84.8%; Score 39; DB 4; Length 643;
Best Local Similarity 77.8%; Pred. No. 2.4;
Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9

```

DB   288 SLFEGVDY 296      |||||:~| |
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-441-139-14

Query Match          80.4%; Score 37; DB 1; Length 646;
Best Local Similarity 77.8%; Pred. No. 6.4;
Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY    1 SLFEGIDAY 9
Db     286 SLYEGIDFY 294
      ||:|||| |
RESULT 4
5183745-3
; Patent No. 5183745
; APPLICANT: DANCHIN, ANTOINE; GLASER, PHILIPPE; KRIN, EVELYN;
; BARZU, OCTAVIEN; LADANT, DANIEL; ULLMAN, AGNES
; TITLE OF INVENTION: ADENYL CYCLASE DERIVATIVES AND THEIR
; BIOLOGICAL USES
; NUMBER OF SEQUENCES: 13
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/426,541
; FILING DATE: 25-OCT-1989
; SEQ ID NO: 3:
; LENGTH: 800
5183745-3

Query Match          71.7%; Score 33; DB 6; Length 800;
Best Local Similarity 66.7%; Pred. No. 57;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY    1 SLFEGIDAY 9
Db     721 SIFRGIQAY 729
      |:||||| 
RESULT 5
US-08-599-171A-32
; Sequence 32, Application US/08599171A
; Patent No. 5814473
; GENERAL INFORMATION:
; APPLICANT: WARREN, Patrick V.
; TITLE OF INVENTION: TRANSAMINASES AND AMINOTRANSFERASES
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: CARELLA, BYRNE, BAIN, GILFILLAN,
; STREET: 6 BECKER FARM ROAD
; CITY: ROSELAND
; STATE: NEW JERSEY
; COUNTRY: USA
; ZIP: 07068
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5 INCH DISKETTE
; COMPUTER: IBM PS/2
; OPERATING SYSTEM: MS-DOS
; SOFTWARE: WORD PERFECT 5.1
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/599,171A
; FILING DATE: Concurrently
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER:
; FILING DATE:
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: HERRON, CHARLES J.
; REGISTRATION NUMBER: 28,019
; REFERENCE/DOCKET NUMBER: 331400-38
; TELECOMMUNICATION INFORMATION:

DB   288 SLFEGVDY 296      |||||:~| |
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-441-139-14

Query Match          80.4%; Score 37; DB 4; Length 458;
Best Local Similarity 77.8%; Pred. No. 4.3;
Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY    1 SLFEGIDAY 9
Db     165 SLFDGISAY 173
      ||||| 
RESULT 3
US-08-441-139-14
; Sequence 14, Application US/08441139
; Patent No. 5773245
; GENERAL INFORMATION:
; APPLICANT: Wittrup, Dr. Karl D.
; APPLICANT: Robinson, Anne S.
; TITLE OF INVENTION: METHODS FOR INCREASING SECRETION OF
; RECOMBINANTLY EXPRESSED PROTEINS
; NUMBER OF SEQUENCES: 20
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: SCULLY, SCOTT, MURPHY & PRESSER
; STREET: 400 Garden City Plaza
; CITY: Garden City
; STATE: NY
; COUNTRY: USA
; ZIP: 11530
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/441,139
; FILING DATE: 15-MAY-1995
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/089,997
; FILING DATE: 06-JUL-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Digiglio, Frank S.
; REGISTRATION NUMBER: 31,346
; REFERENCE/DOCKET NUMBER: 8646
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 516-742-4343
; TELEFAX: 516-742-4366
; TELEX: 230 901 SANS UR
; INFORMATION FOR SEQ ID NO: 14:
; SEQUENCE CHARACTERISTICS:
; ~LENGTH: 646 amino acids
; TYPE: Amino acid
```


TELEPHONE: 201-994-1700
TELEFAX: 201-994-1744
INFORMATION FOR SEQ ID NO: 32:
SEQUENCE CHARACTERISTICS:
LENGTH: 303 AMINO ACIDS
TYPE: AMINO ACID
TOPOLOGY: LINEAR
MOLECULE TYPE: PROTEIN
US-08-599-171A-32

Query Match 69.6%; Score 32; DB 2; Length 303;
Best Local Similarity 66.7%; Pred. No. 31;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
Db 34 SIFEGIRGY 42

RESULT 6
US-08-646-590B-32
Sequence 32, Application US/08646590B
Patent No. 5962283
GENERAL INFORMATION:
APPLICANT: Warren, Patrick V.
APPLICANT: Swanson, Ronald V.
TITLE OF INVENTION: TRANSAMINASES AND AMINOTRANSFERASES
NUMBER OF SEQUENCES: 42
CORRESPONDENCE ADDRESS:
ADDRESSEE: Fish & Richardson, P.C.
STREET: 4225 Executive Square, Suite 1400
CITY: La Jolla
STATE: CA
COUNTRY: US
ZIP: 92037

COMPUTER READABLE FORM:
MEDIUM TYPE: Diskette
COMPUTER: IBM Compatible
OPERATING SYSTEM: Windows95
SOFTWARE: FastSeq for Windows Version 2.0
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/646,590B
FILING DATE: 08-May-1996
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/599,171
FILING DATE: 09-FEB-1996
PRIOR APPLICATION DATA:
APPLICATION NUMBER: PCT/US97/01094
FILING DATE: 21-January-1997
CLASSIFICATION: 435
ATTORNEY/AGENT INFORMATION:
NAME: Haile, Ph.D., Lisa A.
REGISTRATION NUMBER: 38,347
REFERENCE/DOCKET NUMBER: 09010/017001
TELECOMMUNICATION INFORMATION:
TELEPHONE: 619/678-5070
TELEFAX: 619/678-5099
INFORMATION FOR SEQ ID NO: 32:
SEQUENCE CHARACTERISTICS:
LENGTH: 303 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
FRAGMENT TYPE: Internal
US-08-646-590B-32

Query Match 69.6%; Score 32; DB 2; Length 303;
Best Local Similarity 66.7%; Pred. No. 31;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
Db 34 SIFEGIRGY 42

RESULT 7
US-09-069-226-32
Sequence 32, Application US/09069226
Patent No. 6013509
GENERAL INFORMATION:
APPLICANT: WARREN, Patrick V.
TITLE OF INVENTION: TRANSAMINASES AND AMINOTRANSFERASES
NUMBER OF SEQUENCES: 32
CORRESPONDENCE ADDRESS:
ADDRESSEE: CARELLA, BYRNE, BAIN, GILFILLAN,
ADDRESSEE: CECCHI, STEWART & OLSTEIN
STREET: 6 BECKER FARM ROAD
CITY: ROSELAND
STATE: NEW JERSEY
COUNTRY: USA
ZIP: 07068
COMPUTER READABLE FORM:
MEDIUM TYPE: 3.5 INCH DISKETTE
COMPUTER: IBM PS/2
OPERATING SYSTEM: MS-DOS
SOFTWARE: WORD PERFECT 5.1
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/069,226
FILING DATE:
CLASSIFICATION:
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/599,171
FILING DATE:
ATTORNEY/AGENT INFORMATION:
NAME: HERRON, CHARLES J.
REGISTRATION NUMBER: 28,019
REFERENCE/DOCKET NUMBER: 331400-38
TELECOMMUNICATION INFORMATION:
TELEPHONE: 201-994-1700
TELEFAX: 201-994-1744
INFORMATION FOR SEQ ID NO: 32:
SEQUENCE CHARACTERISTICS:
LENGTH: 303 AMINO ACIDS
TYPE: AMINO ACID
TOPOLOGY: LINEAR
MOLECULE TYPE: PROTEIN
US-09-069-226-32

Query Match 69.6%; Score 32; DB 3; Length 303;
Best Local Similarity 66.7%; Pred. No. 31;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
Db 34 SIFEGIRGY 42

RESULT 8
US-09-412-184-32
Sequence 32, Application US/09412184
Patent No. 6268188
GENERAL INFORMATION:
APPLICANT: Warren, Patrick V.
APPLICANT: Swanson, Ronald V.
TITLE OF INVENTION: TRANSAMINASES AND AMINOTRANSFERASES
NUMBER OF SEQUENCES: 42
CORRESPONDENCE ADDRESS:
ADDRESSEE: Fish & Richardson, P.C.
STREET: 4225 Executive Square, Suite 1400
CITY: La Jolla
STATE: CA
COUNTRY: US

ZIP: 92037
COMPUTER READABLE FORM:
MEDIUM TYPE: Diskette
COMPUTER: IBM Compatible
OPERATING SYSTEM: Windows95
SOFTWARE: FastSEO for Windows Version 2.0
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/412,184
FILING DATE:
CLASSIFICATION:
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US/08/646,590
FILING DATE: 08-May-1996
APPLICATION NUMBER: 08/599,171
FILING DATE: 09-FEB-1996
PRIOR APPLICATION DATA:
APPLICATION NUMBER: PCT/US97/01094
FILING DATE: 21-January-1997
CLASSIFICATION:
ATTORNEY/AGENT INFORMATION:
NAME: Halle, Ph.D., Lisa A.
REGISTRATION NUMBER: 38,347
REFERENCE/DOCKET NUMBER: 09010/017001
TELECOMMUNICATION INFORMATION:
TELEPHONE: 619/678-5070
TELEFAX: 619/678-5099
INFORMATION FOR SEQ ID NO: 32:
SEQUENCE CHARACTERISTICS:
LENGTH: 303 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
FRAGMENT TYPE: Internal
US-09-412-184-32

Query Match 69.6%; Score 32; DB 4; Length 303;
Best Local Similarity 66.7%; Pred. No. 31;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
I:||||| I
Db 34 SIFEGIRGY 42

RESULT 9
US-08-812-412-2
Sequence 2, Application US/08812412
Patent No. 5989869
GENERAL INFORMATION:
APPLICANT: FILIPPINI, Silvia
APPLICANT: LOMOVSKAYA, Natalia
APPLICANT: FOSTEIN, Leonid
APPLICANT: COLOMBO, Anna L.
APPLICANT: HUTCHINSON, C. R.
TITLE OF INVENTION: PROCESS FOR PREPARING DAUNORUBICIN AND
NUMBER OF SEQUENCES: 4
CORRESPONDENCE ADDRES:
ADDRESSEE: Nikola, Marmelstein, Murray & Oram
STREET: 655 Fifteenth Street N.W. Suite 330
CITY: Washington
STATE: D.C.
COUNTRY: U.S.A.
ZIP: 20005-5701
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
FILING DATE: 05-MAR-1998
APPLICATION NUMBER: PCT/US98/03938
PRIOR APPLICATION DATA:
FILING DATE: 28-JUL-1997
APPLICATION NUMBER: US 08/901,306
FILING DATE: 06-MAR-1997
APPLICATION NUMBER: US 08/812,412
FILING DATE: 06-MAR-1997
ATTORNEY/AGENT INFORMATION:
NAME: Kitts, Monica C.
REGISTRATION NUMBER: 36,105
REFERENCE/DOCKET NUMBER: P1615-8010
TELECOMMUNICATION INFORMATION:
TELEPHONE: (202)638-5000
TELEFAX: (202)638-4810
INFORMATION FOR SEQ ID NO: 5:
FILING DATE:

CLASSIFICATION: 435
ATTORNEY/AGENT INFORMATION:
NAME: Kitts, Monica C.
REGISTRATION NUMBER: 36,105
REFERENCE/DOCKET NUMBER: P1615-7005
TELECOMMUNICATION INFORMATION:
TELEPHONE: (202)638-5000
TELEFAX: (202)638-4810
INFORMATION FOR SEQ ID NO: 2:
SEQUENCE CHARACTERISTICS:
LENGTH: 403 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-812-412-2

Query Match 67.4%; Score 31; DB 2; Length 403;
Best Local Similarity 75.0%; Pred. No. 70;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDA 8
I:|||||
Db 182 SVRGIDA 189

RESULT 10
US-09-180-271-5
Sequence 5, Application US/09180271
Patent No. 6210930
GENERAL INFORMATION:
APPLICANT: FILIPPINI, Silvia
APPLICANT: LOMOVSKAYA, Natalia
APPLICANT: FOSTEIN, Leonid
APPLICANT: COLOMBO, Anna L.
APPLICANT: HUTCHINSON, C. Richard
APPLICANT: OTTEN, Sharee L.
APPLICANT: BREME, Umberto
TITLE OF INVENTION: PROCESS FOR PREPARING DOXORUBICIN
NUMBER OF SEQUENCES: 7
CORRESPONDENCE ADDRESS:
ADDRESSEE: Nikola, Marmelstein, Murray & Oram
STREET: 655 Fifteenth Street N.W. Suite 330
CITY: Washington
STATE: D.C.
COUNTRY: U.S.A.
ZIP: 20005-5701
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
FILING DATE: 14-JAN-1999
APPLICATION NUMBER: US/09/180,271
PRIOR APPLICATION DATA:
FILING DATE: 05-MAR-1998
APPLICATION NUMBER: PCT/US98/03938
PRIOR APPLICATION DATA:
FILING DATE: 28-JUL-1997
APPLICATION NUMBER: US 08/901,306
FILING DATE: 06-MAR-1997
APPLICATION NUMBER: US 08/812,412
FILING DATE: 06-MAR-1997
ATTORNEY/AGENT INFORMATION:
NAME: Kitts, Monica C.
REGISTRATION NUMBER: 36,105
REFERENCE/DOCKET NUMBER: P1615-8010
TELECOMMUNICATION INFORMATION:
TELEPHONE: (202)638-5000
TELEFAX: (202)638-4810
INFORMATION FOR SEQ ID NO: 5:
SEQUENCE CHARACTERISTICS:

;
; LENGTH: 403 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-180-271-5

Query Match 67.4%; Score 31; DB 4; Length 403;
Best Local Similarity 75.0%; Pred. No. 70;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDA 8
Db 182 SVFERGIDA 189
1:11111

RESULT 11
US-09-079-415-4
; Sequence 4, Application US/09079415
; Patent No. 6013452
; GENERAL INFORMATION:
; APPLICANT: Christensen, Tove
; APPLICANT: Lehmbeck, Jan
; TITLE OF INVENTION: A Fungus Wherein The areA, pepC and/or
; TITLE OF INVENTION: pepE Genes Have Been Inactivated
; NUMBER OF SEQUENCES: 12
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: No. 6013452o No. 6013452disk of No. 6013452th America, Inc.
; STREET: 405 Lexington Avenue
; CITY: New York
; STATE: NY
; COUNTRY: USA
; ZIP: 10174
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSeq for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/079,415
; FILING DATE: 14-MAY-1998
; CLASSIFICATION:
; ATTORNEY/AGENT INFORMATION:
; NAME: Rozek, Carol
; REGISTRATION NUMBER: 36,993
; REFERENCE/DOCKET NUMBER: 4657.204-US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 212-867-0123
; TELEFAX: 212-878-9655
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 495 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-079-415-4

Query Match 67.4%; Score 31; DB 3; Length 495;
Best Local Similarity 83.3%; Pred. No. 88;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 4 EGIDAY 9
Db 173 EGVDA 178
1:11111

RESULT 12
US-08-225-488-2
; Sequence 2, Application US/08225488
; Patent No. 5846802
; GENERAL INFORMATION:
; APPLICANT: Buxton, Frank

;
; APPLICANT: Hinnen, Albert
; APPLICANT: Visser, Jacob
; TITLE OF INVENTION: No. 5846802el Fungal Protease
; NUMBER OF SEQUENCES: 18
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Ciba-Geigy Corporation
; STREET: 7 Skyline Drive
; CITY: Hawthorne
; STATE: NY
; COUNTRY: USA
; ZIP: 10532
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/225,488
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/047,214
; FILING DATE: 13-APR-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Spruill, W. Murray
; REGISTRATION NUMBER: 32,943
; REFERENCE/DOCKET NUMBER: 4-19055/A/CIP
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 919-541-8615
; TELEFAX: 919-541-8689
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 533 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-225-488-2

Query Match 67.4%; Score 31; DB 2; Length 533;
Best Local Similarity 83.3%; Pred. No. 96;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 4 EGIDAY 9
Db 173 EGVDA 178
1:11111

RESULT 13
US-08-190-802A-221
; Sequence 221, Application US/08190802A
; Patent No. 5519003
; GENERAL INFORMATION:
; APPLICANT: Mochly-Rosen, Daria
; APPLICANT: Ron, Dorit
; TITLE OF INVENTION: WD-40 - Derived Peptides and Uses
; TITLE OF INVENTION: Thereof
; NUMBER OF SEQUENCES: 265
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Dehlinger & Associates
; STREET: P.O. Box 60850
; CITY: Palo Alto
; STATE: CA
; COUNTRY: USA
; ZIP: 94306-0850
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/190,802A
; FILING DATE: 01-FEB-1994

```
; CLASSIFICATION: 530
; ATTORNEY/AGENT INFORMATION:
; NAME: Fabian, Gary R.
; REGISTRATION NUMBER: 33,875
; REFERENCE/DOCKET NUMBER: 8600-0139
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 324-0880
; TELEFAX: (415) 324-0960
; INFORMATION FOR SEQ ID NO: 221:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 35 amino acids
; TYPE: amino acid
; TOPOLOGY: unknown
; MOLECULE TYPE: peptide
; HYPOTHETICAL: NO
; ANTI-SENSE: NO
; ORIGINAL SOURCE:
; INDIVIDUAL ISOLATE: SOF1 rIII, Fig. 43
; US-08-190-802A-221

Query Match 65.2%; Score 30; DB 1; Length 35;
Best Local Similarity 55.6%; Pred. No. 7.1,
Matches 5; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

Qy 1 SLFEGIDAY 9
Db 10 SAFQIDSH 18

RESULT 14
US-08-477-346-221
; Sequence 221, Application US/08477346
; Patent No. 6262023
; GENERAL INFORMATION:
; APPLICANT: Mochly-Rosen, Daria
; APPLICANT: Ron, Dorit
; TITLE OF INVENTION: WD-40 - Derived Peptides and Uses
; TITLE OF INVENTION: thereof
; NUMBER OF SEQUENCES: 265
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Morrison & Foerster
; STREET: 2000 Pennsylvania Avenue, NW
; CITY: Washington
; STATE: DC
; COUNTRY: USA
; ZIP: 20006-1812
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/477,346
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 514
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/487,072
; FILING DATE: 07-JUN-1995
; ATTORNEY/AGENT INFORMATION:
; NAME: MURASHIGE, KATE H.
; REGISTRATION NUMBER: 29,959
; REFERENCE/DOCKET NUMBER: 2550-0025.20
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (202) 887-1500
; TELEFAX: (202) 887-0763
; INFORMATION FOR SEQ ID NO: 221:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 35 amino acids
; TYPE: amino acid
; TOPOLOGY: unknown
; MOLECULE TYPE: peptide
; HYPOTHETICAL: NO

; ANTI-SENSE: NO
; ORIGINAL SOURCE:
; INDIVIDUAL ISOLATE: SOF1 rIII, Fig. 43
; US-08-477-346-221

Query Match 65.2%; Score 30; DB 4; Length 35;
Best Local Similarity 55.6%; Pred. No. 7.1,
Matches 5; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

Qy 1 SLFEGIDAY 9
Db 10 SAFQIDSH 18

RESULT 15
US-08-245-511-22
; Sequence 22, Application US/08245511
; Patent No. 5928900
; GENERAL INFORMATION:
; APPLICANT: Masure, H Robert
; APPLICANT: Pearce, Barbara J
; APPLICANT: Tuomanen, Elaine
; TITLE OF INVENTION: BACTERIAL EXPORTED PROTEINS AND
; TITLE OF INVENTION: ACCELLULAR VACCINES BASED THEREON
; NUMBER OF SEQUENCES: 58
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Klauber & Jackson
; STREET: 411 Hackensack Avenue
; CITY: Hackensack
; STATE: New Jersey
; COUNTRY: USA
; ZIP: 07601
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/245,511
; FILING DATE: 18-MAY-1994
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/116,541
; FILING DATE: 01-SEP-1994
; ATTORNEY/AGENT INFORMATION:
; NAME: Jackson Esq., David A.
; REGISTRATION NUMBER: 26,742
; REFERENCE/DOCKET NUMBER: 600-1-069 CIP
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 201 487-5800
; TELEFAX: 201 343-1684
; TELEX: 133521
; INFORMATION FOR SEQ ID NO: 22:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 83 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-245-511-22

Query Match 65.2%; Score 30; DB 2; Length 83;
Best Local Similarity 57.1%; Pred. No. 19;
Matches 4; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

Qy 3 FEGIDAY 9
Db 26 FEGVESY 32

Search completed: December 6, 2001, 07:59:56
```

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 08:00:51 ; Search time 50.21 Seconds
(without alignments)
6.572 Million cell updates/sec

Title: PEP1-MOD8A
Perfect score: 46
Sequence: 1 SLFEGIDAY 9

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 100059 seqs, 36664827 residues
Total number of hits satisfying chosen parameters: 100059

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : SwissProt_39:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	DB ID	Description
1	40	87.0	322	1 HS70_ONCVO	P11503 onchocerca
2	40	87.0	372	1 HS72_PARLI	P22623 paracentrot
3	40	87.0	420	1 HS73_MOUSE	Q61696 mus musculu
4	40	87.0	503	1 HS70_PENCI	Q92260 penicillium
5	40	87.0	634	1 HS70_CHICK	P08106 gallus gall
6	40	87.0	638	1 HS71_CERAE	P28222 cercopithec
7	40	87.0	638	1 HS72_YEAST	P10592 saccharomyc
8	40	87.0	639	1 HS74_PARLI	Q06248 paracentrot
9	40	87.0	640	1 HS7A_CAEEL	P09446 caenorhabdi
10	40	87.0	640	1 HS7C_DICDI	P36415 dictyostell
11	40	87.0	641	1 HS71_BOVIN	Q27975 bos taurus
12	40	87.0	641	1 HS71_HUMAN	P08107 homo sapien
13	40	87.0	641	1 HS71_MOUSE	P17879 mus musculu
14	40	87.0	641	1 HS71_PIG	P34930 sus scrofa
15	40	87.0	641	1 HS71_RAT	P07439 rattus norv
16	40	87.0	641	1 HS71_YEAST	P10591 saccharomyc
17	40	87.0	641	1 HS72_BOVIN	Q27965 bos taurus
18	40	87.0	641	1 HS74_YEAST	P22202 saccharomyc
19	40	87.0	644	1 HS70_BRUMA	P27541 brugia mala
20	40	87.0	644	1 HS70_ONCTS	Q91233 oncorhynchu
21	40	87.0	645	1 HS70_PLEWA	Q91291 pleurodeles
22	40	87.0	646	1 HS70_NEUCR	Q01233 neurospora
23	40	87.0	647	1 HS70_XENLA	P02827 xenopus lae
24	40	87.0	649	1 HS70_BLAEM	P48720 blastoclad
25	40	87.0	652	1 HS7D_WANSE	Q9u639 manduca sex
26	39	84.8	214	1 HS7A_DROSI	P02826 drosophila
27	39	84.8	379	1 HS7X_PIG	P34934 sus scrofa
28	39	84.8	641	1 HS7A_DROME	P29843 drosophila
29	39	84.8	643	1 HS76_HUMAN	P17066 homo sapien
30	39	84.8	643	1 HS76_PIG	Q04967 sus scrofa
31	39	84.8	648	1 HS71_PUCGR	Q01877 puccinia gr
32	38	82.6	638	1 HS70_CERCA	P91902 ceratitis c
33	37	80.4	641	1 HS73_RAT	P55063 rattus norv

34	37	80.4	641	1 HS7H_HUMAN	P34931 homo sapien
35	37	80.4	641	1 HS7T_MOUSE	P16627 mus musculu
36	37	80.4	642	1 HS72_PICAN	P53623 pichia angu
37	37	80.4	643	1 HS7L_SCHPO	Q10265 schizosacch
38	37	80.4	644	1 HS71_PICAN	P53421 pichia angu
39	37	80.4	644	1 HS72_LYCES	P27322 lycopersico
40	37	80.4	645	1 HS70_SOYBN	P26413 glycine max
41	37	80.4	646	1 HS7C_CRIGR	P19378 cricetus
42	37	80.4	646	1 HS7C_HUMAN	P11142 homo sapien
43	37	80.4	646	1 HS7C_MOUSE	P08109 mus musculu
44	37	80.4	649	1 HS70_PARRR	P87047 paracoccidi
45	37	80.4	649	1 HS73_ARATH	O65719 arabidopsis

ALIGNMENTS

RESULT 1
HS70_ONCVO STANDARD; PRT; 322 AA.
AC P11503;
DT 01-OCT-1989 (Rel. 12, Created)
DT 01-FEB-1996 (Rel. 33, Last sequence update)
DT 01-FEB-1996 (Rel. 33, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN (HSP70) (FRAGMENT).
OS Onchocerca volvulus.
OC Eukaryota; Metazoa; Nematoda; Chromadorea; Spirurida; Filarioidea;
OC Onchocercidae; Onchocerca.
OX NCBI_TaxID=6282;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=89201313; PubMed=2704388;
RA Rotstein N.M., Higashi G., Yates J., Rajan T.V.;
RT "Onchocerca volvulus heat shock protein 70 is a major immunogen in
amicrofilaremic individuals from a filariasis-endemic area.";
RL Mol. Biochem. Parasitol. 33:229-236(1989).
CC -!- DISEASE: HEAT SHOCK PROTEIN 70 IS A MAJOR IMMUNOGEN IN A
MICROFILAREMIC INDIVIDUALS FROM A FILARIASIS-ENDEMIC AREA.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC

This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See <http://www.isb-sib.ch/announce/> or send an email to license@isb-sib.ch).

EMBL; J04006; AAA29417.1; -
DR HSSP; P19120; LATR.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PROSITE; PS00297; HSP70_1; PARTIAL.
DR PROSITE; PS00329; HSP70_2; PARTIAL.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Heat shock.
FT NON_TER 1
FT NON_TER 322
SQ SEQUENCE 322 AA; 35614 MW; 2BA3A2E8155A7180 CRC64;

Query Match 87.0%; Score 40; DB 1; Length 322;
Best Local Similarity 88.9%; Pred. No. 0.61;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
Db 43 SLFEGIDFY 51

RESULT 2
HS72_PARLI STANDARD; PRT; 372 AA.
ID HS72_PARLI

```

AC P22623;
AT 01-AUG-1991 (Rel. 19, Created)
DT 01-AUG-1991 (Rel. 19, Last sequence update)
DE 01-JUN-1994 (Rel. 29, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN II (HSP70 II) (FRAGMENT).
GN HSP70II.
OS Paracentrotus lividus (Common sea urchin).
OC Eukaryota; Metazoa; Echinodermata; Eleutherozoa; Echinozoa;
OC Echinoidae; Euechinoidae; Echinacea; Echinoidae; Echinidae;
OC Paracentrotus.
OX NCBI_TaxID=7656;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Gonad;
RX MEDLINE=91099690; PubMed=2269441;
RA la Rosa M., Sconzo G., Giudice G., Roccheri M.C., di Carlo M.;
RT "Sequence of a sea urchin hsp70 gene and its 5' flanking region.";
RL Gene 96:295-300(1990).
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; X16544; CAA34544.1; -
DR PIR; PQ0138; PQ0138.
DR HSSP; P19120; INGI.
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70.1.
DR PROSITE; PS00297; HSP70.1; 1.
DR PROSITE; PS00329; HSP70.2; PARTIAL.
DR PROSITE; PS01036; HSP70.3; 1.
DR ATP-binding; Heat shock; Multigene family.
KW NON_TER 372
FT SEQUENCE 372 AA; 41347 MW; 5F8C1C590527A659 CRC64;
SQ

```

```

Query Match      87.0%; Score 40; DB 1; Length 372;
Best Local Similarity 88.9%; Pred. No. 0.72;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

```

QY 1 SLFEGIDAY 9
Db 286 SLFEGIDY 294

```

```

RESULT 3
HS73_MOUSE
ID HS73_MOUSE STANDARD; PRT; 420 AA.
AC O61696; O61697;
DT 01-NOV-1997 (Rel. 35, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DE HEAT SHOCK 70 KDA PROTEIN 3 (HSP70.3) (FRAGMENT).
GN HSP70-3 OR HSP70A1.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=86111900; PubMed=2868009;
RA Lowe D.G., Moran L.A.;
RT "Molecular cloning and analysis of DNA complementary to three mouse
RT Mr = 68,000 heat shock protein mRNAs.";
RL J. Biol. Chem. 261:2102-2112(1986).
RN [2]
RP SEQUENCE OF 155-420 FROM N.A.
RX MEDLINE=94357449; PubMed=8076831;

```

```

RA Perry M.D., Aujame L., Shtang S., Moran L.A.;
RT "Structure and expression of an inducible HSP70-encoding gene from
RT Mus musculus.";
RL Gene 146:273-278(1994).
CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC -!- INDUCTION: BY HEAT SHOCK.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; M12571; AAA57234.1; -
DR EMBL; M12572; AAA57235.1; -
DR HSSP; P19120; IATR.
DR MGD; MGI:96244; Hsp70-3.
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70.1.
DR PROSITE; PS00297; HSP70.1; PARTIAL.
DR PROSITE; PS00329; HSP70.2; PARTIAL.
DR PROSITE; PS01036; HSP70.3; 1.
KW ATP-binding; Chaperone; Heat shock; Multigene family.
FT NON_TER 188
FT VARIANT 188 188 V -> G.
SQ SEQUENCE 420 AA; 46292 MW; 5DA1C6155C7B16B5 CRC64;

```

```

Query Match      87.0%; Score 40; DB 1; Length 420;
Best Local Similarity 88.9%; Pred. No. 0.82;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

```

QY 1 SLFEGIDAY 9
Db 65 SLFEGIDFY 73

```

```

RESULT 4
HS70_PENCI
ID HS70_PENCI STANDARD; PRT; 503 AA.
AC Q92260;
DT 20-AUG-2001 (Rel. 40, Created)
DT 20-AUG-2001 (Rel. 40, Last sequence update)
DE HEAT SHOCK 70 KDA PROTEIN (ALLERGEN PEN C 19) (FRAGMENT).
GN HSP70.
OS Penicillium citrinum.
OC Eukaryota; Fungi; Ascomycota; Pezizomycotina; Eurotiomycetes;
OC Eurotiales; Trichocomaceae; mitosporic Trichocomaceae; Penicillium.
OX NCBI_TaxID=5077;
RN [1]
RP SEQUENCE FROM N.A.
RA Shen H.D., Au L.C., Lin W.L., Liaw S.F., Tsai J.J., Han S.H.;
RT "Molecular cloning and expression of a Penicillium citrinum
RT allergen with sequence homology and antigenic cross-reactivity to
RT a hsp70 human heat shock protein.";
RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way

```

CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----

DR EMBL; U64207; AAB06397.1; -
DR HSSP; P19120; 3HSC.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
DR ATP-binding; Chapterone; Heat shock; Allergen.
KW NON_TER 1
FT
SQ SEQUENCE 503 AA; 55125 MW; B7433C11FAEA1320 CRC64;

Query Match 87.0%; Score 40; DB 1; Length 503;
Best Local Similarity 88.9%; Pred. No. 1;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
Db 154 SLFEGIDFY 162
|||||||

RESULT 5
HS70_CHICK
ID HS70_CHICK STANDARD; PRT; 634 AA.
AC P08106;
DT 01-AUG-1988 (Rel. 08, Created)
DT 01-AUG-1988 (Rel. 08, Last sequence update)
DT 01-FEB-1994 (Rel. 28, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN (HSP70).
OS Gallus gallus (Chicken).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Archosauria; Aves; Neognathae; Galliformes; Phasianidae;
OC Gallus.
OX NCBI_TaxID=9031;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=86304452; PubMed=3017985;

RA Morimoto R.I., Hunt C., Huang S.-Y., Berg K.L., Banerji S.S.;
RT "Organization, nucleotide sequence, and transcription of the chicken
RT HSP70 gene.";
RL J. Biol. Chem. 261:12692-12699 (1986).

CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----

DR EMBL; J02579; AAA48825.1; -
DR PIR; A25646; A25646.
DR HSSP; P19120; 1ATR.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
DR ATP-binding; Chapterone; Heat shock; Multigene family.
KW SEQUENCE 634 AA; 69750 MW; 4270F7F08D365AEB CRC64;

Query Match 87.0%; Score 40; DB 1; Length 634;
Best Local Similarity 88.9%; Pred. No. 1.3;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9

Db 289 SLFEGIDFY 297
|||||||

RESULT 6
HS71_CERAE
ID HS71_CERAE STANDARD; PRT; 638 AA.
AC Q2822;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1.
GN HSPAL.
OS Cercopithecus aethiops (Green monkey) (Grivet).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Cercopithecidae;
OC Cercopithecinae; Cercopithecus.
OX NCBI_TaxID=9534;
RN [1]
RP SEQUENCE FROM N.A.
RX TISSUE=Kidney;
RX MEDLINE=95080396; PubMed=7988690;

RA Sainis I., Angelidis C., Pagoulatos G., Lazaridis I.;
RT "The hsc70 gene which is slightly induced by heat is the main virus
RT inducible member of the hsp70 gene family.";
RL FEBS Lett. 355:282-286 (1994).

CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC
CC RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR
CC PROTEIN TRANSLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION
CC PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE
CC PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE
CC CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE
CC SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES
CC DURING TRANSLATION AND MEMBRANE TRANSLOCATION, OR FOLLOWING
CC STRESS-INDUCED DAMAGE.

CC -!- INDUCTION: BY HEAT SHOCK.

CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.

CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----

DR EMBL; X70684; CAA50019.1; -
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Chapterone; Heat shock; Multigene family; MHC III.
SQ SEQUENCE 638 AA; 69920 MW; D55076A0FFAB6AB3 CRC64;

Query Match 87.0%; Score 40; DB 1; Length 638;
Best Local Similarity 88.9%; Pred. No. 1.3;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
Db 284 SLFEGIDFY 292
|||||||

RESULT 7
HS72_YEAST
ID HS72_YEAST STANDARD; PRT; 638 AA.
AC P10592;

01-JUL-1989 (Rel. 11, Created)
01-OCT-1994 (Rel. 30, Last sequence update)
01-OCT-1996 (Rel. 34, Last annotation update)
HEAT SHOCK PROTEIN SSA2.
SSA2 OR YLI024C OR I0931.
Saccharomyces cerevisiae (Baker's yeast).
Eukaryota; Fungi; Ascomycota; Saccharomycotina; Saccharomycetes;
Saccharomycetales; Saccharomycetaceae; Saccharomycetes.
NCBI_TaxId=4932;
[1]
SEQUENCE FROM N.A.
STRAIN=S288C;
MEDLINE=89128457; PubMed=2644626;
Slater M.R., Craig E.A.;
"The SRA1 and SSA2 genes of the yeast Saccharomyces cerevisiae.";
Nucleic Acids Res. 17:805-806(1989).
[2]
SEQUENCE FROM N.A.
STRAIN=S288C;
Purnelle B., Goffeau A.;
Submitted (APR-1996) to the EMBL/GenBank/DDBJ databases.
[3]
SEQUENCE OF 71-638 FROM N.A.
Duesterhoef A., Floeth M., Heuss-Neitzel D., Hilbert H., Moestl D.;
Submitted (MAY-1996) to the EMBL/GenBank/DDBJ databases.
[4]
SEQUENCE OF 91-97 AND 325-341.
STRAIN=S288C;
MEDLINE=95203288; PubMed=7895733;
Garrels J.I., Futcher B., Kobayashi R., Latter G.I., Schwender B.,
Volpe T., Warner J.R., McLaughlin C.S.;
"Protein identifications for a Saccharomyces cerevisiae protein
database";
Electrophoresis 15:1466-1486(1994).
[5]
SEQUENCE OF 186-195.
STRAIN=ATCC 38531 / Y41;
MEDLINE=97089742; PubMed=8935650;
Norbeck J., Blomberg A.;
"Protein expression during exponential growth in 0.7 M NaCl medium of
Saccharomyces cerevisiae";
FEMS Microbiol. Lett. 137:1-8(1996).
[6]
ACETYLATION, AND PHOSPHORYLATION.
Garrels J.I., Futcher B., Kobayashi R., Latter G.I., Schwender B.,
Volpe T., Warner J.R., McLaughlin C.S.;
Submitted (SEP-1994) to the SWISS-PROT data bank.
--!- FUNCTION: SSA2 MAY PLAY A ROLE IN THE TRANSPORT OF POLYPEPTIDES
BOTH ACROSS THE MITOCHONDRIAL MEMBRANES AND INTO THE
ENDOPLASMATIC RETICULUM. A FUNCTIONAL DIFFERENCE BETWEEN YEAST
SSA1 AND SSA2 PROTEINS IS EXPECTED. SSA2 CAN PARTICIPATE IN THE
ATP-DEPENDENT DISASSEMBLY OF CLATHRIN-COATED VESICLES.
--!- SUBCELLULAR LOCATION: CYTOPLASMIC.
--!- PTM: PHOSPHORYLATED.
--!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.

This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL Outstation -
European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See http://www.isb-sib.ch/announce/
or send an email to licens@lsb-sib.ch).

EMBL; X12927; CAA31394.1; -;
DR EMBL; Z73129; CAA97472.1; -;
DR EMBL; X97560; CAA66167.1; -;
DR PIR; S20139; S20139.
DR HSP; P19120; INGJ.
DR SWISS-2DPAGE; P10592; YEAST.
DR YEPD; 9800; -;
DR SGD; S0003947; SSA2.
DR InterPro; IPR001023; HSP70.


```

RESULT 9
HS7A_CAEEL STANDARD; PRT; 640 AA.
ID P09446;
AC
DT 01-MAR-1989 (Rel. 10, Created)
DT 01-MAR-1989 (Rel. 10, Last sequence update)
DT 01-FEB-1994 (Rel. 28, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN A.
GN HSP-1 OR HSP70A.
OS Caenorhabditis elegans.
OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidae;
OC Rhabditidae; Peloderinae; Caenorhabditis.
OX NCBI_TaxID=6239;
RN [1]
RP SEQUENCE FROM N.A. PubMed=2841196;
RX MEDLINE=88297155; PubMed=2841196;
RA Snutch T.P., Heschl M.F.P., Baillie D.L.;
RT "The Caenorhabditis elegans hsp70 gene family: a molecular genetic
RL Gene 64:241-255(1988).
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; M18540; AAA28078.1; -.
DR PIR; JTO285; HHKW7A.
DR HSSP; P19120; LNCI.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Heat shock; Multigene family.
SQ SEQUENCE 640 AA; 69823 MW; ED15409D08C500C2 CRC64;

Query Match 87.0%; Score 40; DB 1; Length 640;
Best Local Similarity 88.9%; Pred. No. 1.3;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
Db 287 SLFEGIDFY 295

RESULT 10
HS7C_DICDI STANDARD; PRT; 640 AA.
ID HS7C_DICDI
AC P36415;
DT 01-JUN-1994 (Rel. 29, Created)
DT 01-JUN-1994 (Rel. 29, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HEAT SHOCK COGNATE PROTEIN (AGINACTIN).
GN HSPB OR HSC70.
OS Dictyostelium discoideum (Slime mold).
OC Eukaryota; Mycetozoa; Dictyostellida; Dictyostelium.
OX NCBI_TaxID=44689;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=94008983; PubMed=8404847;
RA Haus U., Trommler P., Fisher P.R., Hartmann H., Lottspeich F.,
RA Noegel A.A., Schleicher M.;
RT "The heat shock cognate protein from Dictyostelium affects actin
polymerization through interaction with the actin-binding protein

```

```

cap32/34.";
RL EMBO J. 12:3763-3771(1993).
RN [2]
RP SEQUENCE FROM N.A., AND SEQUENCE OF 34-46; 102-106 AND 298-309.
RX STRAIN=AX3;
MEDLINE=94043116; PubMed=8226849;
RA Eddy R.J., Sauter R.A., Condeelis J.S.;
RT "Aginactin, an agonist-regulated F-actin capping activity is
associated with an Hsc70 in Dictyostelium.";
J. Biol. Chem. 268:23267-23274(1993).
CC -!- FUNCTION: AFFECTS ACTIN POLYMERIZATION THROUGH INTERACTION WITH
THE ACTIN-BINDING PROTEIN CAP32/34. ACTS AS A CHAPERONE BY
STIMULATING THE REFOLDING OF DENATURATED CAP32 AND CAP34.
-!- SUBCELLULAR LOCATION: CYTOPLASMIC. FOUND IN F-ACTIN-RICH REGIONS
OF THE CELL CORTEX AND CELL PROTRUSIONS.
CC -!- DEVELOPMENTAL STAGE: HEAT SHOCK COGNATE PROTEINS ARE EXPRESSED
CONSTITUTIVELY DURING NORMAL DEVELOPMENT.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; X75263; CAA53039.1; -.
DR EMBL; L22736; AAA33219.1; -.
DR PIR; S37394; S37394.
DR HSSP; P19120; LNCI.
DR DictyDb; DD01078; hspB.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Chaperone.
FT CONFLICT 1 29
MSSSIDLTGTTSCVGVQWQNDVRVEIAND ->
IIHHINGNATWVVEGSPVSEVLSFN (IN REF. 2).
N -> T (IN REF. 2).
V -> A (IN REF. 2).
R -> A (IN REF. 2).
S -> A (IN REF. 2).
V -> A (IN REF. 2).
I -> L (IN REF. 2).
F -> P (IN REF. 2).
SQ SEQUENCE 640 AA; 70499 MW; 2E6BDC2DB96A9F5D CRC64;

Query Match 87.0%; Score 40; DB 1; Length 640;
Best Local Similarity 88.9%; Pred. No. 1.3;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
Db 284 SLFEGIDFY 292

RESULT 11
HS7L_BOVIN STANDARD; PRT; 641 AA.
ID HS7L_BOVIN
AC Q27975; Q27964;
DT 01-NOV-1997 (Rel. 35, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70-1).
GN HSP70-1.
OS Bos taurus (Bovine).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovidae;

```

```

OC Bovidae; Bovinae; Bos.
OX NCBI_TaxID=9913;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Skeletal muscle;
RX MEDLINE=95126904; PubMed=7826329;
RA Gutierrez J.A., Guerrilero V.;
RT "Chemical modifications of a recombinant bovine stress-inducible 70
RT kDa heat-shock protein (Hsp70) mimics Hsp70 isoforms from tissues.";
RL Biochem. J. 305:137-203(1995).
RN [2]
RP SEQUENCE OF 212-641 FROM N.A.
RC STRAIN=ANGUS;
RX MEDLINE=95030563; PubMed=7943958;
RA Grosz M.D., Skow L.C., Stone R.T.;
RT "An AluI polymorphism at the bovine 70 kD heat-shock protein-1
RT (Hsp70-1) locus.";
RL Anim. Genet. 25:196-196(1994).
CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDIATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC
CC RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR
CC PROTEIN TRANSLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION
CC PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE
CC PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE
CC CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE
CC SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES
CC DURING TRANSLATION AND MEMBRANE TRANSLOCATION, OR FOLLOWING
CC STRESS-INDUCED DAMAGE.
CC -1- INDUCTION: BY HEAT SHOCK.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (see http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; U09861; AAA73914.1; -
CC EMBL; U02891; AAA03450.1; -
CC HSPSP; P19120; INGC.
CC InterPro: IPR001023; HSP70.
CC Pfam: PF00012; HSP70.
CC PRINTS: PR00301; HEATSHOCK70.
CC PROSITE; PS00297; HSP70_1; 1.
CC PROSITE; PS00329; HSP70_2; 1.
CC PROSITE; PS01036; HSP70_3; 1.
CC ATP-binding; Chaperone; Heat shock; Multigene family.
CC SEQUENCE 641 AA; 70250 MW; 6D548263E98780F9 CRC64;
SQ

```

```

Query Match 87.0%; Score 40; DB 1; Length 641;
Best Local Similarity 88.9%; Pred. No. 1.3;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

Qy 1 SLFEGIDAY 9

||||||| 1

Db 286 SLFEGIDFY 294

RESULT 12

HS71_HUMAN

ID HS71_HUMAN STANDARD; PRT; 641 AA.

AC P08107; P19790; Q9UQ00; Q9UQL9;

DT 01-AUG-1988 (Rel. 08, Created)

DT 01-FEB-1994 (Rel. 28, Last sequence update)

DT 20-AUG-2001 (Rel. 40, Last annotation update)

DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70.1) (HSP70-1/HSP70-2).

GN (HSPA1A OR HSPA1) AND HSPA1B.

OS Homo sapiens (Human).

```

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OX Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=91055806; PubMed=1700760;
RA Milner C.M., Campbell R.D.;
RT "Structure and expression of the three MHC-linked HSP70 genes.";
RL Immunogenetics 32:242-251(1990).
RN [2]
RP SEQUENCE FROM N.A.
RX MEDLINE=86016721; PubMed=3931075;
RA Hunt C., Morimoto R.I.;
RT "Conserved features of eukaryotic hsp70 genes revealed by comparison
RT with the nucleotide sequence of human hsp70.";
RL Proc. Natl. Acad. Sci. U.S.A. 82:6455-6459(1985).
RN [3]
RP SEQUENCE FROM N.A. (HSPA1A AND HSPA1B).
RA Rowen L., Qin S., Madan A., Dickhoff R., Dors M., Madan A., Hicks P.,
RA Loretz C., Ratcliffe A., Abbasi N., Shafer T., Hood L.;
RT "Sequence of the human major histocompatibility complex class III
RT region.";
RL Submitted (MAR-1999) to the EMBL/GenBank/DBJ databases.
RN [4]
RP SEQUENCE OF 1-36 AND 360-424 FROM N.A.
RX MEDLINE=89184548; PubMed=2538825;
RA Sargent C.A., Dunham I., Trowsdale J., Campbell R.D.;
RT "Human major histocompatibility complex contains genes for the major
RT heat shock protein HSP70.";
RL Proc. Natl. Acad. Sci. U.S.A. 86:1968-1972(1989).
RN [5]
RP SEQUENCE OF 1-22 AND 618-641 FROM N.A.
RX MEDLINE=87066768; PubMed=3786141;
RA Drabant B., Genthe A., Benecke B.-J.;
RT "In vitro transcription of a human hsp 70 heat shock gene by extracts
RT prepared from heat-shocked and non-heat-shocked human cells.";
RL Nucleic Acids Res. 14:8933-8949(1986).
RN [6]
RP X-RAY CRYSTALLOGRAPHY (2.3 ANGSTROMS) OF 1-382.
RX MEDLINE=99234376; PubMed=10216320;
RA Osipuk J., Walsh M.A., Freeman B.C., Morimoto R.I., Joachimiak A.;
RT "Structure of a new crystal form of human hsp70 ATPase domain.";
RL Acta Crystallogr. D 55:1105-1107(1999).
CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDIATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC
CC RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR
CC PROTEIN TRANSLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION
CC PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE
CC PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE
CC CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE
CC SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES
CC DURING TRANSLATION AND MEMBRANE TRANSLOCATION, OR FOLLOWING
CC STRESS-INDUCED DAMAGE.
CC -1- INDUCTION: BY HEAT SHOCK.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (see http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; M59828; AAA63226.1; -
CC EMBL; M59830; AAA63227.1; -
CC EMBL; AF134726; AAD21816.1; -
CC EMBL; AF134726; AAD21815.1; -
CC EMBL; M11717; AAA52697.1; -
CC EMBL; M1743; AAA59844.1; -
CC EMBL; M24744; AAA59845.1; -

```

```

DR EMBL; X04676; CAA28381.1; -.
DR EMBL; X04677; CAA28382.1; -.
DR PIR; A29160; A29160.
DR PIR; A45871; A45871.
DR PIR; A25773; A25773.
DR PDB; 1HJO; 21-OCT-98.
DR SWISS-2DPAGE; P08107; HUMAN.
DR MIM; 140550; -.
DR MIM; 603012; -.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Chaperone; Heat shock; Multigene family; MHC III;
KW 3D-structure.
FT CONFLICT 7 I -> V (IN REF. 2).
FT CONFLICT 110 E -> D (IN REF. 3; AAD21816).
FT CONFLICT 370 A -> G (IN REF. 2).
FT CONFLICT 469 MISSING (IN REF. 2).
FT CONFLICT 499 N -> S (IN REF. 3; AAD21815).
SQ SEQUENCE 641 AA; 70052 MW; 78F513118C96DE66 CRC64;

Query Match 87.0%; Score 40; DB 1; Length 641;
Best Local Similarity 88.9%; Pred. No. 1.3;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
DB 286 SLFEGIDFY 294

RESULT 13
HST1_MOUSE STANDARD; PRT; 641 AA.
AC P17879; Q61689;
DT 01-AUG-1990 (Rel. 15; Created)
DT 01-NOV-1997 (Rel. 35; Last sequence update)
DT 30-MAY-2000 (Rel. 39; Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70.1) (HSP70-1/HSP70-2).
GN HSPA1 OR HSP70A1 OR HSP70-1 OR HCP70.1.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sclurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=90236310; PubMed=2332169;
RA Hunt C., Calderwood S.;
RT "Characterization and sequence of a mouse hsp70 gene and its
RL expression in mouse cell lines."
RL Gene 87:199-204(1990).
RN [2]
RP SEQUENCE FROM N.A.
RX MEDLINE=94357449; PubMed=8076831;
RA Perry M.D., Aujame L., Shtang S., Moran L.A.;
RT "Structure and expression of an inducible Hsp70-encoding gene from
RL Mus musculus."
RL Gene 146:273-278(1994).
CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
DR EMBL; M69100; -. NOT_ANNOTATED_CDS.
DR PIR; S35718; S35718.

```

```

CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; M35021; AAA37864.1; -.
CC EMBL; M76613; AAA57233.1; -.
DR PIR; JH0095; JH0095.
DR HSP; P19120; INGC.
DR MGD; MGI:99517; Hsp70-1.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
FT CONFLICT 342 A -> R (IN REF. 1).
FT CONFLICT 627 P -> PP (IN REF. 1).
SQ SEQUENCE 641 AA; 69994 MW; 41475360F6749F2F CRC64;

Query Match 87.0%; Score 40; DB 1; Length 641;
Best Local Similarity 88.9%; Pred. No. 1.3;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
DB 286 SLFEGIDFY 294

RESULT 14
HST1_PIG STANDARD; PRT; 641 AA.
AC P34930;
DT 01-FEB-1994 (Rel. 28; Created)
DT 01-FEB-1994 (Rel. 28; Last sequence update)
DT 01-NOV-1997 (Rel. 35; Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70.1).
GN HSPA1.
OS Sus scrofa (Pig).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.
OX NCBI_TaxID=9823;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=92175874; PubMed=1339404;
RA Peelman L.J., de Weghe A.R., Coppieters W.R., van Zeveren A.J.,
RA Bouquet Y.H.;
RT "Complete nucleotide sequence of a porcine HSP70 gene."
RL Immunogenetics 35:286-289(1992).
CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
DR EMBL; M69100; -. NOT_ANNOTATED_CDS.
DR PIR; S35718; S35718.

```

```
DR HSP; PI9120; INGC.
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70; 1.
DR PRINTS: PR00301; HEATSHOCK70.
DR PROSITE: PS00297; HSP70_1; 1.
DR PROSITE: PS00329; HSP70_2; 1.
DR PROSITE: PS01036; HSP70_3; 1.
KW ATP-binding; Chaperone; Heat shock; Multigene family.
SQ SEQUENCE 641 AA; 70083 MW; FE77BB20A03E0A33 CRC64;

Query Match 87.0%; Score 40; DB 1; Length 641;
Best Local Similarity 88.9%; Pred. No. 1.3;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
DB 286 SLFEGIDFY 294

RESULT 15
HS71_RAT
ID HS71_RAT STANDARD; PRT; 641 AA.
AC Q07439; P42853;
DT 01-FEB-1995 (Rel. 31, Created)
DT 01-FEB-1995 (Rel. 31, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1/2 (HSP70.1/2).
GN HSP70-1 AND HSP70-2.
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX NCBI_TaxID=10116;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Brain;
RX MEDLINE=94096443; PubMed=8271311;
RA Longo F.M., Wang S., Narasimhan P., Zhang J.S., Chen J.,
RA Massa S.M., Sharp F.R.;
RT "CDNA cloning and expression of stress-inducible rat hsp70 in normal
RT and injured rat brain.";
RL J. Neurosci. Res. 36:325-335(1993).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=LEW 1W/GUN;
RX MEDLINE=95012453; PubMed=7927536;
RA Walter L., Rauh F., Guenther E.;
RT "Comparative analysis of the three major histocompatibility complex-
RT linked heat shock protein 70 (Hsp70) genes of the rat.";
RL Immunogenetics 40:325-330(1994).
RN [3]
RP SEQUENCE FROM N.A.
RC STRAIN=SPRAGUE-DAWLEY; TISSUE=Liver;
RX MEDLINE=94368874; PubMed=8086479;
RA Lisowska K., Krawczyk Z., Widlak W., Wolniczek P., Wisniewski J.;
RT "Cloning, nucleotide sequence and expression of rat heat inducible
RT hsp70 gene.";
RL Biochim. Biophys. Acta 1219:64-72(1994).
CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC -!- INDUCTION: BY HEAT SHOCK.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
-----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
```

```
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@sib-sib.ch).
-----
DR EMBL; L16764; AAA17441.1; -
DR EMBL; X77208; CAA54423.1; -
DR EMBL; X77207; CAA54422.1; -
DR EMBL; X74271; CAA52328.1; -
DR HSP; PI9120; INGC.
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70; 1.
DR PRINTS: PR00301; HEATSHOCK70.
DR PROSITE: PS00297; HSP70_1; 1.
DR PROSITE: PS00329; HSP70_2; 1.
DR PROSITE: PS01036; HSP70_3; 1.
DR KW ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
FT CONFLICT 71 72 KR -> NG (IN REF. 3).
FT CONFLICT 227 227 D -> H (IN REF. 2 AND 3).
FT CONFLICT 408 408 G -> A (IN REF. 3).
SQ SEQUENCE 641 AA; 70163 MW; D02D96751C868583 CRC64;

Query Match 87.0%; Score 40; DB 1; Length 641;
Best Local Similarity 88.9%; Pred. No. 1.3;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
DB 286 SLFEGIDFY 294

Search completed: December 6, 2001, 08:00:51
Job time: 419 sec
```

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:59:56 ; Search time 81.43 Seconds
(without alignments)
2.487 Million cell updates/sec

Title: PEPL-MOD8F

Perfect score: 48

Sequence: 1 SLFEGIDFY 9

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 212252 seqs, 22503292 residues

Total number of hits satisfying chosen parameters: 212252

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

Issued_Patents_AA:*

- 1: /cgn2_6/ptodata/2/1aa/5A_COMB.pep:*
- 2: /cgn2_6/ptodata/2/1aa/5B_COMB.pep:*
- 3: /cgn2_6/ptodata/2/1aa/6A_COMB.pep:*
- 4: /cgn2_6/ptodata/2/1aa/6B_COMB.pep:*
- 5: /cgn2_6/ptodata/2/1aa/PCrUS_COMB.pep:*
- 6: /cgn2_6/ptodata/2/1aa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	47	97.9	643	4	US-08-797-358B-3
2	45	93.8	646	1	US-08-441-139-14
3	34	70.8	339	2	US-08-928-692-52
4	33	68.8	2787	4	US-09-245-041-15
5	32	66.7	560	2	US-08-928-692-53
6	32	66.7	679	1	US-08-441-139-5
7	31	64.6	458	4	US-09-457-046B-61
8	31	64.6	465	2	US-08-878-989-18
9	31	64.6	465	2	US-08-860-150-7
10	31	64.6	465	3	US-09-338-132-7
11	31	64.6	465	4	US-09-272-796-18
12	30	62.5	276	1	US-08-467-155A-1
13	30	62.5	276	2	US-08-628-198-1
14	30	62.5	276	4	US-09-201-038-1
15	30	62.5	276	5	PCr-US96-07343-1
16	30	62.5	291	1	US-08-467-155A-11
17	30	62.5	291	2	US-08-628-198-11
18	30	62.5	291	4	US-09-201-038-11
19	30	62.5	291	5	PCr-US96-07343-11
20	30	62.5	509	3	US-08-688-988-40
21	30	62.5	532	2	US-08-560-916-8
22	30	62.5	532	2	US-08-676-841-8
23	30	62.5	560	1	US-08-052-404-23
24	30	62.5	560	1	US-08-479-156-23
25	30	62.5	561	1	US-08-052-404-22
26	30	62.5	561	1	US-08-052-404-24
27	30	62.5	561	1	US-08-479-156-22

28	30	62.5	561	1	US-08-479-156-24	Sequence 24, Appl
29	30	62.5	654	1	US-08-441-139-11	Sequence 11, Appl
30	30	62.5	666	1	US-08-441-139-16	Sequence 16, Appl
31	30	62.5	1233	4	US-09-194-613-5	Sequence 5, Appl
32	30	62.5	4654	4	US-08-476-515A-84	Sequence 84, Appl
33	30	62.5	4655	4	US-08-652-877-84	Sequence 84, Appl
34	30	62.5	4655	4	US-08-652-877-88	Sequence 86, Appl
35	30	62.5	4655	4	US-08-652-877-88	Sequence 88, Appl
36	30	62.5	4655	4	US-08-652-877-90	Sequence 90, Appl
37	29	60.4	53	2	US-08-469-537A-7	Sequence 7, Appl
38	29	60.4	53	2	US-08-469-537A-20	Sequence 20, Appl
39	29	60.4	69	4	US-08-563-524A-32	Sequence 32, Appl
40	29	60.4	274	1	US-08-248-466B-10	Sequence 10, Appl
41	29	60.4	303	2	US-08-599-171A-32	Sequence 32, Appl
42	29	60.4	303	2	US-08-646-590B-32	Sequence 32, Appl
43	29	60.4	303	3	US-09-069-226-32	Sequence 32, Appl
44	29	60.4	303	4	US-09-412-184-32	Sequence 32, Appl
45	29	60.4	332	2	US-08-960-756-4	Sequence 4, Appl

ALIGNMENTS

RESULT 1

US-08-797-358B-3

; Sequence 3, Application US/08797358B

; Patent No. 6268478

; GENERAL INFORMATION:

; APPLICANT: Adams, John

; TITLE OF INVENTION: INTRACELLULAR VITAMIN D BINDING PROTEIN

; NUMBER OF SEQUENCES: 9

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Campbell & Flores LLP

; STREET: 4370 La Jolla Village Drive, Suite 700

; CITY: San Diego

; STATE: California

; COUNTRY: United States

; ZIP: 92122

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: PatentIn Release #1.0, Version #1.25

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/08/797,358B

; FILING DATE: 11-Feb-1997

; CLASSIFICATION: <unknown>

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: US 60/011,491

; FILING DATE: 12-FEB-1996

; ATTORNEY/AGENT INFORMATION:

; NAME: Campbell, Cathryn A.

; REGISTRATION NUMBER: 31,815

; REFERENCE/DOCKET NUMBER: P-CE 3165

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: (619) 535-9001

; TELEFAX: (619) 535-8949

; INFORMATION FOR SEQ ID NO: 3:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 643 amino acids

; TYPE: amino acid

; STRANDEDNESS: unknown

; TOPOLOGY: unknown

; MOLECULE TYPE: protein

; SEQUENCE DESCRIPTION: SEQ ID NO: 3:

US-08-797-358B-3

Query Match 97.9%; Score 47; DB 4; Length 643;
Best Local Similarity 88.9%; Pred. No. 0.15;
Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9

```

; STREET: 405 Lexington Avenue
; CITY: New York
; STATE: NY
; COUNTRY: USA
; ZIP: 10174
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FASTSEQ for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/928,692
; FILING DATE: 12-SEPT-1997
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Lambiris, Elias J
; REGISTRATION NUMBER: 33,728
; REFERENCE/DOCKET NUMBER: 4944.200-US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 212-867-0123
; TELEFAX: 212-878-9655
; INFORMATION FOR SEQ ID NO: 52:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 339 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: No. 5958727e
; US-08-928-692-52

Query Match 70.8%; Score 34; DB 2; Length 339;
Best Local Similarity 100.0%; Pred. No. 28;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 4 EGIDFY 9
DB 285 EGIDFY 290

RESULT 4
US-09-245-041-15
; Sequence 15, Application US/09245041
; Patent No. 6274339
; GENERAL INFORMATION:
; APPLICANT: Moore, K.
; APPLICANT: Nagle, D.
; TITLE OF INVENTION: METHODS AND COMPOSITIONS FOR THE DIAGNOSIS AND TREATMENT
; TITLE OF INVENTION: OF BODY WEIGHT DISORDERS INCLUDING OBESITY
; FILE REFERENCE: 7853-136
; CURRENT APPLICATION NUMBER: US/09/245,041
; CURRENT FILING DATE: 1999-02-05
; EARLIER APPLICATION NUMBER: 60/093,630
; EARLIER FILING DATE: 1998-07-21
; EARLIER APPLICATION NUMBER: 60/104,978
; EARLIER FILING DATE: 1998-10-20
; NUMBER OF SEQ ID NOS: 131
; SOFTWARE: FastSEQ for Windows Version 3.0
; SEQ ID NO 15
; LENGTH: 2787
; TYPE: PRT
; ORGANISM: Homo sapiens
; US-09-245-041-15

Query Match 68.8%; Score 33; DB 4; Length 2787;
Best Local Similarity 55.6%; Pred. No. 4.9e+02;
Matches 5; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
DB 1590 SLFGVPFF 1598

; STREET: 405 Lexington Avenue
; CITY: New York
; STATE: NY
; COUNTRY: USA
; ZIP: 10174
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FASTSEQ for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/928,692
; FILING DATE: 12-SEPT-1997
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Lambiris, Elias J
; REGISTRATION NUMBER: 33,728
; REFERENCE/DOCKET NUMBER: 4944.200-US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 212-867-0123
; TELEFAX: 212-878-9655
; INFORMATION FOR SEQ ID NO: 52:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 339 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: No. 5958727e
; US-08-928-692-52

Query Match 70.8%; Score 34; DB 2; Length 339;
Best Local Similarity 100.0%; Pred. No. 28;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 4 EGIDFY 9
DB 285 EGIDFY 290

RESULT 4
US-09-245-041-15
; Sequence 15, Application US/09245041
; Patent No. 6274339
; GENERAL INFORMATION:
; APPLICANT: Moore, K.
; APPLICANT: Nagle, D.
; TITLE OF INVENTION: METHODS AND COMPOSITIONS FOR THE DIAGNOSIS AND TREATMENT
; TITLE OF INVENTION: OF BODY WEIGHT DISORDERS INCLUDING OBESITY
; FILE REFERENCE: 7853-136
; CURRENT APPLICATION NUMBER: US/09/245,041
; CURRENT FILING DATE: 1999-02-05
; EARLIER APPLICATION NUMBER: 60/093,630
; EARLIER FILING DATE: 1998-07-21
; EARLIER APPLICATION NUMBER: 60/104,978
; EARLIER FILING DATE: 1998-10-20
; NUMBER OF SEQ ID NOS: 131
; SOFTWARE: FastSEQ for Windows Version 3.0
; SEQ ID NO 15
; LENGTH: 2787
; TYPE: PRT
; ORGANISM: Homo sapiens
; US-09-245-041-15

Query Match 68.8%; Score 33; DB 4; Length 2787;
Best Local Similarity 55.6%; Pred. No. 4.9e+02;
Matches 5; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
DB 1590 SLFGVPFF 1598

```

```
RESULT 5
US-08-928-692-53
; Sequence 53, Application US/08928692
; Patent No. 5958727
; GENERAL INFORMATION:
; APPLICANT: Brody, Howard
; APPLICANT: Yaver, Deborah S.
; APPLICANT: Lamsa, Michael
; APPLICANT: Hansen, Kim
; APPLICANT: Hansen, Kim
; TITLE OF INVENTION: Methods for Modifying the Production of
; TITLE OF INVENTION: a Polypeptide
; NUMBER OF SEQUENCES: 80
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: No. 5958727 to No. 5958727/disk of No. 5958727th America, Inc.
; STREET: 405 Lexington Avenue
; CITY: New York
; STATE: NY
; COUNTRY: USA
; ZIP: 10174
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSeq for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/928,692
; FILING DATE: 12-SEPT-1997
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Lambiris, Elias J
; REGISTRATION NUMBER: 33,728
; REFERENCE/DOCKET NUMBER: 4944.200-US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 212-867-0123
; TELEFAX: 212-878-9655
; INFORMATION FOR SEQ ID NO: 53:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 560 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: No. 5958727e
US-08-928-692-53

Query Match 66.7%; Score 32; DB 2; Length 560;
Best Local Similarity 66.7%; Pred. No. 1.3e+02;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
DB 304 SLADGIDFH 312

RESULT 6
US-08-441-139-5
; Sequence 5, Application US/08441139
; Patent No. 5773245
; GENERAL INFORMATION:
; APPLICANT: Wittup, Dr. Karl D.
; APPLICANT: Robinson, Anne S.
; TITLE OF INVENTION: METHODS FOR INCREASING SECRETION OF
; TITLE OF INVENTION: RECOMBINANTLY EXPRESSED PROTEINS
; NUMBER OF SEQUENCES: 20
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: SCULLY, SCOTT, MURPHY & PRESSER
; STREET: 400 Garden City Plaza
; CITY: Garden City
; STATE: NY
; COUNTRY: USA
; ZIP: 11530
; COMPUTER READABLE FORM:
```

```
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/441,139
; FILING DATE: 15-MAY-1995
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/089,997
; FILING DATE: 06-JUL-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Digiglio, Frank S.
; REGISTRATION NUMBER: 31,346
; REFERENCE/DOCKET NUMBER: 8646
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 516-742-4343
; TELEFAX: 516-742-4366
; TELEX: 230 901 SANS UR
; INFORMATION FOR SEQ ID NO: 5:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 679 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-441-139-5

Query Match 66.7%; Score 32; DB 1; Length 679;
Best Local Similarity 75.0%; Pred. No. 1.6e+02;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDF 8
DB 332 SFFNGIDF 339

RESULT 7
US-09-457-046B-61
; Sequence 61, Application US/09457046B
; Patent No. 6287835
; GENERAL INFORMATION:
; APPLICANT: Croteau, Rodney et al.
; TITLE OF INVENTION: Transacylases of the Paclitaxel Biosynthetic Pathway
; FILE REFERENCE: 53679
; CURRENT APPLICATION NUMBER: US/09/457,046B
; CURRENT FILING DATE: 1999-12-07
; NUMBER OF SEQ ID NOS: 74
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 61
; LENGTH: 458
; TYPE: PRT
; ORGANISM: Arabidopsis thaliana
US-09-457-046B-61

Query Match 64.6%; Score 31; DB 4; Length 458;
Best Local Similarity 66.7%; Pred. No. 1.6e+02;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
DB 165 SLFDGISAY 173

RESULT 8
US-08-878-989-18
; Sequence 18, Application US/08878989
; Patent No. 5885803
; GENERAL INFORMATION:
; APPLICANT: Bandman, Olga
; APPLICANT: Hillman, Jennifer L.
```

APPLICANT: Corley, Neil C.
APPLICANT: Guegler, Karl G.
APPLICANT: Lal, Preeti
APPLICANT: Goli, Surya K.
APPLICANT: Shah, Purvi
TITLE OF INVENTION: DISEASE ASSOCIATED PROTEIN
TITLE OF INVENTION: KINASES
NUMBER OF SEQUENCES: 21
CORRESPONDENCE ADDRESS:
ADDRESSEE: Incyte Pharmaceuticals, Inc.
STREET: 3174 Porter Drive
CITY: Palo Alto
STATE: CA
COUNTRY: USA
ZIP: 94304
COMPUTER READABLE FORM:
MEDIUM TYPE: Diskette
COMPUTER: IBM Compatible
OPERATING SYSTEM: DOS
SOFTWARE: FASTSEQ for Windows Version 2.0
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/878,989
FILING DATE:
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER:
FILING DATE:
ATTORNEY/AGENT INFORMATION:
NAME: Billings, Lucy J J
REGISTRATION NUMBER: 36,749
REFERENCE/DOCKET NUMBER: PF-0321 US
TELECOMMUNICATION INFORMATION:
TELEPHONE: 415-855-0555
TELEFAX: 415-845-4166
TELEX:
INFORMATION FOR SEQ ID NO: 18:
SEQUENCE CHARACTERISTICS:
LENGTH: 465 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
IMMEDIATE SOURCE:
LIBRARY: GenBank
CLONE: 8541070
US-08-878-989-18

Query Match 64.6%; Score 31; DB 2; Length 465;
Best Local Similarity 62.5%; Pred. No. 1.6e+02;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDF 8
Db 380 SFEGVDW 387

RESULT 9
US-08-860-150-7
Sequence 7, Application US/08860150B
Patent No. 5981205
GENERAL INFORMATION:
APPLICANT: Hemmings, Brian A.
APPLICANT: Millward, Thomas A.
TITLE OF INVENTION: Nuclear DBF2-Related (NDR) Kinases
FILE REFERENCE: 4-20265/A/PCT
CURRENT APPLICATION NUMBER: US/08/860,150B
CURRENT FILING DATE: 1997-06-19
EARLIER APPLICATION NUMBER: PCT/EP95/05052
EARLIER FILING DATE: 1995-12-20
EARLIER APPLICATION NUMBER: 94810746.1
EARLIER FILING DATE: 1994-12-22
NUMBER OF SEQ ID NOS: 18
SOFTWARE: PatentIn Ver. 2.0

SEQ ID NO 7
LENGTH: 465
TYPE: PRT
ORGANISM: Homo sapiens
US-08-860-150-7

Query Match 64.6%; Score 31; DB 2; Length 465;
Best Local Similarity 62.5%; Pred. No. 1.6e+02;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDF 8
Db 380 SFEGVDW 387

RESULT 10
US-09-338-132-7
Sequence 7, Application US/09338132
Patent No. 6040164
GENERAL INFORMATION:
APPLICANT: Hemmings, Brian A.
APPLICANT: Millward, Thomas A.
TITLE OF INVENTION: Nuclear DBF2-Related (NDR) Kinases
FILE REFERENCE: 4-20265/A/PCT
CURRENT APPLICATION NUMBER: US/09/338,132
CURRENT FILING DATE: 1999-06-22
EARLIER APPLICATION NUMBER: 08/860,150
EARLIER FILING DATE: 1997-06-19
EARLIER APPLICATION NUMBER: PCT/EP95/05052
EARLIER FILING DATE: 1995-12-20
EARLIER APPLICATION NUMBER: 94810746.1
EARLIER FILING DATE: 1994-12-22
NUMBER OF SEQ ID NOS: 18
SOFTWARE: PatentIn Ver. 2.0
SEQ ID NO 7
LENGTH: 465
TYPE: PRT
ORGANISM: Homo sapiens
US-09-338-132-7

Query Match 64.6%; Score 31; DB 3; Length 465;
Best Local Similarity 62.5%; Pred. No. 1.6e+02;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDF 8
Db 380 SFEGVDW 387

RESULT 11
US-09-272-796-18
Sequence 18, Application US/09272796
Patent No. 6207148
GENERAL INFORMATION:
APPLICANT: Bandman, Olga
APPLICANT: Hillman, Jennifer L.
APPLICANT: Corley, Neil C.
APPLICANT: Guegler, Karl G.
APPLICANT: Lal, Preeti
APPLICANT: Goli, Surya K.
APPLICANT: Shah, Purvi
TITLE OF INVENTION: DISEASE ASSOCIATED PROTEIN
TITLE OF INVENTION: KINASES
NUMBER OF SEQUENCES: 21
CORRESPONDENCE ADDRESS:
ADDRESSEE: Incyte Pharmaceuticals, Inc.
STREET: 3174 Porter Drive
CITY: Palo Alto
STATE: CA
COUNTRY: USA
ZIP: 94304

COMPUTER READABLE FORM:
MEDIUM TYPE: Diskette
COMPUTER: IBM Compatible
OPERATING SYSTEM: DOS
SOFTWARE: FastSeq for Windows Version 2.0
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/272.796
FILING DATE:
CLASSIFICATION:
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/878,989
FILING DATE:
ATTORNEY/AGENT INFORMATION:
NAME: Billings, Lucy J J
REGISTRATION NUMBER: 36,749
REFERENCE/DOCKET NUMBER: PF-0321 US
TELECOMMUNICATION INFORMATION:
TELEPHONE: 415-855-0555
TELEFAX: 415-845-4166
TELEX:
INFORMATION FOR SEQ ID NO: 18:
SEQUENCE CHARACTERISTICS:
LENGTH: 465 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
IMMEDIATE SOURCE:
LIBRARY: GenBank
CLONE: 8541070
US-09-272-796-18

Query Match 64.6%; Score 31; DB 4; Length 465;
Best Local Similarity 62.5%; Pred. No. 1.6e+02;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDF 8
| | | | |
Db 380 SFEGVDW 387

RESULT 12
US-08-467-155A-1
; Sequence 1, Application US/08467155A
; Patent No. 5736377
; GENERAL INFORMATION:
; APPLICANT: Band, Vimla
; TITLE OF INVENTION: NES-1 POLYPEPTIDES, DNA, AND RELATED
; MOLECULES AND METHODS
; NUMBER OF SEQUENCES: 11
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Fish & Richardson P.C.
; STREET: 225 Franklin Street
; CITY: Boston
; STATE: MA
; COUNTRY: USA
; ZIP: 02110-2804
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/467.155A
; FILING DATE: 06-JUN-1995
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Clark, Paul T.
; REGISTRATION NUMBER: 30,162
; REFERENCE/DOCKET NUMBER: 00398/100001
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 617/542-5070
; TELEFAX: 617/542-8906

TELEX: 200154
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 276 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-467-155A-1

Query Match 62.5%; Score 30; DB 1; Length 276;
Best Local Similarity 55.6%; Pred. No. 1.4e+02;
Matches 5; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
| | | | |
Db 62 SLFENGLSFH 70

RESULT 13
US-08-628-198-1
; Sequence 1, Application US/08628198
; Patent No. 5843694
; GENERAL INFORMATION:
; APPLICANT: Band, Vimla
; TITLE OF INVENTION: NES-1 POLYPEPTIDES, DNA, AND RELATED
; MOLECULES AND METHODS
; NUMBER OF SEQUENCES: 11
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Fish & Richardson P.C.
; STREET: 225 Franklin Street
; CITY: Boston
; STATE: MA
; COUNTRY: USA
; ZIP: 02110-2804
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/628.198
; FILING DATE:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/467.155
; FILING DATE: 06-JUN-1995
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Clark, Paul T.
; REGISTRATION NUMBER: 30,162
; REFERENCE/DOCKET NUMBER: 00398/100002
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 617/542-5070
; TELEFAX: 617/542-8906
; TELEX: 200154
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 276 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-628-198-1

Query Match 62.5%; Score 30; DB 2; Length 276;
Best Local Similarity 55.6%; Pred. No. 1.4e+02;
Matches 5; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDFY 9
| | | | |
Db 62 SLFENGLSFH 70

RESULT 14
US-09-201-038-1
; Sequence 1, Application US/09201038
; Patent No. 6153387
; GENERAL INFORMATION:
; APPLICANT: Band, Vmla
; TITLE OF INVENTION: NES-1 POLYPEPTIDES, DNA, AND RELATED
; TITLE OF INVENTION: MOLECULES AND METHODS
; NUMBER OF SEQUENCES: 11
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Fish & Richardson P.C.
; STREET: 225 Franklin Street
; CITY: Boston
; STATE: MA
; COUNTRY: USA
; ZIP: 02110-2804
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: IBM PC compatible
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/201,038
; FILING DATE:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/628,198
; FILING DATE:
; CLASSIFICATION:
; ATTORNEY/AGENT INFORMATION:
; NAME: Clark, Paul T.
; REGISTRATION NUMBER: 30,162
; REFERENCE/DOCKET NUMBER: 00398/100002
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 617/542-5070
; TELEFAX: 617/542-8906
; TELEX: 200154
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 276 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-09-201-038-1

Query Match 62.5%; Score 30; DB 4; Length 276;
Best Local Similarity 55.6%; Pred. No. 1.4e+02;
Matches 5; Conservative 2; Mismatches 2; Indels 0; Gaps 0;
QY 1 SLFEGIDFY 9
Db 62 SLFNGLSFH 70

RESULT 15
PCT-US96-07343-1
; Sequence 1, Application PC/TUS9607343
; GENERAL INFORMATION:
; APPLICANT: New England Medical Center Hospitals, Inc.
; TITLE OF INVENTION: NES-1 POLYPEPTIDES, DNA, AND RELATED
; TITLE OF INVENTION: MOLECULES AND METHODS
; NUMBER OF SEQUENCES: 11
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Fish & Richardson P.C.
; STREET: 225 Franklin Street
; CITY: Boston
; STATE: MA
; COUNTRY: USA
; ZIP: 02110-2804
; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: PCT/US96/07343
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/467,155
; FILING DATE: 06-JUN-1995
; CLASSIFICATION:
; ATTORNEY/AGENT INFORMATION:
; NAME: Clark, Paul T.
; REGISTRATION NUMBER: 30,162
; REFERENCE/DOCKET NUMBER: 00398/100001
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 617/542-5070
; TELEFAX: 617/542-8906
; TELEX: 200154
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 276 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; PCT-US96-07343-1

Query Match 62.5%; Score 30; DB 5; Length 276;
Best Local Similarity 55.6%; Pred. No. 1.4e+02;
Matches 5; *Conservative 2; Mismatches 2; Indels 0; Gaps 0;
QY 1 SLFEGIDFY 9
Db 62 SLFNGLSFH 70

Search completed: December 6, 2001, 07:59:57
Job time: 365 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:59:56 ; Search time 81.43 Seconds
(without alignments)
2.487 Million cell updates/sec

Title: PEPL-MOD8G
Perfect score: 48
Sequence: 1 SLFEGIDGY 9

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 212252 seqs, 22503292 residues

Total number of hits satisfying chosen parameters: 212252

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Issued_Patents_AA:*
1: /cgn2_6/ptodata/2/1aa/5A_COMB.pep:*
2: /cgn2_6/ptodata/2/1aa/5B_COMB.pep:*
3: /cgn2_6/ptodata/2/1aa/6A_COMB.pep:*
4: /cgn2_6/ptodata/2/1aa/6B_COMB.pep:*
5: /cgn2_6/ptodata/2/1aa/PCTUS_COMB.pep:*
6: /cgn2_6/ptodata/2/1aa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES											
Result	Query	%									
No.	Score	Match	Length	DB	ID	Description					
1	38	79.2	303	2	US-08-599-171A-32	Sequence 32, Appl					
2	38	79.2	303	2	US-08-646-590B-32	Sequence 32, Appl					
3	38	79.2	303	3	US-09-069-226-32	Sequence 32, Appl					
4	38	79.2	303	4	US-09-412-184-32	Sequence 32, Appl					
5	38	79.2	643	4	US-08-797-358B-3	Sequence 3, Appl					
6	36	75.0	646	1	US-08-441-139-14	Sequence 14, Appl					
7	33	68.8	458	2	US-09-457-046B-61	Sequence 61, Appl					
8	32	66.7	108	2	US-08-483-695-42	Sequence 42, Appl					
9	32	66.7	108	2	US-07-965-285-42	Sequence 42, Appl					
10	32	66.7	108	2	US-08-487-231-42	Sequence 42, Appl					
11	32	66.7	108	4	US-09-201-912-42	Sequence 42, Appl					
12	32	66.7	139	4	US-08-444-818-173	Sequence 173, App					
13	32	66.7	269	1	US-08-440-103-16	Sequence 16, Appl					
14	32	66.7	269	1	US-08-440-542-16	Sequence 16, Appl					
15	32	66.7	269	1	US-08-231-368-16	Sequence 16, Appl					
16	32	66.7	269	1	US-08-440-210-16	Sequence 16, Appl					
17	32	66.7	269	4	US-09-046-604-16	Sequence 16, Appl					
18	32	66.7	314	4	US-08-612-973-42	Sequence 42, Appl					
19	32	66.7	314	4	US-08-927-597-42	Sequence 42, Appl					
20	32	66.7	319	4	US-08-612-973-44	Sequence 44, Appl					
21	32	66.7	319	4	US-08-927-597-44	Sequence 44, Appl					
22	32	66.7	338	4	US-08-612-973-38	Sequence 38, Appl					
23	32	66.7	338	4	US-08-927-597-38	Sequence 38, Appl					
24	32	66.7	343	4	US-08-612-973-40	Sequence 40, Appl					
25	32	66.7	343	4	US-08-927-597-40	Sequence 40, Appl					
26	32	66.7	402	1	US-08-460-806-2	Sequence 2, Appl					
27	32	66.7	402	1	US-08-460-806-9	Sequence 9, Appl					

28 32 66.7 402 1 US-08-325-630-2 Sequence 2, Appl
29 32 66.7 402 1 US-08-325-630-9 Sequence 9, Appl
30 32 66.7 428 1 US-08-050-132A-2 Sequence 2, Appl
31 32 66.7 428 3 US-08-750-222A-2 Sequence 2, Appl
32 32 66.7 428 3 US-08-815-652B-2 Sequence 2, Appl
33 32 66.7 428 4 US-08-254-353A-2 Sequence 2, Appl
34 32 66.7 428 5 PCT-US92-05374A-2 Sequence 2, Appl
35 32 66.7 428 5 PCT-US95-07084-2 Sequence 2, Appl
36 32 66.7 463 4 US-08-612-973-46 Sequence 46, Appl
37 32 66.7 463 4 US-08-927-597-46 Sequence 46, Appl
38 32 66.7 471 2 US-08-828-488-7 Sequence 7, Appl
39 32 66.7 480 1 US-08-440-103-18 Sequence 18, Appl
40 32 66.7 480 1 US-08-440-542-18 Sequence 18, Appl
41 32 66.7 480 1 US-08-231-368-18 Sequence 18, Appl
42 32 66.7 480 1 US-08-440-210-18 Sequence 18, Appl
43 32 66.7 480 4 US-09-046-604-18 Sequence 18, Appl
44 32 66.7 490 4 US-08-612-973-36 Sequence 36, Appl
45 32 66.7 490 4 US-08-927-597-36 Sequence 36, Appl

ALIGNMENTS

RESULT 1
US-08-599-171A-32
; Sequence 32, Application US/08599171A
; Patent No. 5814473
; GENERAL INFORMATION:
; APPLICANT: WARREN, Patrick V.
; TITLE OF INVENTION: TRANSAMINASES AND AMINOTRANSFERASES
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: CARELLA, BYRNE, BAIN, GILFILLAN,
; ADDRESSEE: CECCHI, STEWART & OLSTEIN
; STREET: 6 BECKER FARM ROAD
; CITY: ROSELAND
; STATE: NEW JERSEY
; COUNTRY: USA
; ZIP: 07068
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5 INCH DISKETTE
; COMPUTER: IBM PS/2
; OPERATING SYSTEM: MS-DOS
; SOFTWARE: WORD PERFECT 5.1
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/599,171A
; FILING DATE: Concurrently
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER:
; FILING DATE:
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: HERRON, CHARLES J.
; REGISTRATION NUMBER: 28,019
; REFERENCE/DOCKET NUMBER: 331400-38
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 201-994-1700
; TELEFAX: 201-994-1744
; INFORMATION FOR SEQ ID NO: 32:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 303 AMINO ACIDS
; TYPE: AMINO ACID
; TOPOLOGY: LINEAR
; MOLECULE TYPE: PROTEIN
; US-08-599-171A-32

Query Match 79.2%; Score 38; DB 2; Length 303;
Best Local Similarity 77.8%; Pred. No. 4.3;
Matches . 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9

```

;
; STREET: 6 BECKER FARM ROAD
; CITY: ROSELAND
; STATE: NEW JERSEY
; COUNTRY: USA
; ZIP: 07068
;
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5 INCH DISKETTE
; COMPUTER: IBM PS/2
; OPERATING SYSTEM: MS-DOS
; SOFTWARE: WORD PERFECT 5.1
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/069,226
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/599,171
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: HERRON, CHARLES J.
; REGISTRATION NUMBER: 28,019
; REFERENCE/DOCKET NUMBER: 331400-38
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 201-994-1700
; TELEFAX: 201-994-1744
; INFORMATION FOR SEQ ID NO: 32:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 303 AMINO ACIDS
; TYPE: AMINO ACID
; TOPOLOGY: LINEAR
; MOLECULE TYPE: PROTEIN
; US-09-069-226-32
;
; Query Match 79.2%; Score 38; DB 3; Length 303;
; Best Local Similarity 77.8%; Pred. No. 4.3;
; Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
;
QY 1 SLFEGIDGY 9
;
Db 34 SIPEGIRGY 42
;
;
; RESULT 4
; US-09-412-184-32
; Sequence 32, Application US/09412184
; Patent No. 6268188
; GENERAL INFORMATION:
; APPLICANT: Warren, Patrick V.
; APPLICANT: Swanson, Ronald V.
; TITLE OF INVENTION: TRANSAMINASES AND AMINOTRANSFERASES
; NUMBER OF SEQUENCES: 42
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Fish & Richardson, P.C.
; STREET: 4225 Executive Square, Suite 1400
; CITY: La Jolla
; STATE: CA
; COUNTRY: US
; ZIP: 92037
;
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: Windows95
; SOFTWARE: FASTSEQ for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/412,184
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/08/646,590
; FILING DATE: 08-MAY-1996
;
; Query Match 79.2%; Score 38; DB 2; Length 303;
; Best Local Similarity 77.8%; Pred. No. 4.3;
; Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
;
QY 1 SLFEGIDGY 9
;
Db 34 SIPEGIRGY 42
;
;
; RESULT 3
; US-09-069-226-32
; Sequence 32, Application US/09069226
; Patent No. 6013509
; GENERAL INFORMATION:
; APPLICANT: WARREN, Patrick V.
; TITLE OF INVENTION: TRANSAMINASES AND AMINOTRANSFERASES
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: CARELLA, BYRNE, BAIN, GILFILLAN,
; STREET: CECCHI, STEWART & OLSTEIN

```

APPLICATION NUMBER: PCT/US97/01094
FILING DATE: 21-January-1997
CLASSIFICATION:
ATTORNEY/AGENT INFORMATION:
NAME: Haile, Ph.D., Lisa A.
REGISTRATION NUMBER: 38,347
REFERENCE/DOCKET NUMBER: 09010/017001
TELECOMMUNICATION INFORMATION:
TELEPHONE: 619/678-5070
TELEFAX: 619/678-5099
INFORMATION FOR SEQ ID NO: 32:
SEQUENCE CHARACTERISTICS:
LENGTH: 303 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
FRAGMENT TYPE: internal
US-09-412-184-32

Query Match 79.2%; Score 38; DB 4; Length 303;
Best Local Similarity 77.8%; Pred. No. 4.3;
Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
I:|||||I
Db 34 SIFEGIRGY 42

RESULT 5
US-08-797-358B-3
Sequence 3, Application US/08797358B
Patent No. 6268478
GENERAL INFORMATION:
APPLICANT: Adams, John
TITLE OF INVENTION: INTRACELLULAR VITAMIN D BINDING PROTEIN
NUMBER OF SEQUENCES: 9
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122

COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/797,358B
FILING DATE: 11-Feb-1997
CLASSIFICATION: <Unknown>
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 60/011,491
FILING DATE: 12-FEB-1996
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-CE 3165
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 3:
SEQUENCE CHARACTERISTICS:
LENGTH: 643 amino acids
TYPE: amino acid
STRANDEDNESS: unknown
TOPOLOGY: unknown
MOLECULE TYPE: protein
SEQUENCE DESCRIPTION: SEQ ID NO: 3:
US-08-797-358B-3

Query Match 79.2%; Score 38; DB 4; Length 643;
Best Local Similarity 77.8%; Pred. No. 10;
Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
I:|||||I
Db 288 SLFEGVDYF 296

RESULT 6
US-08-441-139-14
Sequence 14, Application US/08441139
Patent No. 5773245
GENERAL INFORMATION:
APPLICANT: Wittrup, Dr. Karl D.
APPLICANT: Robinson, Anne S.
TITLE OF INVENTION: METHODS FOR INCREASING SECRETION OF
NUMBER OF SEQUENCES: 20
CORRESPONDENCE ADDRESS:
ADDRESSEE: SCULLY, SCOTT, MURPHY & PRESSER
STREET: 400 Garden City Plaza
CITY: Garden City
STATE: NY
COUNTRY: USA
ZIP: 11530

COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/441,139
FILING DATE: 15-MAY-1995
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/089,997
FILING DATE: 06-JUL-1993
ATTORNEY/AGENT INFORMATION:
NAME: DiGiglio, Frank S.
REGISTRATION NUMBER: 31,346
REFERENCE/DOCKET NUMBER: 8646
TELECOMMUNICATION INFORMATION:
TELEPHONE: 516-742-4343
TELEFAX: 516-742-4366
TELEX: 230 901 SANS UR
INFORMATION FOR SEQ ID NO: 14:
SEQUENCE CHARACTERISTICS:
LENGTH: 646 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-441-139-14

Query Match 75.0%; Score 36; DB 1; Length 646;
Best Local Similarity 77.8%; Pred. No. 26;
Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
I:|||||I
Db 286 SLFEGIDFY 294

RESULT 7
US-09-457-046B-61
Sequence 61, Application US/09457046B
Patent No. 6287835
GENERAL INFORMATION:
APPLICANT: Croteau, Rodney et al.
TITLE OF INVENTION: Transacylases of the Paclitaxel Biosynthetic Pathway
FILE REFERENCE: 53679

Tue Dec 11 08:45:46 2001

```

; CURRENT APPLICATION NUMBER: US/09/457.046B
; CURRENT FILING DATE: 1999-12-07
; NUMBER OF SEQ ID NOS: 74
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 61
; LENGTH: 458
; TYPE: PRT
; ORGANISM: Arabidopsis thaliana
US-09-457-046B-61

Query Match      68.8%; Score 33; DB 4; Length 458;
Best Local Similarity 66.7%; Pred. No. 68;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
Db 165 SLFDGISAY 173

RESULT 8
US-08-483-695-42
; Sequence 42, Application US/08483695
; Patent No. 5866139
; GENERAL INFORMATION:
; APPLICANT: Brechot, Christian
; APPLICANT: Kremsdorf, Dina
; APPLICANT: Porchon, Colette
; TITLE OF INVENTION: Nucleotide and Peptide Sequences of a
; TITLE OF INVENTION: Hepatitis C Virus Isolate, Diagnostic and Therapeutic
; NUMBER OF SEQUENCES: 46
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Finnegan, Henderson, Farabow, Garrett &
; STREET: 1300 I Street, N.W.
; CITY: Washington
; STATE: DC
; COUNTRY: USA
; ZIP: 20005-3315
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/483,695
; FILING DATE: 18-MAR-1993
; CLASSIFICATION: 435
; PRIOR APPLICATION NUMBER: FR 91 06 882
; FILING DATE: 06-JUN-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Meyers, Kenneth J.
; REGISTRATION NUMBER: 25,146
; REFERENCE/DOCKET NUMBER: 05286-0001-00000
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 202-408-4000
; TELEFAX: 202-408-4400
; INFORMATION FOR SEQ ID NO: 42:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 108 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-483-695-42

Query Match      66.7%; Score 32; DB 2; Length 108;
Best Local Similarity 62.5%; Pred. No. 20;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 2 LFEGIDGY 9
Db 44 LFAGVDGH 51

RESULT 10
US-08-487-231-42
; Sequence 42, Application US/08487231
; Patent No. 5919454
; GENERAL INFORMATION:
; APPLICANT: Brechot, Christian
; APPLICANT: Kremsdorf, Dina
; APPLICANT: Porchon, Colette
; TITLE OF INVENTION: Nucleotide and Peptide Sequences of a
; TITLE OF INVENTION: Hepatitis C Virus Isolate, Diagnostic and Therapeutic

```

;
; TITLE OF INVENTION: Applications
; NUMBER OF SEQUENCES: 46
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Finnegan, Henderson, Farabow, Garrett &
; ADDRESSEE: Dunner
; STREET: 1300 I Street, N.W.
; CITY: Washington
; STATE: DC
; COUNTRY: USA
; ZIP: 20005-3315
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/487,231
; FILING DATE: 07-JUNE-1995
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/965,285
; FILING DATE: 18-MAR-1993
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: FR 91 06 882
; FILING DATE: 06-JUN-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Meyers, Kenneth J.
; REGISTRATION NUMBER: 25,146
; REFERENCE/DOCKET NUMBER: 05286-0001-02000
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 202-408-4400
; TELEFAX: 202-408-4400
; INFORMATION FOR SEQ ID NO: 42:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 108 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-487-231-42

Query Match 66.7%; Score 32; DB 2; Length 108;
Best Local Similarity 62.5%; Pred. No. 20;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

OY 2 LPEGIDGY 9
||| |:
Db 44 L FAGVDGH 51

RESULT 11
US-09-201-912-42
; Sequence 42, Application US/09201912
; Patent No. 6210962
; GENERAL INFORMATION:
; APPLICANT: Brechot, Christian
; APPLICANT: Kremsdorf, Dina
; APPLICANT: Porchon, Colette
; TITLE OF INVENTION: Nucleotide and Peptide Sequences of a
; TITLE OF INVENTION: Hepatitis C Virus Isolate, Diagnostic and Therapeutic
; NUMBER OF SEQUENCES: 46
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Finnegan, Henderson, Farabow, Garrett &
; ADDRESSEE: Dunner
; STREET: 1300 I Street, N.W.
; CITY: Washington
; STATE: DC
; COUNTRY: USA
; ZIP: 20005-3315
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk

;
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/201,912
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07/965,285
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: Meyers, Kenneth J.
; REGISTRATION NUMBER: 25,146
; REFERENCE/DOCKET NUMBER: 05286-0001-00000
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 202-408-4000
; TELEFAX: 202-408-4400
; INFORMATION FOR SEQ ID NO: 42:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 108 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-09-201-912-42

Query Match 66.7%; Score 32; DB 4; Length 108;
Best Local Similarity 62.5%; Pred. No. 20;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

OY 2 LPEGIDGY 9
||| |:
Db 44 L FAGVDGH 51

RESULT 12
US-08-444-818-173
; Sequence 173, Application US/08444818
; Patent No. 6150087
; GENERAL INFORMATION:
; APPLICANT: Chien, David Y.
; APPLICANT: Rutter, William J.
; TITLE OF INVENTION: NANBV Diagnostics and Vaccines
; NUMBER OF SEQUENCES: 777
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Chiron Corporation
; STREET: 4560 Horton Street
; CITY: Emeryville
; STATE: CA
; COUNTRY: USA
; ZIP: 94608-2916
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/444,818
; FILING DATE:
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/08/403,590
; FILING DATE: 14-MAR-1995
; ATTORNEY/AGENT INFORMATION:
; NAME: Harbin, Alisa A.
; REGISTRATION NUMBER: 33,895
; REFERENCE/DOCKET NUMBER: 0110.002
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (508)359-3876
; TELEFAX: (508)359-3885
; INFORMATION FOR SEQ ID NO: 173:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 139 amino acids

; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; ORIGINAL SOURCE:
; INDIVIDUAL ISOLATE: Japanese isolate (T. Miyamura)
US-08-444-818-173

Query Match 66.7%; Score 32; DB 4; Length 139;
Best Local Similarity 62.5%; Pred. No. 27;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 2 LFEGIDGY 9
|||:|:
Db 78 LFAGVDGH 85

RESULT 13
US-08-440-103-16
; Sequence 16, Application US/08440103
; Patent No. 5670152
; GENERAL INFORMATION:
; APPLICANT: Weiner, Amy J.
; APPLICANT: Houghton, Michael
; TITLE OF INVENTION: Immunoreactive Polypeptide Compositions
; NUMBER OF SEQUENCES: 45
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Chiron Corporation
; STREET: 4560 Horton Street
; CITY: Emeryville
; STATE: CA
; COUNTRY: USA
; ZIP: 94608
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/440,103
; FILING DATE: 12-MAY-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/08/231,368
; FILING DATE:
; APPLICATION NUMBER: US 07/759,575
; FILING DATE: 13-SEP-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: McClung, Barbara G.
; REGISTRATION NUMBER: 33,113
; REFERENCE/DOCKET NUMBER: 0205.001
; TELEPHONE: (510) 601-2708
; TELEFAX: (510) 655-3542
; INFORMATION FOR SEQ ID NO: 16:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 269 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-440-103-16

Query Match 66.7%; Score 32; DB 1; Length 269;
Best Local Similarity 62.5%; Pred. No. 58;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;
QY 2 LFEGIDGY 9
|||:|:
Db 8 LFAGVDGH 15
RESULT 15
US-08-231-368-16
; Sequence 16, Application US/08231368
; Patent No. 5756312
; GENERAL INFORMATION:
; APPLICANT: Weiner, Amy J.
; APPLICANT: Houghton, Michael
; TITLE OF INVENTION: Immunoreactive Polypeptide Compositions
; NUMBER OF SEQUENCES: 45
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Chiron Corporation
; STREET: 4560 Horton Street
; CITY: Emeryville
; STATE: CA
; COUNTRY: USA
; ZIP: 94608

RESULT 14
US-08-440-542-16
; Sequence 16, Application US/08440542
; Patent No. 5670153
; GENERAL INFORMATION:
; APPLICANT: Weiner, Amy J.
; APPLICANT: Houghton, Michael
; TITLE OF INVENTION: Immunoreactive Polypeptide Compositions
; NUMBER OF SEQUENCES: 45
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Chiron Corporation
; STREET: 4560 Horton Street
; CITY: Emeryville
; STATE: CA
; COUNTRY: USA
; ZIP: 94608
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/440,542
; FILING DATE: 12-MAY-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/08/231,368
; FILING DATE:
; APPLICATION NUMBER: US 07/759,575
; FILING DATE: 13-SEP-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: McClung, Barbara G.
; REGISTRATION NUMBER: 33,113
; REFERENCE/DOCKET NUMBER: 0205.001
; TELEPHONE: (510) 601-2708
; TELEFAX: (510) 655-3542
; INFORMATION FOR SEQ ID NO: 16:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 269 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-440-542-16

Query Match 66.7%; Score 32; DB 1; Length 269;
Best Local Similarity 62.5%; Pred. No. 58;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 2 LFEGIDGY 9
|||:|:
Db 8 LFAGVDGH 15

RESULT 15
US-08-231-368-16
; Sequence 16, Application US/08231368
; Patent No. 5756312
; GENERAL INFORMATION:
; APPLICANT: Weiner, Amy J.
; APPLICANT: Houghton, Michael
; TITLE OF INVENTION: Immunoreactive Polypeptide Compositions
; NUMBER OF SEQUENCES: 45
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Chiron Corporation
; STREET: 4560 Horton Street
; CITY: Emeryville
; STATE: CA
; COUNTRY: USA
; ZIP: 94608

COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/231,368
FILING DATE:
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 07/759,575
FILING DATE: 13-SEP-1991
ATTORNEY/AGENT INFORMATION:
NAME: McClung, Barbara G.
REGISTRATION NUMBER: 33,113
REFERENCE/DOCKET NUMBER: 0205.001
TELECOMMUNICATION INFORMATION:
TELEPHONE: (510) 601-2708
TELEFAX: (510) 655-3542
INFORMATION FOR SEQ ID NO: 16:
SEQUENCE CHARACTERISTICS:
LENGTH: 269 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-231-368-16

Query Match 66.7%; Score 32; DB 1; Length 269;
Best Local Similarity 62.5%; Pred. No. 58;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 2 LFEGIDGY 9
DB 8 LFAGVDGH 15

Search completed: December 6, 2001, 07:59:56
Job time: 364 sec

THIS PAGE BLANK (USPTO)

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:58:26 ; Search time 88.19 Seconds
(without alignments)
7.774 Million cell updates/sec

Title: PEPI-MOD8G
Perfect score: 48
Sequence: 1 SLFEGIDGY 9

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 219241 seqs, 76174552 residues

Total number of hits satisfying chosen parameters: 219241

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : PIR_68: *
1: pir1: *
2: pir2: *
3: pir3: *
4: pir4: *

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	40	83.3	289	T17957	hypothetical prote
2	39	81.2	208	B4261	dnak-type molecula
3	39	81.2	209	A4261	dnak-type molecula
4	39	81.2	278	T17957	dnak-type molecula
5	39	81.2	372	P00138	dnak-type molecula
6	39	81.2	420	A26283	dnak-type molecula
7	39	81.2	467	T45477	heat-shock protein
8	39	81.2	467	T45479	heat-shock protein
9	39	81.2	468	T45478	heat-shock protein
10	39	81.2	469	T45478	heat-shock protein
11	39	81.2	617	H96605	probable heat shoc
12	39	81.2	632	T45471	dnak-type molecula
13	39	81.2	634	A25646	dnak-type molecula
14	39	81.2	636	A48872	dnak-type molecula
15	39	81.2	638	S31766	dnak-type molecula
16	39	81.2	639	JC1391	dnak-type molecula
17	39	81.2	639	S20139	dnak-type molecula
18	39	81.2	640	HUKW7A	dnak-type molecula
19	39	81.2	640	A29160	dnak-type molecula
20	39	81.2	640	S37394	dnak-type molecula
21	39	81.2	640	T21394	dnak-type molecula
22	39	81.2	640	T43724	hypothetical prote
23	39	81.2	641	S53357	dnak-type molecula
24	39	81.2	641	S35718	dnak-type molecula
25	39	81.2	641	I54542	dnak-type molecula
26	39	81.2	641	A45871	dnak-type molecula
27	39	81.2	642	HBBYAL	dnak-type molecula
28	39	81.2	642	JH0095	dnak-type molecula
29	39	81.2	642	B36590	dnak-type molecula

ALIGNMENTS

RESULT 1

T17957

hypothetical protein A454L - Chlorella virus PBCV-1
C:Species: Chlorella virus PBCV-1

C>Date: 15-Oct-1999 #sequence_revision 15-Oct-1999 #text_change 21-Jan-2000

C:Accession: T17957

R:Graves, M.V.; Van Etten, J.L.

submitted to the EMBL Data Library, May 1999

A:Reference number: Z18806

A:Accession: T17957

A>Status: preliminary; translated from GB/EMBL/DBDJ

A:Molecule type: DNA

A:Residues: 1-289 <GRA>

A:Cross-references: EMBL:U02580; NID:94028896; PIDN:AAC96822.1

A:Experimental source: specific host Chlorella strain NC64

C:Genetics:

A:Note: A454L

C:Superfamily: Chlorella virus PBCV-1 hypothetical protein A454L

Query Match 83.3%; Score 40; DB 2; Length 289;
Best Local Similarity 77.8%; Pred. No. 2.2;
Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9

DB 250 SLFEGLOGY 258

RESULT 2

B4261

dnak-type molecular chaperone HSC70 - California sea hare (fragment)

N:Alternate names: heat shock protein 70 homolog HSC70

C:Species: Aplysia californica (California sea hare)

C>Date: 04-Sep-1998 #sequence_revision 04-Sep-1998 #text_change 13-Aug-1999

C:Accession: B4261

R:Kuhl, D.; Kennedy, T.E.; Barzilai, A.; Kandel, E.R.

J. Cell Biol. 119, 1069-1076, 1992

A:Title: Long-term sensitization training in Aplysia leads to an increase in the expr

A:Reference number: A44261; MUID:93077669

A:Accession: B4261

A>Status: preliminary; not compared with conceptual translation

A:Molecule type: nucleic acid

A:Residues: 1-208 <KUH>

A:Note: sequence extracted from NCBI backbone (NCBIP:118950)

C:Genetics:

A:Gene: HSC70

C:Function:

A:Description: involved in protein folding and assembling/disassembling of protein co

C:Superfamily: heat shock protein 70

C:Keywords: ATP; molecular chaperone

30	39	81.2	644	2	A45635	dnak-type molecula
31	39	81.2	645	2	I51129	dnak-type molecula
32	39	81.2	646	2	T46650	heat shock protein
33	39	81.2	647	1	HXL70	dnak-type molecula
34	39	81.2	647	2	S44168	dnak-type molecula
35	39	81.2	647	2	T41121	heat shock protein
36	39	81.2	650	2	JC7088	heat shock protein
37	38	79.2	214	2	A03309	dnak-type molecula
38	38	79.2	379	2	I46588	dnak-type molecula
39	38	79.2	467	2	T45473	heat-shock protein
40	38	79.2	467	2	T45474	heat-shock protein
41	38	79.2	574	2	S74849	ABC-type transport
42	38	79.2	641	2	JN0668	dnak-type molecula
43	38	79.2	641	2	PC7036	heat shock protein
44	38	79.2	643	2	S25585	dnak-type molecula
45	38	79.2	643	2	S09036	dnak-type molecula

```

Query Match      81.2%; Score 39; DB 2; Length 208;
Best Local Similarity 88.9%; Pred. No. 2.4;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
   |||||
Db 132 SLFEGIDFY 140

RESULT 3
A44261
dnak-type molecular chaperone HSP70a - California sea hare (fragment)
N:Alternate names: heat shock protein 70
C:Species: Aplysia californica (California sea hare)
C:Date: 04-Sep-1998 #sequence_revision 04-Sep-1998 #text_change 13-Aug-1999
C:Accession: A44261
R:Kuhl, D.; Kennedy, T.E.; Barzilai, A.; Kandel, E.R.
J. Cell Biol. 119, 1069-1076, 1992
A:Title: Long-term sensitization training in Aplysia leads to an increase in the expression of HSP70
A:Reference number: A44261; MUID:93077669
A:Accession: A44261
A>Status: preliminary; not compared with conceptual translation
A:Molecule type: nucleic acid
A:Residues: 1-209 <KUH>
A:Note: sequence extracted from NCBI backbone (NCBIP:118951)
C:Genetics:
A:Gene: HSP70a
C:Function:
A:Description: Involved in protein folding and assembling/disassembling of protein complex
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match      81.2%; Score 39; DB 2; Length 209;
Best Local Similarity 88.9%; Pred. No. 2.4;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
   |||||
Db 133 SLFEGIDFY 141

RESULT 4
I51344
dnak-type molecular chaperone (clone pTHS70.7) - rainbow trout (fragment)
N:Alternate names: 70K heat shock protein
C:Species: Oncorhynchus mykiss (rainbow trout)
C:Date: 21-Feb-1997 #sequence_revision 21-Feb-1997 #text_change 20-Aug-1999
C:Accession: I51344
R:Kothary, R.K.; Jones, D.; Candido, E.P.M.
Mol. Cell. Biol. 4, 1785-1791, 1984
A:Title: 70-kilodalton heat shock polypeptides from rainbow trout: Characterization of cDNA clones
A:Reference number: I51344; MUID:85036330
A:Accession: I51344
A>Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-278 <KOT>
A:Cross-references: GB:R02549; NID:g213803; PIDN:AAA49562.1; PID:g213804
C:Function:
A:Description: Involved in protein folding and assembling/disassembling of protein complex
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match      81.2%; Score 39; DB 2; Length 278;
Best Local Similarity 88.9%; Pred. No. 3.4;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
   |||||
Db 156 SLFEGIDFY 164

```

```

RESULT 5
PQ0138
dnak-type molecular chaperone hsp70 II - sea urchin (Paracentrotus lividus) (fragment)
N:Alternate names: heat shock protein 70
C:Species: Paracentrotus lividus (common urchin)
C:Date: 23-Nov-1991 #sequence_revision 23-Nov-1991 #text_change 20-Aug-1999
C:Accession: PQ0138
R:Rosa, M.L.; Sconzo, G.; Giudice, G.; Roccheri, M.G.; Carlo, M.D.
Gene 96, 295-300, 1990
A:Title: Sequence of a sea urchin hsp70 gene and its 5' flanking region.
A:Reference number: PQ0138; MUID:91099690
A:Accession: PQ0138
A:Molecule type: DNA
A:Residues: 1-372 <ROS>
A:Cross-references: EMBL:X16544; NID:g10000; PIDN:CAA34544.1; PID:g10001
C:Genetics:
A:Gene: hsp70 II
A:Introns: 68/1; 137/1; 188/3; 281/3
C:Function:
A:Description: Involved in protein folding and assembling/disassembling of protein complex
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match      81.2%; Score 39; DB 2; Length 372;
Best Local Similarity 88.9%; Pred. No. 4.7;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
   |||||
Db 286 SLFEGIDFY 294

RESULT 6
A26283
dnak-type molecular chaperone - mouse (fragment)
N:Alternate names: heat shock protein 68
C:Species: Mus musculus (house mouse)
C:Date: 19-Nov-1988 #sequence_revision 19-Nov-1988 #text_change 20-Aug-1999
C:Accession: A26283
R:Lowe, D.G.; Moran, L.A.
J. Biol. Chem. 261, 2102-2112, 1986
A:Title: Molecular cloning and analysis of DNA complementary to three mouse Mr=68,000
A:Reference number: A26283; MUID:86111900
A:Accession: A26283
A:Molecule type: mRNA
A:Residues: 1-420 <LOW>
A:Cross-references: GB:M12571; NID:g194014; PIDN:AAA57234.1; PID:g387208
A:Note: the authors translated the codon CTG for residue 173 as Val and CGC for residue
C:Function:
A:Description: Involved in protein folding and assembling/disassembling of protein complex
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match      81.2%; Score 39; DB 2; Length 420;
Best Local Similarity 88.9%; Pred. No. 5.4;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
   |||||
Db 65 SLFEGIDFY 73

RESULT 7
T45477
heat-shock protein 70 [imported] - Chondrosia reniformis (fragment)
C:Species: Chondrosia reniformis
C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000
C:Accession: T45477
R:Borchelli, C.; Le Parco, Y.
submitted to the EMBL Data Library, September 1997

```

A:Reference number: Z22983
A:Accession: T45477
A:Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-467 <BOR>
A:Cross-references: EMBL:AF026517; PIDN:AAC05362.1
C:Genetics:
A:Gene: Hsp70
C:Superfamily: heat shock protein 70

Query Match 81.2%; Score 39; DB 2; Length 467;
Best Local Similarity 88.9%; Pred. No. 6.1;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
|||||||
DB 252 SLFEGIDFY 260

RESULT 8

T45479
heat-shock protein 70 [imported] - Eunicella cavolini (fragment)
C:Species: Eunicella cavolini
C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000
A:Accession: T45479
R:Borchellini, C.; Le Parco, Y.
submitted to the EMBL Data Library, September 1997
A:Reference number: Z22983
A:Accession: T45479
A:Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-467 <BOR>
A:Cross-references: EMBL:AF026520; PIDN:AAC05364.1
C:Genetics:
A:Gene: Hsp70
C:Superfamily: heat shock protein 70

Query Match 81.2%; Score 39; DB 2; Length 467;
Best Local Similarity 88.9%; Pred. No. 6.1;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
|||||||
DB 252 SLFEGIDFY 260

RESULT 9

T45476
heat-shock protein 70 [imported] - Funiculina quadrangularis (fragment)
C:Species: Funiculina quadrangularis
C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000
A:Accession: T45476
R:Borchellini, C.; Le Parco, Y.
submitted to the EMBL Data Library, September 1997
A:Reference number: Z22983
A:Accession: T45476
A:Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-468 <BOR>
A:Cross-references: EMBL:AF026516; PIDN:AAC05361.1
C:Genetics:
A:Gene: Hsp70
C:Superfamily: heat shock protein 70

Query Match 81.2%; Score 39; DB 2; Length 468;
Best Local Similarity 88.9%; Pred. No. 6.1;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
|||||||

DB 253 SLFEGIDFY 261

RESULT 10

T45478
heat-shock protein 70 [imported] - Eunicella cavolini (fragment)
C:Species: Eunicella cavolini
C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000
A:Accession: T45478
R:Borchellini, C.; Le Parco, Y.
submitted to the EMBL Data Library, September 1997
A:Reference number: Z22983
A:Accession: T45478
A:Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-469 <BOR>
A:Cross-references: EMBL:AF026518; PIDN:AAC05363.1
C:Genetics:
A:Gene: Hsp70
C:Superfamily: heat shock protein 70

Query Match 81.2%; Score 39; DB 2; Length 469;
Best Local Similarity 88.9%; Pred. No. 6.1;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
|||||||
DB 254 SLFEGIDFY 262

RESULT 11

H96605
probable heat shock protein [imported] - Arabidopsis thaliana
C:Species: Arabidopsis thaliana (mouse-ear cross)
C:Date: 02-Mar-2001 #sequence_revision 02-Mar-2001 #text_change 23-Mar-2001
A:Accession: H96605
R:Theologis, A.; Ecker, J.R.; Palm, C.J.; Federspiel, N.A.; Kaul, S.; White, O.; Alon
Chen, C.W.; Chung, M.K.; Conn, L.; Conway, A.B.; Dewar, T.H.; Dwyer,
ansen, N.F.; Hughes, B.; Huizar, L.
Nature 408, 816-820, 2000
A:Authors: Hunter, J.L.; Jenkins, J.; Johnson-Hopson, C.; Khan, S.; Khaykin, E.; Kim,
C.A.; Li, J.H.; Li, Y.; Lin, X.; Liu, S.X.; Liu, Z.A.; Luros, J.S.; Maiti, R.; Marzia
Rizzo, M.; Rooney, T.; Rowley, D.; Sakano, H.
A:Authors: Salzberg, S.L.; Schwartz, J.R.; Shinn, P.; Southwick, A.M.; Sun, H.; Tallo
ker, M.; Wu, D.; Yu, G.; Fraser, C.M.; Venter, J.C.; Davis, R.W.
A:Title: Sequence and analysis of chromosome 1 of the plant Arabidopsis.
A:Reference number: A86141; MUID:21016719
A:Accession: H96605
A:Status: preliminary
A:Molecule type: DNA
A:Residues: 1-617 <STO>
A:Cross-references: GB:AE005173; NID:gl1024845; PIDN:AAG26930.1; GSPDB:GNO0141
C:Genetics:
A:Gene: Fl3N6.9
A:Map position: 1
C:Superfamily: heat shock protein 70

Query Match 81.2%; Score 39; DB 2; Length 617;
Best Local Similarity 88.9%; Pred. No. 8.3;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
|||||||
DB 292 SLFEGIDFY 300

RESULT 12

T45471
dnaK-type molecular chaperone hsc70 [imported] - slime mold (Dictyostelium discoideum
N:Alternate names: heat shock cognate protein 70
C:Species: Dictyostelium discoideum

C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 18-Feb-2000
C:Accession: T45471
R:Boves, H.; Mintert, U.; Ditttrich, W.; Faix, J.; Gerisch, G.
submitted to the EMBL Data Library, September 1997
A:Reference number: 222980
A:Accession: T45471
A:Status: preliminary; translated from GB/EMBL/DDBJ
A:Molecule type: mRNA
A:Residues: 1-632 <BOV>
A:Cross-references: EMBL:AF025951; PIDN:AAB81865.1
A:Experimental source: strain AX3
C:Genetics:
A:Gene: hsc70
A:Note: localized to filopodias and cortex
C:Superfamily: heat shock protein 70

Query Match 81.2%; Score 39; DB 2; Length 632;
Best Local Similarity 88.9%; Pred. No. 8.5;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
|||||||

Db 285 SLFEGIDFY 293

RESULT 13

A25646
dnaK-type molecular chaperone - chicken
N:Alternate names: heat shock protein 70
C:Species: Gallus gallus (chicken)
C:Date: 19-Nov-1988 #sequence_revision 19-Nov-1988 #text_change 20-Aug-1999
C:Accession: A25646
R:Morimoto, R.I.; Hunt, C.; Huang, S.Y.; Berg, K.L.; Banerji, S.S.
J. Biol. Chem. 261, 12692-12699, 1986
A:Title: Organization, nucleotide sequence, and transcription of the chicken HSP70 gene.
A:Reference number: A25646; MUID:86304452
A:Accession: A25646
A:Molecule type: DNA
A:Residues: 1-634 <MOR>
A:Cross-references: GB:J02579; NID:g211940; PIDN:AAA48825.1; PID:g211941
A:Note: the authors translated the codon TCG for residue 583 as Trp
C:Function:
A:Description: Involved in protein folding and assembling/disassembling of protein comp
C:Superfamily: heat shock protein 70
C:Keywords: Atp; molecular chaperone

Query Match 81.2%; Score 39; DB 2; Length 634;
Best Local Similarity 88.9%; Pred. No. 8.6;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
|||||||

Db 289 SLFEGIDFY 297

RESULT 14

A48872
dnaK-type molecular chaperone hspB - slime mold (Dictyostellium discoideum) (fragment)
N:Alternate names: 70k heat shock cognate protein aginactin; F-actin capping protein ag
C:Species: Dictyostellium discoideum
C:Date: 19-May-1995 #sequence_revision 19-May-1995 #text_change 20-Aug-1999
C:Accession: A48872
R:Eddy, R.J.; Sauterer, R.A.; Condeelis, J.S.
J. Biol. Chem. 269, 23267-23274, 1993
A:Title: Aginactin, an agonist-regulated F-actin capping activity is associated with an
A:Reference number: A48872; MUID:94043116
A:Accession: A48872
A:Status: preliminary
A:Molecule type: mRNA
A:Residues: 1-636 <EDD>
A:Cross-references: GB:L22736; NID:g433179; PIDN:AAA33219.1; PID:g433180

A:Note: authors translated the codon ACA for residue 10 as Pro, GCT for residue 60 as
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein co
C:Superfamily: heat shock protein 70
C:Keywords: Atp; molecular chaperone

Query Match 81.2%; Score 39; DB 2; Length 636;
Best Local Similarity 88.9%; Pred. No. 8.6;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
|||||||

Db 280 SLFEGIDFY 288

RESULT 15

S31766
dnaK-type molecular chaperone hsp70 - green monkey
N:Alternate names: heat shock protein 70
C:Species: Cercopithecus aethiops (green monkey, grivet)
C:Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 20-Aug-1999
C:Accession: S31766; I36927
R:Sainis, I.; Angelidis, C.; Pagoulatos, G.; Lazaridis, I.
submitted to the EMBL Data Library, January 1993
A:Description: Nucleotide sequence of the cDNA encoding a monkey 70kd heat shock prot
A:Reference number: S31766
A:Accession: S31766
A:Molecule type: mRNA
A:Residues: 1-638 <SAI>
R:Sainis, I.; Angelidis, C.; Pagoulatos, G.; Lazaridis, I.
FEBS Lett. 355, 282-286, 1994
A:Title: The hsc70 gene which is slightly induced by heat is the main virus inducible
A:Reference number: I36927; MUID:95080396
A:Accession: I36927
A:Status: preliminary; translated from GB/EMBL/DDBJ
A:Molecule type: mRNA
A:Residues: 1-638 <RES>
A:Cross-references: EMBL:X70684; NID:g22781; PIDN:CAA50019.1; PID:g22782
A:Experimental source: kidney; cell line COS-1
C:Genetics:
A:Gene: hsp70
C:Function:
A:Description: Involved in protein folding and assembling/disassembling of protein co
C:Superfamily: heat shock protein 70
C:Keywords: Atp; molecular chaperone

Query Match 81.2%; Score 39; DB 2; Length 638;
Best Local Similarity 88.9%; Pred. No. 8.6;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
|||||||

Db 284 SLFEGIDFY 292

Search completed: December 6, 2001, 07:58:27
Job time: 275 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run On: December 6, 2001, 08:00:51 ; Search time 50.21 seconds
(without alignments)
6.572 Million cell updates/sec

Title: PEPL-MOD8G
Perfect score: 48
Sequence: 1 SLFEGIDGY 9

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 100059 seqs, 36664827 residues

Total number of hits satisfying chosen parameters: 100059

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : SwissProt_39:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query %	Match	Length	DB ID	Description
1	39	81.2	322	1	HS70_ONCVO	P11503 onchocerca
2	39	81.2	372	1	HS72_PARLI	P22623 paracentrot
3	39	81.2	420	1	HS73_MOUSE	Q61696 mus musculus
4	39	81.2	503	1	HS70_PENCI	Q92260 penicillium
5	39	81.2	634	1	HS70_CHICK	P08106 gallus gall
6	39	81.2	638	1	HS71_CERAE	Q28222 cercopithec
7	39	81.2	638	1	HS72_YEAST	P10592 saccharomyc
8	39	81.2	639	1	HS74_PARLI	Q06248 paracentrot
9	39	81.2	640	1	HS7A_CAEEL	P09446 caenorhabdi
10	39	81.2	640	1	HS7C_DICDI	P36415 dictyosteli
11	39	81.2	641	1	HS71_BOVIN	Q27975 bos taurus
12	39	81.2	641	1	HS71_HUMAN	P08107 homo sapien
13	39	81.2	641	1	HS71_MOUSE	P17879 mus musculus
14	39	81.2	641	1	HS71_PIG	P34930 sus scrofa
15	39	81.2	641	1	HS71_RAT	Q07439 rattus norv
16	39	81.2	641	1	HS71_YEAST	P10591 saccharomyc
17	39	81.2	641	1	HS72_BOVIN	Q27965 bos taurus
18	39	81.2	641	1	HS72_YEAST	P22202 saccharomyc
19	39	81.2	644	1	HS70_BRUMA	P27541 brugia mala
20	39	81.2	644	1	HS70_ONCTS	Q91233 oncorhynch
21	39	81.2	645	1	HS70_PLEWA	Q91291 pleurodeles
22	39	81.2	646	1	HS70_NEUCR	Q01233 neurospora
23	39	81.2	647	1	HS70_XENLA	P02827 xenopus lae
24	39	81.2	649	1	HS70_BLAEM	P48720 blastoclad
25	39	81.2	652	1	HS7D_WANSE	Q96639 manduca sex
26	38	79.2	214	1	HS7A_DROSI	P02826 drosophila
27	38	79.2	379	1	HS7X_PIG	P34934 sus scrofa
28	38	79.2	641	1	HS7A_DROME	P29843 drosophila
29	38	79.2	643	1	HS76_HUMAN	P17066 homo sapien
30	38	79.2	643	1	HS76_PIG	Q04967 sus scrofa
31	38	79.2	648	1	HS71_PUCGR	Q01877 puccinia gr
32	36	75.0	239	1	IPF2_AGRTU	P15653 agrobacteri
33	36	75.0	641	1	HS73_RAT	P55063 rattus norv

34	36	75.0	641	1	HS7H_HUMAN	P34931 homo sapien
35	36	75.0	641	1	HS7T_MOUSE	P16627 mus musculus
36	36	75.0	642	1	HS72_PICAN	P53623 pichia angu
37	36	75.0	643	1	HS71_SCHPO	Q10265 schizosacch
38	36	75.0	644	1	HS7L_PICAN	P53421 pichia angu
39	36	75.0	644	1	HS72_LYCES	P27322 lycopersico
40	36	75.0	645	1	HS70_SOYBN	P26413 glycine max
41	36	75.0	646	1	HS7C_CRIGR	P19378 cricetus
42	36	75.0	646	1	HS7C_HUMAN	P11142 homo sapien
43	36	75.0	646	1	HS7C_MOUSE	P08109 mus musculus
44	36	75.0	649	1	HS70_PARRR	P87047 paracoccidi
45	36	75.0	649	1	HS73_ARATH	O65719 arabidopsis

ALIGNMENTS

```

RESULT 1
HS70_ONCVO STANDARD; PRT; 322 AA.
AC P11503;
DT 01-OCT-1989 (Rel. 12, Created)
DT 01-FEB-1996 (Rel. 33, Last sequence update)
DE 01-FEB-1996 (Rel. 33, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN (HSP70) (FRAGMENT).
OS Onchocerca volvulus.
OC Eukaryota; Metazoa; Nematoda; Chromadorea; Spirurida; Filarioidea;
OC Onchocercidae; Onchocerca.
OX NCBI_TaxID=6282;
RX MEDLINE=89201313; PubMed=2704388;
RA Rothstein N.M., Higashi G., Yates J., Rajan T.V.;
RT Onchocerca volvulus heat shock protein 70 is a major immunogen in
RT amicrofilaremic individuals from a filariasis-endemic area.;
RL Mol. Biochem. Parasitol. 33:229-236(1989).
CC -!- DISEASE: HEAT SHOCK PROTEIN 70 IS A MAJOR IMMUNOGEN IN A
CC MICROFILAREMIC INDIVIDUALS FROM A FILARIASIS-ENDEMIC AREA.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
-----
This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See http://www.isb-sib.ch/announce/
or send an email to license@isb-sib.ch).
-----
EMBL; J04006; AAA29417.1; -
HSSP; P19120; 1ATR.
InterPro; IPR001023; HSP70.
Pfam; PF00012; HSP70; 1.
PROSITE; PS00297; HSP70_1; PARTIAL.
PROSITE; PS00329; HSP70_2; PARTIAL.
PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Heat shock.
FT NON_TER 1
FT NON_TER 322 322
SQ SEQUENCE 322 AA; 35614 MW; 2BA3A2E8155A7180 CRC64;

```

Query Match 81.2%; Score 39; DB 1; Length 322;

Best Local Similarity 88.9%; Pred.No. 2.2; Mismatches 1; Indels 0; Gaps 0;

Matches 8; Conservative 0;

QY 1 SLFEGIDGY 9
|||||||

Db 43 SLFEGIDFY 51

RESULT 2
HS72_PARLI STANDARD; PRT; 372 AA.

Tue Dec 11 08:45:47 2001

```

AC P22623;
DT 01-AUG-1991 (Rel. 19, Created)
DT 01-AUG-1991 (Rel. 19, Last sequence update)
DT 01-JUN-1994 (Rel. 29, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN II (HSP70 II) (FRAGMENT).
GN HSP70II.
OS Paracentrotus lividus (Common sea urchin).
OC Eukaryota; Metazoa; Echinodermata; Eleutherozoa; Echinozoa;
OC Echinidea; Echinozoa; Echinacea; Echinoida; Echinidae;
OC Paracentrotus
OX NCBI_TaxID=7656;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Gonad;
RX MEDLINE=91099690; PubMed=2269441;
RA la Rosa M., Sconzo G., Giudice G., Roccheri M.C., di Carlo M.;
RT "Sequence of a sea urchin hsp70 gene and its 5' flanking region.";
RL Gene 96:295-300(1990).
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; X16544; CAA34544.1; -
CC PIR; P00138; P00138.
CC HSSP; P19120; INGI.
CC InterPro: IPR001023; HSP70.
CC Pfam: PF00012; HSP70.1.
CC PROSITE; PS00297; HSP70_1; 1.
CC PROSITE; PS00329; HSP70_2; PARTIAL.
CC PROSITE; PS01036; HSP70_3; 1.
CC ATP-binding; Heat shock; Multigene family.
KW NON_TER 372 372
FT SEQUENCE 372 AA; 41347 MW; 5F8C1C590527A659 CRC64;
SQ
Query Match 81.2%; Score 39; DB 1; Length 372;
Best Local Similarity 88.9%; Pred. No. 2.6;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
DB 286 SLFEGIDY 294
|||||||
RESULT 3
HS73_MOUSE
ID HS73_MOUSE STANDARD; PRT; 420 AA.
AC Q61696; Q61697;
DT 01-NOV-1997 (Rel. 35, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 3 (HSP70.3) (FRAGMENT).
GN HSP70-3 OR HSP70A1.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=86111900; PubMed=2868009;
RA Lowe D.G., Moran L.A.;
RT "Molecular cloning and analysis of DNA complementary to three mouse
RT Mr = 68,000 heat shock protein mRNAs.";
RL J. Biol. Chem. 261:2102-2112(1986).
RN [2]
RP SEQUENCE OF 155-420 FROM N.A.
RX MEDLINE=94357449; PubMed=8076831;

```

```

RA Perry M.D., Aujame L., Shtang S., Moran L.A.;
RT "Structure and expression of an inducible hsp70-encoding gene from
RT Mus musculus.";
RL Gene 146:273-278(1994).
CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDIANE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC -!- INDUCTION: BY HEAT SHOCK.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; M12571; AAA57234.1; -
CC EMBL; M12572; AAA57235.1; -
CC HSSP; P19120; IAYR.
CC MGD; MGI:96244; Hsp70-3.
CC InterPro: IPR001023; HSP70.
CC Pfam: PF00012; HSP70.1.
CC PROSITE; PS00297; HSP70_1; PARTIAL.
CC PROSITE; PS00329; HSP70_2; PARTIAL.
CC PROSITE; PS01036; HSP70_3; 1.
CC ATP-binding; Chaperone; Heat shock; Multigene family.
KW NON_TER 188 188
FT VARIANT 420 AA; 46292 MW; 5DA1C6155C7B16B5 CRC64;
SQ SEQUENCE
Query Match 81.2%; Score 39; DB 1; Length 420;
Best Local Similarity 88.9%; Pred. No. 2.9;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
DB 65 SLFEGIDFY 73
|||||||
RESULT 4
HS70_PENCI
ID HS70_PENCI STANDARD; PRT; 503 AA.
AC Q92260;
DT 20-AUG-2001 (Rel. 40, Created)
DT 20-AUG-2001 (Rel. 40, Last sequence update)
DT 20-AUG-2001 (Rel. 40, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN (ALLERGEN PEN C 19) (FRAGMENT).
GN HSP70.
OS Penicillium citrinum.
OC Eukaryota; Fungi; Ascomycota; Pezizomycotina; Eurotiomycetes;
OC Eurotiales; Trichocomaceae; mitosporic Trichocomaceae; Penicillium.
OX NCBI_TaxID=5077;
RN [1]
RP SEQUENCE FROM N.A.
RX Shen H.D., Au L.C., Lin W.L., Liaw S.F., Tsai J.J., Han S.H.;
RT "Molecular cloning and expression of a penicillium citrinum
RT allergen with sequence homology and antigenic cross-reactivity to
RT a hsp70 human heat shock protein.";
RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way

```


CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch)

DR EMBL; U64207; AAR06397.1; -
DR HSSP; P19120; 3HSC.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Chaperone; Heat shock; Allergen.
FT NON_TER 1
SQ SEQUENCE 503 AA; 55125 MW; B7433C11FAEA1320 CRC64;

Query Match 81.2%; Score 39; DB 1; Length 503;
Best Local Similarity 88.9%; Pred. No. 3.6;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
|||||||
Db 154 SLFEGIDFY 162

RESULT 5
HS70_CHICK STANDARD; PRT; 634 AA.
AC P08106;
DT 01-AUG-1988 (Rel. 08, Created)
DT 01-AUG-1988 (Rel. 08, Last sequence update)
DT 01-FEB-1994 (Rel. 28, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN (HSP70).
OS Gallus gallus (Chicken).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Archosauria; Aves; Neognathae; Galliformes; Phasianinae;
OC Gallus.
OX NCBI_TaxID=9031;
RN [1]
RP SEQUENCE FROM N.A.

RX MEDLINE=86304452; PubMed=3017985;
RA Morimoto R.I., Hunt C., Huang S.-Y., Berg K.L., Banerji S.S.;
RT "Organization, nucleotide sequence, and transcription of the chicken
RT HSP70 gene.";
RL J. Biol. Chem. 261:12692-12699 (1986).

CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch)

DR EMBL; J02579; AAA48825.1; -
DR PIR; A25646; A25646.
DR HSSP; P19120; 1ATP.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Heat shock; Multigene family.
SQ SEQUENCE 634 AA; 69750 MW; 4270F7F08D365AEB CRC64;

Query Match 81.2%; Score 39; DB 1; Length 634;
Best Local Similarity 88.9%; Pred. No. 4.6;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9

Db 289 SLFEGIDFY 297
|||||||

RESULT 6
HS71_CERAE STANDARD; PRT; 638 AA.
AC Q28222;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1.
GN HSPAL.
OS Cercopithecus aethiops (Green monkey) (Grivet).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Cercopithecidae;
OC Cercopithecinae; Cercopithecus.
OX NCBI_TaxID=9534;
RN [1]
RP SEQUENCE FROM N.A.

RC TISSUE=Kidney;
RX MEDLINE=95080396; PubMed=7988690;
RA Sainis I., Angelidis C., Pagoulatos G., Lazaridis I.;
RT "The hsc70 gene which is slightly induced by heat is the main virus
RT inducible member of the hsp70 gene family.";
RL FEBS Lett. 355:282-286(1994).
CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC
CC RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR
CC PROTEIN TRANSLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION
CC PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE
CC PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE
CC CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE
CC SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES
CC DURING TRANSLATION AND MEMBRANE TRANSLOCATION, OR FOLLOWING
CC STRESS-INDUCED DAMAGE.

CC -!- INDUCTION: BY HEAT SHOCK.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch)

DR EMBL; X70684; CAA50019.1; -
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
SQ SEQUENCE 638 AA; 69920 MW; D55076A0FFAB6AB3 CRC64;

Query Match 81.2%; Score 39; DB 1; Length 638;
Best Local Similarity 88.9%; Pred. No. 4.6;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
|||||||

Db 284 SLFEGIDFY 292
RESULT 7
HS72_YEAST STANDARD; PRT; 638 AA.
AC P10592;


```

RESULT 9
HS7A_CAEEL STANDARD; PRT; 640 AA.
AC P09446;
DT 01-MAR-1989 (Rel. 10, Created)
DT 01-MAR-1989 (Rel. 10, Last sequence update)
DT 01-FEB-1994 (Rel. 28, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN A.
GN HSP-1 OR HSP70A.
OS Caenorhabditis elegans.
OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidea;
OC Rhabditidae; Peloderinae; Caenorhabditis.
OX NCBI_TaxID=6239;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=88297155; PubMed=2841196;
RA Snutch T.P., Heschl M.F.P., Baillie D.L.;
RT "The Caenorhabditis elegans hsp70 gene family: a molecular genetic
RT characterization."
RL Gene 64:241-255(1988).
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; M18540; AAA28078.1; -.
CC PIR; JTO285; HHKW7A.
CC HSP; P19120; INGI.
CC InterPro; IPR001023; HSP70.
CC Pfam; PF00012; HSP70_1.
CC PRINTS; PR00301; HEATSHOCK70.
CC PROSITE; PS00297; HSP70_1; 1.
CC PROSITE; PS00329; HSP70_2; 1.
CC PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Heat shock; Multigene family.
SQ SEQUENCE 640 AA; 69823 MW; ED15409D06C500C2 CRC64;

Query Match 81.2%; Score 39; DB 1; Length 640;
Best Local Similarity 88.9%; Pred. No. 4.6;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
Db |||||||
Db 287 SLFEGIDFY 295

RESULT 10
HS7C_DICDI STANDARD; PRT; 640 AA.
AC P36415;
DT 01-JUN-1994 (Rel. 29, Created)
DT 01-JUN-1994 (Rel. 29, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HEAT SHOCK COGNATE PROTEIN (AGINACTIN).
GN HSPB OR HSC70.
OS Dictyostelium discoideum (Slime mold).
OC Eukaryota; Mycetozoa; Dictyosteliida; Dictyostelium.
OX NCBI_TaxID=44689;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=94008983; PubMed=8404847;
RA Haus U., Trommler P., Fisher P.R., Hartmann H., Lottspeich F.,
RA Noegel A.A., Schleicher M.;
RT "The heat shock cognate protein from Dictyostelium affects actin
RT polymerization through interaction with the actin-binding protein

cap32/34."
RL EMBO J. 12:3763-3771(1993).
RN [2]
RP SEQUENCE FROM N.A., AND SEQUENCE OF 34-46; 102-106 AND 298-309.
RC STRAIN=AX3;
RX MEDLINE=94043116; PubMed=8226849;
RA Eddy R.J., Sauterer R.A., Condeelis J.S.;
RT "Aginactin, an agonist-regulated F-actin capping activity is
RT associated with an Hsc70 in Dictyostelium."
RL J. Biol. Chem. 268:23267-23274(1993).
CC -!- FUNCTION: AFFECTS ACTIN POLYMERIZATION THROUGH INTERACTION WITH
CC THE ACTIN-BINDING PROTEIN CAP32/34. ACTS AS A CHAPERONE BY
CC STIMULATING THE REFOLDING OF DENATURATED CAP32 AND CAP34.
CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC. FOUND IN F-ACTIN-RICH REGIONS
CC OF THE CELL CORTEX AND CELL PROTRUSIONS.
CC -!- DEVELOPMENTAL STAGE: HEAT SHOCK COGNATE PROTEINS ARE EXPRESSED
CC CONSTITUTIVELY DURING NORMAL DEVELOPMENT.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; X75263; CAA53039.1; -.
CC EMBL; L22736; AAA33219.1; -.
CC PIR; S37394; S37394.
CC HSP; P19120; INGI.
CC SWISS-2DPAGE; P36415; DICTY.
CC DictyDb; DD01078; hspB.
CC InterPro; IPR001023; HSP70.
CC Pfam; PF00012; HSP70_1.
CC PRINTS; PR00301; HEATSHOCK70.
CC PROSITE; PS00297; HSP70_1; 1.
CC PROSITE; PS00329; HSP70_2; 1.
CC PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Chaperone.
FT CONFLICT 1 29
FT CONFLICT 32 32
FT CONFLICT 64 64
FT CONFLICT 180 180
FT CONFLICT 237 237
FT CONFLICT 240 240
FT CONFLICT 341 341
FT CONFLICT 352 352
FT SEQUENCE 640 AA; 70499 MW; 2E6BDC2DB96A9F5D CRC64;

MSSIGIDLTGYSCVGMONDRELIAND ->
IHHHNGNATWVSGPVSSEVLSFN (IN REF. 2).
N -> T (IN REF. 2).
V -> A (IN REF. 2).
R -> A (IN REF. 2).
S -> A (IN REF. 2).
V -> A (IN REF. 2).
I -> L (IN REF. 2).
F -> P (IN REF. 2).

Query Match 81.2%; Score 39; DB 1; Length 640;
Best Local Similarity 88.9%; Pred. No. 4.6;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
Db |||||||
Db 284 SLFEGIDFY 292

RESULT 11
HS7L_BOVIN STANDARD; PRT; 641 AA.
AC Q27975; Q27964;
DT 01-NOV-1997 (Rel. 35, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70-1).
GN HSP70-1.
OS Bos taurus (Bovine).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;

```

OC Bovidae; Bovinae; Bos.
 OX NCBI_TaxID=9913;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Skeletal muscle;
 RX MEDLINE=95126904; PubMed=7826329;
 RA Gutierrez J.A., Guerriero V.;
 RT "Chemical modifications of a recombinant bovine stress-inducible 70
 RT kDa heat-shock protein (Hsp70) mimics Hsp70 isoforms from tissues.";
 RL Biochem. J. 305:197-203(1995).
 RN [2]
 RP SEQUENCE OF 212-641 FROM N.A.
 RC STRAIN=ANGUS;
 RX MEDLINE=95030563; PubMed=7943958;
 RA Grosz M.D., Skow L.C., Stone R.T.;
 RT "An Alu polymorphism at the bovine 70 kD heat-shock protein-1
 RT (HSP70-1) locus.";
 RL Anim. Genet. 25:196-196(1994).
 CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
 CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDIANE THE FOLDING
 CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
 CC ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC
 CC RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR
 CC PROTEIN TRANSLLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION
 CC PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE
 CC PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE
 CC CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE
 CC SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES
 CC DURING TRANSLATION AND MEMBRANE TRANSLLOCATION, OR FOLLOWING
 CC STRESS-INDUCED DAMAGE.
 CC -1- INDUCTION: BY HEAT SHOCK.
 CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announcement/>
 CC or send an email to license@isb-sib.ch).
 CC
 CC EMBL; U09861; AAA73914.1; -;
 CC EMBL; U02891; AAA03450.1; -;
 CC HSP; P19120; INGC.
 CC InterPro: IPR001023; HSP70.
 CC Pfam: PF00012; HSP70; 1.
 CC PRINTS; PR00301; HEATSHOCK70.
 CC PROSITE; PS00297; HSP70_1; 1.
 CC PROSITE; PS00329; HSP70_2; 1.
 CC PROSITE; PS01036; HSP70_3; 1.
 CC ATP-binding; Chaperone; Heat shock; Multigene family.
 CC SEQUENCE 641 AA; 70250 MW; 6D548263E98780F9 CRC64;
 SQ
 Query Match 81.2%; Score 39; DB 1; Length 641;
 Best Local Similarity 88.9%; Pred. No. 4.6;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 Qy 1 SLFEGIDGY 9
 Db 286 SLFEGIDFY 294
 |||||
 RESULT 12
 HS71_HUMAN STANDARD; PRT; 641 AA.
 AC P08107; P19790; Q9UQ00; Q9UQ09;
 DT 01-AUG-1988 (Rel. 08, Created)
 DT 01-FEB-1994 (Rel. 28, Last sequence update)
 DT 20-AUG-2001 (Rel. 40, Last annotation update)
 DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70.1) (HSP70-1/HSP70-2).
 GN (HSPA1A OR HSPA1) AND HSPA1B.
 OS Homo sapiens (Human).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Homnidae; Homo.
 OX NCBI_TaxID=9606;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=91055806; PubMed=1700760;
 RA Milner C.M., Campbell R.D.;
 RT "Structure and expression of the three MHC-linked HSP70 genes.";
 RL Immunogenetics 32:242-251(1990).
 RN [2]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=86016721; PubMed=3931075;
 RA Hunt C., Morimoto R.I.;
 RT "Conserved features of eukaryotic hsp70 genes revealed by comparison
 RT with the nucleotide sequence of human hsp70.";
 RL Proc. Natl. Acad. Sci. U.S.A. 82:6455-6459(1985).
 RN [3]
 RP SEQUENCE FROM N.A. (HSPA1A AND HSPA1B).
 RA Rowen L., Qin S., Madan A., Dickhoff R., Dors M., Madan A., Hicks P.,
 RA Loretz C., Ratcliffe A., Abbasi N., Shaffer T., Hood L.;
 RT "Sequence of the human major histocompatibility complex class III
 RT region.";
 RL Submitted (MAR-1999) to the EMBL/GenBank/DBJ databases.
 RN [4]
 RP SEQUENCE OF 1-36 AND 360-424 FROM N.A.
 RX MEDLINE=89184548; PubMed=2538825;
 RA Sargent C.A., Dunham I., Trowsdale J., Campbell R.D.;
 RT "Human major histocompatibility complex contains genes for the major
 RT heat shock protein HSP70.";
 RL Proc. Natl. Acad. Sci. U.S.A. 86:1968-1972(1989).
 RN [5]
 RP SEQUENCE OF 1-22 AND 618-641 FROM N.A.
 RX MEDLINE=87066768; PubMed=3786141;
 RA Drabent B., Genthe A., Benecke B.-J.;
 RT "In vitro transcription of a human hsp 70 heat shock gene by extracts
 RT prepared from heat-shocked and non-heat-shocked human cells.";
 RL Nucleic Acids Res. 14:8933-8949(1986).
 RN [6]
 RP X-RAY CRYSTALLOGRAPHY (2.3 ANGSTROMS) OF 1-382.
 RX MEDLINE=99234376; PubMed=10216320;
 RA Osipuk J., Walsh M.A., Freeman B.C., Morimoto R.I., Joachimiak A.;
 RT "Structure of a new crystal form of human hsp70 ATPase domain.";
 RL Acta Crystallogr. D 55:1105-1107(1999).
 CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
 CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDIANE THE FOLDING
 CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
 CC ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC
 CC RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR
 CC PROTEIN TRANSLLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION
 CC PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE
 CC PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE
 CC CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE
 CC SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES
 CC DURING TRANSLATION AND MEMBRANE TRANSLLOCATION, OR FOLLOWING
 CC STRESS-INDUCED DAMAGE.
 CC -1- INDUCTION: BY HEAT SHOCK.
 CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announcement/>
 CC or send an email to license@isb-sib.ch).
 CC
 CC EMBL; M59828; AAA63226.1; -;
 CC EMBL; M59830; AAA63227.1; -;
 CC EMBL; AF134726; AAD21816.1; -;
 CC EMBL; AF134726; AAD21815.1; -;
 CC EMBL; M11717; AAA52697.1; -;
 CC EMBL; M24743; AAA59844.1; -;
 CC EMBL; M24744; AAA59845.1; -;
 DR

```
DR EMBL; X04676; CAA28381.1; -.
DR EMBL; X04677; CAA28382.1; -.
DR PIR; A29160; A29160.
DR PIR; A45871; A45871.
DR PIR; A25773; A25773.
DR PDB; 1HJO; 21-OCT-98.
DR SWISS-2DPAGE; P08107; HUMAN.
DR MIN; 140550; -.
DR MIN; 603012; -.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70.1; 1.
DR PROSITE; PS00329; HSP70.2; 1.
DR PROSITE; PS01036; HSP70.3; 1.
KW ATP-binding; Chaperone; Heat shock; Multigene family; MHC III;
KW 3D-structure. 7 I -> V (IN REF. 2).
FT CONFLICT 110 110 E -> D (IN REF. 3); AAD21816).
FT CONFLICT 370 370 A -> G (IN REF. 2).
FT CONFLICT 469 469 MISSING (IN REF. 2).
FT CONFLICT 499 499 N -> S (IN REF. 3); AAD21815).
SQ SEQUENCE 641 AA; 70052 MW; 78F513118C96DE66 CRC64;

Query Match 81.2%; Score 39; DB 1; Length 641;
Best Local Similarity 88.9%; Pred. No. 4.6;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 SLFEGIDGY 9
Db 286 SLFEGIDFY 294

RESULT 13
HS71_MOUSE
ID HS71_MOUSE STANDARD; PRT; 641 AA.
AC P17879; O61689;
DT 01-AUG-1990 (Rel. 15, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70.1) (HSP70-1/HSP70-2).
GN HSPA1 OR HSP70A1 OR HSP70-1 OR HCP70.1.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=90236310; PubMed=2332169;
RA Hunt C., Calderwood S.;
RT "Characterization and sequence of a mouse hsp70 gene and its
expression in mouse cell lines.";
RL Gene 87:199-204(1990).
RN [2]
RP SEQUENCE FROM N.A.
RX TISSUE=Liver;
RA Perry M.D., Aujaime L., Shtang S., Moran L.A.;
RT "Structure and expression of an inducible Hsp70-encoding gene from
Mus musculus.";
RL Gene 146:273-278(1994).
CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; M35021; AAA37864.1; -.
DR EMBL; M76613; AAA57233.1; -.
DR PIR; JH0095; JH0095.
DR HSSP; P19120; INGC.
DR MGD; MGI:99517; Hsp70-1.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70.1; 1.
DR PROSITE; PS00329; HSP70.2; 1.
DR PROSITE; PS01036; HSP70.3; 1.
KW ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
KW ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
FT CONFLICT 342 342 A -> R (IN REF. 1).
FT CONFLICT 627 627 P -> PP (IN REF. 1).
SQ SEQUENCE 641 AA; 69994 MW; 41475360F6749F2F CRC64;

Query Match 81.2%; Score 39; DB 1; Length 641;
Best Local Similarity 88.9%; Pred. No. 4.6;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 SLFEGIDGY 9
Db 286 SLFEGIDFY 294

RESULT 14
HS71_PIG
ID HS71_PIG STANDARD; PRT; 641 AA.
AC P34930;
DT 01-FEB-1994 (Rel. 28, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70.1).
GN HSPA1.
OS Sus scrofa (Pig).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.
OX NCBI_TaxID=9823;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=92175874; PubMed=1339404;
RA Peelman L.J., de Weghe A.R., Coppieters W.R., van Zeveren A.J.,
Bouquet Y.H.;
RT "Complete nucleotide sequence of a porcine HSP70 gene.";
RL Immunogenetics 35:286-289(1992).
CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; M69100; -. NOT_ANNOTATED_CDS.
DR PIR; S35718; S35718.
```

```

DR HSP; P19120; INGC.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
DR ATP-binding; Chaperone; Heat shock; Multigene family.
SQ SEQUENCE 641 AA; 70083 MW; FE77BB20A03E0A33 CRC64;

Query Match      81.2%; Score 39; DB 1; Length 641;
Best Local Similarity 88.9%; Pred. No. 4.6;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
Db 286 SLFEGIDFY 294

RESULT 15
HS71_RAT
ID HS71_RAT STANDARD; PRT; 641 AA.
AC Q07439; P42853;
DT 01-FEB-1995 (Rel. 31, Created)
DT 01-FEB-1995 (Rel. 31, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1/2 (HSP70.1/2).
GN HSP70-1 AND HSP70-2.
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX NCBI_TaxID=10116;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Brain;
RX MEDLINE=94096443; PubMed=8271311;
RA Longo F.M., Wang S., Narasimhan P., Zhang J.S., Chen J.,
RA Massa S.M., Sharp F.R.;
RT "cDNA cloning and expression of stress-inducible rat hsp70 in normal
RT and injured rat brain.";
RL J. Neurosci. Res. 36:325-335(1993).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=LEW 1W/GUN;
RX MEDLINE=95012453; PubMed=7927536;
RA Walter L., Rauh F., Guenther E.;
RT "Comparative analysis of the three major histocompatibility complex-
RT linked heat shock protein 70 (Hsp70) genes of the rat.";
RL Immunogenetics 40:325-330(1994).
RN [3]
RP SEQUENCE FROM N.A.
RC STRAIN=SPRAGUE-DAWLEY; TISSUE=Liver;
RX MEDLINE=94368874; PubMed=8086479;
RA Lisowska K., Krawczyk Z., Wlidlak W., Wolnicz P., Wisniewski J.;
RT "Cloning, nucleotide sequence and expression of rat heat inducible
RT hsp70 gene.";
RL Biochim. Biophys. Acta 1219:64-72(1994).
CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC -1- INDUCTION: BY HEAT SHOCK.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way

```

CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (see <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).

CC -----
 CC EMBL; L16764; AAA17441.1; -
 DR EMBL; X77208; CAA54423.1; -
 DR EMBL; X77207; CAA54422.1; -
 DR EMBL; X74271; CAA52328.1; -
 DR HSSP; P19120; INGC.
 DR InterPro; IPR001023; HSP70.
 DR Pfam; PF00012; HSP70; 1.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS00297; HSP70_1; 1.
 DR PROSITE; PS00329; HSP70_2; 1.
 DR PROSITE; PS01036; HSP70_3; 1.
 KW ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
 FT CONFLICT 71 72 KR -> NG (IN REF. 3).
 FT CONFLICT 227 227 D -> H (IN REF. 2 AND 3).
 FT CONFLICT 408 408 G -> A (IN REF. 3).
 SQ SEQUENCE 641 AA; 70163 MW; D02D96751C868583 CRC64;

Query Match 81.2%; Score 39; DB 1; Length 641;
 Best Local Similarity 88.9%; Pred. No. 4.6;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
 Db 286 SLFEGIDFY 294

Search completed: December 6, 2001, 08:00:51
 Job time: 419 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:58:28 ; Search time 88.19 Seconds
(without alignments)
8.638 Million cell updates/sec

Title: PEP2-MOD8A

Perfect score: 51

Sequence: 1 SLFEGIDAVT 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 219241 seqs, 76174552 residues

Total number of hits satisfying chosen parameters: 219241

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

PIR_68.*

1: pir1.*

2: pir2.*

3: pir3.*

4: pir4.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	45	88.2	208	2 B44261	dnak-type molecule
2	45	88.2	209	2 A44261	dnak-type molecule
3	45	88.2	278	2 I51344	dnak-type molecule
4	45	88.2	372	2 P00138	dnak-type molecule
5	45	88.2	467	2 T45477	heat-shock protein
6	45	88.2	467	2 T45479	heat-shock protein
7	45	88.2	468	2 T45476	heat-shock protein
8	45	88.2	469	2 T45478	heat-shock protein
9	45	88.2	632	2 T45471	dnak-type molecule
10	45	88.2	634	2 A25646	dnak-type molecule
11	45	88.2	636	2 A48872	dnak-type molecule
12	45	88.2	638	2 S31766	dnak-type molecule
13	45	88.2	639	2 JC1391	dnak-type molecule
14	45	88.2	639	2 S20139	dnak-type molecule
15	45	88.2	640	1 HKKW7A	dnak-type molecule
16	45	88.2	640	2 A29160	dnak-type molecule
17	45	88.2	640	2 S37394	dnak-type molecule
18	45	88.2	640	2 T21394	hypothetical prote
19	45	88.2	640	2 T43724	dnak-type molecule
20	45	88.2	641	2 S33357	dnak-type molecule
21	45	88.2	641	2 S35718	dnak-type molecule
22	45	88.2	641	2 I54542	dnak-type molecule
23	45	88.2	641	2 A45871	dnak-type molecule
24	45	88.2	642	1 HBYA1	dnak-type molecule
25	45	88.2	642	2 JH0095	dnak-type molecule
26	45	88.2	642	2 B36590	dnak-type molecule
27	45	88.2	644	2 A45635	dnak-type molecule
28	45	88.2	645	2 I51129	dnak-type molecule
29	45	88.2	646	2 T46650	heat shock protein

```

30 45 88.2 647 1 HHXL70 dnak-type molecule
31 45 88.2 647 2 T41121 heat shock protein
32 44 86.3 214 2 A03309 dnak-type molecule
33 44 86.3 379 2 I46588 dnak-type molecule
34 44 86.3 467 2 T45473 heat-shock protein
35 44 86.3 467 2 T45474 heat-shock protein
36 44 86.3 641 2 JN0668 dnak-type molecule
37 44 86.3 641 2 PC7036 heat shock protein
38 44 86.3 643 2 S25585 dnak-type molecule
39 44 86.3 643 2 S09036 dnak-type molecule
40 44 86.3 651 2 T45517 heat shock protein
41 44 86.3 651 2 JC7132 heat shock protein
42 42 82.4 209 2 S48024 dnak-type molecule
43 42 82.4 209 2 S48025 dnak-type molecule
44 42 82.4 209 2 C44261 dnak-type molecule
45 42 82.4 630 2 A34041 dnak-type molecule

```

ALIGNMENTS

RESULT 1

B44261

dnak-type molecular chaperone HSC70 - California sea hare (fragment)

N:Alternate names: heat shock protein 70 homolog HSC70

C:Species: Aplysia californica (California sea hare)

C>Date: 04-Sep-1998 #sequence_revision 04-Sep-1998 #text_change 13-Aug-1999

C:Accession: B44261

R:Kuhl, D.; Kennedy, T.E.; Barzilal, A.; Kandel, E.R.

J. Cell Biol. 119, 1069-1076, 1992

A:Title: Long-term sensitization training in Aplysia leads to an increase in the expr

A:Reference number: A44261; MUID:93077669

A:Accession: B44261

A>Status: preliminary; not compared with conceptual translation

A:Molecule type: nucleic acid

A:Residues: 1-208 <KUH>

A:Note: sequence extracted from NCBI backbone (NCBIP:118950)

C:Genetics:

A:Gene: HSC70

C:Function:

A:Description: involved in protein folding and assembling/disassembling of protein co

C:Superfamily: heat shock protein 70

C:Keywords: ATP; molecular chaperone

```

Query Match Similarity 88.2%; Score 45; DB 2; Length 208;
Best Local Similarity 90.0%; Pred. No. 0.097;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

Oy 1 SLFEGIDAVT 10

Db 132 SLFEGIDFYT 141

RESULT 2

A44261

dnak-type molecular chaperone HSP70a - California sea hare (fragment)

N:Alternate names: heat shock protein 70

C:Species: Aplysia californica (California sea hare)

C>Date: 04-Sep-1998 #sequence_revision 04-Sep-1998 #text_change 13-Aug-1999

C:Accession: A44261

R:Kuhl, D.; Kennedy, T.E.; Barzilal, A.; Kandel, E.R.

J. Cell Biol. 119, 1069-1076, 1992

A:Title: Long-term sensitization training in Aplysia leads to an increase in the expr

A:Reference number: A44261; MUID:93077669

A:Accession: A44261

A>Status: preliminary; not compared with conceptual translation

A:Molecule type: nucleic acid

A:Residues: 1-209 <KUH>

A:Note: sequence extracted from NCBI backbone (NCBIP:118951)

C:Genetics:

A:Gene: HSP70a

C:Function:

A:Description: involved in protein folding and assembling/disassembling of protein comp
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match 88.2%; Score 45; DB 2; Length 209;
Best Local Similarity 90.0%; Pred. No. 0.097;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
|||||||
Db 133 SLFEGIDYFT 142

RESULT 3

I51344
dnaK-type molecular chaperone (clone pTHS70.7) - rainbow trout (fragment)
N:Alternate names: 70K heat shock protein
C:Species: Oncorhynchus mykiss (rainbow trout)
C:Date: 21-Feb-1997 #sequence_revision 21-Feb-1997 #text_change 20-Aug-1999
C:Accession: I51344
R:Kothary, R.K.; Jones, D.; Candido, E.P.M.
Mol. Cell. Biol. 4, 1785-1791, 1984
A:Title: 70-kilodalton heat shock polypeptides from rainbow trout: Characterization of c
A:Reference number: I51344; MUID:85036330
A:Accession: I51344
A>Status: preliminary; translated from GB/EMBL/DBDJ
A:Molecule type: mRNA
A:Residues: 1-278 <KOT>
A:Cross-references: GB:K02549; NID:G213803; PIDN:AAA49562.1; PID:G213804

C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein comp
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match 88.2%; Score 45; DB 2; Length 278;
Best Local Similarity 90.0%; Pred. No. 0.13;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
|||||||
Db 156 SLFEGIDYFT 165

RESULT 4

PQ0138
dnaK-type molecular chaperone hsp70 II - sea urchin (Paracentrotus lividus) (fragment)
N:Alternate names: heat shock protein 70
C:Species: Paracentrotus lividus (common urchin)
C:Date: 23-Nov-1991 #sequence_revision 23-Nov-1991 #text_change 20-Aug-1999
C:Accession: PQ0138
R:Rosa, M.L.; Sconzo, G.; Giudice, G.; Roccheri, M.G.; Carlo, M.D.
Gene 96, 295-300, 1990
A:Title: Sequence of a sea urchin hsp70 gene and its 5' flanking region.
A:Reference number: PQ0138; MUID:91099690
A:Accession: PQ0138
A:Molecule type: DNA
A:Residues: 1-372 <ROS>
A:Cross-references: EMBL:X16544; NID:g10000; PIDN:CAA34544.1; PID:g10001

C:Genetics:
A:Gene: hsp70 II
A:Introns: 68/1; 137/1; 188/3; 281/3
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein comp
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match 88.2%; Score 45; DB 2; Length 372;
Best Local Similarity 90.0%; Pred. No. 0.19;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
|||||||
Db 286 SLFEGIDYFT 295

RESULT 5

T45477
heat-shock protein 70 [imported] - Chondrosia reniformis (fragment)
C:Species: Chondrosia reniformis
C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000
C:Accession: T45477
R:Borchelliini, C.; Le Parco, Y.
submitted to the EMBL Data Library, September 1997
A:Reference number: Z22983
A:Accession: T45477
A>Status: preliminary; translated from GB/EMBL/DBDJ
A:Molecule type: mRNA
A:Residues: 1-467 <BOR>
A:Cross-references: EMBL:AF026517; PIDN:AAC05362.1
C:Genetics:
A:Gene: Hsp70
C:Superfamily: heat shock protein 70

Query Match 88.2%; Score 45; DB 2; Length 467;
Best Local Similarity 90.0%; Pred. No. 0.24;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
|||||||
Db 252 SLFEGIDYFT 261

RESULT 6

T45479
heat-shock protein 70 [imported] - Eunicella cavolini (fragment)
C:Species: Eunicella cavolini
C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000
C:Accession: T45479
R:Borchelliini, C.; Le Parco, Y.
submitted to the EMBL Data Library, September 1997
A:Reference number: Z22983
A:Accession: T45479
A>Status: preliminary; translated from GB/EMBL/DBDJ
A:Molecule type: mRNA
A:Residues: 1-467 <BOR>
A:Cross-references: EMBL:AF026520; PIDN:AAC05364.1
C:Genetics:
A:Gene: Hsp70
C:Superfamily: heat shock protein 70

Query Match 88.2%; Score 45; DB 2; Length 467;
Best Local Similarity 90.0%; Pred. No. 0.24;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
|||||||
Db 252 SLFEGIDYFT 261

RESULT 7

T45476
heat-shock protein 70 [imported] - Funiculina quadrangularis (fragment)
C:Species: Funiculina quadrangularis
C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000
C:Accession: T45476
R:Borchelliini, C.; Le Parco, Y.
submitted to the EMBL Data Library, September 1997
A:Reference number: Z22983
A:Accession: T45476
A>Status: preliminary; translated from GB/EMBL/DBDJ
A:Molecule type: mRNA

A:Residues: 1-468 <BOR>
A:Cross-references: EMBL:AF026516; PIDN:AAC05361.1
C:Genetics:
A:Gene: hsp70
C:Superfamily: heat shock protein 70

Query Match 88.2%; Score 45; DB 2; Length 468;
Best Local Similarity 90.0%; Pred. No. 0.24;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 SLFEGIDAYT 10
||||||| ||
Db 253 SLFEGIDFYT 262

RESULT 8
T45478
heat-shock protein 70 [imported] - Eunicea cavolini (fragment)
C:Species: Eunicea cavolini
C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000
C:Accession: T45478
R:Borchellini, C.; Le Parco, Y.
submitted to the EMBL Data Library, September 1997
A:Reference number: 222983
A:Accession: T45478
A:Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-469 <BOR>
A:Cross-references: EMBL:AF026518; PIDN:AAC05363.1
C:Genetics:
A:Gene: hsp70
C:Superfamily: heat shock protein 70

Query Match 88.2%; Score 45; DB 2; Length 469;
Best Local Similarity 90.0%; Pred. No. 0.24;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 SLFEGIDAYT 10
||||||| ||
Db 254 SLFEGIDFYT 263

RESULT 9
T45471
dnaK-type molecular chaperone hsc70 [imported] - slime mold (Dictyostelium discoideum)
N:Alternate names: heat shock cognate protein 70
C:Species: Dictyostelium discoideum
C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 18-Feb-2000
C:Accession: T45471
R:Boves, H.; Mintert, U.; Dittrich, W.; Faix, J.; Gerisch, G.
submitted to the EMBL Data Library, September 1997
A:Reference number: 222980
A:Accession: T45471
A:Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-632 <BOV>
A:Cross-references: EMBL:AF025951; PIDN:AAB81865.1
A:Experimental source: strain AX3
C:Genetics:
A:Gene: hsc70
A:Note: localized to filopodias and cortex
C:Superfamily: heat shock protein 70

Query Match 88.2%; Score 45; DB 2; Length 632;
Best Local Similarity 90.0%; Pred. No. 0.34;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 SLFEGIDAYT 10
||||||| ||
Db 285 SLFEGIDFYT 294

RESULT 10
A25646
dnaK-type molecular chaperone - chicken
N:Alternate names: heat shock protein 70
C:Species: Gallus gallus (chicken)
C:Date: 19-Nov-1988 #sequence_revision 19-Nov-1988 #text_change 20-Aug-1999
C:Accession: A25646
R:Morimoto, R.I.; Hunt, C.; Huang, S.Y.; Berg, K.L.; Banerji, S.S.
J. Biol. Chem. 261, 12692-12699, 1986
A:Title: Organization, nucleotide sequence, and transcription of the chicken hsp70 gene
A:Reference number: A25646; MUID:86304452
A:Accession: A25646
A:Molecule type: DNA
A:Residues: 1-634 <MOR>
A:Cross-references: GB:J02579; NID:g211940; PIDN:AAA48825.1; PID:g211941
A:Note: the authors translated the codon TCG for residue 583 as Trp
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein complex
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match 88.2%; Score 45; DB 2; Length 634;
Best Local Similarity 90.0%; Pred. No. 0.34;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 SLFEGIDAYT 10
||||||| ||
Db 289 SLFEGIDFYT 298

RESULT 11
A48872
dnaK-type molecular chaperone hspB - slime mold (Dictyostelium discoideum) (fragment)
N:Alternate names: 70k heat shock cognate protein aginactin; F-actin capping protein
C:Species: Dictyostelium discoideum
C:Date: 19-May-1995 #sequence_revision 19-May-1995 #text_change 20-Aug-1999
C:Accession: A48872
R:Eddy, R.J.; Sauterer, R.A.; Condeelis, J.S.
J. Biol. Chem. 268, 23267-23274, 1993
A:Title: Aginactin, an agonist-regulated F-actin capping activity is associated with
A:Reference number: A48872; MUID:94043116
A:Accession: A48872
A:Status: preliminary
A:Molecule type: mRNA
A:Residues: 1-636 <EDD>
A:Cross-references: GB:L22736; NID:g433179; PIDN:AAA33219.1; PID:g433180
A:Note: authors translated the codon ACA for residue 10 as Pro, GCT for residue 60 as
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein complex
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match 88.2%; Score 45; DB 2; Length 636;
Best Local Similarity 90.0%; Pred. No. 0.34;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 SLFEGIDAYT 10
||||||| ||
Db 280 SLFEGIDFYT 289

RESULT 12
S31766
dnaK-type molecular chaperone hsp70 - green monkey
N:Alternate names: heat shock protein 70
C:Species: Cercopithecus aethiops (green monkey, grivet)
C:Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 20-Aug-1999
C:Accession: S31766; I36927
R:Sainis, I.; Angelidis, C.; Pagoulatos, G.; Lazaridis, I.

submitted to the EMBL Data Library, January 1993
A:Description: Nucleotide sequence of the cDNA encoding a monkey 70kd heat shock protein
A:Reference number: S31766
A:Accession: S31766
A:Molecule type: mRNA
A:Residues: 1-638 <SAI>
R:Sainis, I.; Angelidis, C.; Pagoulatos, G.; Lazaridis, I.
FEBS Lett. 355, 282-286, 1994
A:Title: The hsc70 gene which is slightly induced by heat is the main virus inducible me
A:Reference number: I36927; MUID:95080396
A:Accession: I36927
A>Status: preliminary; translated from GR/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-638 <RES>
A:Cross-references: EMBL:X70684; NID:g22781; PIDN:CAA50019.1; PID:g22782
A:Experimental source: kidney; cell line COS-1
C:Genetics:
C:Function:
A:Gene: hsp70
A:Description: involved in protein folding and assembling/disassembling of protein comp
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match 88.2%; Score 45; DB 2; Length 638;
Best Local Similarity 90.0%; Pred. No. 0.34;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
|||||||

Db 284 SLFEGIDFYT 293

RESULT 13

JC1391
dnaK-type molecular chaperone 70IV - sea urchin (Paracentrotus lividus)
N:Alternate names: heat shock protein 70IV; hsp70IV protein
C:Species: Paracentrotus lividus (common urchin)
C:Date: 10-Jun-1993 #sequence_revision 10-Jun-1993 #text_change 20-Aug-1999
C:Accession: JC1391
R:Sconzo, G.; Scardina, G.; Ferraro, M.G.
Gene 121, 353-358, 1992
A:Title: Characterization of a new member of the sea urchin Paracentrotus lividus hsp70
A:Reference number: JC1391; MUID:93077053
A:Accession: JC1391
A:Molecule type: DNA
A:Residues: 1-639 <SCO>
A:Cross-references: EMBL:X61379; NID:g312916; PIDN:CAA43653.1; PID:g312917
C:Genetics:
A:Gene: hsp70IV
A:Introns: 61/2
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein comp
C:Superfamily: heat shock protein 70
C:Keywords: ATP; heat shock; molecular chaperone; stress-induced protein

Query Match 88.2%; Score 45; DB 2; Length 639;
Best Local Similarity 90.0%; Pred. No. 0.34;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
|||||||

Db 286 SLFEGIDFYT 295

RESULT 14

S20139
dnaK-type molecular chaperone SSA2 - yeast (Saccharomyces cerevisiae)
N:Alternate names: heat shock protein YG102; protein L0971; protein YLL024c
C:Species: Saccharomyces cerevisiae
C:Date: 07-May-1993 #sequence_revision 07-May-1993 #text_change 20-Jun-2000
C:Accession: S20139; S64772; S64775; S69383

R:Slater, M.R.; Craig, E.A.
Nucleic Acids Res. 17, 805-806, 1989
A:Title: The SSA1 and SSA2 genes of the yeast Saccharomyces cerevisiae.
A:Reference number: S20139; MUID:89128457
A:Accession: S20139
A>Status: translation not shown
A:Molecule type: DNA
A:Residues: 1-639 <SLA>
A:Cross-references: EMBL:X12927; NID:g4545; PIDN:CAA31394.1; PID:g4546
R:Goffeau, A.; Purnelle, B.
submitted to the Protein Sequence Database, May 1996
A:Reference number: S64761
A:Accession: S64772
A:Molecule type: DNA
A:Residues: 1-639 <GOF>
A:Cross-references: EMBL:Z73129; NID:g1360201; PIDN:CAA97472.1; PID:g1360202; MIPS:YL
A:Experimental source: strain S288C
R:Duesterhoeft, A.; Floeth, M.; Heuss-Neitzel, D.; Hilbert, H.; Moestl, D.
submitted to the Protein Sequence Database, May 1996
A:Reference number: S64775
A:Accession: S64775
A:Molecule type: DNA
A:Residues: 72-639 <DUE>
A:Cross-references: EMBL:Z73129; MIPS:YLL024c
A:Experimental source: strain S288C
R:Purnelle, B.; Goffeau, A.
submitted to the EMBL Data Library, April 1996
A:Description: The sequence of 32 kb on the left arm of yeast chromosome XII reveals
mily and a new ABC transporter homologous to the human multidrug resistance protein.

A:Reference number: S69380
A:Accession: S69383
A:Molecule type: DNA
A:Residues: 1-639 <PUR>

A:Cross-references: EMBL:X97560; NID:g1297003; PIDN:CAA66167.1; PID:g1297007
C:Genetics:
A:Gene: SGD:SSA2

A:Cross-references: MIPS:YLL024c; SGD:S0003947

A:Map position: 12L

C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein co

C:Superfamily: heat shock protein 70

C:Keywords: ATP; molecular chaperone

Query Match 88.2%; Score 45; DB 2; Length 639;
Best Local Similarity 90.0%; Pred. No. 0.34;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
|||||||

Db 283 SLFEGIDFYT 292

RESULT 15

HHK7A
dnaK-type molecular chaperone hsp70A - Caenorhabditis elegans
N:Alternate names: heat shock protein 70 A
C:Species: Caenorhabditis elegans
C:Date: 30-Jun-1989 #sequence_revision 30-Jun-1989 #text_change 22-Jun-1999
C:Accession: JT0285
R:Snutch, T.P.; Heschl, M.F.P.; Baillie, D.L.
Gene 64, 241-255, 1988
A:Title: The Caenorhabditis elegans hsp70 gene family: a molecular genetic characteri
A:Reference number: JT0285; MUID:88297155
A:Accession: JT0285
A:Molecule type: DNA: mRNA
A:Residues: 1-640 <SNU>
A:Cross-references: GB:M18540; NID:gl56351; PIDN:AAA28078.1; PID:gl56352
A:Note: genomic clones representing six distinct members of the hsp70 gene family wer
A:Note: transcripts of hsp70A are abundant in control worms and also increase two- to
A:Note: one of the three introns in hsp70A is in a position similar to an intron in D
C:Genetics:
A:Gene: hsp70A

Query Match 88.2%; Score 45; DB 2; Length 639;
Best Local Similarity 90.0%; Pred. No. 0.34;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
|||||||

Db 286 SLFEGIDFYT 295

A:Map position: IV
A:Introns: 69/1; 331/3; 558/3
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein compl
C:Superfamily: heat shock protein 70
C:Keywords: ATP; heat shock; molecular chaperone; stress-induced protein

Query Match 88.2%; Score 45; DB 1; Length 640;
Best Local Similarity 90.0%; Pred. No. 0.34;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
|||
Db 287 SLFEGIDFYT 296

Search completed: December 6, 2001, 07:58:28
Job time: 276 sec

THIS PAGE BLANK (USPTO)

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 08:00:52 ; Search time 50.21 Seconds
(without alignments)
7.302 Million cell updates/sec

Title: PEP2-MOD8A
Perfect score: 51
Sequence: 1 SLFEGIDAYT 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 100059 seqs, 36664827 residues

Total number of hits satisfying chosen parameters: 100059

Minimum DB seq length: 0
Maximum DB seq length: 2000000000
Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : SwissProt_39:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	45	88.2	322	1 HS70_ONCVO	P11503 onchocerca
2	45	88.2	372	1 HS72_PARLI	P22623 paracentrot
3	45	88.2	503	1 HS70_PENCI	Q92260 penicillium
4	45	88.2	634	1 HS70_CHICK	P08106 gallus gall
5	45	88.2	638	1 HS71_CERAE	Q28222 cercopithec
6	45	88.2	638	1 HS72_YEAST	P10592 saccharomyc
7	45	88.2	639	1 HS74_PARLI	Q06248 paracentrot
8	45	88.2	640	1 HS7A_CAEEL	P09446 caenorhabdi
9	45	88.2	640	1 HS7C_DICDI	P36415 dictyosteli
10	45	88.2	641	1 HS71_BOVIN	Q27975 bos taurus
11	45	88.2	641	1 HS71_HUMAN	P08107 homo sapien
12	45	88.2	641	1 HS71_MOUSE	P17879 mus musculu
13	45	88.2	641	1 HS71_PIG	P34930 sus scrofa
14	45	88.2	641	1 HS71_RAT	Q07439 rattus norv
15	45	88.2	641	1 HS71_YEAST	P10591 saccharomyc
16	45	88.2	641	1 HS72_BOVIN	Q27965 bos taurus
17	45	88.2	641	1 HS74_YEAST	P22202 saccharomyc
18	45	88.2	644	1 HS70_BRUMA	P27541 brugia mala
19	45	88.2	644	1 HS70_ONCTS	Q91233 oncorhynch
20	45	88.2	645	1 HS70_PLEWA	Q91291 pleurodeles
21	45	88.2	645	1 HS70_NEUCR	Q01233 neurospora
22	45	88.2	647	1 HS70_XENLA	P02827 xenopus lae
23	45	88.2	649	1 HS70_BLAEM	P48720 blastoclad
24	45	88.2	652	1 HS7D_MANSE	Q96339 manduca sex
25	44	86.3	214	1 HS7A_DROSI	P02826 drosophila
26	44	86.3	379	1 HS7X_PIG	P34934 sus scrofa
27	44	86.3	641	1 HS7A_DROME	P29843 drosophila
28	44	86.3	643	1 HS76_HUMAN	P17066 homo sapien
29	44	86.3	643	1 HS76_PIG	Q04967 sus scrofa
30	44	86.3	648	1 HS71_PUCGR	Q01877 puccinia gr
31	43	84.3	638	1 HS70_CERCA	P91902 ceratitis c
32	42	82.4	641	1 HS73_RAT	P55063 rattus norv
33	42	82.4	641	1 HS7H_HUMAN	P34931 homo sapien

34	42	82.4	641	1 HS7T_MOUSE	P16627 mus musculu
35	42	82.4	642	1 HS72_PICAN	P53623 pichia angu
36	42	82.4	643	1 HS71_SCHPO	Q10265 schizosacch
37	42	82.4	644	1 HS71_PICAN	P53421 pichia angu
38	42	82.4	646	1 HS7C_CRIGR	P19378 cricetus
39	42	82.4	646	1 HS7C_HUMAN	P11142 homo sapien
40	42	82.4	646	1 HS7C_MOUSE	P08109 mus musculu
41	42	82.4	649	1 HS70_PARRR	P87047 paracoccidi
42	42	82.4	649	1 HS73_YEAST	P09435 saccharomyc
43	42	82.4	649	1 HS7C_BRARE	Q90473 brachydanio
44	42	82.4	650	1 HS7C_BOVIN	P19120 bos taurus
45	42	82.4	651	1 HS70_ONCMY	P08108 oncorhynch

ALIGNMENTS

RESULT 1
HS70_ONCVO STANDARD; PRT; 322 AA.
AC P11503;1989 (Rel. 12, Created)
DT 01-FEB-1996 (Rel. 33, Last sequence update)
DT 01-FEB-1996 (Rel. 33, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN (HSP70) (FRAGMENT).
OS Onchocerca volvulus.
OC Eukaryota; Metazoa; Nematoda; Chromadorea; Spirurida; Filarioidea;
CC Onchocercidae; Onchocerca.
OX NCBI_TaxID=6282;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=89201313; PubMed=2704388;
RA Rochstein N.M., Higashi G., Yates J., Rajan T.V.;
RT "Onchocerca volvulus heat shock protein 70 is a major immunogen in
amicrofilaremic individuals from a filariasis-endemic area."
RL Mol. Biochem. Parasitol. 33:229-236(1989).
CC -!- DISEASE: HEAT SHOCK PROTEIN 70 IS A MAJOR IMMUNOGEN IN A
MICROFILAREMIC INDIVIDUALS FROM A FILARIASIS-ENDEMIC AREA.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.

This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (see <http://www.isb-sib.ch/announce/>
or send an email to license@isb-sib.ch).

EMBL; J04006; AAA29417.1; -.
DR HSSP; P19120; 1ATR.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PROSITE; PS00297; HSP70_1; PARTIAL.
DR PROSITE; PS00329; HSP70_2; PARTIAL.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Heat shock.
FT NON_TER 1 1
SQ NON_TER 322 322
SQ SEQUENCE 322 AA; 35614 MW; 2BA3A2E8155A7180 CRC64;

Query Match 88.2%; Score 45; DB 1; Length 322;

Best Local Similarity 90.0%; Pred. No. 0.089; 1; Indels 0; Gaps 0;
Matches 9; Conservative 0; Mismatches 0;

Oy 1 SLFEGIDAYT 10

Db 43 SLFEGIDYFT 52
|||||||

RESULT 2

HS72_PARLI STANDARD; PRT; 372 AA.
ID HS72_PARLI

AC P22623;
DT 01-AUG-1991 (Rel. 19, Created)
DT 01-AUG-1991 (Rel. 19, Last sequence update)
DE 01-JUN-1994 (Rel. 29, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN II (HSP70 II) (FRAGMENT).
GN HSP70II.
OS Paracentrotus lividus (Common sea urchin).
OC Eukaryota; Metazoa; Echinodermata; Eleutherozoa; Echinozoa;
OC Echinolidea; Euechinolidea; Echinacea; Echinoida; Echinidae;
OC Paracentrotus.
OX NCBI_TaxID=7656;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Gonad;
RX MEDLINE=91099690; PubMed=2269441;
RA la Rosa M., Sconzo G., Giudice G., Roccheri M.C., di Carlo M.;
RT "Sequence of a sea urchin hsp70 gene and its 5' flanking region.";
RL Gene 96:295-300(1990).
CC -|- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; X16544; CAA34544.1; -
DR PIR; P00138; P00138.
DR HSP; P19120; INGJ.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70.1.
DR PROSITE; PS00297; HSP70.1; 1.
DR PROSITE; PS00329; HSP70.2; PARTIAL.
DR PROSITE; PS01036; HSP70.3; 1.
KW ATP-binding; Heat shock; Multigene family.
FT NON_TER 372 372
SQ SEQUENCE 372 AA; 41347 MW; 5F8C1C590527A659 CRC64;

Query Match 88.2%; Score 45; DB 1; Length 372;
Best Local Similarity 90.0%; Pred. No. 0.1;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
Db |||||
Db 286 SLFEGIDYIT 295

RESULT 3
HS70_PENCI
ID HS70_PENCI STANDARD; PRT; 503 AA.
AC Q92260;
DT 20-AUG-2001 (Rel. 40, Created)
DT 20-AUG-2001 (Rel. 40, Last sequence update)
DE 20-AUG-2001 (Rel. 40, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN (ALLERGEN PEN C 19) (FRAGMENT).
GN HSP70.
OS Penicillium citrinum.
OC Eukaryota; Fungi; Ascomycota; Pezizomycotina; Eurotiomycetes;
OC Eurotiales; Trichocomaceae; mitosporic Trichocomaceae; Penicillium.
OX NCBI_TaxID=5077;
RN [1]
RP SEQUENCE FROM N.A.
RA Shen H.D., Au L.C., Lin W.L., Liaw S.F., Tsai J.J., Han S.H.;
RT "Molecular cloning and expression of a Penicillium citrinum
RT allergen with sequence homology and antigenic cross-reactivity to
RT a hsp70 human heat shock protein.";
RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
CC -|- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC This SWISS-PROT entry is copyright. It is produced through a collaboration

CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; U64207; AAB06397.1; -
DR HSP; P19120; 3HSC.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70.1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70.2; 1.
DR PROSITE; PS01036; HSP70.3; 1.
KW ATP-binding; Chapterone; Heat shock; Allergen.
FT NON_TER 1
SQ SEQUENCE 503 AA; 55125 MW; B7433C11FAEA1320 CRC64;

Query Match 88.2%; Score 45; DB 1; Length 503;
Best Local Similarity 90.0%; Pred. No. 0.15;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
Db |||||
Db 154 SLFEGIDYIT 163

RESULT 4
HS70_CHICK
ID HS70_CHICK STANDARD; PRT; 634 AA.
AC P08106;
DT 01-AUG-1988 (Rel. 08, Created)
DT 01-AUG-1988 (Rel. 08, Last sequence update)
DT 01-FEB-1994 (Rel. 28, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN (HSP70).
OS Gallus gallus (Chicken).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Archosauria; Aves; Neognathae; Galliformes; Phasianinae;
OC Gallus.
OX NCBI_TaxID=9031;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=86304452; PubMed=3017985;
RA Morimoto R.I., Hunt C., Huang S.-Y., Berg K.L., Banerji S.S.;
RT "Organization, nucleotide sequence, and transcription of the chicken
RT HSP70 gene.";
RL J. Biol. Chem. 261:12692-12699(1986).
CC -|- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; J02579; AAA48825.1; -
DR PIR; A25646; A25646.
DR HSP; P19120; IATR.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70.1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70.1; 1.
DR PROSITE; PS00329; HSP70.2; 1.
DR PROSITE; PS01036; HSP70.3; 1.
KW ATP-binding; Heat shock; Multigene family.
SQ SEQUENCE 634 AA; 69750 MW; 4270F7F08D365AEB CRC64;

Query Match 88.2%; Score 45; DB 1; Length 634;
Best Local Similarity 90.0%; Pred. No. 0.19;

```

Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 SLFEGIDAYT 10
    |||||
Db 289 SLFEGIDFTT 298
    |||||

RESULT 5
HS71_CERAE STANDARD; PRT; 638 AA.
AC Q2822;
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DE HEAT SHOCK 70 KDA PROTEIN 1.
GN HSPAL.
OS Cercopithecus aethiops (Green monkey) (Grivet).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Cercopitheidae;
OC Cercopitheinae; Cercopithecus.
OX NCBI_TaxID=9534;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Kidney;
RX MEDLINE=95080396; PubMed=7988690;
RA Sainis I., Angelidis C., Pagoulatos G., Lazaridis I.;
RT "The hsc70 gene which is slightly induced by heat is the main virus
RT inducible member of the hsp70 gene family.";
RL FEBS Lett. 355:282-286(1994).
CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDIANE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC
CC RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR
CC PROTEIN TRANSLLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION
CC PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE
CC PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE
CC CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE
CC SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES
CC DURING TRANSLATION AND MEMBRANE TRANSLLOCATION, OR FOLLOWING
CC STRESS-INDUCED DAMAGE.
CC -!- INDUCTION: BY HEAT SHOCK.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; X70684; CAA50019.1; -.
CC InterPro; IPR001023; HSP70.
CC Pfam; PF00012; HSP70; 1.
CC PRINTS; PR00301; HEATSHOCK70.
CC PROSITE; PS00297; HSP70_1; 1.
CC PROSITE; PS00329; HSP70_2; 1.
CC PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
SQ SEQUENCE 638 AA; 69920 MW; D55076A0FFAB6AB3 CRC64;

Query Match 88.2%; Score 45; DB 1; Length 638;
Best Local Similarity 90.0%; Pred. No. 0.19;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
    |||||
Db 284 SLFEGIDFTT 293
    |||||

RESULT 6

```

```

HS72_YEAST STANDARD; PRT; 638 AA.
AC P10592;
DT 01-JUL-1989 (Rel. 11, Created)
DT 01-OCT-1994 (Rel. 30, Last sequence update)
DT 01-OCT-1996 (Rel. 34, Last annotation update)
DE HEAT SHOCK PROTEIN SSA2.
GN SSA2 OR YLL024C OR L0931.
OS Saccharomyces cerevisiae (Baker's yeast).
OC Eukaryota; Fungi; Ascomycota; Saccharomycotina; Saccharomycetes;
OC Saccharomycetales; Saccharomycetaceae; Saccharomycetes.
OX NCBI_TaxID=4932;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=S288C;
RX MEDLINE=89128457; PubMed=2644626;
RA Slater M.R., Craig E.A.;
RT "The SSA1 and SSA2 genes of the yeast Saccharomyces cerevisiae.";
RL Nucleic Acids Res. 17:805-806(1989).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=S288C;
RA Purnelle B., Goffeau A.;
RL Submitted (APR-1996) to the EMBL/GenBank/DBJ databases.
RN [3]
RP SEQUENCE OF 71-638 FROM N.A.
RA Duesterhoeft A., Floeth M., Heuss-Neitzel D., Hilbert H., Moestl D.;
RL Submitted (MAY-1996) to the EMBL/GenBank/DBJ databases.
RN [4]
RP SEQUENCE OF 91-97 AND 325-341.
RC STRAIN=S288C;
RX MEDLINE=95203288; PubMed=7895733;
RA Garrels J.I., Futcher B., Kobayashi R., Latter G.I., Schwender B.,
RA Volpe T., Warner J.R., McLaughlin C.S.;
RT "Protein identifications for a Saccharomyces cerevisiae protein
RT database.";
RL Electrophoresis 15:1466-1486(1994).
RN [5]
RP SEQUENCE OF 186-195.
RC STRAIN=ATCC 38531 / Y41;
RX MEDLINE=97089742; PubMed=8935650;
RA Norbeck J., Blomberg A.;
RT "Protein expression during exponential growth in 0.7 M NaCl medium of
RT FEMS Microbiol. Lett. 137:1-8(1996).
RL
RN [6]
RP ACETYLATION, AND PHOSPHORYLATION.
RA Garrels J.I., Futcher B., Kobayashi R., Latter G.I., Schwender B.,
RA Volpe T., Warner J.R., McLaughlin C.S.;
RL Submitted (SEP-1994) to the SWISS-PROT data bank
CC -!- FUNCTION: SSA2 MAY PLAY A ROLE IN THE TRANSPORT OF POLYPEPTIDES
CC BOTH ACROSS THE MITOCHONDRIAL MEMBRANES AND INTO THE
CC ENDOPLASMATIC RETICULUM. A FUNCTIONAL DIFFERENCE BETWEEN YEAST
CC SSA1 AND SSA2 PROTEINS IS EXPECTED. SSA2 CAN PARTICIPATE IN THE
CC ATP-DEPENDENT DISASSEMBLY OF CLATHRIN-COATED VESICLES.
CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
CC -!- PTM: PHOSPHORYLATED.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; X12927; CAA31394.1; -.
CC EMBL; Z73129; CAA97472.1; -.
CC EMBL; X97560; CAA66167.1; -.
CC PIR; S20139; S20139.
CC HSP; P19120; 1NGJ.
CC SWISS-2DPAGE; P10592; YEAST.

```

```

DR YEPD; 9800; -.
DR SGD; S0003947; SSA2.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock; ATP-binding; Multigene family; Acetylation;
KW Phosphorylation.
FT INIT_MET 0 1
FT MOD_RES 1 1 ACETYLATION.
SQ SEQUENCE 638 AA; 69338 MW; 23BDDDI20C194912 CRC64;

Query Match 88.2%; Score 45; DB 1; Length 638;
Best Local Similarity 90.0%; Pred. No. 0.19;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
Db 282 SLFEGIDFYT 291
||||| ||

RESULT 7
HS74_PARLI STANDARD; PRT; 639 AA.
AC Q06248;
DT 01-JUN-1994 (Rel. 29, Created)
DT 01-JUN-1994 (Rel. 29, Last sequence update)
DT 01-JUN-1994 (Rel. 29, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN IV (HSP70 IV).
GN HSP70IV.
OS Paracentrotus lividus (Common sea urchin).
OC Eukaryota; Metazoa; Echinodermata; Eleutherozoa; Echinozoa;
OC Echinoidea; Euechinoidea; Echinacea; Echinoida; Echinidae;
OC Paracentrotus.
OX NCBI_TaxID=7656;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=93077053; PubMed=1339375;
RA Sconzo G., Scardina G., Ferraro M.G.;
RT *Characterization of a new member of the sea urchin Paracentrotus
RT lividus hsp70 gene family and its expression.*;
RL Gene 121:353-358(1992).
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; X61379; CAA43653.1; -.
CC PIR; JC1391; JCI1391.
CC HSP; P19120; INGI.
CC InterPro; IPR001023; HSP70.
CC Pfam; PF00012; HSP70; 1.
CC PRINTS; PR00301; HEATSHOCK70.
CC PROSITE; PS00297; HSP70_1; 1.
CC PROSITE; PS00329; HSP70_2; 1.
CC PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Heat shock; Multigene family.
SQ SEQUENCE 639 AA; 69749 MW; 40E229570808DCC CRC64;

Query Match 88.2%; Score 45; DB 1; Length 639;
Best Local Similarity 90.0%; Pred. No. 0.19;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10

```

```

Db 286 SLFEGIDFYT 295
||||| ||

RESULT 8
HS7A_CAEEL STANDARD; PRT; 640 AA.
AC P09446;
DT 01-MAR-1989 (Rel. 10, Created)
DT 01-MAR-1989 (Rel. 10, Last sequence update)
DT 01-FEB-1994 (Rel. 28, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN A.
GN HSP-1 OR HSP70A.
OS Caenorhabditis elegans.
OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidea;
OC Rhabditidae; Peloderinae; Caenorhabditis.
OX NCBI_TaxID=6239;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=88297155; PubMed=2841196;
RA Snutch T.P., Heschl M.F.P., Baillie D.L.;
RT *The Caenorhabditis elegans hsp70 gene family: a molecular genetic
RT characterization.*;
RL Gene 64:241-255(1988).
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; M18540; AAA28078.1; -.
CC PIR; JT0285; HHKW7A.
CC HSP; P19120; INGI.
CC InterPro; IPR001023; HSP70.
CC Pfam; PF00012; HSP70; 1.
CC PRINTS; PR00301; HEATSHOCK70.
CC PROSITE; PS00297; HSP70_1; 1.
CC PROSITE; PS00329; HSP70_2; 1.
CC PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Heat shock; Multigene family.
SQ SEQUENCE 640 AA; 69823 MW; ED15409D06C500C2 CRC64;

Query Match 88.2%; Score 45; DB 1; Length 640;
Best Local Similarity 90.0%; Pred. No. 0.19;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
Db 287 SLFEGIDFYT 296
||||| ||

RESULT 9
HS7C_DICDI STANDARD; PRT; 640 AA.
AC P36415;
DT 01-JUN-1994 (Rel. 29, Created)
DT 01-JUN-1994 (Rel. 29, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HEAT SHOCK COGNATE PROTEIN (AGINACTIN).
GN HSPB OR HSC70.
OS Dictyostelium discoideum (Slime mold).
OC Eukaryota; Mycetozoa; Dictyosteliida; Dictyostelium.
OX NCBI_TaxID=44689;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=AX3;
RX MEDLINE=94008983; PubMed=8404847;
RA Haus U., Trommler P., Fisher P.R., Hartmann H., Lottspeich F.,

```



```
RA Noegel A.A., Schleicher M.;
RT "The heat shock cognate protein from Dictyostelium affects actin
RT polymerization through interaction with the actin-binding protein
RT cap32/34.";
RL EMBO J. 12:3763-3771(1993).
RN [2]
RP SEQUENCE FROM N.A., AND SEQUENCE OF 34-46; 102-106 AND 298-309.
RC STRAIN=AX3;
RX MEDLINE=94043116; PubMed=8226849;
RA Eddy R.J., Sauter R.A., Condeelis J.S.;
RT "Agnactin, an agonist-regulated F-actin capping activity is
RT associated with an Hsc70 in Dictyostelium.";
RL J. Biol. Chem. 268:23267-23274(1993).
CC -!- FUNCTION: AFFECTS ACTIN POLYMERIZATION THROUGH INTERACTION WITH
CC THE ACTIN-BINDING PROTEIN CAP32/34. ACTS AS A CHAPERONE BY
CC STIMULATING THE REFOLDING OF DENATURATED CAP32 AND CAP34.
CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC. FOUND IN F-ACTIN-RICH REGIONS
CC OF THE CELL CORTEX AND CELL PROTRUSIONS.
CC -!- DEVELOPMENTAL STAGE: HEAT SHOCK COGNATE PROTEINS ARE EXPRESSED
CC CONSTITUTIVELY DURING NORMAL DEVELOPMENT.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; X75263; CAA53039.1; -.
DR EMBL; L22736; AAA33219.1; -.
DR PIR; S37394; S37394.
DR HSSP; P19120; INGC.
DR SWISS-2DPAGE; P36415; DICTY.
DR DictyDb; D001078; hspB.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Chaperone.
FT CONFLICT 1 29
FT MSSIIGIDLTGYSCVGVNDRVETIAND ->
FT IHHHINGNATWVVEGSPVSEVLSFN (IN REF. 2).
FT N -> T (IN REF. 2).
FT V -> A (IN REF. 2).
FT R -> A (IN REF. 2).
FT S -> A (IN REF. 2).
FT V -> A (IN REF. 2).
FT I -> L (IN REF. 2).
FT F -> P (IN REF. 2).
SQ SEQUENCE 640 AA; 70499 MW; 256BDC2DB96A9F5D CRC64;

Query Match 88.2%; Score 45; DB 1; Length 640;
Best Local Similarity 90.0%; Pred. No. 0.19; Mismatches 0; Gaps 0;
Matches 9; Conservative 0; Indels 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
DB 284 SLFEGIDFYT 293
|||||

RESULT 10
HS71_BOVIN
ID HS71_BOVIN STANDARD; PRT; 641 AA.
AC Q27975; Q27964;
DT 01-NOV-1997 (Rel. 35, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70-1).
GN HSP70-1.

OS Bos taurus (Bovine).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovidae;
OC Bovidae; Bovinae; Bos.
OX NCBI_TaxID=9913;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Skeletal muscle;
RX MEDLINE=95126904; PubMed=7826329;
RA Gutierrez J.A., Guerriero V.;
RT "Chemical modifications of a recombinant bovine stress-inducible 70
RT kDa heat-shock protein (Hsp70) mimics Hsp70 isoforms from tissues.";
RL Biochem. J. 305:197-203(1995).
RN [2]
RP SEQUENCE OF 212-641 FROM N.A.
RC STRAIN=ANGUS;
RX MEDLINE=95030563; PubMed=7943958;
RA Grosz M.D., Skow L.C., Stone R.T.;
RT "An AluI polymorphism at the bovine 70 kD heat-shock protein-1
RT (HSP70-1) locus.";
RL Anim. Genet. 25:196-196(1994).
CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC
CC RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR
CC PROTEIN TRANSLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION
CC PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE
CC PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE
CC CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE
CC SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES
CC DURING TRANSLATION AND MEMBRANE TRANSLOCATION, OR FOLLOWING
CC STRESS-INDUCED DAMAGE.
CC -!- INDUCTION: BY HEAT SHOCK.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; U09861; AAA73914.1; -.
DR EMBL; U02891; AAA03450.1; -.
DR HSSP; P19120; INGC.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Chaperone; Heat shock; Multigene family.
SQ SEQUENCE 641 AA; 70250 MW; 6D548263E98780F9 CRC64;

Query Match 88.2%; Score 45; DB 1; Length 641;
Best Local Similarity 90.0%; Pred. No. 0.19; Mismatches 0; Gaps 0;
Matches 9; Conservative 0; Indels 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
DB 286 SLFEGIDFYT 295
|||||

RESULT 11
HS71_HUMAN
ID HS71_HUMAN STANDARD; PRT; 641 AA.
AC P08107; P19790; Q9UQM0; Q9UOL9;
DT 01-AUG-1988 (Rel. 08, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 20-AUG-2001 (Rel. 40, Last annotation update)
```

DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70.1) (HSP70-1/HSP70-2).
 GN (HSPAL1 OR HSPAL1) AND HSPALB.
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 OX NCBI_TaxID=9606;
 RN [1]
 RN SEQUENCE FROM N.A.
 RX MEDLINE=91055806; PubMed=1700760;
 RA Milner C.M., Campbell R.D.;
 RT "Structure and expression of the three MHC-linked HSP70 genes.";
 RL Immunogenetics 32:242-251(1990).
 RN [2]
 RN SEQUENCE FROM N.A.
 RX MEDLINE=86016721; PubMed=3931075;
 RA Hunt C., Morimoto R.I.;
 RT "Conserved features of eukaryotic hsp70 genes revealed by comparison
 with the nucleotide sequence of human hsp70.";
 RL Proc. Natl. Acad. Sci. U.S.A. 82:6455-6459(1985).
 RN [3]
 RN SEQUENCE FROM N.A. (HSPAL1 AND HSPALB).
 RA Rowen L., Qin S., Madan A., Dickhoff R., Dors M., Madan A., Hicks P.,
 RA Loretz C., Ratcliffe A., Abbasi N., Shaffer T., Hood L.;
 RT "Sequence of the human major histocompatibility complex class III
 region.";
 RL Submitted (MAR-1999) to the EMBL/GenBank/DBJ databases.
 RN [4]
 RN SEQUENCE OF 1-36 AND 360-424 FROM N.A.
 RX MEDLINE=89184548; PubMed=2538825;
 RA Sargent C.A., Dunham I., Townsdaile J., Campbell R.D.;
 RT "Human major histocompatibility complex contains genes for the major
 heat shock protein HSP70.";
 RL Proc. Natl. Acad. Sci. U.S.A. 86:1968-1972(1989).
 RN [5]
 RN SEQUENCE OF 1-22 AND 618-641 FROM N.A.
 RX MEDLINE=87066768; PubMed=3786141;
 RA Drabant B., Genthe A., Benecke B.-J.;
 RT "In vitro transcription of a human hsp 70 heat shock gene by extracts
 prepared from heat-shocked and non-heat-shocked human cells.";
 RL Nucleic Acids Res. 14:8933-8949(1986).
 RN [6]
 RN X-RAY CRYSTALLOGRAPHY (2.3 ANGSTROMS) OF 1-382.
 RX MEDLINE=99234376; PubMed=10216320;
 RA Osipuk J., Walsh M.A., Freeman B.C., Morimoto R.I., Joachimiak A.;
 RT "Structure of a new crystal form of human hsp70 ATPase domain.";
 RL Acta Crystallogr. D 55:1105-1107(1999).
 CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
 CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
 CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
 CC ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC
 CC RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR
 CC PROTEIN TRANSLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION
 CC PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE
 CC PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE
 CC CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE
 CC SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES
 CC DURING TRANSLATION AND MEMBRANE TRANSLOCATION, OR FOLLOWING
 CC STRESS-INDUCED DAMAGE.
 CC -1- INDUCTION: BY HEAT SHOCK.
 CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
 CC
 CC THIS SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC
 CC EMBL; M59828; AAA63226.1; -;
 CC EMBL; M59630; AAA63227.1; -;
 CC EMBL; AF134726; AAD21816.1; -;
 CC EMBL; AF134726; AAD21815.1; -;

DR EMBL; M11717; AAA52697.1; -;
 DR EMBL; M24743; AAA59844.1; -;
 DR EMBL; M24744; AAA59845.1; -;
 DR EMBL; X04676; CAA28381.1; -;
 DR EMBL; X04677; CAA28382.1; -;
 DR PIR; A29160; A29160;
 DR PIR; A45871; A45871;
 DR PIR; A25773; A25773;
 DR PDB; 1HJO; 21-OCT-98.
 DR SWISS-2DPAGE; P08107; HUMAN.
 DR MIM; 140550; -;
 DR MIM; 603012; -;
 DR InterPro; IPR001023; HSP70.
 DR Pfam; PF00012; HSP70; 1.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS00297; HSP70_1; 1.
 DR PROSITE; PS00329; HSP70_2; 1.
 DR PROSITE; PS01036; HSP70_3; 1.
 DR ATP-binding; Chaperone; Heat shock; Multigene family; MHC III;
 KW 3D-structure.
 FT CONFLICT 7 7 I -> V (IN REF. 2).
 FT CONFLICT 110 110 E -> D (IN REF. 3; AAD21816).
 FT CONFLICT 370 370 A -> G (IN REF. 2).
 FT CONFLICT 469 469 MISSING (IN REF. 2).
 FT CONFLICT 499 499 N -> S (IN REF. 3; AAD21815).
 FT CONFLICT 641 641 78F513118C96DE66 CRC64;
 SQ SEQUENCE 641 AA; 70052 MW; 78F513118C96DE66 CRC64;
 Query Match 88.2%; Score 45; DB 1; Length 641;
 Best Local Similarity 90.0%; Pred. No. 0.19;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 SLFEGIDAYT 10
 D 286 SLFEGIDFYT 295
 RESULT 12
 HS71_MOUSE
 ID HS71_MOUSE STANDARD; PRT; 641 AA.
 IC P17879; O61689;
 DT 01-AUG-1990 (Rel. 15, Created)
 DT 01-NOV-1997 (Rel. 35, Last sequence update)
 DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70.1) (HSP70-1/HSP70-2).
 GN HSPAL1 OR HSP70A1 OR HSP70-1 OR HCP70.1.
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 OX NCBI_TaxID=10090;
 RN [1]
 RN SEQUENCE FROM N.A.
 RX MEDLINE=90236310; PubMed=2332169;
 RA Hunt C., Calderwood S.;
 RT "Characterization and sequence of a mouse hsp70 gene and its
 expression in mouse cell lines.";
 RL Gene 87:199-204(1990).
 RN [2]
 RN SEQUENCE FROM N.A.
 RC TISSUE=Liver;
 RX MEDLINE=94357449; PubMed=8076831;
 RA Perry M.D., Aujame L., Shtang S., Moran L.A.;
 RT "Structure and expression of an inducible HSP70-encoding gene from
 Mus musculus.";
 RL Gene 146:273-278(1994).
 CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
 CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
 CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
 CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
 CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
 CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
 CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
 CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.

```
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (see http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; M35021; AAA37864.1; -
CC EMBL; M76613; AAA57233.1; -
CC PIR; JH0095; JH0095.
CC HSP; P19120; INGC.
CC MGI; 99517; HSP70-1.
CC InterPro: IPR001023; HSP70.
CC PRINTS; PR00301; HEATSHOCK70.
CC PROSITE; PS00297; HSP70.1; 1.
CC PROSITE; PS00329; HSP70.2; 1.
CC PROSITE; PS01036; HSP70.3; 1.
CC ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
CC CONFLICT 342 342 A -> R (IN REF. 1).
CC CONFLICT 627 627 P -> PP (IN REF. 1).
CC SEQUENCE 641 AA; 69994 MW; 41475360F6749F2F CRC64;

Query Match      88.2%; Score 45; DB 1; Length 641;
Best Local Similarity 90.0%; Pred. No. 0.19;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDAYT 10
DB 286 SLFEGIDFYT 295
|||||I|I|

RESULT 13
HS71_PIG
ID HS71_PIG STANDARD; PRT; 641 AA.
AC P34930;
DT 01-FEB-1994 (Rel. 28, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70.1).
GN HSPAL.
OS Sus scrofa (pig).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.
OX NCBI_TaxID=9823;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=92175874; PubMed=1339404;
RA Peelman L.J., de Weghe A.R., Coppieters W.R., van Zevenen A.J.,
RA Bouquet Y.H.;
RT "Complete nucleotide sequence of a porcine HSP70 gene.";
RL Immunogenetics 35:286-289(1992).
CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (see http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
```

```
CC EMBL; M69100; -; NOT_ANNOTATED_CDS.
CC PIR; S35718; S35718.
CC HSP; P19120; INGC.
CC InterPro: IPR001023; HSP70.
CC PRINTS; PR00301; HEATSHOCK70.
CC PROSITE; PS00297; HSP70.1; 1.
CC PROSITE; PS00329; HSP70.2; 1.
CC PROSITE; PS01036; HSP70.3; 1.
CC ATP-binding; Chaperone; Heat shock; Multigene family.
CC SEQUENCE 641 AA; 70083 MW; FE77BB20A03E0A33 CRC64;

Query Match      88.2%; Score 45; DB 1; Length 641;
Best Local Similarity 90.0%; Pred. No. 0.19;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDAYT 10
DB 286 SLFEGIDFYT 295
|||||I|I|

RESULT 14
HS71_RAT
ID HS71_RAT STANDARD; PRT; 641 AA.
AC Q07439; P42853;
DT 01-FEB-1995 (Rel. 31, Created)
DT 01-FEB-1995 (Rel. 31, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1/2 (HSP70.1/2).
GN HSP70-1 AND HSP70-2.
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX NCBI_TaxID=10116;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Brain;
RX MEDLINE=94096443; PubMed=8271311;
RA Longo F.M., Wang S., Narasimhan P., Zhang J.S., Chen J.,
RA Massa S.M., Sharp F.R.;
RT "cDNA cloning and expression of stress-inducible rat hsp70 in normal
RT and injured rat brain.";
RL J. Neurosci. Res. 36:325-335(1993).
RN [2]
RP SEQUENCE FROM N.A.
RX STRAIN=LEW.1W/GUN;
RC MEDLINE=95012453; PubMed=7927536;
RA Walter L., Rauh F., Guenther E.;
RT "Comparative analysis of the three major histocompatibility complex-
RT linked heat shock protein 70 (Hsp70) genes of the rat.";
RL Immunogenetics 40:325-330(1994).
RN [3]
RP SEQUENCE FROM N.A.
RC STRAIN=SPRAGUE-DAWLEY; TISSUE=Liver;
RX MEDLINE=94368874; PubMed=8086479;
RA Lisowska K., Krawczyk Z., Widlak W., Wolniczek P., Wisniewski J.;
RT "Cloning, nucleotide sequence and expression of rat heat inducible
RT hsp70 gene.";
RL Biochim. Biophys. Acta 1219:64-72(1994).
CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
```

```
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; L16764; AAA17441.1; -
DR EMBL; X77208; CAA54423.1; -
DR EMBL; X77207; CAA54422.1; -
DR EMBL; X74271; CAA52328.1; -
DR HSP; P19120; INGC.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
DR ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
FT CONFLICT 71 72 KR -> NG (IN REF. 3).
FT CONFLICT 227 227 D -> H (IN REF. 2 AND 3).
FT CONFLICT 408 408 G -> A (IN REF. 3).
FT CONFLICT 408 408 G -> A (IN REF. 3).
SQ SEQUENCE 641 AA; 70163 MW; D02D96751C868583 CRC64;

Query Match 88.2%; Score 45; DB 1; Length 641;
Best Local Similarity 90.0%; Pred. No. 0.19;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
DB 286 SLFEGIDFYT 295
|||||||

RESULT 15
HS71_YEAST STANDARD; PRT; 641 AA.
AC P10591;
DT 01-JUL-1989 (Rel. 11, Created)
DT 01-OCT-1994 (Rel. 30, Last sequence update)
DT 01-OCT-1996 (Rel. 34, Last annotation update)
DE HEAT SHOCK PROTEIN SSA1 (HEAT SHOCK PROTEIN YG100).
GN SSA1 OR YAL005C.
OS Saccharomyces cerevisiae (Baker's yeast).
OC Eukaryota; Fungi; Ascomycota; Saccharomycotina; Saccharomycetes;
OC Saccharomycetales; Saccharomycetaceae; Saccharomycetes.
OX NCBI_TaxID=4932;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=S288C;
RX MEDLINE=89128457; PubMed=2644626;
RA Slater M.R., Craig E.A.;
RT "The SSA1 and SSA2 genes of the yeast Saccharomyces cerevisiae.";
RL Nucleic Acids Res. 17:805-806(1989).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=S288C / AB972;
RX MEDLINE=95028152; PubMed=7941740;
RA Clark M.W., Keng T., Storms R.K., Zhong W., Fortin N., Zeng B.,
RA Delaney S., Ouellette B.F., Barton A.B., Kaback D.B., Bussey H.;
RT "Sequencing of chromosome I of Saccharomyces cerevisiae: analysis of
RT the 42 kbp SP07-CEN1-CDG15 region.";
RL Yeast 10:535-541(1994).
RN [3]
RP SEQUENCE OF 590-641 FROM N.A.
RX MEDLINE=85087943; PubMed=6096826;
RA Ogden R.C., Lee M.-C., Knapp G.;
RT "Transfer RNA splicing in Saccharomyces cerevisiae: defining the
RT substrates.";
RL Nucleic Acids Res. 12:9367-9382(1984).
RN [4]
RP REVISIONS TO 207; 417 AND 421.
RA Slater M.R.;
```

```
Submitted (JUN-1993) to the EMBL/GenBank/DBJ databases.
[5]
RN SEQUENCE OF 91-97 AND 325-341.
RP STRAIN=S288C;
RX MEDLINE=95203288; PubMed=7895733;
RA Garrels J.I., Futcher B., Kobayashi R., Latter G.I., Schwender B.,
RA Volpe T., Warner J.R., McLaughlin C.S.;
RT "Protein identifications for a Saccharomyces cerevisiae protein
RT database.";
RL Electrophoresis 15:1466-1486(1994).
RN [6]
RP SEQUENCE OF 186-195.
RC STRAIN=ATCC 38531 / Y41;
RX MEDLINE=97089742; PubMed=8935650;
RA Norbeck J., Blomberg A.;
RT "Protein expression during exponential growth in 0.7 M NaCl medium of
RT Saccharomyces cerevisiae.";
RL FEMS Microbiol. Lett. 137:1-8(1996).
RN [7]
RP ACETYLATION.
RA Garrels J.I., Futcher B., Kobayashi R., Latter G.I., Schwender B.,
RA Volpe T., Warner J.R., McLaughlin C.S.;
RL Submitted (SEP-1994) to the SWISS-PROT data bank.
CC !- FUNCTION: SSA1 MAY PLAY A ROLE IN THE TRANSPORT OF POLYPEPTIDES
CC BOTH ACROSS THE MITOCHONDRIAL MEMBRANES AND INTO THE
CC ENDOPLASMATIC RETICULUM. A FUNCTIONAL DIFFERENCE BETWEEN YEAST
CC SSA1 AND SSA2 PROTEINS IS EXPECTED. SSA1 CAN PARTICIPATE IN THE
CC ATP-DEPENDENT DISASSEMBLY OF CLATHRIN-COATED VESICLES.
CC !- SUBCELLULAR LOCATION: CYTOPLASMIC.
CC !- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; X12926; CAA31393.1; -
CC EMBL; X22015; AAC04952.1; ALT_SEQ.
DR PIR; S25438; HHYAL.
DR PIR; S42164; S42164.
DR HSP; P19120; IATR.
DR SWISS-2DPAGE; P10591; YEAST.
DR YEPD; 9788; -
DR SGD; S0000004; SSA1.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock; ATP-binding; Multigene family; Acetylation.
FT INIT_MET 0 0
FT MOD_RES 1 1 ACETYLATION.
FT CONFLICT 1 1
SQ SEQUENCE 641 AA; 69526 MW; FA9389BAE9B1D7DA CRC64;

Query Match 88.2%; Score 45; DB 1; Length 641;
Best Local Similarity 90.0%; Pred. No. 0.19;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
DB 282 SLFEGIDFYT 291
|||||||

Search completed: December 6, 2001, 08:00:52
Job time: 420 sec
```

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:56:54 ; Search time 170.25 Seconds
(without alignments)
8.592 Million cell updates/sec

Title: PEP2-MOD8A

Perfect score: 51

Sequence: 1 SLFEGIDAYT 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 473505 seqs, 146272329 residues

Total number of hits satisfying chosen parameters: 473505

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

SPTREMBL_17.*

1: sp_archaea.*

2: sp_bacteria.*

3: sp_fungi.*

4: sp_human.*

5: sp_invertebrate.*

6: sp_mammal.*

7: sp_mhc.*

8: sp_organelle.*

9: sp_phase.*

10: sp_plant.*

11: sp_rodent.*

12: sp_virus.*

13: sp_vertebrate.*

14: sp_unclassified.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	DB ID	Description
1	45	88.2	146	5 Q9U667	Q9U667 littorina p
2	45	88.2	153	5 Q9U670	Q9U670 littorina s
3	45	88.2	155	5 Q9U669	Q9U669 littorina s
4	45	88.2	157	5 Q9U665	Q9U665 littorina p
5	45	88.2	158	5 Q9U671	Q9U671 littorina s
6	45	88.2	158	5 Q9U668	Q9U668 littorina p
7	45	88.2	158	5 Q9U666	Q9U666 littorina p
8	45	88.2	220	5 P81159	P81159 aplysia cal
9	45	88.2	221	5 P81157	P81157 aplysia cal
10	45	88.2	278	13 Q90520	Q90520 oncorhynch
11	45	88.2	367	13 Q98899	Q98899 fugu rubrip
12	45	88.2	455	11 Q63718	Q63718 rattus norv
13	45	88.2	467	5 O44350	O44350 chondrosia
14	45	88.2	467	5 O44352	O44352 petrobiona
15	45	88.2	467	5 Q9N792	Q9N792 guancha lac
16	45	88.2	468	5 O44349	O44349 funiculina
17	45	88.2	469	5 O44351	O44351 eunicella c
18	45	88.2	526	13 Q98897	Q98897 fugu rubrip
19	45	88.2	632	5 O15766	O15766 dictyostell

20	45	88.2	639	13 Q98900	Q98900 fugu rubrip
21	45	88.2	639	13 Q918F9	Q918F9 oryzias lat
22	45	88.2	640	5 Q93601	Q93601 caenorhabdi
23	45	88.2	640	13 Q93240	Q93240 paralichthy
24	45	88.2	641	11 Q63256	Q63256 rattus norv
25	45	88.2	641	11 Q9QWJ5	Q9QWJ5 mus musculu
26	45	88.2	645	5 Q96541	Q96541 setaria dig
27	45	88.2	645	5 Q9NJB7	Q9NJB7 wuchereria
28	45	88.2	645	5 Q9NGK9	Q9NGK9 wuchereria
29	45	88.2	647	3 Q59855	Q59855 schizosacch
30	45	88.2	650	10 Q92S55	Q92S55 arabidopsis
31	45	88.2	650	10 Q9LHA8	Q9LHA8 arabidopsis
32	45	88.2	652	10 P93937	P93937 ascohyllum
33	45	88.2	653	5 Q94805	Q94805 trichoplusi
34	45	88.2	659	5 Q9XZJ2	Q9XZJ2 crassostrea
35	45	88.2	663	5 Q24952	Q24952 geodia cydo
36	44	86.3	190	5 Q9U9B4	Q9U9B4 mytilus edu
37	44	86.3	467	5 O44346	O44346 asbestoplum
38	44	86.3	467	5 O44347	O44347 petrosia fi
39	44	86.3	467	5 Q9GPM5	Q9GPM5 monosiga ov
40	44	86.3	639	13 Q73922	Q73922 oreochromis
41	44	86.3	642	3 Q9UVU0	Q9UVU0 rhizopus st
42	44	86.3	643	6 Q9NLU2	Q9NLU2 saginus oe
43	44	86.3	651	3 Q9UVU1	Q9UVU1 rhizopus st
44	44	86.3	651	10 Q22664	Q22664 spinacia ol
45	44	86.3	653	5 Q17310	Q17310 ceratitlis c

ALIGNMENTS

```

RESULT 1
Q9U667
ID Q9U667 PRELIMINARY; PRT; 146 AA.
AC Q9U667;
DT 01-MAY-2000 (TREMBLrel. 13, Created)
DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)
DT 01-JUN-2001 (TREMBLrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina plena.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31219;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina.";
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191828; AAF12787.1; -.
DR HSSP; P19120; 1BA1.
DR InterPro; IPR001023; HSP70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 146
SQ SEQUENCE 146 AA; 16607 MW; C3F3556A1AF438BB CRC64;

```

Query Match 88.2%; Score 45; DB 5; Length 146;
Best Local Similarity 90.0%; Pred. No. 0.37;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

QY 1 SLFEGIDAYT 10
   |||||
Db 79 SLFEGIDFYT 88

RESULT 2
Q9U670 PRELIMINARY; PRT; 153 AA.
ID Q9U670
AC Q9U670;
DT 01-MAY-2000 (TREMBLrel. 13, Created)
DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)

```

Tue Dec 11 08:45:54 2001

pep2-mod8a.rspt

DE 01-JUN-2001 (TREMBLrel. 17, Last annotation update)
 GN HEAT-SHOCK PROTEIN (FRAGMENT).
 OS Littorina scutulata.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 OC Neotaeniolglossa; Littorinoidea; Littorinidae; Littorina.
 OX NCBI_TaxID=31221;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina.";
 RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF191825; AAF12784.1; -
 DR HSSP; P19120; 1BA1.
 DR InterPro; IPR001023; HSP70.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 1
 FT NON_TER 153
 SQ SEQUENCE 153 AA; 17352 MW; E29EE20C4CAF934D CRC64;

Query Match 88.2%; Score 45; DB 5; Length 153;
 Best Local Similarity 90.0%; Pred. No. 0.39;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
 |||||
 Db 80 SLFEGIDFYT 89

RESULT 3
 Q9U669 PRELIMINARY; PRT; 155 AA.
 AC Q9U669;
 DT 01-MAY-2000 (TREMBLrel. 13, Created)
 DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)
 DT 01-JUN-2001 (TREMBLrel. 17, Last annotation update)
 DE HEAT-SHOCK PROTEIN (FRAGMENT).
 GN HSC70.
 OS Littorina scutulata.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 OC Neotaeniolglossa; Littorinoidea; Littorinidae; Littorina.
 OX NCBI_TaxID=31221;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina.";
 RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF191826; AAF12785.1; -
 DR HSSP; P19120; 1BA1.
 DR InterPro; IPR001023; HSP70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 1
 FT NON_TER 155
 SQ SEQUENCE 155 AA; 17676 MW; C191F6E5B1F346C2 CRC64;

Query Match 88.2%; Score 45; DB 5; Length 155;
 Best Local Similarity 90.0%; Pred. No. 0.4;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
 |||||
 Db 82 SLFEGIDFYT 91

RESULT 4
 Q9U665 PRELIMINARY; PRT; 157 AA.
 AC Q9U665;
 DT 01-MAY-2000 (TREMBLrel. 13, Created)
 DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)
 DT 01-JUN-2001 (TREMBLrel. 17, Last annotation update)

DE HEAT-SHOCK PROTEIN (FRAGMENT).
 GN HSC70.
 OS Littorina plena.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 OC Neotaeniolglossa; Littorinoidea; Littorinidae; Littorina.
 OX NCBI_TaxID=31219;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina.";
 RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF191830; AAF12789.1; -
 DR HSSP; P19120; 1BA1.
 DR InterPro; IPR001023; HSP70.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 1
 FT NON_TER 157
 SQ SEQUENCE 157 AA; 17834 MW; E8F743382B285EB2 CRC64;

Query Match 88.2%; Score 45; DB 5; Length 157;
 Best Local Similarity 90.0%; Pred. No. 0.4;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
 |||||
 Db 84 SLFEGIDFYT 93

RESULT 5
 Q9U671 PRELIMINARY; PRT; 158 AA.
 AC Q9U671;
 DT 01-MAY-2000 (TREMBLrel. 13, Created)
 DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)
 DT 01-JUN-2001 (TREMBLrel. 17, Last annotation update)
 DE HEAT-SHOCK PROTEIN (FRAGMENT).
 GN HSC70.
 OS Littorina scutulata.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 OC Neotaeniolglossa; Littorinoidea; Littorinidae; Littorina.
 OX NCBI_TaxID=31221;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina.";
 RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF191824; AAF12783.1; -
 DR HSSP; P19120; 1BA1.
 DR InterPro; IPR001023; HSP70.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 1
 FT NON_TER 158
 SQ SEQUENCE 158 AA; 17887 MW; B41E5356A24CAD2F CRC64;

Query Match 88.2%; Score 45; DB 5; Length 158;
 Best Local Similarity 90.0%; Pred. No. 0.41;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
 |||||
 Db 85 SLFEGIDFYT 94

RESULT 6
 Q9U668 PRELIMINARY; PRT; 158 AA.
 AC Q9U668;
 DT 01-MAY-2000 (TREMBLrel. 13, Created)
 DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)

01-JUN-2001 (TREMBlrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina plena.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31219;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina.";
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191827; AAF12786.1; -.
DR HSSP; P19120; 1BA1.
DR InterPro; IPR001023; HSP70.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 158
SQ SEQUENCE 158 AA; 17868 MW; D2ECE71042EC44CB CRC64;

Query Match 88.2%; Score 45; DB 5; Length 158;
Best Local Similarity 90.0%; Pred. No. 0.41;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
DB 85 SLFEGIDFTY 94

RESULT 7
Q9U666 PRELIMINARY; PRT; 158 AA.
ID Q9U666
AC Q9U666;
DT 01-MAY-2000 (TREMBlrel. 13, Created)
DT 01-MAY-2000 (TREMBlrel. 13, Last sequence update)
DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina plena.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31219;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina.";
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191829; AAF12788.1; -.
DR HSSP; P19120; 1BA1.
DR InterPro; IPR001023; HSP70.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 158
SQ SEQUENCE 158 AA; 17891 MW; B41E5356BCECAD2F CRC64;

Query Match 88.2%; Score 45; DB 5; Length 158;
Best Local Similarity 90.0%; Pred. No. 0.41;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
DB 85 SLFEGIDFTY 94

RESULT 8
P81159 PRELIMINARY; PRT; 220 AA.
ID P81159
AC P81159;
DT 01-JUN-1998 (TREMBlrel. 06, Created)

01-JUN-1998 (TREMBlrel. 06, Last sequence update)
DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
DE HEAT-SHOCK COGNATE 71 KDA PROTEIN (FRAGMENT).
GN HSC70.
OS Aplysia californica (California sea hare).
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Opisthobranchia; Anaspidea;
OC Aplysiidae; Aplysia.
OX NCBI_TaxID=6500;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=93077669; PubMed=1360013;
RA Kuhl D., Kennedy T., Barzilai A., Kandel E.;
RT "Long-term sensitization training in Aplysia leads to an increase in the expression of Bip, the major protein chaperon of the ER.";
RL J. Cell Biol. 119:1069-1076(1992)
CC -!- INDUCTION: CONSTITUTIVELY SYNTHESIZED IN A WIDE VARIETY OF CELLS.
CC -!- SIMILARITY: BELONGS TO HEAT SHOCK PROTEIN 70 FAMILY.
DR EMBL; Z15039; CAA78757.1; -.
DR HSSP; P19120; 1BA1.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock; Multigene family.
FT NON_TER 1
FT NON_TER 220
SQ SEQUENCE 220 AA; 24684 MW; FA8557F2BB85C37A CRC64;

Query Match 88.2%; Score 45; DB 5; Length 220;
Best Local Similarity 90.0%; Pred. No. 0.6;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
DB 138 SLFEGIDFTY 147

RESULT 9
P81157 PRELIMINARY; PRT; 221 AA.
ID P81157
AC P81157;
DT 01-JUN-1998 (TREMBlrel. 06, Created)
DT 01-JUN-1998 (TREMBlrel. 06, Last sequence update)
DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
DE HEAT-SHOCK 70 KDA PROTEIN A (HSP70A) (FRAGMENT).
GN HSP70A.
OS Aplysia californica (California sea hare).
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Opisthobranchia; Anaspidea;
OC Aplysiidae; Aplysia.
OX NCBI_TaxID=6500;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=93077669; PubMed=1360013;
RA Kuhl D., Kennedy T., Barzilai A., Kandel E.;
RT "Long-term sensitization training in Aplysia leads to an increase in the expression of Bip, the major protein chaperon of the ER.";
RL J. Cell Biol. 119:1069-1076(1992).
CC -!- INDUCTION: BY HEAT SHOCK.
CC -!- SIMILARITY: BELONGS TO HEAT SHOCK PROTEIN 70 FAMILY.
DR EMBL; Z15037; CAA78755.1; -.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock; Multigene family.
FT NON_TER 1
FT NON_TER 221
SQ SEQUENCE 221 AA; 24404 MW; 853F794106E83CC9 CRC64;

Tue Dec 11 08:45:54 2001

Query Match 88.2%; Score 45; DB 5; Length 221;
Best Local Similarity 90.0%; Pred. No. 0.6;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
DB 139 SLFEGIDYFT 148

RESULT 10
Q90520 PRELIMINARY; PRT; 278 AA.
AC Q90520;
DT 01-NOV-1996 (TREMBlrel. 01, Created)
DT 01-NOV-1996 (TREMBlrel. 01, Last sequence update)
DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
DE RAINBOW TROUT 70 KDA HEAT SHOCK PROTEIN (FRAGMENT).
OS Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
OX NCBI_TaxID=8022;
[1]
RN SEQUENCE FROM N.A.
RX MEDLINE=85036330; PubMed=6092938;
RA Kothary R.K., Jones D., Candido E.P.M.;
RT *70-Kilodalton heat shock polypeptides from rainbow trout:
RT characterization of cDNA sequences.*;
RL Mol. Cell. Biol. 4:1785-1791(1984).
DR EMBL; K02549; AAA49562.1; -;
DR HSSP; P08109; 1CKR.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock; Multigene family.
FT NON_TER 1
FT NON_TER 278
SQ SEQUENCE 278 AA; 30327 MW; E4C745DE5484C17A CRC64;

Query Match 88.2%; Score 45; DB 13; Length 278;
Best Local Similarity 90.0%; Pred. No. 0.79;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
DB 156 SLFEGIDYFT 165

RESULT 11
Q98899 PRELIMINARY; PRT; 367 AA.
AC Q98899;
DT 01-FEB-1997 (TREMBlrel. 02, Created)
DT 01-FEB-1997 (TREMBlrel. 02, Last sequence update)
DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
DE 70 KDA HEAT SHOCK PROTEIN (FRAGMENT).
GN HSP70-3.
OS Fugu rubripes (Japanese pufferfish) (Takifugu rubripes).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
OC Acanthomorpha; Acanthopterygii; Percomorpha; Tetraodontiformes;
OC Tetraodontidae; Takifugu.
OX NCBI_TaxID=31033;
[1]
RN SEQUENCE FROM N.A.
RA Lim E.H.;
RL Submitted (OCT-1996) to the EMBL/GenBank/DBJ databases.
DR EMBL; Y08578; CAA69892.1; -;
DR HSSP; P19120; 3HSC.
DR InterPro; IPR001023; HSP70.

Pfam; PF00012; HSP70; 1.
PRINTS; PR00301; HEATSHOCK70.
PROSITE; PS00297; HSP70_1; 1.
PROSITE; PS01036; HSP70_3; 1.
KW Heat shock.
FT NON_TER 367
SQ SEQUENCE 367 AA; 40405 MW; 8CD3DD8DF6E3C2CA CRC64;

Query Match 88.2%; Score 45; DB 13; Length 367;
Best Local Similarity 90.0%; Pred. No. 1.1;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
DB 268 SLFEGIDYFT 277

RESULT 12
Q63718 PRELIMINARY; PRT; 455 AA.
AC Q63718;
DT 01-NOV-1996 (TREMBlrel. 01, Created)
DT 01-NOV-1996 (TREMBlrel. 01, Last sequence update)
DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
DE HEAT SHOCK ROTENIN 70 (FRAGMENT).
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX NCBI_TaxID=10116;
[1]
RN SEQUENCE FROM N.A.
RA Angeletti B., Passarelli F., Orru D., Pascale E., Butler R.H.,
RA D'Ambrosio E.;
RL Submitted (NOV-1993) to the EMBL/GenBank/DBJ databases.
DR EMBL; Z27118; CAA81642.1; -;
DR HSSP; P08107; 1HJO.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock.
FT NON_TER 1
FT NON_TER 455
SQ SEQUENCE 455 AA; 50404 MW; 0F45F12CBA1E2971 CRC64;

Query Match 88.2%; Score 45; DB 11; Length 455;
Best Local Similarity 90.0%; Pred. No. 1.4;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
DB 254 SLFEGIDYFT 263

RESULT 13
O44350 PRELIMINARY; PRT; 467 AA.
AC O44350;
DT 01-JUN-1998 (TREMBlrel. 06, Created)
DT 01-JUN-1998 (TREMBlrel. 06, Last sequence update)
DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN HSP70 (FRAGMENT).
GN HSP70.
OS Chondrosia reniformis.
OC Eukaryota; Metazoa; Porifera; Demospongiae; Tetractinomorpha;
OC Chondrosida; Chondrillidae; Chondrosia.
OX NCBI_TaxID=68574;
[1]
RN SEQUENCE FROM N.A.
RP Borchliellnl C., Le Parco Y.;

RL Submitted (SEP-1997) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF026517; ICKR.
DR HSP; P08109; ICKR.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70.1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70.2; 1.
DR PROSITE; PS01036; HSP70.3; 1.
FT NON_TER 1
FT NON_TER 467
SQ SEQUENCE 467 AA; 51707 MW; 0DBE6920F2E6EA96 CRC64;

Query Match 88.2%; Score 45; DB 5; Length 467;
Best Local Similarity 90.0%; Pred. No. 1.5;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
Db |||||||

Db 252 SLFEGIDFYT 261

RESULT 14

O44352 PRELIMINARY; PRT; 467 AA.

AC O44352;
DT 01-JUN-1998 (Tremblrel. 06, Created)
DT 01-JUN-1998 (Tremblrel. 06, Last sequence update)
DT 01-JUN-2001 (Tremblrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN HSP70 (FRAGMENT).
GN HSP70.
OS Petrobionta massiliiana.
OC Eukaryota; Metazoa; Porifera; Calcareae; Calcaronea; Petrobionidae;
OC Petrobionta.
OX NCBI_TaxID=68578;
RN [1]
RP SEQUENCE FROM N.A.
RA Borchelliini C., Le Parco Y.;
RL Submitted (SEP-1997) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF026520; RAC05364.1; -.
DR HSP; P08109; ICKR.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70.1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS01036; HSP70.3; 1.
FT NON_TER 1
FT NON_TER 467
SQ SEQUENCE 467 AA; 51458 MW; 23EB28FFD1873DA6 CRC64;

Query Match 88.2%; Score 45; DB 5; Length 467;
Best Local Similarity 90.0%; Pred. No. 1.5;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
Db |||||||

Db 252 SLFEGIDFYT 261

RESULT 15

Q9NJ92 PRELIMINARY; PRT; 467 AA.

AC Q9NJ92;
DT 01-OCT-2000 (Tremblrel. 15, Created)
DT 01-OCT-2000 (Tremblrel. 15, Last sequence update)
DT 01-JUN-2001 (Tremblrel. 17, Last annotation update)
DE HEAT SHOCK PROTEIN 70 (FRAGMENT).
OS Guancha lacunosa.
OC Eukaryota; Metazoa; Porifera; Calcareae; Clathrinida;
OC Clathrinidae; Guancha.
OX NCBI_TaxID=115120;
RN [1]
RP SEQUENCE FROM N.A.

RA Borchelliini C., Le Parco Y.;
RT "Sponges paraphyly and the origin of Metazoa.";
RL Submitted (SEP-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF182195; RAF61297.1; -.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70.1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70.2; 1.
DR PROSITE; PS01036; HSP70.3; 1.
FT NON_TER 1
FT NON_TER 467
SQ SEQUENCE 467 AA; 51318 MW; F36FC06CB1DEE131 CRC64;

Query Match 88.2%; Score 45; DB 5; Length 467;
Best Local Similarity 90.0%; Pred. No. 1.5;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAYT 10
Db |||||||

Db 252 SLFEGIDFYT 261

Search completed: December 6, 2001, 07:56:54
Job time: 182 sec

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:59:59 ; Search time 81.43 seconds
(without alignments)
2.764 Million cell updates/sec

Title: PEP2-MOD8F

Perfect score: 53
Sequence: 1 SLFEGIDFYT 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 212252 seqs, 22503292 residues

Total number of hits satisfying chosen parameters: 212252

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Issued Patents_AA:*

- 1: /cgn2_6/ptodata/2/1aa/5A_COMB.pep:*
- 2: /cgn2_6/ptodata/2/1aa/5B_COMB.pep:*
- 3: /cgn2_6/ptodata/2/1aa/6A_COMB.pep:*
- 4: /cgn2_6/ptodata/2/1aa/6B_COMB.pep:*
- 5: /cgn2_6/ptodata/2/1aa/PCTUS_COMB.pep:*
- 6: /cgn2_6/ptodata/2/1aa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	ID	Description
1	52	98.1	643	4	US-08-797-358B-3
2	50	94.3	646	1	US-08-441-139-14
3	39	73.6	339	2	US-08-928-692-52
4	35	66.0	560	1	US-08-052-404-23
5	35	66.0	560	1	US-08-479-156-23
6	35	66.0	561	1	US-08-052-404-22
7	35	66.0	561	1	US-08-052-404-24
8	35	66.0	561	1	US-08-479-156-22
9	35	66.0	561	1	US-08-479-156-24
10	33	62.3	560	2	US-08-928-692-53
11	33	62.3	2787	4	US-09-245-041-15
12	33	62.3	4634	4	US-08-476-515A-84
13	33	62.3	4655	4	US-08-652-877-84
14	33	62.3	4655	4	US-08-652-877-86
15	33	62.3	4655	4	US-08-652-877-88
16	33	62.3	4655	4	US-08-652-877-90
17	32	60.4	418	4	US-08-855-910-11
18	32	60.4	436	2	US-08-899-028A-2
19	32	60.4	436	2	US-09-210-124-2
20	32	60.4	436	2	US-09-210-009-2
21	32	60.4	679	1	US-08-441-139-5
22	31	58.5	309	1	US-08-118-270-56
23	31	58.5	309	5	PCT-US93-08528-56
24	31	58.5	348	2	US-08-390-000A-8
25	31	58.5	458	4	US-09-457-046B-61
26	31	58.5	465	2	US-08-878-989-18
27	31	58.5	465	2	US-08-860-150-7

28	31	58.5	465	3	US-09-338-132-7	Sequence 7, Appli
29	31	58.5	465	4	US-09-272-796-18	Sequence 18, Appl
30	30	56.6	36	1	US-08-487-890A-19	Sequence 19, Appl
31	30	56.6	36	2	US-08-478-435-19	Sequence 19, Appl
32	30	56.6	36	2	US-08-337-483-19	Sequence 19, Appl
33	30	56.6	36	2	US-08-478-373-19	Sequence 19, Appl
34	30	56.6	36	3	US-08-474-671-19	Sequence 19, Appl
35	30	56.6	36	3	US-08-483-577A-19	Sequence 19, Appl
36	30	56.6	36	4	US-08-897-438-19	Sequence 19, Appl
37	30	56.6	43	4	US-09-312-183A-8	Sequence 8, Appli
38	30	56.6	53	2	US-08-469-537A-7	Sequence 7, Appli
39	30	56.6	53	2	US-08-469-537A-20	Sequence 20, Appl
40	30	56.6	276	1	US-08-467-155A-1	Sequence 1, Appli
41	30	56.6	276	2	US-08-628-198-1	Sequence 1, Appli
42	30	56.6	276	4	US-09-201-038-1	Sequence 1, Appli
43	30	56.6	276	5	PCT-US96-07343-1	Sequence 1, Appli
44	30	56.6	291	1	US-08-467-155A-11	Sequence 11, Appl
45	30	56.6	291	2	US-08-628-198-11	Sequence 11, Appl

ALIGNMENTS

RESULT 1
US-08-797-358B-3
; Sequence 3, Application US/08797358B
; Patent No. 6268478
; GENERAL INFORMATION:
; APPLICANT: Adams, John
; TITLE OF INVENTION: INTRACELLULAR VITAMIN D BINDING PROTEIN
; NUMBER OF SEQUENCES: 9
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/797,358B
; FILING DATE: 11-FEB-1997
; CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 60/011,491
; FILING DATE: 12-FEB-1996
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-CE 3165
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 3:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 643 amino acids
; TYPE: amino acid
; STRANDEDNESS: unknown
; TOPOLOGY: unknown
; MOLECULE TYPE: protein
; SEQUENCE DESCRIPTION: SEQ ID NO: 3:
US-08-797-358B-3

Query Match 98.1%; Score 52; DB 4; Length 643;
Best Local Similarity 90.0%; Pred. No. 0.032;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10

```
DB 288 SLFEGVDFT 297
||||:||||
RESULT 2
US-08-441-139-14
; Sequence 14, Application US/08441139
; Patent No. 5773245
; GENERAL INFORMATION:
; APPLICANT: Wittup, Dr. Karl D.
; APPLICANT: Robinson, Anne S.
; TITLE OF INVENTION: METHODS FOR INCREASING SECRETION OF
; TITLE OF INVENTION: RECOMBINANTLY EXPRESSED PROTEINS
; NUMBER OF SEQUENCES: 20
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: SCULLY, SCOTT, MURPHY & PRESSER
; STREET: 400 Garden City Plaza
; CITY: Garden City
; STATE: NY
; COUNTRY: USA
; ZIP: 11530
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/441,139
; FILING DATE: 15-MAY-1995
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/089,997
; FILING DATE: 06-JUL-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Digiglio, Frank S.
; REGISTRATION NUMBER: 31,346
; REFERENCE/DOCKET NUMBER: 8646
; TELEPHONE: 516-742-4343
; TELEFAX: 516-742-4366
; TELEX: 230 901 SANS UR
; INFORMATION FOR SEQ ID NO: 14:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 646 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-441-139-14

Query Match 94.3%; Score 50; DB 1; Length 646;
Best Local Similarity 90.0%; Pred. No. 0.078;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFT 10
||:|||||
DB 286 SLFEGIDFT 295

RESULT 3
US-08-928-692-52
; Sequence 52, Application US/08928692
; Patent No. 5958727
; GENERAL INFORMATION:
; APPLICANT: Brody, Howard
; APPLICANT: Yaver, Deborah S.
; APPLICANT: Lamsa, Michael
; APPLICANT: Hansen, Kim
; TITLE OF INVENTION: Methods for Modifying the Production of
; TITLE OF INVENTION: a Polypeptide
; NUMBER OF SEQUENCES: 80
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: No. 5958727o No. 5958727disk of No. 5958727th America, Inc.

; STREET: 405 Lexington Avenue
; CITY: New York
; STATE: NY
; COUNTRY: USA
; ZIP: 10174
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSeq for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/928,692
; FILING DATE: 12-SEPT-1997
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Lambiris, Elias J
; REGISTRATION NUMBER: 33,728
; REFERENCE/DOCKET NUMBER: 4944.200-US
; TELEPHONE: 212-867-0123
; TELEFAX: 212-878-9655
; INFORMATION FOR SEQ ID NO: 52:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 339 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: No. 5958727e
; US-08-928-692-52

Query Match 73.6%; Score 39; DB 2; Length 339;
Best Local Similarity 100.0%; Pred. No. 4.9;
Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 4 EGIDFT 10
|||||
DB 285 EGIDFT 291

RESULT 4
US-08-052-404-23
; Sequence 23, Application US/08052404
; Patent No. 5484703
; GENERAL INFORMATION:
; APPLICANT: Rabin, Nina
; APPLICANT: Nichols, Ralph
; APPLICANT: Plotz, Paul
; APPLICANT: Leff, Richard
; TITLE OF INVENTION: Human Histidyl tRNA Synthetase
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Knobbe, Martens, Olson, and Bear
; STREET: 620 Newport Center Dr. Sixteenth Floor
; CITY: Newport Beach
; STATE: CA
; COUNTRY: USA
; ZIP: 92660
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/052,404
; FILING DATE: 19930422
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Fuller, Michael L.
; REGISTRATION NUMBER: 36,516
; REFERENCE/DOCKET NUMBER: NIH031.001A
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 619-235-8550
```

```
; TELEFAX: 714-760-9502
; INFORMATION FOR SEQ ID NO: 23:
; SEQUENCE CHARACTERISTICS:
;   LENGTH: 560 amino acids
;   TYPE: amino acid
;   STRANDEDNESS: single
;   TOPOLOGY: linear
;   MOLECULE TYPE: protein
;   HYPOTHETICAL: NO
;   ANTI-SENSE: NO
;   FRAGMENT TYPE: N-terminal
;   IMMEDIATE SOURCE:
;   CLONE: Hum
; US-08-052-404-23

Query Match          66.0%; Score 35; DB 1; Length 560;
Best Local Similarity 60.0%; Pred. No. 50;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDFT 10
Db 334 SLARGLDYTT 343

RESULT 5
US-08-052-404-23
; Sequence 23, Application US/08479156
; Patent No. 5663066
; GENERAL INFORMATION:
; APPLICANT: Rabin, Nina
; APPLICANT: Nichols, Ralph
; APPLICANT: Plotz, Paul
; APPLICANT: Leff, Richard
; TITLE OF INVENTION: Human Histidyl tRNA Synthetase
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Knobbe, Martens, Olson, and Bear
; STREET: 620 Newport Center Dr. Sixteenth Floor
; CITY: Newport Beach
; STATE: CA
; COUNTRY: USA
; ZIP: 92660
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/479,156
; FILING DATE: 07-JUN-1995
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/052,404
; FILING DATE: 22-APR-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Fuller, Michael L.
; REGISTRATION NUMBER: 36,516
; REFERENCE/DOCKET NUMBER: NIH031.001A
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 619-235-8550
; TELEFAX: 714-760-9502
; INFORMATION FOR SEQ ID NO: 23:
; SEQUENCE CHARACTERISTICS:
;   LENGTH: 560 amino acids
;   TYPE: amino acid
;   STRANDEDNESS: single
;   TOPOLOGY: linear
;   MOLECULE TYPE: protein
;   HYPOTHETICAL: NO
;   ANTI-SENSE: NO
;   FRAGMENT TYPE: N-terminal
;   IMMEDIATE SOURCE:
;   CLONE: Hum
; US-08-052-404-23

Query Match          66.0%; Score 35; DB 1; Length 561;
Best Local Similarity 60.0%; Pred. No. 50;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDFT 10
Db 335 SLARGLDYTT 344

RESULT 7
US-08-052-404-24
```

```
; CLONE: Hum
; US-08-479-156-23

Query Match          66.0%; Score 35; DB 1; Length 560;
Best Local Similarity 60.0%; Pred. No. 50;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDFT 10
Db 334 SLARGLDYTT 343

RESULT 6
US-08-052-404-22
; Sequence 22, Application US/08052404
; Patent No. 5484703
; GENERAL INFORMATION:
; APPLICANT: Rabin, Nina
; APPLICANT: Nichols, Ralph
; APPLICANT: Plotz, Paul
; APPLICANT: Leff, Richard
; TITLE OF INVENTION: Human Histidyl tRNA Synthetase
; NUMBER OF SEQUENCES: 24
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Knobbe, Martens, Olson, and Bear
; STREET: 620 Newport Center Dr. Sixteenth Floor
; CITY: Newport Beach
; STATE: CA
; COUNTRY: USA
; ZIP: 92660
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/052,404
; FILING DATE: 19930422
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Fuller, Michael L.
; REGISTRATION NUMBER: 36,516
; REFERENCE/DOCKET NUMBER: NIH031.001A
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 619-235-8550
; TELEFAX: 714-760-9502
; INFORMATION FOR SEQ ID NO: 22:
; SEQUENCE CHARACTERISTICS:
;   LENGTH: 561 amino acids
;   TYPE: amino acid
;   STRANDEDNESS: single
;   TOPOLOGY: linear
;   MOLECULE TYPE: protein
;   HYPOTHETICAL: NO
;   ANTI-SENSE: NO
;   FRAGMENT TYPE: N-terminal
;   IMMEDIATE SOURCE:
;   CLONE: Yea
; US-08-052-404-22

Query Match          66.0%; Score 35; DB 1; Length 561;
Best Local Similarity 60.0%; Pred. No. 50;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDFT 10
Db 335 SLARGLDYTT 344

RESULT 7
US-08-052-404-24
```

Sequence 24, Application US/08052404
Patent No. 5484703
GENERAL INFORMATION:
APPLICANT: Rabin, Nina
APPLICANT: Nichols, Ralph
APPLICANT: Plotz, Paul
APPLICANT: Leff, Richard
TITLE OF INVENTION: Human Histidyl tRNA Synthetase
NUMBER OF SEQUENCES: 24
CORRESPONDENCE ADDRESS:
ADDRESSEE: Knobbe, Martens, Olson, and Bear
STREET: 620 Newport Center Dr. Sixteenth Floor
CITY: Newport Beach
STATE: CA
COUNTRY: USA
ZIP: 92660
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/052,404
FILING DATE: 19930422
CLASSIFICATION: 435
ATTORNEY/AGENT INFORMATION:
NAME: Fuller, Michael L.
REGISTRATION NUMBER: 36,516
REFERENCE/DOCKET NUMBER: NIH031.001A
TELEPHONE: 619-235-8550
TELEFAX: 714-760-9502
INFORMATION FOR SEQ ID NO: 24:
SEQUENCE CHARACTERISTICS:
LENGTH: 561 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: protein
HYPOTHETICAL: NO
ANTI-SENSE: NO
FRAGMENT TYPE: N-terminal
IMMEDIATE SOURCE:
CLONE: Ham
US-08-052-404-24

Query Match 66.0%; Score 35; DB 1; Length 561;
Best Local Similarity 60.0%; Pred. No. 50;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDYFT 10
||| :|||
Db 335 SLARGLDYFT 344

RESULT 8
US-08-479-156-22
Sequence 22, Application US/08479156
Patent No. 5663066
GENERAL INFORMATION:
APPLICANT: Rabin, Nina
APPLICANT: Nichols, Ralph
APPLICANT: Plotz, Paul
APPLICANT: Leff, Richard
TITLE OF INVENTION: Human Histidyl tRNA Synthetase
NUMBER OF SEQUENCES: 24
CORRESPONDENCE ADDRESS:
ADDRESSEE: Knobbe, Martens, Olson, and Bear
STREET: 620 Newport Center Dr. Sixteenth Floor
CITY: Newport Beach
STATE: CA
COUNTRY: USA

ZIP: 92660
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/479,156
FILING DATE: 07-JUN-1995
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/052,404
FILING DATE: 22-APR-1993
ATTORNEY/AGENT INFORMATION:
NAME: Fuller, Michael L.
REGISTRATION NUMBER: 36,516
REFERENCE/DOCKET NUMBER: NIH031.001A
TELECOMMUNICATION INFORMATION:
TELEPHONE: 619-235-8550
TELEFAX: 714-760-9502
INFORMATION FOR SEQ ID NO: 22:
SEQUENCE CHARACTERISTICS:
LENGTH: 561 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: protein
HYPOTHETICAL: NO
ANTI-SENSE: NO
FRAGMENT TYPE: N-terminal
IMMEDIATE SOURCE:
CLONE: Yea
US-08-479-156-22

Query Match 66.0%; Score 35; DB 1; Length 561;
Best Local Similarity 60.0%; Pred. No. 50;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDYFT 10
||| :|||
Db 335 SLARGLDYFT 344

RESULT 9
US-08-479-156-24
Sequence 24, Application US/08479156
Patent No. 5663066
GENERAL INFORMATION:
APPLICANT: Rabin, Nina
APPLICANT: Nichols, Ralph
APPLICANT: Plotz, Paul
APPLICANT: Leff, Richard
TITLE OF INVENTION: Human Histidyl tRNA Synthetase
NUMBER OF SEQUENCES: 24
CORRESPONDENCE ADDRESS:
ADDRESSEE: Knobbe, Martens, Olson, and Bear
STREET: 620 Newport Center Dr. Sixteenth Floor
CITY: Newport Beach
STATE: CA
COUNTRY: USA
ZIP: 92660
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/479,156
FILING DATE: 07-JUN-1995
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/052,404

```

; FILING DATE: 22-APR-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Fuller, Michael L.
; REGISTRATION NUMBER: 36,516
; REFERENCE/DOCKET NUMBER: NIH031.001A
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 619-235-9550
; TELEFAX: 714-760-9502
; INFORMATION FOR SEQ ID NO: 24:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 561 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; HYPOTHETICAL: NO
; ANTI-SENSE: NO
; FRAGMENT TYPE: N-terminal
; IMMEDIATE SOURCE:
; CLONE: Ham
; US-08-479-156-24

Query Match 66.0%; Score 35; DB 1; Length 561;
Best Local Similarity 60.0%; Pred. No. 50;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
   || |.|||
Db 335 SLARGLDYTT 344

RESULT 10
US-08-928-692-53
; Sequence 53, Application US/08928692
; Patent No. 5958727
; GENERAL INFORMATION:
; APPLICANT: Brody, Howard
; APPLICANT: Yaver, Deborah S.
; APPLICANT: Lamsa, Michael
; APPLICANT: Hansen, Kim
; TITLE OF INVENTION: Methods for Modifying the Production of
; TITLE OF INVENTION: a Polypeptide
; NUMBER OF SEQUENCES: 80
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: No. 5958727o No. 5958727disk of No. 5958727th America, Inc.
; STREET: 405 Lexington Avenue
; CITY: New York
; STATE: NY
; COUNTRY: USA
; ZIP: 10174
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FASTSEQ for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/928,692
; FILING DATE: 12-SEPT-1997
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Lambiris, Elias J
; REGISTRATION NUMBER: 33,728
; REFERENCE/DOCKET NUMBER: 4944,200-US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 212-867-0123
; TELEFAX: 212-878-9655
; INFORMATION FOR SEQ ID NO: 53:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 560 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; US-08-928-692-53

; FILING DATE: 22-APR-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Fuller, Michael L.
; REGISTRATION NUMBER: 36,516
; REFERENCE/DOCKET NUMBER: NIH031.001A
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 619-235-9550
; TELEFAX: 714-760-9502
; INFORMATION FOR SEQ ID NO: 24:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 561 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; HYPOTHETICAL: NO
; ANTI-SENSE: NO
; FRAGMENT TYPE: N-terminal
; IMMEDIATE SOURCE:
; CLONE: Ham
; US-08-479-156-24

Query Match 66.0%; Score 35; DB 1; Length 561;
Best Local Similarity 60.0%; Pred. No. 50;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
   || |.|||
Db 335 SLARGLDYTT 344

RESULT 10
US-08-928-692-53
; Sequence 53, Application US/08928692
; Patent No. 5958727
; GENERAL INFORMATION:
; APPLICANT: Brody, Howard
; APPLICANT: Yaver, Deborah S.
; APPLICANT: Lamsa, Michael
; APPLICANT: Hansen, Kim
; TITLE OF INVENTION: Methods for Modifying the Production of
; TITLE OF INVENTION: a Polypeptide
; NUMBER OF SEQUENCES: 80
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: No. 5958727o No. 5958727disk of No. 5958727th America, Inc.
; STREET: 405 Lexington Avenue
; CITY: New York
; STATE: NY
; COUNTRY: USA
; ZIP: 10174
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FASTSEQ for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/928,692
; FILING DATE: 12-SEPT-1997
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Lambiris, Elias J
; REGISTRATION NUMBER: 33,728
; REFERENCE/DOCKET NUMBER: 4944,200-US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 212-867-0123
; TELEFAX: 212-878-9655
; INFORMATION FOR SEQ ID NO: 53:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 560 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; US-08-928-692-53

; MOLECULE TYPE: No. 5958727e
; US-08-928-692-53

Query Match 62.3%; Score 33; DB 2; Length 560;
Best Local Similarity 60.0%; Pred. No. 1.2e+02;
Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
   || :|||::
Db 304 SLADGIDFHS 313

RESULT 11
US-09-245-041-15
; Sequence 15, Application US/09245041
; Patent No. 6274339
; GENERAL INFORMATION:
; APPLICANT: Moore, K.
; APPLICANT: Nagle, D.
; TITLE OF INVENTION: METHODS AND COMPOSITIONS FOR THE DIAGNOSIS AND TREATMENT
; TITLE OF INVENTION: OF BODY WEIGHT DISORDERS INCLUDING OBESITY
; FILE REFERENCE: 7853-136
; CURRENT APPLICATION NUMBER: US/09/245,041
; CURRENT FILING DATE: 1999-02-05
; EARLIER APPLICATION NUMBER: 60/093,630
; EARLIER FILING DATE: 1998-07-21
; EARLIER APPLICATION NUMBER: 60/104,978
; EARLIER FILING DATE: 1998-10-20
; NUMBER OF SEQ ID NOS: 131
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 15
; LENGTH: 2787
; TYPE: PRT
; ORGANISM: Homo sapiens
; US-09-245-041-15

Query Match 62.3%; Score 33; DB 4; Length 2787;
Best Local Similarity 55.6%; Pred. No. 7.3e+02;
Matches 5; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 9
   |||::|:
Db 1590 SLFGQVPEF 1598

RESULT 12
US-08-476-515A-84
; Sequence 84, Application US/08476515A
; Patent No. 6239270
; GENERAL INFORMATION:
; APPLICANT: Akerstrom, Goran
; APPLICANT: Juhlin, Claes
; APPLICANT: Rask, Lars
; APPLICANT: Crumley, Gregg R.
; APPLICANT: Morse, Clarence C.
; APPLICANT: Murray, Edward M.
; APPLICANT: Hjalms, Goran
; TITLE OF INVENTION: Human Calcium Sensor Protein, Fragments
; TITLE OF INVENTION: Thereof and DNA Encoding Same
; NUMBER OF SEQUENCES: 84
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Martin Savitzky
; STREET: Rhone-Poulenc Rorer Inc., 500 Arcola Rd.;
; CITY: Collegeville
; STATE: PA
; COUNTRY: USA
; ZIP: 19426-0107
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: Compaq PC
; US-08-476-515A-84

```

OPERATING SYSTEM: Windows 95
SOFTWARE: Word 7.0 (Patentin)
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/476,515A
FILING DATE: 07-JUN-1995
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/344,836
FILING DATE: 23-NOV-1994
PRIOR APPLICATION DATA:
APPLICATION NUMBER: WO PCT/SE94/00483
FILING DATE: 24-MAY-1994
PRIOR APPLICATION DATA:
APPLICATION NUMBER: SE 9301764-8
FILING DATE: 24-MAY-1993
ATTORNEY/AGENT INFORMATION:
NAME: Savitzky, Martin
REGISTRATION NUMBER: 29,699
REFERENCE/DOCKET NUMBER: A1355D
TELECOMMUNICATION INFORMATION:
TELEPHONE: 610-454-3816
TELEFAX: 610-454-3808
INFORMATION FOR SEQ ID NO: 84:
SEQUENCE CHARACTERISTICS:
LENGTH: 4654 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-476-515A-84

Query Match 62.3%; Score 33; DB 4; Length 4654;
Best Local Similarity 70.0%; Pred. No. 1.3e+03;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
||||| |:
Db 608 SLFEGQVFFT 617

RESULT 13
US-08-652-877-84
Sequence 84, Application US/08652877
Patent No. 6187548
GENERAL INFORMATION:
APPLICANT: Akerstrom, Goran
APPLICANT: Juhlin, Claes
APPLICANT: Rask, Lars
APPLICANT: Crumley, Gregg R.
APPLICANT: Morse, Clarence C.
APPLICANT: Murray, Edward M.
APPLICANT: Hjalms, Goran
TITLE OF INVENTION: Human Calcium Sensor Protein, Fragments
NUMBER OF SEQUENCES: 106
CORRESPONDENCE ADDRESS:
ADDRESSEE: Rhone-Poulenc Rorer Inc.
STREET: 500 Arcola Rd., 3C43
CITY: Collegeville
STATE: PA
COUNTRY: USA
ZIP: 19426-0107
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: Macintosh
OPERATING SYSTEM: System 7.5.1
SOFTWARE: Word 6.0 (Patentin)
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/652,877
FILING DATE:
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: PCT/US95/15203

FILING DATE: 22-NOV-1995
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/344,836
FILING DATE: 23-NOV-1994
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/487,314
FILING DATE: 07-JUNE-1995
ATTORNEY/AGENT INFORMATION:
NAME: Savitzky, Martin
REGISTRATION NUMBER: 29,699
REFERENCE/DOCKET NUMBER: A1355E-US
TELECOMMUNICATION INFORMATION:
TELEPHONE: 610-454-3816
TELEFAX: 610-454-3808
INFORMATION FOR SEQ ID NO: 84:
SEQUENCE CHARACTERISTICS:
LENGTH: 4655 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-652-877-84

Query Match 62.3%; Score 33; DB 4; Length 4655;
Best Local Similarity 70.0%; Pred. No. 1.3e+03;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
||||| |:
Db 608 SLFEGQVFFT 617

RESULT 14
US-08-652-877-86
Sequence 86, Application US/08652877
Patent No. 6187548
GENERAL INFORMATION:
APPLICANT: Akerstrom, Goran
APPLICANT: Juhlin, Claes
APPLICANT: Rask, Lars
APPLICANT: Crumley, Gregg R.
APPLICANT: Morse, Clarence C.
APPLICANT: Murray, Edward M.
APPLICANT: Hjalms, Goran
TITLE OF INVENTION: Human Calcium Sensor Protein, Fragments
NUMBER OF SEQUENCES: 106
CORRESPONDENCE ADDRESS:
ADDRESSEE: Rhone-Poulenc Rorer Inc.
STREET: 500 Arcola Rd., 3C43
CITY: Collegeville
STATE: PA
COUNTRY: USA
ZIP: 19426-0107
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: Macintosh
OPERATING SYSTEM: System 7.5.1
SOFTWARE: Word 6.0 (Patentin)
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/652,877
FILING DATE:
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: PCT/US95/15203
FILING DATE: 22-NOV-1995
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/344,836
FILING DATE: 23-NOV-1994
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/487,314
FILING DATE: 07-JUNE-1995
ATTORNEY/AGENT INFORMATION:

; NAME: Savitzky, Martin
; REGISTRATION NUMBER: 29,699
; REFERENCE/DOCKET NUMBER: A1355E-US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 610-454-3816
; TELEFAX: 610-454-3808
; INFORMATION FOR SEQ ID NO: 86:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 4655 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-652-877-86

Query Match 62.3%; Score 33; DB 4; Length 4655;
Best Local Similarity 70.0%; Pred. No. 1.3e+03;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
||||| I:I
Db 608 SLFEGQVFT 617

RESULT 15
US-08-652-877-88
; Sequence 88, Application US/08652877
; Patent No. 6187548
; GENERAL INFORMATION:
; APPLICANT: Akersstrom, Goran
; APPLICANT: Juhlin, Claes
; APPLICANT: Rask, Lars
; APPLICANT: Crumley, Gregg R.
; APPLICANT: Morse, Clarence C.
; APPLICANT: Murray, Edward M.
; APPLICANT: Hjaln, Goran
; TITLE OF INVENTION: Human Calcium Sensor Protein, Fragments
; TITLE OF INVENTION: Thereof and DNA Encoding Same
; NUMBER OF SEQUENCES: 106
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Rhone-Poulenc Rorer Inc.
; STREET: 500 Arcola Rd., 3C43
; CITY: Collegeville
; STATE: PA
; COUNTRY: USA
; ZIP: 19426-0107
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: Macintosh
; OPERATING SYSTEM: System 7.5.1
; SOFTWARE: Word 6.0 (patentin)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/652,877
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/US95/15203
; FILING DATE: 22-NOV-1995
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/344,836
; FILING DATE: 23-NOV-1994
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/487,314
; FILING DATE: 07-JUNE-1995
; ATTORNEY/AGENT INFORMATION:
; NAME: Savitzky, Martin
; REGISTRATION NUMBER: 29,699
; REFERENCE/DOCKET NUMBER: A1355E-US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 610-454-3816
; TELEFAX: 610-454-3808
; INFORMATION FOR SEQ ID NO: 88:
; SEQUENCE CHARACTERISTICS:

; LENGTH: 4655 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-652-877-88

Query Match 62.3%; Score 33; DB 4; Length 4655;
Best Local Similarity 70.0%; Pred. No. 1.3e+03;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
||||| I:I
Db 608 SLFEGQVFT 617

Search completed: December 6, 2001, 07:59:59
Job time: 367 sec

THIS PAGE BLANK (uspto)

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:58:28 ; Search time 88.19 seconds
(without alignments)
8.638 Million cell updates/sec

Title: PEP2-MOD8F

Perfect score: 53

Sequence: 1 SLFEGIDFYT 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 219241 seqs, 76174552 residues

Total number of hits satisfying chosen parameters: 219241

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

PIR_68.*

1: pir1.*

2: pir2.*

3: pir3.*

4: pir4.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	53	100.0	208	2 B44261	dnaK-type molecule
2	53	100.0	278	2 I51344	dnaK-type molecule
3	53	100.0	467	2 T45477	heat-shock protein
4	53	100.0	467	2 T45479	heat-shock protein
5	53	100.0	468	2 T45476	heat-shock protein
6	53	100.0	469	2 T45478	heat-shock protein
7	53	100.0	632	2 T45471	dnaK-type molecule
8	53	100.0	634	2 A25646	dnaK-type molecule
9	53	100.0	636	2 A48872	dnaK-type molecule
10	53	100.0	638	2 S31766	dnaK-type molecule
11	53	100.0	639	2 J01391	dnaK-type molecule
12	53	100.0	639	2 S20139	dnaK-type molecule
13	53	100.0	640	1 HHK7A	dnaK-type molecule
14	53	100.0	640	2 A29160	dnaK-type molecule
15	53	100.0	640	2 S37394	dnaK-type molecule
16	53	100.0	640	2 T21394	hypothetical prote
17	53	100.0	640	2 T43724	dnaK-type molecule
18	53	100.0	641	2 S53357	dnaK-type molecule
19	53	100.0	641	2 S35718	dnaK-type molecule
20	53	100.0	641	2 I54542	dnaK-type molecule
21	53	100.0	641	2 A45871	dnaK-type molecule
22	53	100.0	642	1 HHBYA1	dnaK-type molecule
23	53	100.0	642	2 JH0095	dnaK-type molecule
24	53	100.0	642	2 B36590	dnaK-type molecule
25	53	100.0	644	2 A45635	dnaK-type molecule
26	53	100.0	645	2 I51129	dnaK-type molecule
27	53	100.0	646	2 T46650	heat shock protein
28	53	100.0	647	1 HHXL70	dnaK-type molecule
29	53	100.0	647	2 T41121	heat shock protein

```

30      52      98.1      214      2      A03309      dnaK-type molecule
31      52      98.1      379      2      I46588      dnaK-type molecule
32      52      98.1      467      2      T45473      heat-shock protein
33      52      98.1      467      2      T45474      heat-shock protein
34      52      98.1      641      2      JN0668      dnaK-type molecule
35      52      98.1      641      2      PC7036      heat shock protein
36      52      98.1      643      2      S25585      dnaK-type molecule
37      52      98.1      643      2      S09036      dnaK-type molecule
38      52      98.1      651      2      T45517      heat shock protein
39      52      98.1      651      2      J07132      heat shock protein
40      50      94.3      209      2      S48024      dnaK-type molecule
41      50      94.3      209      2      S48025      dnaK-type molecule
42      50      94.3      209      2      A44261      dnaK-type molecule
43      50      94.3      372      2      P00138      dnaK-type molecule
44      50      94.3      630      2      A34041      dnaK-type molecule
45      50      94.3      636      2      T45468      dnaK-type molecule

```

ALIGNMENTS

RESULT 1

B44261

N:Alternative names: heat shock protein 70 homolog HSC70

C:Species: Aplysia californica (California sea hare)

C>Date: 04-Sep-1998 #sequence_revision 04-Sep-1998 #text_change 13-Aug-1999

C:Accession: B44261

R:Kuhl, D.; Kennedy, T.E.; Barzilalai, A.; Kandel, E.R.

J. Cell Biol. 119, 1069-1076, 1992

A:Title: Long-term sensitization training in Aplysia leads to an increase in the expr

A:Reference number: A44261; MUID:93077669

A:Accession: B44261

A>Status: preliminary; not compared with conceptual translation

A:Molecule type: nucleic acid

A:Residues: 1-208 <KUR>

A>Note: sequence extracted from NCBI backbone (NCBIP:118950)

C:Genetics:

A:Gene: HSC70

C:Function:

A:Description: involved in protein folding and assembling/disassembling of protein co

C:Superfamily: heat shock protein 70

C:Keywords: ATP; molecular chaperone

```

Query Match      100.0%; Score 53; DB 2; Length 208;
Best Local Similarity 100.0%; Pred. No. 0.006;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

QY 1 SLFEGIDFYT 10

DB 132 SLFEGIDFYT 141

RESULT 2

I51344

N:Alternative names: 70K heat shock protein

C:Species: Oncorhynchus mykiss (rainbow trout)

C>Date: 21-Feb-1997 #sequence_revision 21-Feb-1997 #text_change 20-Aug-1999

C:Accession: I51344

R:Kothary, R.K.; Jones, D.; Candido, E.P.M.

Mol. Cell. Biol. 4, 1785-1791, 1984

A:Title: 70-kilodalton heat shock polypeptides from rainbow trout: Characterization o

A:Reference number: I51344; MUID:85036330

A:Accession: I51344

A>Status: preliminary; translated from GB/EMBL/DBDJ

A:Molecule type: mRNA

A:Residues: 1-278 <KOT>

A:Cross-references: GB:K02549; NID:g213803; PIDN:AAA49562.1; PTD:g213804

C:Function:

A:Description: involved in protein folding and assembling/disassembling of protein co

C:Superfamily: heat shock protein 70

C;Keywords: ATP; molecular chaperone

Query Match 100.0%; Score 53; DB 2; Length 278;
Best Local Similarity 100.0%; Pred. No. 0.0083;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
|||||

Db 156 SLFEGIDFYT 165

RESULT 3

T45477
heat-shock protein 70 [imported] - Chondrosia reniformis (fragment)

C;Species: Chondrosia reniformis
C;Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000

C;Accession: T45477

R;Borchelliini, C.; Le Parco, Y.

submitted to the EMBL Data Library, September 1997

A;Reference number: Z22983

A;Accession: T45477

A;Status: preliminary; translated from GB/EMBL/DBBJ

A;Molecule type: mRNA

A;Residues: 1-467 <BOR>

A;Cross-references: EMBL:AF026517; PIDN:AAC05362.1

C;Genetics:

A;Gene: Hsp70

C;Superfamily: heat shock protein 70

Query Match 100.0%; Score 53; DB 2; Length 467;

Best Local Similarity 100.0%; Pred. No. 0.015;

Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
|||||

Db 252 SLFEGIDFYT 261

RESULT 4

T45479
heat-shock protein 70 [imported] - Eunicella cavolini (fragment)

C;Species: Eunicella cavolini
C;Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000

C;Accession: T45479

R;Borchelliini, C.; Le Parco, Y.

submitted to the EMBL Data Library, September 1997

A;Reference number: Z22983

A;Accession: T45479

A;Status: preliminary; translated from GB/EMBL/DBBJ

A;Molecule type: mRNA

A;Residues: 1-467 <BOR>

A;Cross-references: EMBL:AF026520; PIDN:AAC05364.1

C;Genetics:

A;Gene: Hsp70

C;Superfamily: heat shock protein 70

Query Match 100.0%; Score 53; DB 2; Length 467;

Best Local Similarity 100.0%; Pred. No. 0.015;

Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
|||||

Db 252 SLFEGIDFYT 261

RESULT 5

T45476

heat-shock protein 70 [imported] - Funiculina quadrangularis (fragment)

C;Species: Funiculina quadrangularis

C;Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000

C;Accession: T45476
R;Borchelliini, C.; Le Parco, Y.
submitted to the EMBL Data Library, September 1997
A;Reference number: Z22983
C;Accession: T45476
A;Status: preliminary; translated from GB/EMBL/DBBJ
A;Molecule type: mRNA
A;Residues: 1-468 <BOR>
A;Cross-references: EMBL:AF026516; PIDN:AAC05361.1
C;Genetics:
A;Gene: Hsp70
C;Superfamily: heat shock protein 70

Query Match 100.0%; Score 53; DB 2; Length 468;
Best Local Similarity 100.0%; Pred. No. 0.015;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
|||||

Db 253 SLFEGIDFYT 262

RESULT 6

T45478

heat-shock protein 70 [imported] - Eunicella cavolini (fragment)

C;Species: Eunicella cavolini

C;Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000

C;Accession: T45478

R;Borchelliini, C.; Le Parco, Y.

submitted to the EMBL Data Library, September 1997

A;Reference number: Z22983

A;Accession: T45478

A;Status: preliminary; translated from GB/EMBL/DBBJ

A;Molecule type: mRNA

A;Residues: 1-469 <BOR>

A;Cross-references: EMBL:AF026518; PIDN:AAC05363.1

C;Genetics:

A;Gene: Hsp70

C;Superfamily: heat shock protein 70

Query Match 100.0%; Score 53; DB 2; Length 469;

Best Local Similarity 100.0%; Pred. No. 0.015;

Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
|||||

Db 254 SLFEGIDFYT 263

RESULT 7

T45471

dnak-type molecular chaperone hsc70 [imported] - slime mold (Dictyostelium discoideum)

N;Alternate names: heat shock cognate protein 70

C;Species: Dictyostelium discoideum

C;Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 18-Feb-2000

C;Accession: T45471

R;Boves, H.; Mintert, U.; Ditttrich, W.; Faix, J.; Gerisch, G.

submitted to the EMBL Data Library, September 1997

A;Reference number: Z22980

A;Accession: T45471

A;Status: preliminary; translated from GB/EMBL/DBBJ

A;Molecule type: mRNA

A;Residues: 1-632 <BOV>

A;Cross-references: EMBL:AF025951; PIDN:AAB81865.1

A;Experimental source: strain AX3

C;Genetics:

A;Gene: hsc70

A;Note: localized to filopodias and cortex

C;Superfamily: heat shock protein 70

```

Query Match      100.0%; Score 53; DB 2; Length 632;
Best Local Similarity 100.0%; Pred. No. 0.02;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
    |||||
Db 285 SLFEGIDFYT 294

RESULT 8
A25646
dnak-type molecular chaperone - chicken
N:Alternate names: heat shock protein 70
C:Species: Gallus gallus (chicken)
C:Date: 19-Nov-1988 #sequence_revision 19-Nov-1988 #text_change 20-Aug-1999
C:Accession: A25646
R:Morimoto, R.I.; Hunt, C.; Huang, S.Y.; Berg, K.L.; Banerji, S.S.
J. Biol. Chem. 261, 12692-12699, 1986
A:Title: Organization, nucleotide sequence, and transcription of the chicken HSP70 gene.
A:Reference number: A25646; MUID:86304452
A:Molecule type: DNA
A:Accession: A25646
A:Residues: 1-634 <MOR>
A:Cross-references: GB:J02579; NID:g211940; PIDN:AAA48825.1; PID:g211941
A:Note: the authors translated the codon TCG for residue 583 as Trp
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein complex
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match      100.0%; Score 53; DB 2; Length 634;
Best Local Similarity 100.0%; Pred. No. 0.02;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
    |||||
Db 289 SLFEGIDFYT 298

RESULT 9
A48872
dnak-type molecular chaperone hspB - slime mold (Dictyostellium discoideum) (fragment)
N:Alternate names: 70k heat shock cognate protein aginactin; F-actin capping protein agi
C:Species: Dictyostellium discoideum
C:Date: 19-May-1995 #sequence_revision 19-May-1995 #text_change 20-Aug-1999
C:Accession: A48872
R:Eddy, R.J.; Sauterer, R.A.; Condeelis, J.S.
J. Biol. Chem. 268, 23267-23274, 1993
A:Title: Aginactin, an agonist-regulated F-actin capping activity is associated with an
A:Reference number: A48872; MUID:94043116
A:Accession: A48872
A>Status: preliminary
A:Molecule type: mRNA
A:Residues: 1-636 <EDD>
A:Cross-references: GB:L22736; NID:g433179; PIDN:AAA33219.1; PID:g433180
A:Note: authors translated the codon ACA for residue 10 as Pro, GGT for residue 60 as Val
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein complex
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match      100.0%; Score 53; DB 2; Length 636;
Best Local Similarity 100.0%; Pred. No. 0.021;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
    |||||
Db 280 SLFEGIDFYT 289

RESULT 10

```

```

S31766
dnak-type molecular chaperone hsp70 - green monkey
N:Alternate names: heat shock protein 70
C:Species: Cercopithecus aethiops (green monkey, grivet)
C:Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 20-Aug-1999
C:Accession: S31766; I36927
R:Sainis, I.; Angelidis, C.; Pagoulatos, G.; Lazaridis, I.
submitted to the EMBL Data Library, January 1993
A:Description: Nucleotide sequence of the cDNA encoding a monkey 70kd heat shock prot
A:Reference number: S31766
A:Accession: S31766
A:Molecule type: mRNA
A:Residues: 1-638 <SAI>
R:Sainis, I.; Angelidis, C.; Pagoulatos, G.; Lazaridis, I.
FEBS Lett. 355, 282-286, 1994
A:Title: The hsc70 gene which is slightly induced by heat is the main virus inducible
A:Reference number: I36927; MUID:95080396
A:Accession: I36927
A>Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-638 <RES>
A:Cross-references: EMBL:X70684; NID:g22781; PIDN:CAA50019.1; PID:g22782
A:Experimental source: kidney; cell line COS-1
C:Genetics:
A:Gene: hsp70
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein co
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match      100.0%; Score 53; DB 2; Length 636;
Best Local Similarity 100.0%; Pred. No. 0.021;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
    |||||
Db 284 SLFEGIDFYT 293

RESULT 11
JC1391
dnak-type molecular chaperone 70IV - sea urchin (Paracentrotus lividus)
N:Alternate names: heat shock protein 70IV; hsp70IV protein
C:Species: Paracentrotus lividus (common urchin)
C:Date: 10-Jun-1993 #sequence_revision 10-Jun-1993 #text_change 20-Aug-1999
C:Accession: JC1391
R:Sconzo, G.; Scardina, G.; Ferraro, M.G.
Gene 121, 353-358, 1992
A:Title: Characterization of a new member of the sea urchin Paracentrotus lividus hsp
A:Reference number: JC1391; MUID:93077053
A:Accession: JC1391
A:Molecule type: DNA
A:Residues: 1-639 <SCO>
A:Cross-references: EMBL:X61379; NID:g312916; PIDN:CAA43653.1; PID:g312917
C:Genetics:
A:Gene: hsp70IV
A:Introns: 61/2
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein co
C:Superfamily: heat shock protein 70
C:Keywords: ATP; heat shock; molecular chaperone; stress-induced protein

Query Match      100.0%; Score 53; DB 2; Length 639;
Best Local Similarity 100.0%; Pred. No. 0.021;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
    |||||
Db 286 SLFEGIDFYT 295

```

RESULT 12

S20139
 dnak-type molecular chaperone SSA2 - yeast (Saccharomyces cerevisiae)
 N:Alternate names: heat shock protein YG102; protein L0971; protein YLL024c
 C:Species: Saccharomyces cerevisiae
 C>Date: 07-May-1993 #sequence_revision 07-May-1993 #text_change 20-Jun-2000
 C:Accession: S20139; S64772; S64775; S69383
 R:Slater, M.R.; Craig, E.A.
 Nucleic Acids Res. 17, 805-806, 1989
 A:Title: The SSA1 and SSA2 genes of the yeast Saccharomyces cerevisiae.
 A:Reference number: S20139; MUID:89128457
 A:Accession: S20139
 A:Status: translation not shown
 A:Molecule type: DNA
 A:Residues: 1-639 <SLA>
 A:Cross-references: EMBL:X12927; NID:g4545; PIDN:CAA31394.1; PID:g4546
 R:Goffeau, A.; Purnelle, B.
 submitted to the Protein Sequence Database, May 1996
 A:Reference number: S64761
 A:Accession: S64772
 A:Molecule type: DNA
 A:Residues: 1-639 <GOF>
 A:Cross-references: EMBL:Z73129; NID:g1360201; PIDN:CAA97472.1; PID:g1360202; MIPS:YLL02

A:Residues: 1-639 <DUE>
 A:Cross-references: EMBL:Z73129; MIPS:YLL024c
 A:Experimental source: strain S288C
 R:Purnelle, B.; Goffeau, A.
 submitted to the EMBL Data Library, April 1996
 A:Description: The sequence of 32 kb on the left arm of yeast chromosome XII reveals 14
 mily and a new ABC transporter homologous to the human multidrug resistance protein.
 A:Reference number: S69380
 A:Accession: S69383
 A:Molecule type: DNA
 A:Residues: 1-639 <PUR>
 A:Cross-references: EMBL:X97560; NID:g1297003; PIDN:CAA66167.1; PID:g1297007

C:Genetics:
 A:Gene: SGD:SSA2
 A:Cross-references: MIPS:YLL024c; SGD:S0003947
 A:Map position: 12L
 C:Function:
 A:Description: involved in protein folding and assembling/disassembling of protein comp
 C:Superfamily: heat shock protein 70
 C:Keywords: ATP; molecular chaperone

Query Match 100.0%; Score 53; DB 2; Length 639;

Best Local Similarity 100.0%; Pred. No. 0.021;

Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 SLFEGIDFYT 10

Db 283 SLFEGIDFYT 292

|||||

RESULT 13

HNK7A
 dnak-type molecular chaperone hsp70A - Caenorhabditis elegans
 N:Alternate names: heat shock protein 70 A
 C:Species: Caenorhabditis elegans
 C>Date: 30-Jun-1989 #sequence_revision 30-Jun-1989 #text_change 22-Jun-1999
 C:Accession: JT0285
 R:Snutch, T.P.; Heschl, M.F.P.; Baillie, D.L.
 Gene 64, 241-255, 1988
 A:Title: The Caenorhabditis elegans hsp70 gene family: a molecular genetic characterizat
 A:Reference number: JT0285; MUID:88297155
 A:Accession: JT0285
 A:Molecule type: DNA; mRNA

A:Residues: 1-640 <SNUD>

A:Cross-references: GB:M18540; NID:gl56351; PIDN:AAA28078.1; PID:gl56352

A>Note: genomic clones representing six distinct members of the hsp70 gene family wer

A>Note: transcripts of hsp70A are abundant in control worms and also increase two- to

A>Note: one of the three introns in hsp70A is in a position similar to an intron in D

C:Genetics:

A:Gene: hsp70A

A:Map position: IV

A:Introns: 69/1; 331/3; 558/3

C:Function:

A:Description: involved in protein folding and assembling/disassembling of protein co

C:Superfamily: heat shock protein 70

C:Keywords: ATP; heat shock; molecular chaperone; stress-induced protein

Query Match 100.0%; Score 53; DB 1; Length 640;

Best Local Similarity 100.0%; Pred. No. 0.021;

Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 SLFEGIDFYT 10

Db 287 SLFEGIDFYT 296

|||||

RESULT 14

A29160
 dnak-type molecular chaperone HSPALL - human
 N:Alternate names: heat shock protein, 70K
 C:Species: Homo sapiens (man)
 C>Date: 16-Aug-1988 #sequence_revision 02-Jul-1996 #text_change 20-Aug-1999
 C:Accession: A29160; I37561; I37562
 R:Hunt, C.; Morimoto, R.I.
 Proc. Natl. Acad. Sci. U.S.A. 82, 6455-6459, 1985
 A:Title: Conserved features of eukaryotic hsp70 genes revealed by comparison with the
 A:Reference number: A29160; MUID:86016721
 A:Accession: A29160
 A:Molecule type: DNA
 A:Residues: 1-640 <HUN>
 A:Cross-references: GB:M11717; GB:M15432; NID:gl84416; PIDN:AAA52697.1; PID:g386785
 A>Note: the authors mistranslated residues 463, 491, and 492

R:Drabent, B.; Genthe, A.; Benecke, B.J.

Nucleic Acids Res. 14, 8933-8948, 1986

A:Title: In vitro transcription of a human hsp 70 heat shock gene by extracts prepare

A:Reference number: I37561; MUID:87066768

A:Accession: I37561

A:Status: translation not shown; translated from GB/EMBL/DBJ

A:Molecule type: DNA

A:Residues: 1-22 <RES>

A:Cross-references: EMBL:X04676; NID:g32480; PIDN:CAA28381.1; PID:g32481

A:Accession: I37562

A:Status: translation not shown; translated from GB/EMBL/DBJ

A:Molecule type: DNA

A:Residues: 616-640 <RE2>

A:Cross-references: EMBL:X04677; NID:g32482; PIDN:CAA28382.1; PID:g32483

C:Genetics:

A:Gene: GDB:HSPALL; HSP70-HOM

A:Cross-references: GDB:I20058; OMIM:140559

A:Map position: 6p21.3-6p21.3

A:Introns: #status absent

C:Function:

A:Description: involved in protein folding and assembling/disassembling of protein co

C:Superfamily: heat shock protein 70

C:Keywords: ATP; molecular chaperone

Query Match 100.0%; Score 53; DB 2; Length 640;

Best Local Similarity 100.0%; Pred. No. 0.021;

Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 SLFEGIDFYT 10

Db 286 SLFEGIDFYT 295

|||||

RESULT 15

S37394
dnaK-type molecular chaperone hsc70 - slime mold (Dictyostelium discoideum)
N:Alternate names: heat shock cognate protein 70
C:Species: Dictyostelium discoideum
C:Date: 31-Dec-1993 #sequence_revision 31-Dec-1993 #text_change 20-Aug-1999
C:Accession: S37394
R:Haus, U.; Trommler, P.; Fisher, P.R.; Hartmann, H.; Lottspeich, F.; Noegel, A.A.; Schli
EMBO J. 12, 3763-3771, 1993
A:Title: The heat shock cognate protein from Dictyostelium affects actin polymerization
A:Reference number: S37394; MUID:94008983
A:Accession: S37394
A:Molecule type: mRNA
A:Residues: 1-640 <HAU>
A:Cross-references: EMBL:X75263; NID:9433874; PIDN:CAA53039.1; PID:9433875
C:Genetics:
A:Gene: hsc70
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein compl
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match 100.0%; Score 53; DB 2; Length 640;
Best Local Similarity 100.0%; Pred. No. 0.021;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 SLFEGIDFYT 10
Db 284 SLFEGIDFYT 293
|||||

Search completed: December 6, 2001, 07:58:28
Job time: 276 sec

THIS PAGE BLANK (USPTO)

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 08:00:53 ; Search time 50.21 seconds
(without alignments)
7.302 Million cell updates/sec

Title: PEP2-MOD8F

Perfect score: 53

Sequence: 1 SLFEGIDFYT 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 100059 seqs, 36664827 residues

Total number of hits satisfying chosen parameters: 100059

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : SwissProt_39:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query %	Match	Length	DB	ID	Description
1	53	100.0	322	1	HS70_ONCVO	P11503	onchocerca
2	53	100.0	503	1	HS70_PENCI	Q92260	penicillium
3	53	100.0	634	1	HS70_CHICK	P08106	gallus gall
4	53	100.0	638	1	HS71_CERAE	Q28222	cercopithec
5	53	100.0	638	1	HS72_YEAST	P10592	saccharomyc
6	53	100.0	639	1	HS72_PARLI	Q06248	paracentrot
7	53	100.0	640	1	HS7A_CAEEL	P09446	caenorhabdi
8	53	100.0	640	1	HS7C_DICDI	P36415	dictyosteli
9	53	100.0	641	1	HS71_BOVIN	Q27975	bos taurus
10	53	100.0	641	1	HS71_HUMAN	P08107	homo sapien
11	53	100.0	641	1	HS71_MOUSE	P17879	mus musculus
12	53	100.0	641	1	HS71_PIG	P34930	sus scrofa
13	53	100.0	641	1	HS71_RAT	Q07439	rattus norv
14	53	100.0	641	1	HS71_YEAST	P10591	saccharomyc
15	53	100.0	641	1	HS72_BOVIN	Q27965	bos taurus
16	53	100.0	641	1	HS74_YEAST	P22202	saccharomyc
17	53	100.0	644	1	HS70_BRUMA	P27541	brugia mala
18	53	100.0	644	1	HS70_ONCTS	Q91233	oncorhynchu
19	53	100.0	645	1	HS70_PLEWA	Q91291	pleurodeles
20	53	100.0	646	1	HS70_NEUCR	Q01233	neurospora
21	53	100.0	647	1	HS70_XENLA	P02827	xenopus lae
22	53	100.0	649	1	HS70_BLAEM	P48720	blastoclad
23	53	100.0	652	1	HS7D_MANSE	Q90639	manduca sex
24	52	98.1	214	1	HS7A_DROSI	P02826	drosophila
25	52	98.1	379	1	HS7X_PIG	P34934	sus scrofa
26	52	98.1	641	1	HS7A_DROME	P29843	drosophila
27	52	98.1	643	1	HS76_HUMAN	P17066	homo sapien
28	52	98.1	643	1	HS76_PIG	Q04967	sus scrofa
29	52	98.1	648	1	HS71_PUCGR	Q01877	puccinia gr
30	50	94.3	372	1	HS72_PARLI	P22623	paracentrot
31	50	94.3	641	1	HS73_RAT	P55063	rattus norv
32	50	94.3	641	1	HS7H_HUMAN	P34931	homo sapien
33	50	94.3	641	1	HS7T_MOUSE	P16627	mus musculus

34	50	94.3	642	1	HS72_PICAN	P53623	pichia anqu
35	50	94.3	643	1	HS71_SCHPO	Q10265	schizosacch
36	50	94.3	644	1	HS71_PICAN	P53421	pichia angu
37	50	94.3	646	1	HS7C_CRIGR	P19378	cricketulus
38	50	94.3	646	1	HS7C_HUMAN	P11142	homo sapien
39	50	94.3	646	1	HS7C_MOUSE	P08109	mus musculus
40	50	94.3	649	1	HS70_PARRB	P07047	paracoccidi
41	50	94.3	649	1	HS73_YEAST	P09435	saccharomyc
42	50	94.3	649	1	HS7C_BRARE	Q90473	brachydanio
43	50	94.3	650	1	HS7C_BOVIN	P19120	bos taurus
44	50	94.3	651	1	HS70_ONCMY	P08108	oncorhynchu
45	50	94.3	654	1	HS70_HYDMA	Q05944	hydra magni

ALIGNMENTS

```

RESULT 1
HS70_ONCVO STANDARD; PRT; 322 AA.
AC P11503.
DT 01-OCT-1989 (Rel. 12, Created)
DT 01-FEB-1996 (Rel. 33, Last sequence update)
DT 01-FEB-1996 (Rel. 33, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN (HSP70) (FRAGMENT).
OS Onchocerca volvulus.
OC Eukaryota; Metazoa; Nematoda; Chromadorea; Spirurida; Filarioidea;
OC Onchocercidae; Onchocerca.
OX NCBI_TaxID=6282;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=89201313; PubMed=2704388;
RA Rothstein N.M., Higashi G., Yates J., Rajan T.V.;
RT "Onchocerca volvulus heat shock protein 70 is a major immunogen in
amicrofilaremic individuals from a filariasis-endemic area.";
RL Mol. Biochem. Parasitol. 33:229-236(1989).
CC -!- DISEASE: HEAT SHOCK PROTEIN 70 IS A MAJOR IMMUNOGEN IN A
MICROFILAREMIC INDIVIDUALS FROM A FILARIASIS-ENDEMIC AREA.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
-----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See http://www.isb-sib.ch/announce/
or send an email to license@isb-sib.ch).
-----
CC EMBL; J04006; AAA29417.1; .
DR HSSP; P19120; 1A7R.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PROSITE; PS00297; HSP70_1; PARTIAL.
DR PROSITE; PS00329; HSP70_2; PARTIAL.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Heat shock.
FT NON_TER 1
FT NON_TER 322
SQ SEQUENCE 322 AA; 35614 MW; 2BA3A2E8155A7180 CRC64;

```

Query Match 100.0%; Score 53; DB 1; Length 322;
Best Local Similarity 100.0%; Pred. No. 0.0036;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
|||||||

Db 43 SLFEGIDFYT 52

RESULT 2
HS70_PENCI STANDARD; PRT; 503 AA.
ID HS70_PENCI

AC Q92260;
DT 20-AUG-2001 (Rel. 40, Created)
DT 20-AUG-2001 (Rel. 40, Last sequence update)
DT 20-AUG-2001 (Rel. 40, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN (ALLERGEN PEN C 19) (FRAGMENT).
GN HSP70.
OS Penicillium citrinum.
OC Eukaryota; Fungi; Ascomycota; Pezizomycotina; Eurotiomycetes;
OC Eurotiales; Trichocomaceae; mitosporic Trichocomaceae; Penicillium.
OX NCBI_TaxID=5077;
RN [1]
RP SEQUENCE FROM N.A.
RA Shen H.D., Au L.C., Lin W.L., Liaw S.F., Tsai J.J., Han S.H.;
RT "Molecular cloning and expression of a Penicillium citrinum
RT allergen with sequence homology and antigenic cross-reactivity to
RT a hsp70 human heat shock protein";
RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; U64207; AAB06397.1; -
DR HSP; P19120; 3HSC.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Chaperone; Heat shock; Allergen.
FT NON_TER
FT SEQUENCE 503 AA; 55125 MW; B7433C11FAEA1320 CRC64;
Query Match 100.0%; Score 53; DB 1; Length 503;
Best Local Similarity 100.0%; Pred. No. 0.0059;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 SLFEGIDFYT 10
DB 154 SLFEGIDFYT 163
|||||||
RESULT 3
HS70_CHICK
ID HS70_CHICK STANDARD; PRT; 634 AA.
AC P08106;
DT 01-AUG-1988 (Rel. 08, Created)
DT 01-AUG-1988 (Rel. 08, Last sequence update)
DT 01-FEB-1994 (Rel. 28, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN (HSP70).
OS Gallus gallus (Chicken).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Archosauria; Aves; Neognathae; Galliformes; Phasianidae;
OC Gallus.
OX NCBI_TaxID=9031;
RN [1]
RP SEQUENCE FROM N.A.
RA MEDLINE=96304452; PubMed=3017985;
RA Morimoto R.I., Hunt C., Huang S.-Y., Berg K.L., Banerji S.S.;
RT "Organization, nucleotide sequence, and transcription of the chicken
RT HSP70 gene";
RL J. Biol. Chem. 261:12692-12699(1986).
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its

CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; J02579; AAA48825.1; -
DR HSP; A25646; A25646.
DR HSP; P19120; IATR.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Heat shock; Multigene family.
SQ SEQUENCE 634 AA; 69750 MW; 4270F7F08D365AEB CRC64;
Query Match 100.0%; Score 53; DB 1; Length 634;
Best Local Similarity 100.0%; Pred. No. 0.0076;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 SLFEGIDFYT 10
DB 289 SLFEGIDFYT 298
|||||||
RESULT 4
HS71_CERAE
ID HS71_CERAE STANDARD; PRT; 638 AA.
AC Q28222;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1.
GN HSPAL
OS Cercopithecus aethiops (Green monkey) (Grivet).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Cercopithecoidea;
OC Cercopithecinae; Cercopithecus.
OX NCBI_TaxID=9534;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Kidney;
RX MEDLINE=95080396; PubMed=7988690;
RA Sainis I., Angelidis C., Pagoulatos G., Lazaridis I.;
RT "The hsc70 gene which is slightly induced by heat is the main virus
RT inducible member of the hsp70 gene family";
RL FEBS Lett. 355:282-286(1994).
CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC
CC RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR
CC PROTEIN TRANSLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION
CC PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE
CC PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE
CC CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE
CC SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES
CC DURING TRANSLATION AND MEMBRANE TRANSLOCATION, OR FOLLOWING
CC STRESS-INDUCED DAMAGE.
CC -!- INDUCTION: BY HEAT SHOCK.
CC
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; X70684; CAA50019.1; -
DR

```
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
SQ SEQUENCE 638 AA; 69920 MW; D55076A0FFAB6AB3 CRC64;

Query Match 100.0%; Score 53; DB 1; Length 638;
Best Local Similarity 100.0%; Pred. No. 0.0077;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
   | | | | | | | | | |
DB 284 SLFEGIDFYT 293

RESULT 5
HS72.YEAST STANDARD; PRT; 638 AA.
AC P10592;
DT 01-JUL-1989 (Rel. 11, Created)
DT 01-OCT-1994 (Rel. 30, Last sequence update)
DT 01-OCT-1996 (Rel. 34, Last annotation update)
DE HEAT SHOCK PROTEIN SSA2.
GN SSA2 OR YLL024C OR L0931.
OS Saccharomyces cerevisiae (Baker's yeast).
OC Eukaryota; Fungi; Ascomycota; Saccharomycotina; Saccharomycetes;
OC Saccharomycetales; Saccharomycetaceae; Saccharomycetes.
OX NCBI_TaxID=4932;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=S288C;
RX MEDLINE=89128457; PubMed=2644626;
RA Slater M.R., Craig E.A.;
RT "The SSA1 and SSA2 genes of the yeast Saccharomyces cerevisiae.";
RL Nucleic Acids Res. 17:805-806(1989).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=S288C;
RX MEDLINE=89128457; PubMed=2644626;
RA Slater M.R., Craig E.A.;
RT "The SSA1 and SSA2 genes of the yeast Saccharomyces cerevisiae.";
RL Nucleic Acids Res. 17:805-806(1989).
RN [3]
RP SEQUENCE OF 71-638 FROM N.A.
RA Duesterhoeft A., Floeth M., Heuss-Neitzel D., Hilbert H., Moestl D.;
RL Submitted (MAY-1996) to the EMBL/GenBank/DBSJ databases.
RN [4]
RP SEQUENCE OF 91-97 AND 325-341.
RC STRAIN=S288C;
RX MEDLINE=95203288; PubMed=7895733;
RA Garrels J.I., Futcher B., Kobayashi R., Latter G.I., Schwender B.,
RA Volpe T., Warner J.R., McLaughlin C.S.;
RT "Protein identifications for a Saccharomyces cerevisiae protein
  database.";
RL Electrophoresis 15:1466-1486(1994).
RN [5]
RP SEQUENCE OF 186-195.
RC STRAIN=ATCC 38531 / Y41;
RX MEDLINE=97089742; PubMed=8935650;
RA Norbeck J., Blomberg A.;
RT "Protein expression during exponential growth in 0.7 M NaCl medium of
  Saccharomyces cerevisiae.";
RL FEMS Microbiol. Lett. 137:1-8(1996).
RN [6]
RP ACETYLATION, AND PHOSPHORYLATION.
RA Garrels J.I., Futcher B., Kobayashi R., Latter G.I., Schwender B.,
RA Volpe T., Warner J.R., McLaughlin C.S.;
RL Submitted (SEP-1994) to the SWISS-PROT data bank.
CC -!- FUNCTION: SSA2 MAY PLAY A ROLE IN THE TRANSPORT OF POLYPEPTIDES
  BOTH ACROSS THE MITOCHONDRIAL MEMBRANES AND INTO THE
  ENDOPLASMATIC RETICULUM. A FUNCTIONAL DIFFERENCE BETWEEN YEAST
  CC
```

```
SSA1 AND SSA2 PROTEINS IS EXPECTED. SSA2 CAN PARTICIPATE IN THE
ATP-DEPENDENT DISASSEMBLY OF CLATHRIN-COATED VESICLES.
-!- SUBCELLULAR LOCATION: CYTOPLASMIC.
-!- PTM: PHOSPHORYLATED.
-!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
-----
This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See http://www.isb-sib.ch/announce/
or send an email to license@isb-sib.ch).
-----
EMBL; X12927; CA31394.1; -
EMBL; 273129; CA97472.1; -
EMBL; X97560; CA66167.1; -
PIR; S20139; S20139.
DR HSSP; P19120; 1NGJ.
DR SWISS-2DPAGE; P10592; YEAST.
DR YEPD; 9800; -.
DR SGD; S0003947; SSA2.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock; ATP-binding; Multigene family; Acetylation;
KW Phosphorylation.
FT INIT_MET 0 0
FT MOD_RES 1 1 ACETYLATION.
SQ SEQUENCE 638 AA; 69338 MW; 23BDD120C194912 CRC64;

Query Match 100.0%; Score 53; DB 1; Length 638;
Best Local Similarity 100.0%; Pred. No. 0.0077;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
   | | | | | | | | | |
DB 282 SLFEGIDFYT 291

RESULT 6
HS74.PARLI STANDARD; PRT; 639 AA.
AC Q06248;
DT 01-JUN-1994 (Rel. 29, Created)
DT 01-JUN-1994 (Rel. 29, Last sequence update)
DT 01-JUN-1994 (Rel. 29, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN IV (HSP70 IV).
GN HSP70IV.
OS Paracentrotus lividus (Common sea urchin).
OC Eukaryota; Metazoa; Echinodermata; Eleutherozoa; Echinozoa;
OC Echinoidea; Euechinoidea; Echinacea; Echinoida; Echinidae;
OC Paracentrotus.
OX NCBI_TaxID=7656;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=93077053; PubMed=1339375;
RA Sconzo G., Scardina G., Ferraro M.G.;
RT "Characterization of a new member of the sea urchin Paracentrotus
  lividus hsp70 gene family and its expression.";
RL Gene 121:353-358(1992).
RN [2]
RP -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
-----
This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See http://www.isb-sib.ch/announce/
or send an email to license@isb-sib.ch).
-----
```


Query Match 100.0%; Score 53; DB 1; Length 640;
Best Local Similarity 100.0%; Pred. No. 0.0077;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 SLFEGIDFYT 10
|||||
Db 284 SLFEGIDFYT 293

RESULT 9
HS71_BOVIN
ID HS71_BOVIN STANDARD; PRT; 641 AA.
AC Q27975; Q27964;
DT 01-NOV-1997 (Rel. 35, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70-1).
GN HSP70-1.
OS Bos taurus (Bovine).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
OC Bovidae; Bovinae; Bos.
OX NCBI_TaxID=9913;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Skeletal muscle;
RX MEDLINE=95126904; PubMed=7826329;
RA Gutierrez J.A., Guerrero V.;
RT "Chemical modifications of a recombinant bovine stress-inducible 70
kDa heat-shock protein (Hsp70) mimics Hsp70 isoforms from tissues.";
RL Biochem. J. 305:197-203(1995).
RN [2]
RP SEQUENCE OF 212-641 FROM N.A.
RC STRAIN=ANGUS;
RX MEDLINE=95030563; PubMed=7943958;
RA Grosz M.D., Skow L.C., Stone R.T.;
RT "Ap Alu polymorphism at the bovine 70 kD heat-shock protein-1
(HSP70-1) locus";
RL Anim. Genet. 25:196-196(1994).
RN [3]
RP FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC
RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR
PROTEIN TRANSLLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION
PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE
PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE
CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE
SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES
DURING TRANSLATION AND MEMBRANE TRANSLLOCATION, OR FOLLOWING
STRESS-INDUCED DAMAGE.
RN [4]
RP INDUCTION: BY HEAT SHOCK.
RN [5]
RP SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
RN [6]
RP This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See <http://www.isb-sib.ch/announce/>;
or send an email to license@isb-sib.ch).
RN [7]
RP EMBL; U09861; AAA73914.1; -;
RN [8]
RP EMBL; U02891; AAA03450.1; -;
RN [9]
RP HSSP; P19120; INGC.
RN [10]
RP InterPro: IPR001023; HSP70.
RN [11]
RP Pfam; PF00012; HSP70; 1.
RN [12]
RP PRINTS; PR00301; HEATSHOCK70.
RN [13]
RP PROSITE; PS00297; HSP70_1; 1.
RN [14]
RP PROSITE; PS00329; HSP70_2; 1.
RN [15]
RP PROSITE; PS01036; HSP70_3; 1.

KW ATP-binding; Chaperone; Heat shock; Multigene family.
SQ SEQUENCE 641 AA; 70250 MW; 6D548263E98780F9 CRC64;

Query Match 100.0%; Score 53; DB 1; Length 641;
Best Local Similarity 100.0%; Pred. No. 0.0077;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 SLFEGIDFYT 10
|||||
Db 286 SLFEGIDFYT 295

RESULT 10
HS71_HUMAN
ID HS71_HUMAN STANDARD; PRT; 641 AA.
AC P08107; P19790; Q9UQM0; Q9UQL9;
DT 01-AUG-1988 (Rel. 08, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 20-AUG-2001 (Rel. 40, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70-1) (HSP70-1/HSP70-2).
GN HSPA1A OR HSPA1) AND HSPA1B.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominiidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=91055806; PubMed=1700760;
RA Milner C.M., Campbell R.D.;
RT "Structure and expression of the three MHC-linked HSP70 genes";
RL Immunogenetics 32:242-251(1990).
RN [2]
RP SEQUENCE FROM N.A.
RX MEDLINE=86016721; PubMed=3931075;
RA Hunt C., Morimoto R.I.;
RT "Conserved features of eukaryotic hsp70 genes revealed by comparison
with the nucleotide sequence of human hsp70";
RL Proc. Natl. Acad. Sci. U.S.A. 82:6455-6459(1985).
RN [3]
RP SEQUENCE FROM N.A. (HSPA1A AND HSPA1B).
RA Rowen L., Qin S., Madan A., Dickhoff R., Dors M., Madan A., Hicks P.,
Loretz C., Ratcliffe A., Abbasi N., Shaffer T., Hood L.;
RT "Sequence of the human major histocompatibility complex class III
region";
RL Submitted (MAR-1999) to the EMBL/GenBank/DBJ databases.
RN [4]
RP SEQUENCE OF 1-36 AND 360-424 FROM N.A.
RX MEDLINE=89184548; PubMed=2538825;
RA Sargent C.A., Dunham I., Trowsdale J., Campbell R.D.;
RT "Human major histocompatibility complex contains genes for the major
heat shock protein HSP70";
RL Proc. Natl. Acad. Sci. U.S.A. 86:1968-1972(1989).
RN [5]
RP SEQUENCE OF 1-22 AND 618-641 FROM N.A.
RX MEDLINE=87066768; PubMed=3786141;
RA Drabant B., Genthe A., Benecke B.-J.;
RT "In vitro transcription of a human hsp 70 heat shock gene by extracts
prepared from heat-shocked and non-heat-shocked human cells";
RL Nucleic Acids Res. 14:8933-8949(1986).
RN [6]
RP X-RAY CRYSTALLOGRAPHY (2.3 ANGSTROMS) OF 1-382.
RX MEDLINE=99234376; PubMed=10216320;
RA Osipuk J., Walsh M.A., Freeman B.C., Morimoto R.I., Joachimiak A.;
RT "Structure of a new crystal form of human hsp70 ATPase domain";
RL Acta Crystallogr. D 55:1105-1107(1999).
RN [7]
RP FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC
RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR
PROTEIN TRANSLLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION
PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE
PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE
CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE
SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES
DURING TRANSLATION AND MEMBRANE TRANSLLOCATION, OR FOLLOWING
STRESS-INDUCED DAMAGE.
RN [8]
RP INDUCTION: BY HEAT SHOCK.
RN [9]
RP SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
RN [10]
RP This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See <http://www.isb-sib.ch/announce/>;
or send an email to license@isb-sib.ch).
RN [11]
RP EMBL; U09861; AAA73914.1; -;
RN [12]
RP EMBL; U02891; AAA03450.1; -;
RN [13]
RP HSSP; P19120; INGC.
RN [14]
RP InterPro: IPR001023; HSP70.
RN [15]
RP Pfam; PF00012; HSP70; 1.
RN [16]
RP PRINTS; PR00301; HEATSHOCK70.
RN [17]
RP PROSITE; PS00297; HSP70_1; 1.
RN [18]
RP PROSITE; PS00329; HSP70_2; 1.
RN [19]
RP PROSITE; PS01036; HSP70_3; 1.

```
CC PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE
CC CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE
CC SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES
CC DURING TRANSLATION AND MEMBRANE TRANSLOCATION, OR FOLLOWING
CC STRESS-INDUCED DAMAGE.
CC
CC -!- INDUCTION: BY HEAT SHOCK.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC -----
CC EMBL: M59828; AAA63226.1; -
CC EMBL: M59830; AAA63227.1; -
CC EMBL: AF134726; AAD21816.1; -
CC EMBL: AF134726; AAD21815.1; -
CC EMBL: M11717; AAA52697.1; -
CC EMBL: M24743; AAA59844.1; -
CC EMBL: M24744; AAA59845.1; -
CC EMBL: X04676; CAA28381.1; -
CC EMBL: X04677; CAA28382.1; -
CC PIR: A29160; A29160.
CC PIR: A45871; A45871.
CC PIR: A25773; A25773.
CC FDB: IHJO; 21-OCT-98.
CC SWISS-2DPAGE: P08107; HUMAN.
CC MIM: 140550; -
CC MIM: 603012; -
CC InterPro: IP001023; HSP70.
CC Pfam: PF00012; HSP70.1
CC PRINTS: PR00301; HEATSHOCK70.
CC PROSITE: PS00297; HSP70.1; 1.
CC PROSITE: PS00329; HSP70.2; 1.
CC PROSITE: PS01036; HSP70.3; 1.
CC ATP-binding; Chaperone; Heat shock; Multigene family; MHC III;
CC 3D-structure. 7 7 I -> V (IN REF. 2).
CC CONFLICT 110 110 E -> D (IN REF. 3; AAD21816).
CC CONFLICT 370 370 A -> G (IN REF. 2).
CC CONFLICT 469 469 MISSING (IN REF. 2).
CC CONFLICT 499 499 N -> S (IN REF. 3; AAD21815).
CC SEQUENCE 641 AA; 70052 MW; 78F513118C96DE66 CRC64;

Query Match 100.0%; Score 53; DB 1; Length 641;
Best Local Similarity 100.0%; Pred. No. 0.0077;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
Db 286 SLFEGIDFYT 295
|||||

RESULT 11
HS71_MOUSE STANDARD; PRT; 641 AA.
AC P17879; Q61689;
DT 01-AUG-1990 (Rel. 15, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70-1) (HSP70-1/HSP70-2).
GN HSPAL OR HSP70A1 OR HSP70-1 OR HCP70.1.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=90236310; PubMed=2332169;
```

```
RA Hunt C., Calderwood S.;
RT "Characterization and sequence of a mouse hsp70 gene and its
RL expression in mouse cell lines.";
RL Gene 87:199-204(1990).
RN [2]
RP SEQUENCE FROM N.A.
RX TISSUE=Liver;
RX MEDLINE=94357449; PubMed=8076831;
RA Perry M.D., Aujame L., Shtang S., Moran L.A.;
RT "Structure and expression of an inducible HSP70-encoding gene from
RL Mus musculus.";
RL Gene 146:273-278(1994).
CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC -----
CC EMBL: M35021; AAA37864.1; -
CC EMBL: M76613; AAA57233.1; -
CC PIR: JH0095; JH0095.
CC HSP: P19120; INGC.
CC MGD; MGI:99517; Hsp70-1.
CC InterPro: IP001023; HSP70.
CC Pfam: PF00012; HSP70; 1.
CC PRINTS: PR00301; HEATSHOCK70.
CC PROSITE: PS00297; HSP70.1; 1.
CC PROSITE: PS00329; HSP70.2; 1.
CC PROSITE: PS01036; HSP70.3; 1.
CC ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
CC CONFLICT 342 342 A -> R (IN REF. 1).
CC CONFLICT 627 627 P -> PP (IN REF. 1).
CC SEQUENCE 641 AA; 69994 MW; 41475360F6749F2F CRC64;

Query Match 100.0%; Score 53; DB 1; Length 641;
Best Local Similarity 100.0%; Pred. No. 0.0077;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
Db 286 SLFEGIDFYT 295
|||||

RESULT 12
HS71_PIG STANDARD; PRT; 641 AA.
AC P34930;
DT 01-FEB-1994 (Rel. 28, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70.1).
GN HSPAL.
OS Sus scrofa (Pig).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.
OX NCBI_TaxID=9823;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=92175874; PubMed=1339404;
RA Peelman L.J., de Weghe A.R., Coppieters W.R., van Zeveren A.J.,
```

```
RA Bouquet Y.H.;
RT "Complete nucleotide sequence of a porcine HSP70 gene.";
RL Immunogenetics 35:286-289(1992).
CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; M69100; -; NOT_ANNOTATED_CDS.
DR PIR; S35718; S35718.
DR HSPSP; P19120; INGC.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Chaperone; Heat shock; Multigene family.
SQ SEQUENCE 641 AA; 70083 MW; FE77BB20A03E0A33 CRC64;

Query Match 100.0%; Score 53; DB 1; Length 641;
Best Local Similarity 100.0%; Pred. No. 0.0077;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
Db |||||
Db 286 SLFEGIDFYT 295

RESULT 13
HS71_RAT
ID HS71_RAT STANDARD; PRT; 641 AA.
AC Q07439; P42853;
DT 01-FEB-1995 (Rel. 31, Created)
DT 01-FEB-1995 (Rel. 31, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1/2 (HSP70.1/2).
GN HSP70-1 AND HSP70-2.
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX NCBI_TaxID=10116;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Brain;
RX MEDLINE=94096443; PubMed=82711311;
RA Longo F.M., Wang S., Narasimhan P., Zhang J.S., Chen J.,
RA Massa S.M., Sharp F.R.;
RT "cDNA cloning and expression of stress-inducible rat hsp70 in normal
RT and injured rat brain.";
RJ Neurosci. Res. 36:325-335(1993).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=LEW.1W/GUN;
RX MEDLINE=95012453; PubMed=7927536;
RA Walter L., Rauh F., Guenther E.;
RT "Comparative analysis of the three major histocompatibility complex-
RT linked heat shock protein 70 (Hsp70) genes of the rat.";
RL Immunogenetics 40:325-330(1994).
```

```

[3]
RN STRAIN=SPRAGUE-DAWLEY; TISSUE=Liver;
RX MEDLINE=94368874; PubMed=8086479;
RA Lisowska K., Krawczyk Z., Widlak W., Wolnicz P., Wisniewski J.;
RT "Cloning, nucleotide sequence and expression of rat heat inducible
RT hsp70 gene.";
RL Biochim. Biophys. Acta 1219:64-72(1994).
CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; L16764; AAA17441.1; -
DR EMBL; X77208; CAA54423.1; -
DR EMBL; X77207; CAA54422.1; -
DR EMBL; X74271; CAA52328.1; -
DR HSPSP; P19120; INGC.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
FT CONFLICT 71 72 KR -> NG (IN REF. 3).
FT CONFLICT 227 227 D -> H (IN REF. 2 AND 3).
FT CONFLICT 408 408 G -> A (IN REF. 3).
SQ SEQUENCE 641 AA; 70163 MW; D02D96751C868583 CRC64;

Query Match 100.0%; Score 53; DB 1; Length 641;
Best Local Similarity 100.0%; Pred. No. 0.0077;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
Db |||||
Db 286 SLFEGIDFYT 295

RESULT 14
HS71_YEAST
ID HS71_YEAST STANDARD; PRT; 641 AA.
AC P10591;
DT 01-JUL-1989 (Rel. 11, Created)
DT 01-OCT-1994 (Rel. 30, Last sequence update)
DT 01-OCT-1996 (Rel. 34, Last annotation update)
DE HEAT SHOCK PROTEIN SSA1 (HEAT SHOCK PROTEIN YG100).
GN SSA1 OR YAL005C.
OS Saccharomyces cerevisiae (Baker's yeast).
OC Eukaryota; Fungi; Ascomycota; Saccharomycotina; Saccharomycetes;
OC Saccharomycetales; Saccharomycetaceae; Saccharomycetes.
OX NCBI_TaxID=4932;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=S288C;
RX MEDLINE=89128457; PubMed=2644626;
RA Slater M.R., Craig E.A.;
RT "The SSA1 and SSA2 genes of the yeast Saccharomyces cerevisiae.";
```



```

KW Heat shock; ATP-binding; Multigene family; Acetylation.
FT INIT_MET 0
   I
MOD_RES 1 ACETYLATION.
SQ SEQUENCE 641 AA; 69526 MW; FA9389BAE9B1D7DA CRC64;

Query Match 100.0%; Score 53; DB 1; Length 641;
Best Local Similarity 100.0%; Pred. No. 0.0077;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
   ||| ||| |||
DB 282 SLFEGIDFYT 291

RESULT 15
HS72_BOVIN STANDARD; PRT; 641 AA.
ID HS72_BOVIN STANDARD; PRT; 641 AA.
AC Q27965; Q28122;
QT 01-NOV-1997 (Rel. 35, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 2 (HSP70-2).
DE HSP70-2.
GN Bos taurus (Bovine).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovidae;
OC Bovidae; Bovinae; Bos.
OC NCBI_TaxID=9913;
OX [1]
RP SEQUENCE FROM N.A.
RP STRAIN=ANGUS;
RL Grosz M.D., Skow L.C.;
RL Submitted (JAN-1994) to the EMBL/GenBank/DBJ databases.
RN [2]
RC SEQUENCE OF 1-28 FROM N.A.
RC TISSUE=Liver;
RC MEDLINE=94070117; PubMed=8249428;
RA Kowalski J., Gilbert S.A., van Drunen-Littel-Van den Hurk S.,
RA van den Hurk J., Babiuk L.A., Zamb T.J.;
RT "Heat-shock promoter-driven synthesis of secreted bovine herpesvirus
RT glycoproteins in transfected cells.";
RL Vaccine 11:1100-1107(1993).
CC -!- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDiate THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC
CC RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR
CC PROTEIN TRANSLLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION
CC PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE
CC CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE
CC SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES
CC DURING TRANSLATION AND MEMBRANE TRANSLLOCATION, OR FOLLOWING
CC STRESS-INDUCED DAMAGE.
CC -!- INDUCTION: BY HEAT SHOCK.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation
CC at the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announcement
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; U02892; AAA03451.1; -
CC DB EMBL; M98823; AAA30568.1; -
CC DR HSP; P19120; INJ
CC DR Interpro; IPR001023; HSP70.
CC DR Pfam; PF00012; HSP70; 1.
CC DR PRINTS; PR00301; HEATSHOCK70.
CC DR PROSITE; PS00297; HSP70_1; 1.

```


DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Chaperone; Heat shock; Multigene family.
SQ SEQUENCE 641 AA; 70228 MW; 229C19EEBBF610DF CRC64;

Query Match 100.0%; Score 53; DB 1; Length 641;
Best Local Similarity 100.0%; Pred. No. 0.0077;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
| | | | | | | | | |
Db 286 SLFEGIDFYT 295

Search completed: December 6, 2001, 08:00:53
Job time: 421 sec

THIS PAGE BLANK (USPTO)

THIS PAGE BLANK (uspto)

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:56:54 ; Search time 170.25 Seconds
(without alignments)
8.592 Million cell updates/sec

```
Title: PEP2-MOD8F
Perfect score: 53
Sequence: 1 SLFEGIDFYT 10
```

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 473505 seqs, 146272329 residues
Total number of hits satisfying chosen parameters: 473505

```
Minimum DB seq length: 0
Maximum DB seq length: 2000000000
```

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

```
Database :
SPTREMBL_17:*
1: sp_archaea:*
2: sp_bacteria:*
3: sp_fungi:*
4: sp_human:*
5: sp_invertebrate:*
6: sp_mammal:*
7: sp_mhnc:*
8: sp_organelle:*
9: sp_phase:*
10: sp_plant:*
11: sp_rodent:*
12: sp_virus:*
13: sp_vertibrate:*
14: sp_unclassified:*
```

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query		Length	DB	ID	Description
		Match	%				
1	53	100.0	146	5	Q9U667		Q9u667 littorina p
2	53	100.0	153	5	Q9U670		Q9u670 littorina s
3	53	100.0	155	5	Q9U669		Q9u669 littorina s
4	53	100.0	157	5	Q9U665		Q9u665 littorina p
5	53	100.0	158	5	Q9U671		Q9u671 littorina s
6	53	100.0	158	5	Q9U668		Q9u668 littorina p
7	53	100.0	158	5	Q9U666		Q9u666 littorina p
8	53	100.0	220	5	P81159		P81159 aplysia cal
9	53	100.0	278	13	Q9O520		Q9O520 oncorhynch
10	53	100.0	367	13	Q9B899		Q9B899 fugu rubrip
11	53	100.0	455	11	Q63718		Q63718 rattus norv
12	53	100.0	467	5	O44350		O44350 chondrosia
13	53	100.0	467	5	O44352		O44352 petrobiona
14	53	100.0	467	5	Q9NJ92		Q9nj92 quancha lac
15	53	100.0	468	5	O44349		O44349 funiculina
16	53	100.0	469	5	O44351		O44351 eunicella c
17	53	100.0	526	13	Q9B897		Q9B897 fugu rubrip
18	53	100.0	632	13	O15766		O15766 dictyosteli
19	53	100.0	639	13	Q9B900		Q9B900 fugu rubrip

ALIGNMENTS

```

RESULT 1
ID Q90667 PRELIMINARY; PRT; 146 AA.
AC Q90667;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-JUN-2001 (TrEMBLrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina plena.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neoteniolglossa; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31219;
RN [1]
RP SEQUENCE FROM N.A.
RT "Heat-shock genes in the heat-stressed genus Littorina.";
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191828; AAF12787.1; -.
DR HSP; P19120; IBA1.
DR InterPro; IPR001023; HSP70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 146
SQ SEQUENCE 146 AA; 16607 MW; C3F3556A1AF438BB CRC64;

Query Match 100.0%; Score 53; DB 5; Length 146;
Best Local Similarity 100.0%; Pred. No. 0.013;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 SLFEGIDFYT 10
| | | | | | | |
Db 79 SLFEGIDFYT 88

RESULT 2
Q90670
ID Q90670 PRELIMINARY; PRT; 153 AA.
AC Q90670;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)

```

	Qy	85 SLFEGIDFYT 94	1 SLFEGIDFYT 10
	Dd		
	RESULT 6		
	Q9U668	ID Q9U668	PRELIMINARY;
	AC	ID Q9U668	PRT; 158 AA.
	DT	01-MAY-2000	(TREMBLrel. 13, Created)
	DT	01-MAY-2000	(TREMBLrel. 13, Last sequence update)

DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
 DE HEAT-SHOCK PROTEIN (FRAGMENT).
 GN HSC70.
 OS Littorina plena.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 CC Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
 OX NCBI_TaxID=31219;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina."
 RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF191827; AAF12786.1; -
 DR HSSP; P19120; 1BA1.
 DR InterPro; IPR001023; HSP70.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 1
 FT NON_TER 158
 SQ SEQUENCE 158 AA; 17868 MW; D2ECE71042EC44CB CRC64;

Query Match 100.0%; Score 53; DB 5; Length 158;
 Best Local Similarity 100.0%; Pred. No. 0.015;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
 |||||
 Db 85 SLFEGIDFYT 94

RESULT 7
 Q90666 PRELIMINARY; PRT; 158 AA.
 AC Q90666;
 DT 01-MAY-2000 (TREMBlrel. 13, Created)
 DT 01-MAY-2000 (TREMBlrel. 13, Last sequence update)
 DE 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
 DE HEAT-SHOCK PROTEIN (FRAGMENT).
 GN HSC70.
 OS Littorina plena.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 CC Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
 OX NCBI_TaxID=31219;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina."
 RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF191829; AAF12788.1; -
 DR HSSP; P19120; 1BA1.
 DR InterPro; IPR001023; HSP70.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 1
 FT NON_TER 158
 SQ SEQUENCE 158 AA; 17891 MW; B41E5356BCECAD2F CRC64;

Query Match 100.0%; Score 53; DB 5; Length 158;
 Best Local Similarity 100.0%; Pred. No. 0.015;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
 |||||
 Db 85 SLFEGIDFYT 94

RESULT 8
 P81159 PRELIMINARY; PRT; 220 AA.
 AC P81159;
 DT 01-JUN-1998 (TREMBlrel. 06, Created)

DT 01-JUN-1998 (TREMBlrel. 06, Last sequence update)
 DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
 DE HEAT-SHOCK COGNATE 71 KDA PROTEIN (FRAGMENT).
 GN HSC70.
 OS Aplysia californica (California sea hare).
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Opisthobranchia; Anaspiidea;
 CC Aplysiidae; Aplysia.
 OX NCBI_TaxID=6500;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA MEDLINE=93077669; PubMed=1360013;
 RA Kuhl D.; Kennedy T.; Barzilai A.; Kandel E.;
 RT "Long-term sensitization training in Aplysia leads to an increase in
 the expression of Bip, the major protein chaperon of the ER."
 RL J. Cell Biol. 119:1069-1076(1992).
 CC -!- INDUCTION: CONSTITUTIVELY SYNTHESIZED IN A WIDE VARIETY OF CELLS.
 CC -!- SIMILARITY: BELONGS TO HEAT SHOCK PROTEIN 70 FAMILY.
 DR EMBL; Z15039; CAA78757.1; -
 DR HSSP; P19120; 1BA1.
 DR InterPro; IPR001023; HSP70.
 DR Pfam; PF00012; HSP70; 1.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS00329; HSP70_2; 1.
 DR PROSITE; PS01036; HSP70_3; 1.
 KW Heat shock; Multigene family.
 FT NON_TER 1
 FT NON_TER 220
 SQ SEQUENCE 220 AA; 24684 MW; FA8557F2BB85C37A CRC64;

Query Match 100.0%; Score 53; DB 5; Length 220;
 Best Local Similarity 100.0%; Pred. No. 0.022;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
 |||||
 Db 138 SLFEGIDFYT 147

RESULT 9
 Q90520 PRELIMINARY; PRT; 278 AA.
 AC Q90520;
 DT 01-NOV-1996 (TREMBlrel. 01, Created)
 DT 01-NOV-1996 (TREMBlrel. 01, Last sequence update)
 DE 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
 DE RAINBOW TROUT 70 KDA HEAT SHOCK PROTEIN (FRAGMENT).
 OS Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 CC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
 CC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
 OX NCBI_TaxID=8022;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA MEDLINE=85036330; PubMed=6092938;
 RA Kothary R.K.; Jones D.; Candido E.P.M.;
 RT "70-Kilodalton heat shock polypeptides from rainbow trout:
 characterization of cDNA sequences."
 RL Mol. Cell. Biol. 4:1785-1791(1984).
 DR EMBL; K02549; AAA49562.1; -
 DR HSSP; P08109; 1CKR.
 DR InterPro; IPR001023; HSP70.
 DR Pfam; PF00012; HSP70; 1.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS00329; HSP70_2; 1.
 DR PROSITE; PS01036; HSP70_3; 1.
 KW Heat shock; Multigene family.
 FT NON_TER 1
 FT NON_TER 278
 SQ SEQUENCE 278 AA; 30327 MW; E4C745DE5484C17A CRC64;

Query Match 100.0%; Score 53; DB 13; Length 278;

```
Best Local Similarity 100.0%; Pred. No. 0.028; 0; Mismatches 0; Indels 0; Gaps 0;
Matches 10; Conservative 0;

QY 1 SLFEGIDFYT 10
DB 156 SLFEGIDFYT 165
|||||
OS Fugu rubripes (Japanese pufferfish) (Takifugu rubripes).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
OC Acanthomorphia; Acanthopterygii; Percomorpha; Tetraodontiformes;
OC Tetraodontidae; Takifugu.
OX NCBI_TaxID=31033;
RN [1]
RP SEQUENCE FROM N.A.
RA Lim E.H.;
RL Submitted (OCT-1996) to the EMBL/GenBank/DBJ databases.
DR EMBL; Y08578; CAA69892.1; -.
DR HSP; P19120; 3HSC.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock. 367 367
FT NON_TER 367 367
SQ SEQUENCE 367 AA; 40405 MW; 8CD3DD8DF6B3C2CA CRC64;

Query Match 100.0%; Score 53; DB 13; Length 367;
Best Local Similarity 100.0%; Pred. No. 0.039;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
DB 268 SLFEGIDFYT 277
|||||
RESULT 11
Q63718 PRELIMINARY; PRT; 455 AA.
AC Q63718;
DT 01-NOV-1996 (TEMBLrel. 01, Created)
DT 01-NOV-1996 (TEMBLrel. 01, Last sequence update)
DE HEAT SHOCK ROTEIN 70 (FRAGMENT).
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX NCBI_TaxID=10116;
RN [1]
RP SEQUENCE FROM N.A.
RA Angeletti B., Passarelli F., Orru D., Pascale E., Butler R.H.,
RA D'Ambrosio E.;
RL Submitted (NOV-1993) to the EMBL/GenBank/DBJ databases.
DR EMBL; Z27118; CAA81642.1; -.
DR HSP; P08107; 1HJO.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock.

Best Local Similarity 100.0%; Score 53; DB 5; Length 467;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
DB 252 SLFEGIDFYT 261
|||||
RESULT 13
Q44352 PRELIMINARY; PRT; 467 AA.
AC Q44352;
DT 01-JUN-1998 (TEMBLrel. 06, Created)
DT 01-JUN-1998 (TEMBLrel. 06, Last sequence update)
DE HEAT-SHOCK PROTEIN HSP70 (FRAGMENT).
OS Petrobiona massilliana.
OC Eukaryota; Metazoa; Porifera; Calcareia; Calcareia; Petrobionidae;
OC Petrobionia.
OX NCBI_TaxID=68578;
RN [1]
RP SEQUENCE FROM N.A.
RA Borchelli C., Le Parco Y.;
RL Submitted (SEP-1997) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF026520; AAC05364.1; -.
DR HSP; P08109; 1CKR.
DR InterPro; IPR001023; HSP70.
FT NON_TER 467 467
SQ SEQUENCE 467 AA; 51707 MW; 0DBE6920F2B6EA96 CRC64;

Query Match 100.0%; Score 53; DB 5; Length 467;
Best Local Similarity 100.0%; Pred. No. 0.052;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
DB 254 SLFEGIDFYT 263
|||||
Query Match 100.0%; Score 53; DB 11; Length 455;
Best Local Similarity 100.0%; Pred. No. 0.05; 0; Mismatches 0; Indels 0; Gaps 0;
Matches 10; Conservative 0;

QY 1 SLFEGIDFYT 10
DB 254 SLFEGIDFYT 263
|||||
RESULT 12
Q44350 PRELIMINARY; PRT; 467 AA.
AC Q44350;
DT 01-JUN-1998 (TEMBLrel. 06, Created)
DT 01-JUN-1998 (TEMBLrel. 06, Last sequence update)
DE HEAT-SHOCK PROTEIN HSP70 (FRAGMENT).
OS Chondrosia reniformis.
OC Eukaryota; Metazoa; Porifera; Demospongiae; Tetractinomorpha;
OC Chondrosida; Chondrillidae; Chondrosia.
OX NCBI_TaxID=68574;
RN [1]
RP SEQUENCE FROM N.A.
RA Borchelli C., Le Parco Y.;
RL Submitted (SEP-1997) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF026517; AAC05362.1; -.
DR HSP; P08109; 1CKR.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 467 467
SQ SEQUENCE 467 AA; 51707 MW; 0DBE6920F2B6EA96 CRC64;
```

DR PRINTS: PR00301; HEATSHOCK70.
DR PROSITE: PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 467
SQ SEQUENCE 467 AA; 51458 MW; 23EB28FFD1873DA6 CRC64;

Query Match 100.0%; Score 53; DB 5; Length 467;
Best Local Similarity 100.0%; Pred. No. 0.052;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
|||||
DB 252 SLFEGIDFYT 261

RESULT 14

Q9NJ92 PRELIMINARY; PRT; 467 AA.

AC Q9NJ92;
DT 01-OCT-2000 (TRENBLrel. 15, Created)
DT 01-OCT-2000 (TRENBLrel. 15, Last sequence update)
DT 01-JUN-2001 (TRENBLrel. 17, Last annotation update)
DE HEAT SHOCK PROTEIN 70 (FRAGMENT).
OS Guancha lacunosa.
OC Eukaryota; Metazoa; Porifera; Calcarea; Clathrinida;
OC Clathrinidae; Guancha.
OX NCBI_TaxID=115120;
RN [1]

RP SEQUENCE FROM N.A.
RA Borchelli C., Le Parco Y.;
RT "Sponges paraphyly and the origin of Metazoa";
RL Submitted (SEP-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF182195; AAF61297.1; -;
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS: PR00301; HEATSHOCK70.
DR PROSITE: PS00329; HSP70_2; 1.
DR PROSITE: PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 467
SQ SEQUENCE 467 AA; 51318 MW; F36FC06CB1DEE131 CRC64;

Query Match 100.0%; Score 53; DB 5; Length 467;
Best Local Similarity 100.0%; Pred. No. 0.052;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
|||||
DB 252 SLFEGIDFYT 261

RESULT 15

O44349 PRELIMINARY; PRT; 468 AA.

AC O44349;
DT 01-JUN-1998 (TRENBLrel. 06, Created)
DT 01-JUN-1998 (TRENBLrel. 06, Last sequence update)
DT 01-JUN-2001 (TRENBLrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN HSP70 (FRAGMENT).
GN HSP70.
OS Funiculina quadrangularis.
OC Eukaryota; Metazoa; Cnidaria; Anthozoa; Alcyonaria; Funiculinidae;
OC Funiculina.
OX NCBI_TaxID=68568;
RN [1]
RP SEQUENCE FROM N.A.
RA Borchelli C., Le Parco Y.;
RL Submitted (SEP-1997) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF026516; AAC05361.1; -;
DR HSP; P08109; 1CKR.
DR InterPro; IPR001023; HSP70.

DR Pfam: PF00012; HSP70; 1.
DR PRINTS: PR00301; HEATSHOCK70.
DR PROSITE: PS00329; HSP70_2; 1.
DR PROSITE: PS01036; HSP70_3; UNKNOWN_1.
FT NON_TER 1
FT NON_TER 468
SQ SEQUENCE 468 AA; 51533 MW; EDED2B469283FBC CRC64;

Query Match 100.0%; Score 53; DB 5; Length 468;
Best Local Similarity 100.0%; Pred. No. 0.052;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDFYT 10
|||||
DB 253 SLFEGIDFYT 262

Search completed: December 6, 2001, 07:56:54
Job time: 182 sec

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:59:59 ; Search time 81.43 Seconds
(without alignments)
2.764 Million cell updates/sec

Title: PEP2-MOD8G

Perfect score: 53

Sequence: 1 SLFEGIDGYT 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 212252 seqs, 22503292 residues

Total number of hits satisfying chosen parameters: 212252

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

Issued Patents_AA.*

1: /cgn2_6/ptodata/2/1aa/5A_COMB.pep.*

2: /cgn2_6/ptodata/2/1aa/5B_COMB.pep.*

3: /cgn2_6/ptodata/2/1aa/6A_COMB.pep.*

4: /cgn2_6/ptodata/2/1aa/6B_COMB.pep.*

5: /cgn2_6/ptodata/2/1aa/PCTUS_COMB.pep.*

6: /cgn2_6/ptodata/2/1aa/backfiles1.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	43	81.1	643	4	US-08-797-358B-3
2	41	77.4	646	1	US-08-441-139-14
3	38	71.7	303	2	US-08-599-171A-32
4	38	71.7	303	2	US-08-646-590B-32
5	38	71.7	303	3	US-09-069-226-32
6	38	71.7	303	4	US-09-412-184-32
7	37	69.8	108	2	US-08-483-695-42
8	37	69.8	108	2	US-07-965-285-42
9	37	69.8	108	2	US-08-487-231-42
10	37	69.8	108	4	US-09-201-912-42
11	37	69.8	139	4	US-08-444-818-173
12	37	69.8	269	1	US-08-440-103-16
13	37	69.8	269	1	US-08-440-542-16
14	37	69.8	269	1	US-08-231-368-18
15	37	69.8	269	1	US-08-440-210-16
16	37	69.8	269	4	US-09-046-604-16
17	37	69.8	314	4	US-08-612-973-42
18	37	69.8	314	4	US-08-927-597-42
19	37	69.8	319	4	US-08-612-973-44
20	37	69.8	319	4	US-08-927-597-44
21	37	69.8	338	4	US-08-612-973-38
22	37	69.8	338	4	US-08-927-597-38
23	37	69.8	343	4	US-08-612-973-40
24	37	69.8	343	4	US-08-927-597-40
25	37	69.8	402	1	US-08-460-806-2
26	37	69.8	402	1	US-08-460-806-9
27	37	69.8	402	1	US-08-325-630-2

28	37	69.8	402	1	US-08-325-630-9	Sequence 9, Appl
29	37	69.8	428	1	US-08-050-132A-2	Sequence 2, Appl
30	37	69.8	428	3	US-08-750-222A-2	Sequence 2, Appl
31	37	69.8	428	3	US-08-815-652B-2	Sequence 2, Appl
32	37	69.8	428	4	US-08-254-353A-2	Sequence 2, Appl
33	37	69.8	428	5	PCT-US92-05374A-2	Sequence 2, Appl
34	37	69.8	428	5	PCT-US95-07084-2	Sequence 2, Appl
35	37	69.8	463	4	US-08-612-973-46	Sequence 46, Appl
36	37	69.8	463	4	US-08-927-597-46	Sequence 46, Appl
37	37	69.8	480	1	US-08-440-103-18	Sequence 18, Appl
38	37	69.8	480	1	US-08-440-542-18	Sequence 18, Appl
39	37	69.8	480	1	US-08-231-368-18	Sequence 18, Appl
40	37	69.8	480	1	US-08-440-210-18	Sequence 18, Appl
41	37	69.8	480	4	US-09-046-604-18	Sequence 18, Appl
42	37	69.8	490	4	US-08-612-973-36	Sequence 36, Appl
43	37	69.8	490	4	US-08-927-597-36	Sequence 36, Appl
44	37	69.8	692	4	US-08-612-973-48	Sequence 48, Appl
45	37	69.8	692	4	US-08-927-597-48	Sequence 48, Appl

ALIGNMENTS

RESULT 1
US-08-797-358B-3
; Sequence 3, Application US/08797358B
; Patent No. 6268478
; GENERAL INFORMATION:
; APPLICANT: Adams, John
; TITLE OF INVENTION: INTRACELLULAR VITAMIN D BINDING PROTEIN
; NUMBER OF SEQUENCES: 9
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Campbell & Flores LLP
; STREET: 4370 La Jolla Village Drive, Suite 700
; CITY: San Diego
; STATE: California
; COUNTRY: United States
; ZIP: 92122
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC Compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/797,358B
; FILING DATE: 11-Feb-1997
; CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 60/011,491
; FILING DATE: 12-FEB-1996
; ATTORNEY/AGENT INFORMATION:
; NAME: Campbell, Cathryn A.
; REGISTRATION NUMBER: 31,815
; REFERENCE/DOCKET NUMBER: P-CE 3165
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (619) 535-9001
; TELEFAX: (619) 535-8949
; INFORMATION FOR SEQ ID NO: 3:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 643 amino acids
; TYPE: amino acid
; STRANDEDNESS: unknown
; TOPOLOGY: unknown
; MOLECULE TYPE: protein
; SEQUENCE DESCRIPTION: SEQ ID NO: 3:
US-08-797-358B-3

Query Match 81.1%; Score 43; DB 4; Length 643;
Best Local Similarity 80.0%; Pred. No. 2.2;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGYT 10

```
Db      288 SLFEGVDFT 297
|||||:|
RESULT  2
US-08-441-139-14
; Sequence 14, Application US/08441139
; Patent No. 5773245
; GENERAL INFORMATION:
; APPLICANT: Wittrup, Dr. Karl D.
; APPLICANT: Robinson, Anne S.
; TITLE OF INVENTION: METHODS FOR INCREASING SECRETION OF
; TITLE OF INVENTION: RECOMBINANTLY EXPRESSED PROTEINS
; NUMBER OF SEQUENCES: 20
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: SCULLY, SCOTT, MURPHY & PRESSER
; STREET: 400 Garden City Plaza
; CITY: Garden City
; STATE: NY
; COUNTRY: USA
; ZIP: 11530
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/441,139
; FILING DATE: 15-MAY-1995
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/089,997
; FILING DATE: 06-JUL-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Digiglio, Frank S.
; REGISTRATION NUMBER: 31,346
; REFERENCE/DOCKET NUMBER: 8646
; TELEPHONE: 516-742-4343
; TELEFAX: 516-742-4366
; TELEX: 230 901 SANS UR
; INFORMATION FOR SEQ ID NO: 14:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 646 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-441-139-14

Query Match      77.4%; Score 41; DB 1; Length 646;
Best Local Similarity 80.0%; Pred. No. 5.3;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY      1 SLFEGIDGYT 10
|||||:|
Db      286 SLFEGIDFT 295
|||||:|
RESULT  3
US-08-599-171A-32
; Sequence 32, Application US/08599171A
; Patent No. 5814473
; GENERAL INFORMATION:
; APPLICANT: WARREN, Patrick V.
; TITLE OF INVENTION: TRANSAMINASES AND AMINOTRANSFERASES
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: CARELLA, BYRNE, BAIN, GILFILLAN,
; ADDRESSEE: CECCHI, STEWART & OLSTEIN
; STREET: 6 BECKER FARM ROAD
; CITY: ROSELAND
; STATE: NEW JERSEY

Query Match      71.7%; Score 38; DB 2; Length 303;
Best Local Similarity 77.8%; Pred. No. 8.3;
Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY      1 SLFEGIDGY 9
|||||:|
Db      34 SLFEGIRGY 42
|||||:|
RESULT  4
US-08-646-590B-32
; Sequence 32, Application US/08646590B
; Patent No. 5962283
; GENERAL INFORMATION:
; APPLICANT: Warren, Patrick V.
; APPLICANT: Swanson, Ronald V.
; TITLE OF INVENTION: TRANSAMINASES AND AMINOTRANSFERASES
; NUMBER OF SEQUENCES: 42
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Fish & Richardson, P.C.
; STREET: 4225 Executive Square, Suite 1400
; CITY: La Jolla
; STATE: CA
; COUNTRY: US
; ZIP: 92037
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: Windows95
; SOFTWARE: FastSeq for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/646,590B
; FILING DATE: 08-May-1996
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/599,171
; FILING DATE: 09-FEB-1996
; PRIOR APPLICATION DATA: PCT/US97/01094
; FILING DATE: 21-January-1997
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
```

NAME: Halle, Ph.D., Lisa A.
REGISTRATION NUMBER: 38,347
REFERENCE/DOCKET NUMBER: 09010/017001
TELECOMMUNICATION INFORMATION:
TELEPHONE: 619/678-5070
TELEFAX: 619/678-5099
INFORMATION FOR SEQ ID NO: 32:
SEQUENCE CHARACTERISTICS:
LENGTH: 303 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
FRAGMENT TYPE: internal
US-08-646-590B-32

Query Match 71.7%; Score 38; DB 2; Length 303;
Best Local Similarity 77.8%; Pred. No. 8.3;
Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
|:||||||
Db 34 SIFEGIRGY 42

RESULT 5
US-09-069-226-32
; Sequence 32, Application US/09069226
; Patent No. 6013509
; GENERAL INFORMATION:
; APPLICANT: WARREN, Patrick V.
; TITLE OF INVENTION: TRANSAMINASES AND AMINOTRANSFERASES
; NUMBER OF SEQUENCES: 32
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: CARELLA, BYRNE, BAIN, GILFILLAN,
; ADDRESSEE: CECCHI, STEWART & OLSTEIN
; STREET: 6 BECKER FARM ROAD
; CITY: ROSELAND
; STATE: NEW JERSEY
; COUNTRY: USA
; ZIP: 07068

COMPUTER READABLE FORM:
MEDIUM TYPE: 3.5 INCH DISKETTE
COMPUTER: IBM PS/2
OPERATING SYSTEM: MS-DOS
SOFTWARE: WORD PERFECT 5.1
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/069,226
FILING DATE:
CLASSIFICATION:
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/599,171
FILING DATE:
ATTORNEY/AGENT INFORMATION:
NAME: HERRON, CHARLES J.
REGISTRATION NUMBER: 28,019
REFERENCE/DOCKET NUMBER: 331400-38
TELECOMMUNICATION INFORMATION:
TELEPHONE: 201-994-1700
TELEFAX: 201-994-1744

INFORMATION FOR SEQ ID NO: 32:
SEQUENCE CHARACTERISTICS:
LENGTH: 303 AMINO ACIDS
TYPE: AMINO ACID
TOPOLOGY: LINEAR
MOLECULE TYPE: PROTEIN
US-09-069-226-32

Query Match 71.7%; Score 38; DB 3; Length 303;
Best Local Similarity 77.8%; Pred. No. 8.3;
Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
|:||||||
Db 34 SIFEGIRGY 42

RESULT 6
US-09-412-184-32
; Sequence 32, Application US/09412184
; Patent No. 6268188
; GENERAL INFORMATION:
; APPLICANT: Warren, Patrick V.
; APPLICANT: Swanson, Ronald V.
; TITLE OF INVENTION: TRANSAMINASES AND AMINOTRANSFERASES
; NUMBER OF SEQUENCES: 42
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Fish & Richardson, P.C.
; STREET: 4225 Executive Square, Suite 1400
; CITY: La Jolla
; STATE: CA
; COUNTRY: US
; ZIP: 92037

COMPUTER READABLE FORM:
MEDIUM TYPE: Diskette
COMPUTER: IBM Compatible
OPERATING SYSTEM: Windows95
SOFTWARE: FastSeq for Windows Version 2.0
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/412,184
FILING DATE:
CLASSIFICATION:
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US/08/646,590
FILING DATE: 08-May-1996
APPLICATION NUMBER: 08/599,171
FILING DATE: 09-FEB-1996

PRIOR APPLICATION DATA:
APPLICATION NUMBER: PCT/US97/01094
FILING DATE: 21-January-1997

CLASSIFICATION:
ATTORNEY/AGENT INFORMATION:
NAME: Halle, Ph.D., Lisa A.
REGISTRATION NUMBER: 38,347
REFERENCE/DOCKET NUMBER: 09010/017001
TELECOMMUNICATION INFORMATION:
TELEPHONE: 619/678-5070
TELEFAX: 619/678-5099

INFORMATION FOR SEQ ID NO: 32:
SEQUENCE CHARACTERISTICS:
LENGTH: 303 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
FRAGMENT TYPE: internal
US-09-412-184-32

Query Match 71.7%; Score 38; DB 4; Length 303;
Best Local Similarity 77.8%; Pred. No. 8.3;
Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGY 9
|:||||||
Db 34 SIFEGIRGY 42

RESULT 7
US-08-483-695-42
; Sequence 42, Application US/08483695
; Patent No. 5866139
; GENERAL INFORMATION:
; APPLICANT: Brechot, Christian
; APPLICANT: Krensdorf, Dina
; APPLICANT: Porchon, Colette

```

; TITLE OF INVENTION: Nucleotide and Peptide Sequences of a
; TITLE OF INVENTION: Hepatitis C Virus Isolate, Diagnostic and Therapeutic
; TITLE OF INVENTION: Applications
; NUMBER OF SEQUENCES: 46
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Finnegan, Henderson, Farabow, Garrett &
; ADDRESSEE: Dunner
; STREET: 1300 I Street, N.W.
; CITY: Washington
; STATE: DC
; COUNTRY: USA
; ZIP: 20005-3315
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/483,695
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/07/965,285
; FILING DATE: 18-MAR-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Meyers, Kenneth J.
; REGISTRATION NUMBER: 25,146
; REFERENCE/DOCKET NUMBER: 05286-0001-00000
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 202-408-4000
; TELEFAX: 202-408-4400
; INFORMATION FOR SEQ ID NO: 42:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 108 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; US-08-483-695-42

Query Match 69.8%; Score 37; DB 2; Length 108;
Best Local Similarity 66.7%; Pred. No. 4;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 2 LFEIGDGYT 10
Db 44 LFAQVDGHT 52

RESULT 9
US-08-487-231-42
; Sequence 42, Application US/08487231
; Patent No. 5919454
; GENERAL INFORMATION:
; APPLICANT: Brechot, Christian
; APPLICANT: Krensdorf, Dina
; APPLICANT: Porchon, Colette
; TITLE OF INVENTION: Nucleotide and Peptide Sequences of a
; TITLE OF INVENTION: Hepatitis C Virus Isolate, Diagnostic and Therapeutic
; NUMBER OF SEQUENCES: 46
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Finnegan, Henderson, Farabow, Garrett &
; ADDRESSEE: Dunner
; STREET: 1300 I Street, N.W.
; CITY: Washington
; STATE: DC
; COUNTRY: USA
; ZIP: 20005-3315
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/487,231
; FILING DATE: 07-JUNE-1995
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/965,285
; FILING DATE: 18-MAR-1993
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: FR 91 06 882
; FILING DATE: 06-JUN-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Meyers, Kenneth J.

```

```

; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/965,285
; FILING DATE: 18-MAR-1993
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: FR 91 06 882
; FILING DATE: 06-JUN-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Meyers, Kenneth J.
; REGISTRATION NUMBER: 25,146
; REFERENCE/DOCKET NUMBER: 05286-0001-00000
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 202-408-4000
; TELEFAX: 202-408-4400
; INFORMATION FOR SEQ ID NO: 42:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 108 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; US-07-965-285-42

Query Match 69.8%; Score 37; DB 2; Length 108;
Best Local Similarity 66.7%; Pred. No. 4;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 2 LFEIGDGYT 10
Db 44 LFAQVDGHT 52

RESULT 9
US-08-487-231-42
; Sequence 42, Application US/08487231
; Patent No. 5919454
; GENERAL INFORMATION:
; APPLICANT: Brechot, Christian
; APPLICANT: Krensdorf, Dina
; APPLICANT: Porchon, Colette
; TITLE OF INVENTION: Nucleotide and Peptide Sequences of a
; TITLE OF INVENTION: Hepatitis C Virus Isolate, Diagnostic and Therapeutic
; NUMBER OF SEQUENCES: 46
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Finnegan, Henderson, Farabow, Garrett &
; ADDRESSEE: Dunner
; STREET: 1300 I Street, N.W.
; CITY: Washington
; STATE: DC
; COUNTRY: USA
; ZIP: 20005-3315
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/487,231
; FILING DATE: 07-JUNE-1995
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/965,285
; FILING DATE: 18-MAR-1993
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: FR 91 06 882
; FILING DATE: 06-JUN-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: Meyers, Kenneth J.

```

```
;
; REGISTRATION NUMBER: 25,146
; REFERENCE/DOCKET NUMBER: 05286-0001-02000
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 202-408-4000
; TELEFAX: 202-408-4400
; INFORMATION FOR SEQ ID NO: 42:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 108 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-487-231-42

Query Match          69.8%; Score 37; DB 2; Length 108;
Best Local Similarity 66.7%; Pred. No. 4;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 2 LFEQIDGYT 10
Db 44 LFAGVDGHT 52

RESULT 10
US-09-201-912-42
; Sequence 42, Application US/09201912
; Patent No. 6210962
; GENERAL INFORMATION:
; APPLICANT: Brecht, Christian
; APPLICANT: Kremsdorf, Dina
; APPLICANT: Porchon, Colette
; TITLE OF INVENTION: Nucleotide and Peptide Sequences of a
; TITLE OF INVENTION: Hepatitis C Virus Isolate, Diagnostic and Therapeutic
; NUMBER OF SEQUENCES: 46
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Finnegan, Henderson, Farabow, Garrett &
; ADDRESSEE: Dunner
; STREET: 1300 I Street, N.W.
; CITY: Washington
; STATE: DC
; COUNTRY: USA
; ZIP: 20005-3315
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/201,912
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07/965,285
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: Meyers, Kenneth J.
; REGISTRATION NUMBER: 25,146
; REFERENCE/DOCKET NUMBER: 05286-0001-00000
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 202-408-4000
; TELEFAX: 202-408-4400
; INFORMATION FOR SEQ ID NO: 42:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 108 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-09-201-912-42

Query Match          69.8%; Score 37; DB 4; Length 108;
Best Local Similarity 66.7%; Pred. No. 4;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;
```

```
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 2 LFEQIDGYT 10
Db 44 LFAGVDGHT 52

RESULT 11
US-08-444-818-173
; Sequence 173, Application US/08444818
; Patent No. 6150087
; GENERAL INFORMATION:
; APPLICANT: Chien, David Y.
; APPLICANT: Rutter, William J.
; TITLE OF INVENTION: NANBV Diagnostics and Vaccines
; NUMBER OF SEQUENCES: 777
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Chiron Corporation
; STREET: 4560 Horton Street
; CITY: Emeryville
; STATE: CA
; COUNTRY: USA
; ZIP: 94608-2916
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/444,818
; FILING DATE:
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/08/403,590
; FILING DATE: 14-MAR-1995
; ATTORNEY/AGENT INFORMATION:
; NAME: Harbin, Alisa A.
; REGISTRATION NUMBER: 33,895
; REFERENCE/DOCKET NUMBER: 0110.002
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (508)359-3876
; TELEFAX: (508)359-3885
; INFORMATION FOR SEQ ID NO: 173:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 139 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; ORIGINAL SOURCE:
; INDIVIDUAL ISOLATE: Japanese isolate (T. Miyamura)
US-08-444-818-173

Query Match          69.8%; Score 37; DB 4; Length 139;
Best Local Similarity 66.7%; Pred. No. 5.3;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 2 LFEQIDGYT 10
Db 78 LFAGVDGHT 86

RESULT 12
US-08-440-103-16
; Sequence 16, Application US/08440103
; Patent No. 5670152
; GENERAL INFORMATION:
; APPLICANT: Weiner, Amy J.
; APPLICANT: Houghton, Michael
; TITLE OF INVENTION: Immunoreactive Polypeptide Compositions
; NUMBER OF SEQUENCES: 45
; CORRESPONDENCE ADDRESS:
```

```

; ADDRESSEE: Chiron Corporation
; STREET: 4560 Horton Street
; CITY: Emeryville
; STATE: CA
; COUNTRY: USA
; ZIP: 94608
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/440,103
; FILING DATE: 12-MAY-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/08/231,368
; FILING DATE:
; APPLICATION NUMBER: US 07/759,575
; FILING DATE: 13-SEP-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: McClung, Barbara G.
; REGISTRATION NUMBER: 33,113
; REFERENCE/DOCKET NUMBER: 0205.001
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (510) 601-2708
; TELEFAX: (510) 655-3542
; INFORMATION FOR SEQ ID NO: 16:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 269 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-440-103-16

Query Match 69.8%; Score 37; DB 1; Length 269;
Best Local Similarity 66.7%; Pred. No. 11;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 2 LFEIGIDGYT 10
Db 8 LFAGVGDGHT 16

RESULT 13
US-08-440-542-16
; Sequence 16, Application US/08440542
; Patent No. 5670153
; GENERAL INFORMATION:
; APPLICANT: Weiner, Amy J.
; TITLE OF INVENTION: Immunoreactive Polypeptide Compositions
; NUMBER OF SEQUENCES: 45
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Chiron Corporation
; STREET: 4560 Horton Street
; CITY: Emeryville
; STATE: CA
; COUNTRY: USA
; ZIP: 94608
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/440,542
; FILING DATE: 12-MAY-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/08/231,368

```

```

; FILING DATE:
; APPLICATION NUMBER: US 07/759,575
; FILING DATE: 13-SEP-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: McClung, Barbara G.
; REGISTRATION NUMBER: 33,113
; REFERENCE/DOCKET NUMBER: 0205.001
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (510) 601-2708
; TELEFAX: (510) 655-3542
; INFORMATION FOR SEQ ID NO: 16:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 269 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-440-542-16

Query Match 69.8%; Score 37; DB 1; Length 269;
Best Local Similarity 66.7%; Pred. No. 11;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 2 LFEIGIDGYT 10
Db 8 LFAGVGDGHT 16

RESULT 14
US-08-231-368-16
; Sequence 16, Application US/08231368
; Patent No. 5756312
; GENERAL INFORMATION:
; APPLICANT: Houghton, Michael
; TITLE OF INVENTION: Immunoreactive Polypeptide Compositions
; NUMBER OF SEQUENCES: 45
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Chiron Corporation
; STREET: 4560 Horton Street
; CITY: Emeryville
; STATE: CA
; COUNTRY: USA
; ZIP: 94608
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/231,368
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/759,575
; FILING DATE: 13-SEP-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: McClung, Barbara G.
; REGISTRATION NUMBER: 33,113
; REFERENCE/DOCKET NUMBER: 0205.001
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (510) 601-2708
; TELEFAX: (510) 655-3542
; INFORMATION FOR SEQ ID NO: 16:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 269 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-08-231-368-16

```

16

Query Match 69.8%; Score 37; DB 1; Length 269;
Best Local Similarity 66.7%; Pred. No. 11;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 2 LFEIGIDGYT 10
11111111
Db 8 LFAGVGDGHT 16

RESULT 15

US-08-440-210-16
; Sequence 16, Application US/08440210
; Patent No. 5766845
; GENERAL INFORMATION:
; APPLICANT: Weiner, Amy J.
; APPLICANT: Houghton, Michael
; TITLE OF INVENTION: Immunoreactive Polypeptide Compositions
; NUMBER OF SEQUENCES: 45
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Chiron Corporation
; STREET: 4560 Horton Street
; CITY: Emeryville
; STATE: CA
; COUNTRY: USA
; ZIP: 94608
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/440,210
; FILING DATE: 12-MAY-1995
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/08/231,368
; FILING DATE:
; APPLICATION NUMBER: US 07/759,575
; FILING DATE: 13-SEP-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: McClung, Barbara G.
; REGISTRATION NUMBER: 33,113
; REFERENCE/DOCKET NUMBER: 0205.001
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (510) 601-2708
; TELEFAX: (510) 655-3542
; INFORMATION FOR SEQ ID NO: 16:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 269 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-440-210-16

Query Match 69.8%; Score 37; DB 1; Length 269;
Best Local Similarity 66.7%; Pred. No. 11;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 2 LFEIGIDGYT 10
11111111
Db 8 LFAGVGDGHT 16

Search completed: December 6, 2001, 07:59:59
Job time: 367 sec

THIS PAGE BLANK (USPTO)

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:58:28 ; Search time 88.19 Seconds
(without alignments)
8.638 Million cell updates/sec

Title: PEP2-MOD8G
Perfect score: 53
Sequence: 1 SLFEGIDGTYT 10

Scoring table:
BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 219241 seqs, 76174552 residues

Total number of hits satisfying chosen parameters: 219241

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Listing first 45 summaries

Database :
1: PIR_68:*
2: pir1:*
3: pir2:*
4: pir3:*
5: pir4:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	44	83.0	208	2 B44261	dnak-type molecula
2	44	83.0	209	2 A44261	dnak-type molecula
3	44	83.0	278	2 I51344	dnak-type molecula
4	44	83.0	372	2 P00138	dnak-type molecula
5	44	83.0	467	2 T45477	heat-shock protein
6	44	83.0	467	2 T45479	heat-shock protein
7	44	83.0	468	2 T45476	heat-shock protein
8	44	83.0	469	2 T45478	heat-shock protein
9	44	83.0	632	2 T45471	dnak-type molecula
10	44	83.0	634	2 A25646	dnak-type molecula
11	44	83.0	636	2 A48872	dnak-type molecula
12	44	83.0	638	2 S31766	dnak-type molecula
13	44	83.0	639	2 JC1391	dnak-type molecula
14	44	83.0	639	2 S20139	dnak-type molecula
15	44	83.0	640	1 HHKW74	dnak-type molecula
16	44	83.0	640	2 A29160	dnak-type molecula
17	44	83.0	640	2 S37394	dnak-type molecula
18	44	83.0	640	2 T21394	hypothetical prote
19	44	83.0	640	2 T43724	dnak-type molecula
20	44	83.0	641	2 S53537	dnak-type molecula
21	44	83.0	641	2 S35718	dnak-type molecula
22	44	83.0	641	2 I54542	dnak-type molecula
23	44	83.0	641	2 A45871	dnak-type molecula
24	44	83.0	642	1 HHBYA1	dnak-type molecula
25	44	83.0	642	2 JH0095	dnak-type molecula
26	44	83.0	642	2 B36590	dnak-type molecula
27	44	83.0	644	2 A45635	dnak-type molecula
28	44	83.0	645	2 I51129	dnak-type molecula
29	44	83.0	646	2 T46650	heat shock protein

30	44	83.0	647	1 HHXL70	dnak-type molecula
31	44	83.0	647	2 T41121	heat shock protein
32	43	81.1	214	2 A03309	dnak-type molecula
33	43	81.1	379	2 I46588	dnak-type molecula
34	43	81.1	467	2 T45473	heat-shock protein
35	43	81.1	467	2 T45474	heat-shock protein
36	43	81.1	641	2 JN0658	dnak-type molecula
37	43	81.1	641	2 PC7036	heat shock protein
38	43	81.1	643	2 S23585	dnak-type molecula
39	43	81.1	643	2 S09036	dnak-type molecula
40	43	81.1	651	2 T45517	heat shock protein
41	43	81.1	651	2 JC7132	heat shock protein
42	41	77.4	209	2 S48024	dnak-type molecula
43	41	77.4	209	2 S48025	dnak-type molecula
44	41	77.4	209	2 C44261	dnak-type molecula
45	41	77.4	630	2 A34041	dnak-type molecula

ALIGNMENTS

```

RESULT 1
B44261
dnak-type molecular chaperone HSC70 - California sea hare (fragment)
N:Alternate names: heat shock protein 70 homolog HSC70
C:Species: Aplysia californica (California sea hare)
C>Date: 04-Sep-1998 #sequence_revision 04-Sep-1998 #text_change 13-Aug-1999
C:Accession: B44261
R:Kuhl, D.; Kennedy, T.E.; Barzilai, A.; Kandel, E.R.
J. Cell Biol. 119, 1069-1076, 1992
A:Title: Long-term sensitization training in Aplysia leads to an increase in the expr
A:Reference number: A44261; MUID:93077669
A:Accession: B44261
A>Status: preliminary; not compared with conceptual translation
A:Molecule type: nucleic acid
A:Residues: 1-208 <KUH>
A>Note: sequence extracted from NCBI backbone (NCBIP:118950)
C:Genetics:
A:Gene: HSC70
C:Function:
A:Description: Involved in protein folding and assembling/disassembling of protein co
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match 83.0%; Score 44; DB 2; Length 208;
Best Local Similarity 90.0%; Pred. No. 0.42;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDGTYT 10
DB 132 SLFEGIDGTYT 141

RESULT 2
A44261
dnak-type molecular chaperone HSP70a - California sea hare (fragment)
N:Alternate names: heat shock protein 70
C:Species: Aplysia californica (California sea hare)
C>Date: 04-Sep-1998 #sequence_revision 04-Sep-1998 #text_change 13-Aug-1999
C:Accession: A44261
R:Kuhl, D.; Kennedy, T.E.; Barzilai, A.; Kandel, E.R.
J. Cell Biol. 119, 1069-1076, 1992
A:Title: Long-term sensitization training in Aplysia leads to an increase in the expr
A:Reference number: A44261; MUID:93077669
A:Accession: A44261
A>Status: preliminary; not compared with conceptual translation
A:Molecule type: nucleic acid
A:Residues: 1-209 <KUH>
A>Note: sequence extracted from NCBI backbone (NCBIP:118951)
C:Genetics:
A:Gene: HSP70a
C:Function:

```

A:Description: involved in protein folding and assembling/disassembling of protein comp
 C:Superfamily: heat shock protein 70
 C:Keywords: ATP; molecular chaperone

Query Match 83.0%; Score 44; DB 2; Length 209;
 Best Local Similarity 90.0%; Pred. No. 0.43;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 Oy 1 SLFEGIDGYT 10
 |||||
 Db 133 SLFEGIDYTT 142

RESULT 3
 I51344
 dnak-type molecular chaperone (clone PTHS70.7) - rainbow trout (fragment)
 N:Alternate names: 70K heat shock protein
 C:Species: Oncorhynchus mykiss (rainbow trout)
 C>Date: 21-Feb-1997 #sequence_revision 21-Feb-1997 #text_change 20-Aug-1999
 C:Accession: I51344
 R:Kothary, R.K.; Jones, D.; Candido, E.P.M.
 Mol. Cell. Biol. 4, 1785-1791, 1984
 A:Title: 70-Kilodalton heat shock polypeptides from rainbow trout: Characterization of c
 A:Reference number: I51344; MUID:85036330
 A:Accession: I51344
 A:Status: preliminary; translated from GB/EMBL/DBJ
 A:Molecule type: mRNA
 A:Residues: 1-278 <KOT>
 A:Cross-references: GB:K02549; NID:g213803; PIDN:AAA49562.1; PID:g213804
 C:Function:
 A:Description: Involved in protein folding and assembling/disassembling of protein comp
 C:Superfamily: heat shock protein 70
 C:Keywords: ATP; molecular chaperone

Query Match 83.0%; Score 44; DB 2; Length 278;
 Best Local Similarity 90.0%; Pred. No. 0.59;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 Oy 1 SLFEGIDGYT 10
 |||||
 Db 156 SLFEGIDYTT 165

RESULT 4
 P00138
 dnak-type molecular chaperone hsp70 II - sea urchin (Paracentrotus lividus) (fragment)
 N:Alternate names: heat shock protein 70
 C:Species: Paracentrotus lividus (common urchin)
 C>Date: 23-Nov-1991 #sequence_revision 23-Nov-1991 #text_change 20-Aug-1999
 C:Accession: P00138
 R:Rosa, M.L.; Sconzo, G.; Giudice, G.; Roccheri, M.G.; Carlo, M.D.
 Gene 96, 295-300, 1990
 A:Title: Sequence of a sea urchin hsp70 gene and its 5' flanking region.
 A:Reference number: P00138; MUID:91099690
 A:Accession: P00138
 A:Molecule type: DNA
 A:Residues: 1-372 <ROS>
 A:Cross-references: EMBL:X16544; NID:g10000; PIDN:CAA34544.1; PID:g10001
 C:Genetics:
 A:Gene: hsp70 II
 A:Introns: 68/1; 137/1; 188/3; 281/3
 C:Function:
 A:Description: Involved in protein folding and assembling/disassembling of protein comp
 C:Superfamily: heat shock protein 70
 C:Keywords: ATP; molecular chaperone

Query Match 83.0%; Score 44; DB 2; Length 372;
 Best Local Similarity 90.0%; Pred. No. 0.82;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Oy 1 SLFEGIDGYT 10
 |||||
 Db 286 SLFEGIDYTT 295

RESULT 5
 T45477
 heat-shock protein 70 [imported] - Chondrosia reniformis (fragment)
 C:Species: Chondrosia reniformis
 C>Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000
 C:Accession: T45477
 R:Borchelliini, C.; Le Parco, Y.
 Submitted to the EMBL Data Library, September 1997
 A:Reference number: Z22983
 A:Accession: T45477
 A:Status: preliminary; translated from GB/EMBL/DBJ
 A:Molecule type: mRNA
 A:Residues: 1-467 <BOR>
 A:Cross-references: EMBL:AF026517; PIDN:AAC05362.1
 C:Genetics:
 A:Gene: Hsp70
 C:Superfamily: heat shock protein 70

Query Match 83.0%; Score 44; DB 2; Length 467;
 Best Local Similarity 90.0%; Pred. No. 1.1;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 Oy 1 SLFEGIDGYT 10
 |||||
 Db 252 SLFEGIDYTT 261

RESULT 6
 T45479
 heat-shock protein 70 [imported] - Eunicella cavolini (fragment)
 C:Species: Eunicella cavolini
 C>Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000
 C:Accession: T45479
 R:Borchelliini, C.; Le Parco, Y.
 Submitted to the EMBL data library, September 1997
 A:Reference number: Z22983
 A:Accession: T45479
 A:Status: preliminary; translated from GB/EMBL/DBJ
 A:Molecule type: mRNA
 A:Residues: 1-467 <BOR>
 A:Cross-references: EMBL:AF026520; PIDN:AAC05364.1
 C:Genetics:
 A:Gene: Hsp70
 C:Superfamily: heat shock protein 70

Query Match 83.0%; Score 44; DB 2; Length 467;
 Best Local Similarity 90.0%; Pred. No. 1.1;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 Oy 1 SLFEGIDGYT 10
 |||||
 Db 252 SLFEGIDYTT 261

RESULT 7
 T45476
 heat-shock protein 70 [imported] - Eunicella quadrangulatis (fragment)
 C:Species: Eunicella quadrangulatis
 C>Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000
 C:Accession: T45476
 R:Borchelliini, C.; Le Parco, Y.
 Submitted to the EMBL Data Library, September 1997
 A:Reference number: Z22983
 A:Accession: T45476
 A:Status: preliminary; translated from GB/EMBL/DBJ
 A:Molecule type: mRNA

A:Residues: 1-468 <BOR>
 A:Cross-references: EMBL:AF026516; PIDN:AAC05361.1
 C:Genetics:
 A:Gene: Hsp70
 C:Superfamily: heat shock protein 70

Query Match 83.0%; Score 44; DB 2; Length 468;
 Best Local Similarity 90.0%; Pred. No. 1.1;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGYT 10
 |||||
 DB 253 SLFEGIDFYT 262

RESULT 8
 T45478
 heat-shock protein 70 [imported] - Euniceella cavollini (fragment)
 C:Species: Euniceella cavollini
 C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000
 C:Accession: T45478
 R:Bochelli, C.; Le Parco, Y.
 Submitted to the EMBL Data Library, September 1997
 A:Reference number: Z22983
 A:Accession: T45478
 A:Status: preliminary; translated from GB/EMBL/DBJ
 A:Molecule type: mRNA
 A:Residues: 1-469 <BOR>
 A:Cross-references: EMBL:AF026518; PIDN:AAC05363.1
 C:Genetics:
 A:Gene: Hsp70
 C:Superfamily: heat shock protein 70

Query Match 83.0%; Score 44; DB 2; Length 469;
 Best Local Similarity 90.0%; Pred. No. 1.1;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGYT 10
 |||||
 DB 254 SLFEGIDFYT 263

RESULT 9
 T45471
 dnaK-type molecular chaperone hsc70 [imported] - slime mold (Dictyostellium discoideum)
 N:Alternate names: heat shock cognate protein 70
 C:Species: Dictyostellium discoideum
 C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 18-Feb-2000
 C:Accession: T45471
 R:Boyes, H.; Minter, U.; Dittich, W.; Paix, J.; Gerisch, G.
 Submitted to the EMBL Data Library, September 1997
 A:Reference number: Z22980
 A:Accession: T45471
 A:Status: preliminary; translated from GB/EMBL/DBJ
 A:Molecule type: mRNA
 A:Residues: 1-632 <BOV>
 A:Cross-references: EMBL:AF025951; PIDN:AAB81865.1
 A:Experimental source: strain AX3
 C:Genetics:
 A:Gene: hsc70
 A:Note: localized to filopodias and cortex
 C:Superfamily: heat shock protein 70

Query Match 83.0%; Score 44; DB 2; Length 632;
 Best Local Similarity 90.0%; Pred. No. 1.5;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGYT 10
 |||||
 DB 265 SLFEGIDFYT 294

RESULT 10
 A25646
 dnaK-type molecular chaperone - chicken
 N:Alternate names: heat shock protein 70
 C:Species: Gallus gallus (chicken)
 C:Date: 19-Nov-1988 #sequence_revision 19-Nov-1988 #text_change 20-Aug-1999
 C:Accession: A25646
 R:Motomoto, R.T.; Hunt, C.; Huang, S.Y.; Berg, K.L.; Banerji, S.S.
 J. Biol. Chem. 261, 12692-12699, 1986
 A:Title: Organization, nucleotide sequence, and transcription of the chicken HSP70 gene
 A:Reference number: A25646; MUID:86304452
 A:Accession: A25646
 A:Molecule type: DNA
 A:Residues: 1-634 <MOR>
 A:Cross-references: GB:J02579; MID:g211940; PIDN:AAA48825.1; PID:g211941
 A:Note: the authors translated the codon TCG for residue 583 as Trp
 C:Function:
 A:Description: involved in protein folding and assembling/disassembling of protein co
 C:Superfamily: heat shock protein 70
 C:Keywords: ATP; molecular chaperone

Query Match 83.0%; Score 44; DB 2; Length 634;
 Best Local Similarity 90.0%; Pred. No. 1.5;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGYT 10
 |||||
 DB 289 SLFEGIDFYT 298

RESULT 11
 A48872
 dnaK-type molecular chaperone hspB - slime mold (Dictyostellium discoideum) (fragment)
 N:Alternate names: 70k heat shock cognate protein aglnactin; F-actin capping protein
 C:Species: Dictyostellium discoideum
 C:Date: 19-May-1995 #sequence_revision 19-May-1995 #text_change 20-Aug-1999
 C:Accession: A48872
 J:Eddy, R.J.; Sauterer, R.A.; Condeelis, J.S.
 J. Biol. Chem. 268, 23267-23274, 1993
 A:Title: Aglnactin, an agonist-regulated F-actin capping activity is associated with
 A:Reference number: A48872; MUID:94043116
 A:Accession: A48872
 A:Status: preliminary
 A:Molecule type: mRNA
 A:Residues: 1-636 <EDD>
 A:Cross-references: GB:L22736; MID:g433179; PIDN:AAA33219.1; PID:g433180
 A:Note: authors translated the codon ACA for residue 10 as Pro, GCF for residue 60 as
 C:Function:
 A:Description: involved in protein folding and assembling/disassembling of protein co
 C:Superfamily: heat shock protein 70
 C:Keywords: ATP; molecular chaperone

Query Match 83.0%; Score 44; DB 2; Length 636;
 Best Local Similarity 90.0%; Pred. No. 1.5;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGYT 10
 |||||
 DB 280 SLFEGIDFYT 289

RESULT 12
 S31766
 dnaK-type molecular chaperone hsp70 - green monkey
 N:Alternate names: heat shock protein 70
 C:Species: Cercopithecus aethiops (green monkey, grivet)
 C:Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 20-Aug-1999
 C:Accession: S31766; MUID:136927
 R:Sainis, I.; Angelidis, C.; Pagoulatos, G.; Lazaridis, I.

submitted to the EMBL Data Library, January 1993
 A:Description: Nucleotide sequence of the cDNA encoding a monkey 70kd heat shock protein
 A:Reference number: S31766
 A:Accession: S31766
 A:Molecule type: mRNA
 A:Residues: 1-638 <SAI>
 R:Salts, I.; Angelidis, C.; Pagoulatos, G.; Lazaridis, I.
 FEBS Lett. 355, 282-286, 1994
 A:Title: The hsc70 gene which is slightly induced by heat is the main virus inducible me
 A:Reference number: 136927, MUID:95080396
 A:Accession: 136927
 A:Status: preliminary; translated from GB/EMBL/DBS
 A:Molecule type: mRNA
 A:Residues: 1-638 <RES>
 A:Cross-references: EMBL:X70684; NID:g22781; PIDN:CAA50019.1; PID:g22782
 A:Experimental source: kidney; cell line COS-1
 C:Genetics:
 A:Gene: hsp70
 C:Function:
 A:Description: Involved in protein folding and assembling/disassembling of protein comp
 C:Superfamily: heat shock protein 70
 C:Keywords: ATP; molecular chaperone

Query Match 83.0%; Score 44; DB 2; Length 638;
 Best Local Similarity 90.0%; Pred. No. 1.5;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDGYT 10
 |||||
 Db 284 SLFEGIDPYT 293

RESULT 13
 JCI391
 dnak-type molecular chaperone 701V - sea urchin (Paracentrotus lividus)
 N:Alternate names: heat shock protein 701V; hsp701V protein
 C:Species: Paracentrotus lividus (common urchin)
 C:Date: 10-Jun-1993 #sequence_revision 10-Jun-1993 #text_change 20-Aug-1999
 C:Accession: JCI391
 R:Sconzo, G.; Scardina, G.; Ferraro, M.G.
 Gene 121, 353-358, 1992
 A:Title: Characterization of a new member of the sea urchin Paracentrotus lividus hsp70
 A:Reference number: JCI391; MUID:93077053
 A:Accession: JCI391
 A:Molecule type: DNA
 A:Residues: 1-639 <SCO>
 A:Cross-references: EMBL:X61379; NID:g312916; PIDN:CAA43653.1; PID:g312917
 C:Genetics:
 A:Gene: hsp701V
 A:Introns: 61/2
 C:Function:
 A:Description: Involved in protein folding and assembling/disassembling of protein comp
 C:Superfamily: heat shock protein 70
 C:Keywords: ATP; heat shock; molecular chaperone; stress-induced protein

Query Match 83.0%; Score 44; DB 2; Length 639;
 Best Local Similarity 90.0%; Pred. No. 1.5;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDGYT 10
 |||||
 Db 286 SLFEGIDPYT 295

RESULT 14
 S20139
 dnak-type molecular chaperone SSA2 - yeast (Saccharomyces cerevisiae)
 N:Alternate names: heat shock protein YG102; protein I0971; protein YLL024C
 C:Species: Saccharomyces cerevisiae
 C:Date: 07-May-1993 #sequence_revision 07-May-1993 #text_change 20-Jun-2000
 C:Accession: S20139; S64772; S64775; S69383

R:Slater, M.R.; Craig, E.A.
 Nucleic Acids Res. 17, 805-806, 1989
 A:Title: The SSA1 and SSA2 genes of the yeast Saccharomyces cerevisiae.
 A:Reference number: S20139; MUID:89128457
 A:Accession: S20139
 A:Status: translation not shown

A:Molecule type: DNA
 A:Residues: 1-639 <SLA>
 A:Cross-references: EMBL:X12927; NID:g4545; PIDN:CAA31394.1; PID:g4546
 R:Goffeau, A.; Purnelle, B.
 Submitted to the Protein Sequence Database, May 1996
 A:Reference number: S64761
 A:Accession: S64772

A:Molecule type: DNA
 A:Residues: 1-639 <GOF>
 A:Cross-references: EMBL:X73129; NID:g1360201; PIDN:CAA97472.1; PID:g1360202; MIPS:YL
 A:Experimental source: strain S288C
 R:Puesterhoef, A.; Floeth, M.; Heuss-Neitzel, D.; Hilbert, H.; Moestl, D.
 Submitted to the Protein Sequence Database, May 1996
 A:Reference number: S64775
 A:Accession: S64775

A:Molecule type: DNA
 A:Residues: 72-639 <DUE>
 A:Cross-references: EMBL:X73129; MIPS:YLL024C
 A:Experimental source: strain S288C

R:Purnelle, B.; Goffeau, A.
 Submitted to the EMBL Data Library, April 1996
 A:Description: The sequence of 32 kb on the left arm of yeast chromosome XII reveals
 mily and a new ABC transporter homologous to the human multidrug resistance protein.
 A:Reference number: S69380
 A:Accession: S69383

A:Molecule type: DNA
 A:Residues: 1-639 <PUR>
 A:Cross-references: EMBL:X97560; NID:g1297003; PIDN:CAA66167.1; PID:g1297007
 C:Genetics:
 A:Gene: SGD:SSA2

A:Cross-references: MIPS:YLL024C; SGD:S0003947
 A:Map position: 12L
 C:Function:

A:Description: Involved in protein folding and assembling/disassembling of protein co
 C:Superfamily: heat shock protein 70
 C:Keywords: ATP; molecular chaperone

Query Match 83.0%; Score 44; DB 2; Length 639;
 Best Local Similarity 90.0%; Pred. No. 1.5;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDGYT 10
 |||||
 Db 283 SLFEGIDPYT 292

RESULT 15
 HHK7A
 dnak-type molecular chaperone hsp70A - Caenorhabditis elegans
 N:Alternate names: heat shock protein 70 A
 C:Species: Caenorhabditis elegans
 C:Date: 30-Jun-1989 #sequence_revision 30-Jun-1989 #text_change 22-Jun-1999
 C:Accession: J70285
 R:Snutch, T.P.; Heschl, M.F.P.; Baillie, D.L.
 Gene 64, 241-255, 1988
 A:Title: The Caenorhabditis elegans hsp70 gene family: a molecular genetic characteri
 A:Reference number: J70285; MUID:88297155
 A:Accession: J70285
 A:Molecule type: DNA; mRNA
 A:Residues: 1-640 <SNU>
 A:Cross-references: GB:M18540; NID:g156351; PIDN:AA28078.1; PID:g156352
 A:Note: genomic clones representing six distinct members of the hsp70 gene family wer
 A:Note: transcripts of hsp70A are abundant in control worms and also increase two- to
 C:Note: one of the three introns in hsp70A is in a position similar to an intron in D
 C:Genetics:
 A:Gene: hsp70A

A:Map position: IV
A:Introns: 69/1, 331/3, 558/3
C:Function:
A:Description: Involved in protein folding and assembling/disassembling of protein comp
C:Superfamily: heat shock protein 70
C:Keywords: ATP; heat shock; molecular chaperone; stress-induced protein

Query Match 83.0%; Score 44; DB 1; Length 640;
Best Local Similarity 90.0%; Pred. No. 1.5;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 SLFEGIDGYT 10
||| ||| ||
DB 287 SLFEGIDFTT 296

Search completed: December 6, 2001, 07:58:28
Job time: 276 sec

THIS PAGE BLANK (USPTO)

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 08:00:52 ; Search time 50.21 Seconds
(without alignments)
7.302 Million cell updates/sec

Title: PEP2-MOD8G
Sequence: 1 SLFEGIDGYT 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 100059 seqs, 36664827 residues
Total number of hits satisfying chosen parameters: 100059

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : SwissProt_39:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	44	83.0	322	1 HS70_ONCVO	P11503 onchocerca
2	44	83.0	372	1 HS72_PARLI	P22623 paracentrot
3	44	83.0	503	1 HS70_PENCI	O92260 penicillium
4	44	83.0	634	1 HS70_CHICK	P08106 gallus galli
5	44	83.0	638	1 HS71_CERAE	Q28222 cercopithec
6	44	83.0	638	1 HS72_YEAST	P10592 saccharomyc
7	44	83.0	639	1 HS74_PARLI	Q06248 paracentrot
8	44	83.0	640	1 HS7A_CAEEL	P09446 caenorhabdi
9	44	83.0	640	1 HS7C_DICDI	P36415 dictyosteli
10	44	83.0	641	1 HS71_BOVIN	Q27975 bos taurus
11	44	83.0	641	1 HS71_HUMAN	P08107 homo sapien
12	44	83.0	641	1 HS71_MOUSE	P17879 mus musculu
13	44	83.0	641	1 HS71_PIG	P34930 sus scrofa
14	44	83.0	641	1 HS71_RAT	O07439 rattus norv
15	44	83.0	641	1 HS71_YEAST	P10591 saccharomyc
16	44	83.0	641	1 HS72_BOVIN	Q27965 bos taurus
17	44	83.0	641	1 HS74_YEAST	P22202 saccharomyc
18	44	83.0	644	1 HS70_BRUMA	P27541 brugia mala
19	44	83.0	644	1 HS70_ONCYS	O91233 oncorhynchu
20	44	83.0	645	1 HS70_PLEWA	O91291 pleurodeles
21	44	83.0	645	1 HS70_NEUCR	O01233 neurospora
22	44	83.0	647	1 HS70_XENLA	P02827 xenopus lae
23	44	83.0	649	1 HS70_BLAEM	P48720 blastoclad
24	44	83.0	652	1 HS7D_MANSE	O94639 manduca sex
25	43	81.1	214	1 HS7A_DROSI	P02826 drosophila
26	43	81.1	379	1 HS7X_PIG	P34934 sus scrofa
27	43	81.1	641	1 HS7A_DROME	P29843 drosophila
28	43	81.1	643	1 HS76_HUMAN	P17066 homo sapien
29	43	81.1	643	1 HS76_PIG	Q04967 sus scrofa
30	43	81.1	648	1 HS71_PUCGR	Q01877 puccinia gr
31	41	77.4	641	1 HS73_RAT	P55063 rattus norv
32	41	77.4	641	1 HS7H_HUMAN	P34931 homo sapien
33	41	77.4	641	1 HS7T_MOUSE	P16627 mus musculu

34	41	77.4	642	1 HS72_PICAN	P53623 pichia angu
35	41	77.4	643	1 HS71_SCHRO	Q10265 schizosacch
36	41	77.4	644	1 HS71_PICAN	P53421 pichia angu
37	41	77.4	646	1 HS7C_CRIGR	P19378 cricetus
38	41	77.4	646	1 HS7C_HUMAN	P11142 homo sapien
39	41	77.4	646	1 HS7C_MOUSE	P08109 mus musculu
40	41	77.4	649	1 HS70_PARRR	P87047 paracoccidi
41	41	77.4	649	1 HS73_YEAST	P09435 saccharomyc
42	41	77.4	649	1 HS7C_BRARE	Q90473 brachydanio
43	41	77.4	650	1 HS7C_BOVIN	P19120 bos taurus
44	41	77.4	651	1 HS70_ONCMY	P08108 oncorhynchu
45	41	77.4	654	1 HS70_HYDMA	Q05944 hydra magni

ALIGNMENTS

RESULT 1
ID HS70_ONCVO STANDARD: PRT: 322 AA.
AC P11503:
DT 01-OCT-1989 (Rel. 12, Created)
DT 01-FEB-1996 (Rel. 33, Last sequence update)
DT 01-FEB-1996 (Rel. 33, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN (HSP70) (FRAGMENT).
OS Onchocerca volvulus.
OC Eukaryota; Metazoa; Nematoda; Chromadorea; Spirurida; Filarioidea;
OC Onchocercidae; Onchocerca.
OX NCBI_TaxID=6282;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=89201313; PubMed=2704388;
RA Rothstein N.M., Higashi G., Yates J., Rajan T.V.;
RT "Onchocerca volvulus heat shock protein 70 is a major immunogen in
antimicrobial-inducible individuals from a filariasis-endemic area.";
RL Mol. Biochem. Parasitol. 33:229-236(1989).
CC -!- DISEASE: HEAT SHOCK PROTEIN 70 IS A MAJOR IMMUNOGEN IN A
MICROFILAREMIC INDIVIDUALS FROM A FILARIASIS-ENDEMIC AREA.
CC -!- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
or send an email to license@isb-sib.ch).

CC -----
DR EMBL: J04006; AAA29417.1; -.
DR HSP; P19120; IATR.
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70; 1.
DR PROSITE: PS00297; HSP70.1; PARTIAL.
DR PROSITE: PS00329; HSP70.2; PARTIAL.
DR PROSITE: PS01036; HSP70.3; 1.
KW ATP-binding; Heat shock.
FT NON_TER 1
FT NON_TER 322
SQ SEQUENCE 322 AA; 35614 MW; 2BA3A2E8155A7180 CRC64;

Query Match Score 83.0%; DB 1; Length 322;
Best Local Similarity 90.0%; Pred. No. 0.45;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGYT 10
DB 43 SLFEGIDGYT 52

RESULT 2
ID HS72_PARLI STANDARD: PRT: 372 AA.

```

AC P22623;
DT 01-AUG-1991 (Rel. 19, Created)
DT 01-AUG-1991 (Rel. 19, Last sequence update)
DT 01-JUN-1994 (Rel. 29, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN II (HSP70 II) (FRAGMENT).
GN HSP70II.
OS Paracentrotus lividus (Common sea urchin).
OC Eukaryota; Metazoa; Echinodermata; Eleutherozoa; Echinozoa;
OC Echinoidea; Euechinoidea; Echinacea; Echinoidea; Echinidae;
OC Paracentrotus
OC NCBL_TaxID=7656;
OX
RN
  [1]
  SEQUENCE FROM N.A.
RP
RC TISSUE=Gonad;
RX MEDLINE=91099690; PubMed=2269441;
  la Rosa M., Sconzo G., Giudice G., Roccheri M.C., di Carlo M.;
  "Sequence of a sea urchin hsp70 gene and its 5' flanking region.";
  RT Gene 96:295-300(1990).
RL
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL: X16544; CNA34544.1; -.
DR PIR: P00138; P00138.
DR HSSP: P19120; INGU.
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70.1.
DR PROSITE: PS00297; HSP70.1; 1
DR PROSITE: PS00329; HSP70.2; PARTIAL.
DR PROSITE: PS01036; HSP70.3; 1.
DR ATP-binding; Heat shock; Multigene family.
KW NON_TER 372 372
FT SEQUENCE 372 AA; 41347 MW; 5F8C1C590527A659 CRC64;
SQ
Query Match 83.0%; Score 44; DB 1; Length 372;
Best Local Similarity 90.0%; Pred. No. 0.52;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 SLEPGIDGYT 10
  |||||
  Db 286 SLEPGIDYTT 295
RESULT 3
ID HS70_PENCI STANDARD; PRT; 503 AA.
AC Q92260;
DT 20-AUG-2001 (Rel. 40, Created)
DT 20-AUG-2001 (Rel. 40, Last sequence update)
DT 20-AUG-2001 (Rel. 40, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN (ALLERGEN PEN C 19) (FRAGMENT).
GN HSP70.
OS Penicillium citrinum.
OC Eukaryota; Fungi; Ascomycota; Pezizomycotina; Eurotiomycetes;
OC Eurotiales; Trichocomaceae; mitosporic Trichocomaceae; Penicillium.
OX NCBL_TaxID=5077;
RN
  [1]
  SEQUENCE FROM N.A.
RP Shen H.D., Au L.C., Lin W.L., Liaw S.F., Tsai J.J., Han S.H.;
  "Molecular cloning and expression of a Penicillium citrinum
  RT allergen with sequence homology and antigenic cross-reactivity to
  RT a hsp70 human heat shock protein.";
  RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
  CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
  CC -----
  CC This SWISS-PROT entry is copyright. It is produced through a collaboration
  CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
  CC the European Bioinformatics Institute. There are no restrictions on its
  CC use by non-profit institutions as long as its content is in no way
  CC modified and this statement is not removed. Usage by and for commercial
  CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
  CC or send an email to license@isb-sib.ch).
  CC -----
  DR EMBL: J02579; AAA48825.1; -.
  DR PIR: A25646; A25646.
  DR HSSP: P19120; IATR.
  DR InterPro: IPR001023; HSP70.
  DR Pfam: PF00012; HSP70.1.
  DR PRINTS: PR00301; HEATSHOCK70.
  DR PROSITE: PS00297; HSP70.1; 1.
  DR PROSITE: PS00329; HSP70.2; 1.
  DR PROSITE: PS01036; HSP70.3; 1.
  DR ATP-binding; Heat shock; Multigene family.
  KW NON_TER 503 AA; 69750 MW; 4270F7F08D365AEB CRC64;
  SQ SEQUENCE 634 AA; 69750 MW; 4270F7F08D365AEB CRC64;
  Query Match 83.0%; Score 44; DB 1; Length 634;
  Best Local Similarity 90.0%; Pred. No. 0.91;
  Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
  QY 1 SLEPGIDGYT 10
  |||||
  Db 154 SLEPGIDYTT 163

```

```

CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL: U64207; AAB06397.1; -.
DR HSSP: P19120; 3HSC.
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70.1.
DR PRINTS: PR00301; HEATSHOCK70.
DR PROSITE: PS00329; HSP70.2; 1.
DR PROSITE: PS01036; HSP70.3; 1.
DR ATP-binding; Chaperone; Heat shock; Allergen.
KW NON_TER 1 1
FT SEQUENCE 503 AA; 55125 MW; B7433C11FAA1320 CRC64;
SQ
Query Match 83.0%; Score 44; DB 1; Length 503;
Best Local Similarity 90.0%; Pred. No. 0.71;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 SLEPGIDGYT 10
  |||||
  Db 154 SLEPGIDYTT 163
RESULT 4
ID HS70_CHICK STANDARD; PRT; 634 AA.
AC P08106;
DT 01-AUG-1988 (Rel. 08, Created)
DT 01-AUG-1988 (Rel. 08, Last sequence update)
DT 01-FEB-1994 (Rel. 28, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN (HSP70).
OS Gallus gallus (Chicken).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;
OC Gallus.
OX NCBL_TaxID=9031;
RN
  [1]
  SEQUENCE FROM N.A.
RP MEDLINE=86304452; PubMed=3017985;
  RA Morimoto R.I., Hunt C., Huang S.-Y., Berg K.L., Banerji S.S.;
  "Organization, nucleotide sequence, and transcription of the chicken
  RT HSP70 gene.";
  RL J. Biol. Chem. 261:12692-12699(1986).
  CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
  CC -----
  CC This SWISS-PROT entry is copyright. It is produced through a collaboration
  CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
  CC the European Bioinformatics Institute. There are no restrictions on its
  CC use by non-profit institutions as long as its content is in no way
  CC modified and this statement is not removed. Usage by and for commercial
  CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
  CC or send an email to license@isb-sib.ch).
  CC -----
  DR EMBL: J02579; AAA48825.1; -.
  DR PIR: A25646; A25646.
  DR HSSP: P19120; IATR.
  DR InterPro: IPR001023; HSP70.
  DR Pfam: PF00012; HSP70.1.
  DR PRINTS: PR00301; HEATSHOCK70.
  DR PROSITE: PS00297; HSP70.1; 1.
  DR PROSITE: PS00329; HSP70.2; 1.
  DR PROSITE: PS01036; HSP70.3; 1.
  DR ATP-binding; Heat shock; Multigene family.
  KW NON_TER 634 AA; 69750 MW; 4270F7F08D365AEB CRC64;
  SQ SEQUENCE 634 AA; 69750 MW; 4270F7F08D365AEB CRC64;
  Query Match 83.0%; Score 44; DB 1; Length 634;
  Best Local Similarity 90.0%; Pred. No. 0.91;
  Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
  QY 1 SLEPGIDGYT 10
  |||||
  Db 154 SLEPGIDYTT 163

```


Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEFEGIDGYT 10
Db 289 SLEFEGIDGYT 298

RESULT 5

HS71_CERAE STANDARD; PRT; 638 AA.
ID HS71_CERAE Q28222;
AC Q28222;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1.
GN HSPAL.
OS Cercopithecus aethiops (Green monkey) (Griwet).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Cercopithecoidea;
OC Cercopithecinae; Cercopithecus.
OX NCBI_TaxID=9534;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Kidney;
RX MEDLINE=95080396; PubMed=7988690;
RA Sainis I., Angelidis C., Pagoulatos G., Lazaridis I.;
RT "The hsc70 gene which is slightly induced by heat is the main virus
inducible member of the hsp70 gene family.";
RL FEBS Lett. 335:282-286(1994).

-1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC
RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR
PROTEIN TRANSLLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION
PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE
PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE
CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE
SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES
DURING TRANSLATION AND MEMBRANE TRANSLLOCATION, OR FOLLOWING
STRESS-INDUCED DAMAGE.
CC -1- INDUCTION: BY HEAT SHOCK.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
or send an email to license@isb-sib.ch).
CC -----

DR EMBL; X70684; CAA50019.1; -;
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS00363; HSP70_3; 1.
KW ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
SQ SEQUENCE 638 AA; 69920 MW; D55076A0FFAB6AB3 CMC64;

Query Match 83.0%; Score 44; DB 1; Length 638;
Best Local Similarity 90.0%; Pred. No. 0.92;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEFEGIDGYT 10
Db 284 SLEFEGIDGYT 293

RESULT 6

HS72_YEAST STANDARD; PRT; 638 AA.
ID HS72_YEAST P10592;
AC P10592;
DT 01-JUL-1989 (Rel. 11, Created)
DT 01-OCT-1994 (Rel. 30, Last sequence update)
DT 01-OCT-1996 (Rel. 34, Last annotation update)
DE HEAT SHOCK PROTEIN SSA2.
GN SSA2 OR YL024C OR I0931.
OS Saccharomyces cerevisiae (Baker's yeast).
OC Eukaryota; Fungi; Ascomycota; Saccharomycotina; Saccharomycetes;
OC Saccharomycetales; Saccharomycetaceae; Saccharomycus.
OX NCBI_TaxID=4932;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=S288C;
RX MEDLINE=89128457; PubMed=2644626;
RA Slater M.R., Craig E.A.;
RT "The SSA1 and SSA2 genes of the yeast *Saccharomyces cerevisiae*.";
RL Nucleic Acids Res. 17:805-806(1989).

[2]
RP SEQUENCE FROM N.A.
RC STRAIN=S288C;
RX MEDLINE=95203288; PubMed=7895733;
RA Garrels J.I., Fitcher B., Kobayashi R., Latter G.I., Schwender B.,
RT "Protein identifications for a *Saccharomyces cerevisiae* protein
database.";
RL Electrophoresis 15:1466-1486(1994).
[3]
RP SEQUENCE OF 71-638 FROM N.A.
RA Duesterhoeft A., Floeth W., Heuss-Neitzel D., Hilbert H., Moestl D.;
RT Submitted (May-1996) to the EMBL/Genbank/DBJ databases.
[4]
RP SEQUENCE OF 91-97 AND 325-341.
RC STRAIN=S288C;
RX MEDLINE=95203288; PubMed=7895733;
RA Garrels J.I., Fitcher B., Kobayashi R., Latter G.I., Schwender B.,
RT "Protein identifications for a *Saccharomyces cerevisiae* protein
database.";
RL Electrophoresis 15:1466-1486(1994).
[5]
RP SEQUENCE OF 186-195.
RC STRAIN=ATCC 38531 / Y41;
RX MEDLINE=97089742; PubMed=8935650;
RA Norbeck J., Blomberg A.;
RT "Protein expression during exponential growth in 0.7 M NaCl medium of
Saccharomyces cerevisiae.";
RL FEMS Microbiol. Lett. 137:1-8(1996).
[6]
RP ACETYLATION, AND PHOSPHORYLATION.
RA Garrels J.I., Fitcher B., Kobayashi R., Latter G.I., Schwender B.,
RT Submitted (SEP-1994) to the SWISS-PROT data bank.
[7]
RP BOTH ACROSS THE MITOCHONDRIAL MEMBRANES AND INTO THE
ENDOPLASMATIC RETICULUM. A FUNCTIONAL DIFFERENCE BETWEEN YEAST
SSA1 AND SSA2 PROTEINS IS EXPECTED. SSA2 CAN PARTICIPATE IN THE
ATP-DEPENDENT DISASSEMBLY OF CLATHRIN-COATED VESICLES.
[8]
RP SUBCELLULAR LOCATION: CYTOPLASMIC.
[9]
RP -1- PIV: PHOSPHORYLATED.
[10]
RP -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
between the Swiss Institute of Bioinformatics and the EMBL outstation -
the European Bioinformatics Institute. There are no restrictions on its
use by non-profit institutions as long as its content is in no way
modified and this statement is not removed. Usage by and for commercial
entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
or send an email to license@isb-sib.ch).
CC -----

DR EMBL; X12927; CAA31394.1; -;
DR EMBL; Z73129; CAA97472.1; -;
DR EMBL; X97560; CAA66167.1; -;
DR PIR; S20139; S20139.
DR HSSP; P19120; INCI.
DR SWISS-2DPAGE; P10592; YEAST.

DR YEPI; 9800; -
 DR SGD; S0003947; SNA2.
 DR InterPro: IPR001023; HSP70.
 DR Pfam: PF00012; HSP70; 1.
 DR PRINTS: PR00301; HEATSHOCK70.
 DR PROSITE: PS00297; HSP70_1; 1.
 DR PROSITE: PS00329; HSP70_2; 1.
 DR PROSITE: PS01036; HSP70_3; 1.
 DR Heat shock; ATP-binding; Multigene family; Acetylation;
 KW Phosphorylation.
 FT INIT_MET 0
 FT MOD_RES 1
 FT SEQUENCE 638 AA; 69338 MW; 23BDD120C194912 CRC64;

Query Match 83.0%; Score 44; DB 1; Length 638;
 Best Local Similarity 90.0%; Pred. No. 0.92;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGYT 10
 Db 282 SLFEGIDFYT 291

RESULT 7
 HS74_PARLI STANDARD; PRT; 639 AA.
 AC Q06248;
 DT 01-JUN-1994 (Rel. 29, Created)
 DT 01-JUN-1994 (Rel. 29, Last sequence update)
 DT 01-JUN-1994 (Rel. 29, Last annotation update)
 DE HEAT SHOCK 70 KDA PROTEIN IV (HSP70 IV).
 GN HSP70IV.
 OS Paracentrotus lividus (Common sea urchin).
 OC Eukaryota; Metazoa; Echinodermata; Eleutherozoa; Echinozoa;
 OC Echinozoa; Euechinozoa; Echinoida; Echinidae;
 OC Paracentrotus.
 NC NCB1_TaxID=7656;
 RX MEDLINE=93077053; PubMed=1339375;
 RX Sconzo G., Scardina G., Ferraro M.G.;
 RT "Characterization of a new member of the sea urchin Paracentrotus
 RT lividus hsp70 gene family and its expression.";
 RL Gene 121:353-358(1992).
 CC -! SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL: X61379; CAA3653.1; -
 DR PIR: JCI391; JCI391.
 DR HSP: P19120; INGI.
 DR InterPro: IPR001023; HSP70.
 DR Pfam: PF00012; HSP70; 1.
 DR PRINTS: PR00301; HEATSHOCK70.
 DR PROSITE: PS00297; HSP70_1; 1.
 DR PROSITE: PS00329; HSP70_2; 1.
 DR PROSITE: PS01036; HSP70_3; 1.
 DR Heat shock; ATP-binding; Multigene family.
 KW ATP-binding; Heat shock; Multigene family.
 SQ SEQUENCE 639 AA; 69749 MW; 40E2F29570808DCC CRC64;

Query Match 83.0%; Score 44; DB 1; Length 639;
 Best Local Similarity 90.0%; Pred. No. 0.92;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 SLFEGIDGYT 10

Db 286 SLFEGIDFYT 295

RESULT 8
 HS7A_CAEL STANDARD; PRT; 640 AA.
 AC P09446;
 DT 01-MAR-1989 (Rel. 10, Created)
 DT 01-MAR-1989 (Rel. 10, Last sequence update)
 DT 01-FEB-1994 (Rel. 28, Last annotation update)
 DE HEAT SHOCK 70 KDA PROTEIN A.
 GN HSP-1 OR HSP70A.
 OS Caenorhabditis elegans.
 OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidea;
 OC Rhabditidae; Peloderinae; Caenorhabditis.
 NC NCB1_TaxID=6239;
 RX MEDLINE=88297155; PubMed=2841196;
 RX Snutch T.P., Heschl M.F.P., Baillie D.L.;
 RT "The Caenorhabditis elegans hsp70 gene family: a molecular genetic
 RT characterization.";
 RL Gene 64:241-255(1988).
 CC -! SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL: M18540; AAA28078.1; -
 DR PIR: JTO285; HHKW7A.
 DR HSP: P19120; INGI.
 DR InterPro: IPR001023; HSP70.
 DR Pfam: PF00012; HSP70; 1.
 DR PRINTS: PR00301; HEATSHOCK70.
 DR PROSITE: PS00297; HSP70_1; 1.
 DR PROSITE: PS00329; HSP70_2; 1.
 DR PROSITE: PS01036; HSP70_3; 1.
 DR ATP-binding; Heat shock; Multigene family.
 KW ATP-binding; Heat shock; Multigene family.
 SQ SEQUENCE 640 AA; 69823 MW; ED15409D06C500C2 CRC64;

Query Match 83.0%; Score 44; DB 1; Length 640;
 Best Local Similarity 90.0%; Pred. No. 0.92;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGYT 10
 Db 287 SLFEGIDFYT 296

RESULT 9
 HS7C_DICDI STANDARD; PRT; 640 AA.
 AC P36415;
 DT 01-JUN-1994 (Rel. 29, Created)
 DT 01-JUN-1994 (Rel. 29, Last sequence update)
 DT 01-NOV-1997 (Rel. 35, Last annotation update)
 DE HEAT SHOCK COGNATE PROTEIN (AGINACTIN).
 GN HSPB OR HSC70.
 OS Dictyostelium discoideum (Slime mold).
 OC Eukaryota; Mycetozoa; Dictyostelida; Dictyostellium.
 NC NCB1_TaxID=44689;
 RX MEDLINE=94008983; PubMed=8404847;
 RX Haus U., Trommler P., Fisher P.R., Hartmann H., Lottspeich F.,

DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70.1) (HSP70-1/HSP70-2).
 GN (HSPAL1 OR HSPAL1) AND HSPALB.
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Homiidae; Homo.
 NCBI_TaxID=9606;
 [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=91055806; PubMed=1700760;
 RA Milner C.M., Campbell R.D.;
 RT "Structure and expression of the three MHC-linked HSP70 genes.";
 RL Immunogenetics 32:242-251(1990).
 [2]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=86016721; PubMed=3931075;
 RA Hunt C., Morimoto R.I.;
 RT "Conserved features of eukaryotic hsp70 genes revealed by comparison with the nucleotide sequence of human hsp70.";
 RL Proc. Natl. Acad. Sci. U.S.A. 82:6455-6459(1985).
 [3]
 RP SEQUENCE FROM N.A. (HSPAL1 AND HSPALB).
 RA Rowen L., Qin S., Madan A., Dickhoff R., Dors M., Madan A., Hicks P., Loretz C., Ratcliffe A., Abbasi N., Shaffer T., Hood L.;
 RT "Sequence of the human major histocompatibility complex class III region.";
 RL Submitted (MAR-1999) to the EMBL/GenBank/DBJ databases.
 [4]
 RP SEQUENCE OF 1-36 AND 360-424 FROM N.A.
 RX MEDLINE=89184548; PubMed=2538825;
 RA Sargent C.A., Dunham I., Trowsdale J., Campbell R.D.;
 RT "Human major histocompatibility complex contains genes for the major heat shock protein HSP70.";
 RL Proc. Natl. Acad. Sci. U.S.A. 86:1968-1972(1989).
 [5]
 RP SEQUENCE OF 1-22 AND 618-641 FROM N.A.
 RX MEDLINE=87066768; PubMed=3786141;
 RA Driabent B., Genthe A., Benescke B.-J.;
 RT "In vitro transcription of a human hsp 70 heat shock gene by extracts prepared from heat-shocked and non-heat-shocked human cells.";
 RL Nucleic Acids Res. 14:8933-8949(1986).
 [6]
 RP X-RAY CRYSTALLOGRAPHY (2.3 ANGSTROMS) OF 1-382.
 RX MEDLINE=99234376; PubMed=10216320;
 RA Osipuk J., Walsh M.A., Freeman B.C., Morimoto R.I., Joachimiak A.;
 RT "Structure of a new crystal form of human hsp70 ATPase domain.";
 RL Acta Crystallogr. D 55:1105-1107(1999).
 [7]
 RP FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR PROTEIN TRANSLLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NEW HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLLOCATION AND MEMBRANE TRANSLLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
 [8]
 RP INDUCTION: BY HEAT SHOCK.
 [9]
 RP -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
 [10]
 RP THIS SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See <http://www.isb-sib.ch/announce/> or send an email to license@isb-sib.ch).
 [11]
 CC EMBL; M59628; AAA63226.1; -;
 CC EMBL; M59630; AAA63227.1; -;
 CC EMBL; AF134726; AAD21816.1; -;
 CC EMBL; AF134726; AAD21815.1; -;

DR EMBL; M11717; AAA52697.1; -;
 DR EMBL; M24743; AAA59844.1; -;
 DR EMBL; M24744; AAA59845.1; -;
 DR EMBL; X04676; CAA28381.1; -;
 DR EMBL; X04677; CAA28382.1; -;
 DR PIR; A29160; A29160.
 DR PIR; A45871; A45871.
 DR PIR; A25773; A25773.
 DR PDB; 1H70; 21-OCT-98.
 DR SWISS-2DPAGE; P08107; HUMAN.
 DR MTM; 140550; -;
 DR MTM; 603012; -;
 DR InterPro; IPR001023; HSP70.
 DR Pfam; PF00012; HSP70.1.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS00297; HSP70.1; 1.
 DR PROSITE; PS00329; HSP70.2; 1.
 DR PROSITE; PS01036; HSP70.3; 1.
 KW ATP-binding; Chaperone; Heat shock; Multigene family; MHC III;
 KW 3D-structure.
 FT CONFLICT 7 7 I -> V (IN REF. 2).
 FT CONFLICT 110 110 E -> D (IN REF. 3; AAD21816).
 FT CONFLICT 370 370 A -> G (IN REF. 2).
 FT CONFLICT 469 469 MISSING (IN REF. 2).
 FT CONFLICT 499 499 N -> S (IN REF. 3; AAD21815).
 FT CONFLICT
 SQ SEQUENCE 641 AA; 70052 MW; 78F513118C96D86 CRC64;

Query Match 83.0%; Score 44; DB 1; Length 641;
 Best Local Similarity 90.0%; Pred. No. 0.92; Mismatches 0; Gaps 0;
 Matches 9; Conservative 0; Indels 1;
 QY 1 SLFEGIDGYT 10
 D 286 SLFEGIDGYT 295
 ID H571_MOUSE STANDARD; PRT; 641 AA.
 AC P17879; 061689;
 DT 01-AUG-1990 (Rel. 15, Created)
 DT 01-NOV-1997 (Rel. 35, Last sequence update)
 DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70.1) (HSP70-1/HSP70-2).
 GN HSPAL1 OR HSP70A1 OR HSP70-1 OR HSP70.1.
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 NCBI_TaxID=10090;
 [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=90236310; PubMed=2332169;
 RA Hunt C., Calderwood S.;
 RT "Characterization and sequence of a mouse hsp70 gene and its expression in mouse cell lines.";
 RL Gene 87:199-204(1990).
 [2]
 RP SEQUENCE FROM N.A.
 RX TISSUE-LIVER;
 RX MEDLINE=94357449; PubMed=8076831;
 RA Perry M.D., Aujeime L., Shtang S., Moran L.A.;
 RT "Structure and expression of an inducible HSP70-encoding gene from Mus musculus.";
 RL Gene 146:273-278(1994).
 [3]
 RP FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NEW HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLLOCATION AND MEMBRANE TRANSLLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.

CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).

CC EMBL: M35021; AAA37864.1; -;
CC EMBL: M76613; AAA57233.1; -;
CC PIR: JH0095; JH0095.
CC HSSP: P19120; INGC.
CC MGD: MGI:99517; HSP70-1.
CC InterPro: IPR001023; HSP70.
CC Pfam: PF00012; HSP70; 1.
CC PRINTS: PR00301; HEATSHOCK70.
CC PROSITE: PS00297; HSP70_1; 1.
CC PROSITE: PS00329; HSP70_2; 1.
CC PROSITE: PS01036; HSP70_3; 1.
CC ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
CC CONFLICT 342 342 A -> R (IN REF. 1).
CC CONFLICT 627 627 P -> PP (IN REF. 1).
CC SEQUENCE 641 AA; 69994 MW; 41475360F6749F2F CRC64;

Query Match 83.0%; Score 44; DB 1; Length 641;
Best Local Similarity 90.0%; Pred. No. 0.92;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEFGIDGYT 10
Db 286 SLEFGIDGYT 295
|||||||

RESULT 13
HS7L_PIG STANDARD; PRT; 641 AA.
AC P34930;
DT 01-FEB-1994 (Rel. 28, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70.1).
GN HSPA1.
OS Sus scrofa (Pig).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.
OX NCBI_TaxID=9823;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=92173874; PubMed=1339404;
RA Peelan L.J., de Weyhe A.R., Coppieters W.R., van Zeveren A.J.,
RA Bouquet Y.H.;
RT "Complete nucleotide sequence of a porcine HSP70 gene.";
RL Immunogenetics 35:286-289(1992).
CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDIANE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).

CC EMBL: M69100; -; NOT_ANNOTATED_CDS.
CC PIR: S35718; S35718.
CC HSSP: P19120; INGC.
CC InterPro: IPR001023; HSP70.
CC Pfam: PF00012; HSP70; 1.
CC PRINTS: PR00301; HEATSHOCK70.
CC PROSITE: PS00297; HSP70_1; 1.
CC PROSITE: PS00329; HSP70_2; 1.
CC PROSITE: PS01036; HSP70_3; 1.
CC ATP-binding; Chaperone; Heat shock; Multigene family.
CC SEQUENCE 641 AA; 70083 MW; FE77BB20A03E0A33 CRC64;

Query Match 83.0%; Score 44; DB 1; Length 641;
Best Local Similarity 90.0%; Pred. No. 0.92;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEFGIDGYT 10
Db 286 SLEFGIDGYT 295
|||||||

RESULT 14
HS7L_RAT STANDARD; PRT; 641 AA.
AC Q07439; P42853;
DT 01-FEB-1995 (Rel. 31, Created)
DT 01-FEB-1995 (Rel. 31, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1/2 (HSP70.1/2).
GN HSP70-1 AND HSP70-2.
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX NCBI_TaxID=10116;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Brain;
RX MEDLINE=94096443; PubMed=8271311;
RA Longo F.M., Wang S., Narasimhan P., Zhang J.S., Chen J.,
RA Massa S.M., Sharp F.R.;
RT "cDNA cloning and expression of stress-inducible rat hsp70 in normal
RT and injured rat brain.";
RL J. Neurosci. Res. 36:325-335(1993).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=LEM.1W/GUN;
RX MEDLINE=95012453; PubMed=7927536;
RA Walter L., Rauh F., Guenther E.;
RT "Comparative analysis of the three major histocompatibility complex-
RT linked heat shock protein 70 (hsp70) genes of the rat.";
RL Immunogenetics 40:325-330(1994).
RN [3]
RP SEQUENCE FROM N.A.
RC STRAIN=SPRAGUE-DAWLEY; TISSUE=Liver;
RX MEDLINE=94368874; PubMed=8086479;
RA Lisowska K., Krawczyk Z., Wladiak W., Wolniczka P., Wisniewski J.;
RT "Cloning, nucleotide sequence and expression of rat heat inducible
RT hsp70 gene.";
RL Biochim. Biophys. Acta 1219:64-72(1994).
CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDIANE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC -1- INDUCTION: BY HEAT SHOCK.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration

CC between the Swiss Institute of Bioinformatics and the EMBL Outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).

DR EMBL: L16764; AAA17441.1; -
 DR EMBL: X77208; CAA54423.1; -
 DR EMBL: X77207; CAA54422.1; -
 DR EMBL: X74271; CAA52328.1; -
 DR HSSP: P19120; INGC.
 DR InterPro: IPR001023; HSP70.
 DR Pfam: PF00012; HSP70; 1.
 DR PRINTS: PR00301; HEATSHOCK70.
 DR PROSITE: PS00297; HSP70_1; 1.
 DR PROSITE: PS00329; HSP70_2; 1.
 DR PROSITE: PS01036; HSP70_3; 1.
 KW ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
 FT CONFLICT 71 72 KR -> NG (IN REF. 3).
 FT CONFLICT 227 227 D -> H (IN REF. 2 AND 3).
 FT CONFLICT 408 408 G -> A (IN REF. 3).
 SO SEQUENCE 641 AA; 70163 MW; D02D96751C868583 CRC64;

Query Match 83.0%; Score 44; DB 1; Length 641;
 Best Local Similarity 90.0%; Pred. No. 0.92;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEFGIDGYT 10
 |||||||
 Db 286 SLEFGIDFYT 295

RESULT 15
 HS71.YEAST STANDARD: PRT; 641 AA.
 AC P10591;
 DT 01-JUL-1989 (Rel. 11, Created)
 DT 01-OCT-1994 (Rel. 30, Last sequence update)
 DT 01-OCT-1996 (Rel. 34, Last annotation update)
 DE HEAT SHOCK PROTEIN SSA1 (HEAT SHOCK PROTEIN YG100).
 GN SSA1 OR YAL005C.
 OS Saccharomyces cerevisiae (Baker's yeast).
 CC Eukaryota; Fungi; Ascomycota; Saccharomycotina; Saccharomycetes;
 CC Saccharomycetales; Saccharomycetaceae; Saccharomycetes.
 CC NCBI_TaxID=4932;
 OK [1]
 RN SEQUENCE FROM N.A.
 RP STRAIN-S288C;
 RC MEDLINE=89128457; PubMed=2644626;
 RX Slater M.R., Craig E.A.;
 RA "The SSA1 and SSA2 genes of the yeast *Saccharomyces cerevisiae*.";
 RT Nucleic Acids Res. 17:805-806(1989).
 RL [2]
 RN SEQUENCE FROM N.A.
 RP STRAIN-S288C / AB972;
 RC MEDLINE=95028152; PubMed=7941740;
 RX Clark M.W., Keng T., Storms R.K., Zhong W., Fortin N., Zeng B.,
 RA Delaney S., Ouellette B.F.F., Barton A.B., Kaback D.B., Bussey H.,
 RT "Sequencing of chromosome I of *Saccharomyces cerevisiae*: analysis of
 RT the 42 kbp SP07-CEN1-CD15 region.";
 RL Yeast 10:535-541(1994).
 RN [3]
 RN SEQUENCE OF 590-641 FROM N.A.
 RP MEDLINE=85087943; PubMed=6096826;
 RA Ogden R.C., Lee M.-C., Knapp G.;
 RT "Transfer RNA splicing in *Saccharomyces cerevisiae*: defining the
 RT substrates.";
 RL Nucleic Acids Res. 12:9367-9382(1984).
 RN [4]
 RN REVISIONS TO 207; 417 AND 421.
 RP Slater M.R.;

RL Submitted (JUN-1993) to the EMBL/GenBank/DBJ databases.
 RN [3]
 RN SEQUENCE OF 91-97 AND 325-341.
 RP STRAIN-S288C;
 RC MEDLINE=95203288; PubMed=7895733;
 RX Gairdls J.I., Fletcher B., Kobayashi R., Latter G.I., Schwender B.,
 RA Volpe T., Warner J.R., McLaughlin C.S.;
 RT "Protein identifications for a *Saccharomyces cerevisiae* protein
 RT database.";
 RL Electrophoresis 15:1466-1486(1994).
 RN [6]
 RN SEQUENCE OF 186-195.
 RC STRAIN=ATCC 38531 / Y41;
 RX MEDLINE=97089742; PubMed=8935650;
 RA Norbeck J., Blomberg A.;
 RT "Protein expression during exponential growth in 0.7 M NaCl medium of
 RT *Saccharomyces cerevisiae*.";
 RL FEMS Microbiol. Lett. 137:1-8(1996).
 RN [7]
 RN ACTIVATION.
 RA Gairdls J.I., Fletcher B., Kobayashi R., Latter G.I., Schwender B.,
 RA Volpe T., Warner J.R., McLaughlin C.S.;
 RL Submitted (SEP-1994) to the SWISS-PROT data bank.
 CC -1- FUNCTION: SSA1 MAY PLAY A ROLE IN THE TRANSPORT OF POLYPEPTIDES
 CC BOTH ACROSS THE MITOCHONDRIAL MEMBRANES AND INTO THE
 CC ENDOPASMATIC RETICULUM. A FUNCTIONAL DIFFERENCE BETWEEN YEAST
 CC SSA1 AND SSA2 PROTEINS IS EXPECTED. SSA1 CAN PARTICIPATE IN THE
 CC ATP-DEPENDENT DISASSEMBLY OF CLATHRIN-COATED VESICLES.
 CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL Outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).

DR EMBL: X12926; CAA31393.1; -
 DR EMBL: L22015; AAC04952.1; ALT_SEQ.
 DR PIR: S25438; HHBYAL.
 DR PIR: S42164; S42164.
 DR HSSP: P19120; 1ATR.
 DR SWISS-2DPAGE: P10591; YEAST.
 DR YEPD: 9788; -
 DR SGD: S000004; SSA1.
 DR InterPro: IPR001023; HSP70.
 DR Pfam: PF00012; HSP70; 1.
 DR PRINTS: PR00301; HEATSHOCK70.
 DR PROSITE: PS00297; HSP70_1; 1.
 DR PROSITE: PS00329; HSP70_2; 1.
 DR PROSITE: PS01036; HSP70_3; 1.
 KW Heat shock; ATP-binding; Multigene family; Acetylation.
 FT INIT_MET 0
 FT MOD_RES 1
 SO SEQUENCE 641 AA; 69526 MW; FA9389BA9B1D7DA CRC64;

Query Match 83.0%; Score 44; DB 1; Length 641;
 Best Local Similarity 90.0%; Pred. No. 0.92;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEFGIDGYT 10
 |||||||
 Db 282 SLEFGIDFYT 291

Search completed: December 6, 2001, 08:00:53
 Job time: 421 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:56:54 ; Search time 170.25 Seconds
(without alignments)
8.592 Million cell updates/sec

Title: PEP2-MOD8G
Perfect score: 53
Sequence: 1 SLEFGIDGYT 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 473505 seqs, 146272329 residues
Total number of hits satisfying chosen parameters: 473505

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : SPTREMBL.17:*
1: sp.archaea:*
2: sp.bacteria:*
3: sp.fungi:*
4: sp.human:*
5: sp.invertebrate:*
6: sp.mammal:*
7: sp.mhc:*
8: sp.organelle:*
9: sp.phage:*
10: sp.plant:*
11: sp.rodent:*
12: sp.virus:*
13: sp.vertebrate:*
14: sp.unclassified:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	44	83.0	146	5 Q9U667	Q9U667 littorina p
2	44	83.0	153	5 Q9U670	Q9U670 littorina s
3	44	83.0	155	5 Q9U669	Q9U669 littorina s
4	44	83.0	157	5 Q9U665	Q9U665 littorina p
5	44	83.0	158	5 Q9U671	Q9U671 littorina s
6	44	83.0	158	5 Q9U668	Q9U668 littorina p
7	44	83.0	158	5 Q9U666	Q9U666 littorina p
8	44	83.0	220	5 P81159	P81159 aplysia cal
9	44	83.0	221	5 P81157	P81157 aplysia cal
10	44	83.0	278	13 Q9O520	Q9O520 oncorhynch
11	44	83.0	367	13 Q9R899	Q9R899 fuqu rubrip
12	44	83.0	455	11 Q63718	Q63718 rattus norv
13	44	83.0	467	5 Q44350	Q44350 chondrosta
14	44	83.0	467	5 Q44352	Q44352 petrobiona
15	44	83.0	467	5 Q9N92	Q9N92 guancha lac
16	44	83.0	468	5 Q44349	Q44349 funicella c
17	44	83.0	469	5 Q44351	Q44351 eumicella c
18	44	83.0	526	13 Q9R897	Q9R897 fuqu rubrip
19	44	83.0	632	5 Q15766	Q15766 dictyostell

20	44	83.0	639	13 Q9R900	Q9R900 fuqu rubrip
21	44	83.0	639	13 Q9R8F9	Q9R8F9 oryzias lat
22	44	83.0	640	5 Q93601	Q93601 caenorhabd1
23	44	83.0	640	13 Q93240	Q93240 paralicthys
24	44	83.0	641	11 Q63256	Q63256 rattus norv
25	44	83.0	641	11 Q9QWJ5	Q9QWJ5 mus musculu
26	44	83.0	645	5 Q96541	Q96541 setaria dig
27	44	83.0	645	5 Q9NJB7	Q9NJB7 wuchereria
28	44	83.0	645	5 Q9NGK9	Q9NGK9 wuchereria
29	44	83.0	647	3 Q59855	Q59855 schizosacch
30	44	83.0	650	10 Q9ZS55	Q9ZS55 arabidopsis
31	44	83.0	650	10 Q9LHA8	Q9LHA8 arabidopsis
32	44	83.0	652	10 P93937	P93937 ascopyllum
33	44	83.0	653	5 Q94805	Q94805 trichoplus1
34	44	83.0	659	5 Q9XJ2	Q9XJ2 crassostrea
35	44	83.0	663	5 Q24952	Q24952 geodia cydo
36	43	81.1	190	5 Q9U9B4	Q9U9B4 mytilus edu
37	43	81.1	467	5 Q44346	Q44346 asbestoplum
38	43	81.1	467	5 Q44347	Q44347 petrosia fl
39	43	81.1	467	5 Q9GPM5	Q9GPM5 monosiga ov
40	43	81.1	639	13 Q73922	Q73922 oreochromis
41	43	81.1	642	3 Q9UVM0	Q9UVM0 rhizopus st
42	43	81.1	642	3 Q9N1U2	Q9N1U2 saguinus oe
43	43	81.1	651	3 Q9UVM1	Q9UVM1 rhizopus st
44	43	81.1	651	3 Q22664	Q22664 spinacia ol
45	43	81.1	653	5 Q17310	Q17310 cetatilis c

ALIGNMENTS

RESULT 1					
ID Q9U667	PRELIMINARY;	PRT;	146 AA.		
AC Q9U667;					
DT 01-MAY-2000 (TREMBLrel. 13, Created)					
DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)					
DE 01-JUN-2001 (TREMBLrel. 17, Last annotation update)					
DE HEAT-SHOCK PROTEIN (FRAGMENT).					
GN HSC70.					
OS Littorina plena.					
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;					
OC Neotenoglossa; Littorinoidea; Littorinidae; Littorina.					
OX NCBI_TaxID=31219;					
RN [1]					
RP SEQUENCE FROM N.A.					
RA Hohenlohe P.A.;					
RT "Heat-shock genes in the heat-stressed genus Littorina.";					
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.					
DR EMBL; AF191828; AAF12787.1; -.					
DR HSSP; P19120; IBA1.					
DR InterPro; IPR001023; HSP70.					
DR PROSITE; PS01036; HSP70_3; 1.					
FT NON_TER 1					
FT NON_TER 146					
FT SEQUENCE 146 AA; 16607 MW; C3F3556A1AF438BB CRC64;					
QY 1 SLEFGIDGYT 10					
DB 79 SLEFGIDGYT 88					
Query Match	83.0%;	Score 44;	DB 5;	Length 146;	
Best Local Similarity	90.0%;	Pred. No. 1.2;			
Matches 9;	Conservative 0;	Mismatches 1;	Indels 0;	Gaps 0;	
RESULT 2					
ID Q9U670	PRELIMINARY;	PRT;	153 AA.		
AC Q9U670;					
DT 01-MAY-2000 (TREMBLrel. 13, Created)					
DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)					

DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina scutolata.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotaeniolossia; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31221;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina."
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191825; AAF12784.1; -.
DR HSSP; P19120; 1BA1.
DR InterPro; IPR001023; HSP70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1 153
FT NON_TER 153 153
SQ SEQUENCE 153 AA; 17352 MW; E29EE20C4CA934D CRC64;

Query Match 83.0%; Score 44; DB 5; Length 153;
Best Local Similarity 90.0%; Pred. No. 1.3;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDGYT 10
| | | | | | | |
Db 80 SLFEGIDGYT 89

RESULT 3
Q90669 PRELIMINARY; PRT; 155 AA.
AC Q90669;
DT 01-MAY-2000 (TREMBlrel. 13, Created)
DT 01-MAY-2000 (TREMBlrel. 13, Last sequence update)
DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina scutolata.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotaeniolossia; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31221;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina."
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191826; AAF12785.1; -.
DR HSSP; P19120; 1BA1.
DR InterPro; IPR001023; HSP70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1 155
FT NON_TER 155 155
SQ SEQUENCE 155 AA; 17676 MW; C191FE5B1F346C2 CRC64;

Query Match 83.0%; Score 44; DB 5; Length 155;
Best Local Similarity 90.0%; Pred. No. 1.3;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDGYT 10
| | | | | | | |
Db 82 SLFEGIDGYT 91

RESULT 4
Q90665 PRELIMINARY; PRT; 157 AA.
AC Q90665;
DT 01-MAY-2000 (TREMBlrel. 13, Created)
DT 01-MAY-2000 (TREMBlrel. 13, Last sequence update)
DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)

DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina plena.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotaeniolossia; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31219;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina."
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191830; AAF12789.1; -.
DR HSSP; P19120; 1BA1.
DR InterPro; IPR001023; HSP70.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1 157
FT NON_TER 157 157
SQ SEQUENCE 157 AA; 17834 MW; E8F743382B285EB2 CRC64;

Query Match 83.0%; Score 44; DB 5; Length 157;
Best Local Similarity 90.0%; Pred. No. 1.3;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDGYT 10
| | | | | | | |
Db 84 SLFEGIDGYT 93

RESULT 5
Q90671 PRELIMINARY; PRT; 158 AA.
AC Q90671;
DT 01-MAY-2000 (TREMBlrel. 13, Created)
DT 01-MAY-2000 (TREMBlrel. 13, Last sequence update)
DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina scutolata.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotaeniolossia; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31221;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina."
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191824; AAF12783.1; -.
DR HSSP; P19120; 1BA1.
DR InterPro; IPR001023; HSP70.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1 158
FT NON_TER 158 158
SQ SEQUENCE 158 AA; 17887 MW; B41E5356A24CAD2F CRC64;

Query Match 83.0%; Score 44; DB 5; Length 158;
Best Local Similarity 90.0%; Pred. No. 1.3;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDGYT 10
| | | | | | | |
Db 85 SLFEGIDGYT 94

RESULT 6
Q90668 PRELIMINARY; PRT; 158 AA.
AC Q90668;
DT 01-MAY-2000 (TREMBlrel. 13, Created)
DT 01-MAY-2000 (TREMBlrel. 13, Last sequence update)


```

DT 01-JUN-2001 (TREMBLrel. 17, last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina plena.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotaenioioglossa; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31219;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina.";
RL Submitted (OCT-1999) to the EMBL/Genbank/DBJ databases.
DR EMBL; AF191827; AAF12786.1; -.
DR HSSP; P19120; 1BA1.
DR InterPro; IPR001023; HSP70.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT SEQUENCE 158 AA; 17868 MW; D2ECF71042EC44CB CRC64;
SQ

Query Match
Best Local Similarity 83.0%; Score 44; DB 5; Length 158;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEEGIDGYT 10
DB 85 SLEEGIDFTY 94

RESULT 7
ID Q9U666 PRELIMINARY; PRT; 158 AA.
AC Q9U666;
DT 01-MAY-2000 (TREMBLrel. 13, Created)
DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)
DT 01-JUN-2001 (TREMBLrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina plena.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotaenioioglossa; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31219;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina.";
RL Submitted (OCT-1999) to the EMBL/Genbank/DBJ databases.
DR EMBL; AF191829; AAF12788.1; -.
DR HSSP; P19120; 1BA1.
DR InterPro; IPR001023; HSP70.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 158
FT SEQUENCE 158 AA; 17891 MW; B41E5356BCECAD2F CRC64;
SQ

Query Match
Best Local Similarity 83.0%; Score 44; DB 5; Length 158;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEEGIDGYT 10
DB 85 SLEEGIDFTY 94

RESULT 8
ID P81159 PRELIMINARY; PRT; 220 AA.
AC P81159;
DT 01-JUN-1998 (TREMBLrel. 06, Created)

```

```

DT 01-JUN-1998 (TREMBLrel. 06, last sequence update)
DT 01-JUN-2001 (TREMBLrel. 17, last annotation update)
DE HEAT SHOCK COGNATE 71 KDA PROTEIN (FRAGMENT).
GN HSC70.
OS Aplysia californica (California sea hare).
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Opisthobranchia; Anaspidae;
OC Aplysiidae; Aplysia.
OX NCBI_TaxID=6500;
RN [1]
RP SEQUENCE FROM N.A.
RA MEDLINE=93077669; PubMed=1360013;
RA Kuhl D., Kennedy T., Barzilai A., Kandel E.;
RT "Long-term sensitization training in Aplysia leads to an increase in
the expression of HRP, the major protein chaperon of the ER.";
RL J. Cell Biol. 119:1069-1076(1992).
CC -1- INDUCTION: CONSTITUTIVELY SYNTHESIZED IN A WIDE VARIETY OF CELLS.
CC -1- SIMILARITY: BELONGS TO HEAT SHOCK PROTEIN 70 FAMILY.
DR EMBL; Z15039; CAA78757.1; -.
DR HSSP; P19120; 1BA1.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
DR Heat shock; Multigene family.
FT NON_TER 1
FT NON_TER 220
FT SEQUENCE 220 AA; 24684 MW; FA8557F2BB85C37A CRC64;
SQ

Query Match
Best Local Similarity 83.0%; Score 44; DB 5; Length 220;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEEGIDGYT 10
DB 138 SLEEGIDFTY 147

RESULT 9
ID P81157 PRELIMINARY; PRT; 221 AA.
AC P81157;
DT 01-JUN-1998 (TREMBLrel. 06, Created)
DT 01-JUN-1998 (TREMBLrel. 06, Last sequence update)
DT 01-JUN-2001 (TREMBLrel. 17, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN A (HSP70A) (FRAGMENT).
GN HSP70A.
OS Aplysia californica (California sea hare).
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Opisthobranchia; Anaspidae;
OC Aplysiidae; Aplysia.
OX NCBI_TaxID=6500;
RN [1]
RP SEQUENCE FROM N.A.
RA MEDLINE=93077669; PubMed=1360013;
RA Kuhl D., Kennedy T., Barzilai A., Kandel E.;
RT "Long-term sensitization training in Aplysia leads to an increase in
the expression of HRP, the major protein chaperon of the ER.";
RL J. Cell Biol. 119:1069-1076(1992).
CC -1- INDUCTION: BY HEAT SHOCK.
CC -1- SIMILARITY: BELONGS TO HEAT SHOCK PROTEIN 70 FAMILY.
DR EMBL; Z15037; CAA78755.1; -.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
DR Heat shock; Multigene family.
FT NON_TER 1
FT NON_TER 221
FT SEQUENCE 221 AA; 24404 MW; 853F794106E83C9 CRC64;
SQ

```

Query Match 83.0%; Score 44; DB 5; Length 221;
 Best Local Similarity 90.0%; Pred. No. 2;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLEFGIDGYT 10
 |||||
 DB 139 SLEFGIDGYT 148

RESULT 10

ID 090520 PRELIMINARY; PRT; 278 AA.

AC 090520;
 DT 01-NOV-1996 (TREMBLrel. 01, Created)
 DT 01-NOV-1996 (TREMBLrel. 01, Last sequence update)
 DT 01-JUN-2001 (TREMBLrel. 17, Last annotation update)
 DE RAINBOW TROUT 70 KDA HEAT SHOCK PROTEIN (FRAGMENT).
 OS Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
 OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
 NCBI_TaxID=8022;

RN [1]
 RX SEQUENCE FROM N.A.
 RX MEDLINE=85036330; PubMed=6092938;
 RA Kothary R.K., Jones D., Candido E.P.M.;
 RT "70-kilodalton heat shock polypeptides from rainbow trout:
 RT characterization of cDNA sequences.";
 RL Mol. Cell. Biol. 4:1785-1791(1984).

DR EMBL; K02549; AAA49562.1; -.
 DR HSSP; P08109; ICKR.
 DR InterPro; IPR001023; HSP70.
 DR Pfam; PF00012; HSP70.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS00329; HSP70_2; 1.
 DR PROSITE; PS01036; HSP70_3; 1.
 DR Heat shock; Multigene family.
 FT NON_TER 1
 FT NON_TER 278
 SQ SEQUENCE 278 AA; 30327 MW; E4C745DE5484C17A CRC64;

Query Match 83.0%; Score 44; DB 13; Length 278;
 Best Local Similarity 90.0%; Pred. No. 2.6;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLEFGIDGYT 10
 |||||
 DB 156 SLEFGIDGYT 165

RESULT 11

ID 098899 PRELIMINARY; PRT; 367 AA.

AC 098899;
 DT 01-FEB-1997 (TREMBLrel. 02, Created)
 DT 01-FEB-1997 (TREMBLrel. 02, Last sequence update)
 DT 01-JUN-2001 (TREMBLrel. 17, Last annotation update)
 DE 70 KDA HEAT SHOCK PROTEIN (FRAGMENT).
 OS HSP70-3.
 OS Fugu rubripes (Japanese pufferfish) (Takifugu rubripes).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
 OC Acanthomorpha; Acanthopterygii; Percormorpha; Tetraodontiformes;
 OC Tetraodontidae; Takifugu.
 NCBI_TaxID=31033;

RN [1]
 RP SEQUENCE FROM N.A.
 RA Iam E.H.;
 RL Submitted (OCT-1996) to the EMBL/GenBank/DBJ databases.
 DR EMBL; Y08578; CAA6892.1; -.
 DR HSSP; P19120; 3HSC.
 DR InterPro; IPR001023; HSP70.

DR Pfam; PF00012; HSP70; 1.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS00297; HSP70_1; 1.
 DR PROSITE; PS01036; HSP70_3; 1.
 DR Heat shock.
 FT NON_TER 367
 FT NON_TER 367
 SQ SEQUENCE 367 AA; 40405 MW; 8CD3DD8DF63C2CA CRC64;

Query Match 83.0%; Score 44; DB 13; Length 367;
 Best Local Similarity 90.0%; Pred. No. 3.6;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLEFGIDGYT 10
 |||||
 DB 268 SLEFGIDGYT 277

RESULT 12

ID 063718 PRELIMINARY; PRT; 455 AA.

AC 063718;
 DT 01-NOV-1996 (TREMBLrel. 01, Created)
 DT 01-NOV-1996 (TREMBLrel. 01, Last sequence update)
 DT 01-JUN-2001 (TREMBLrel. 17, Last annotation update)
 DE HEAT SHOCK PROTEIN 70 (FRAGMENT).
 OS Rattus norvegicus (Rat).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
 NCBI_TaxID=10116;

RN [1]
 RP SEQUENCE FROM N.A.
 RA Angeletti B., Passarelli F., Orru D., Pascale E., Butler R.H.,
 RA D'Amprosio E.;
 RL Submitted (NOV-1993) to the EMBL/GenBank/DBJ databases.
 DR EMBL; Z27118; CAA81642.1; -.
 DR HSSP; P08107; IHUO.

DR InterPro; IPR001023; HSP70.
 DR Pfam; PF00012; HSP70; 1.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS00329; HSP70_2; 1.
 DR PROSITE; PS01036; HSP70_3; 1.
 DR Heat shock.
 FT NON_TER 1
 FT NON_TER 455
 SQ SEQUENCE 455 AA; 50404 MW; 0F45P12CBA1E2971 CRC64;

Query Match 83.0%; Score 44; DB 11; Length 455;
 Best Local Similarity 90.0%; Pred. No. 4.7;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLEFGIDGYT 10
 |||||
 DB 254 SLEFGIDGYT 263

RESULT 13

ID 044350 PRELIMINARY; PRT; 467 AA.

AC 044350;
 DT 01-JUN-1998 (TREMBLrel. 06, Created)
 DT 01-JUN-1998 (TREMBLrel. 06, Last sequence update)
 DT 01-JUN-2001 (TREMBLrel. 17, Last annotation update)
 DE HEAT-SHOCK PROTEIN HSP70 (FRAGMENT).
 OS HSP70.

OS Chondrosia reniformis.
 OC Eukaryota; Metazoa; Porifera; Demospongiae; Tetractinomorpha;
 OC Chondrosida; Chondrillidae; Chondrosia.
 NCBI_TaxID=68574;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Borchgrevink C., Le Parco Y.;

```

RL Submitted (SEP-1997) to the EMBL/GenBank/DBJ databases.
DR EMBL: AF026517; AAC05362.1; -.
DR HSSP: P08109; 1CKR.
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70; 1.
DR PRINTS: PR00301; HEATSHOCK70.
DR PROSITE: PS00329; HSP70_2; 1.
DR PROSITE: PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 467
SQ SEQUENCE 467 AA; 51707 MW; 0DBE6920F2E6EA96 CRC64;

Query Match
Best Local Similarity 83.0%; Score 44; DB 5; Length 467;
Pred. No. 4.8;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGYT 10
Db 252 SLFEGIDFYT 261

RESULT 14
O44352 PRELIMINARY; PRT; 467 AA.
AC 044352;
DT 01-JUN-1998 (TREMBLrel. 06, Created)
DT 01-JUN-1998 (TREMBLrel. 06, Last sequence update)
DE 01-JUN-2001 (TREMBLrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN HSP70 (FRAGMENT).
GN HSP70.
OS Petrobiona massilliana.
OC Eukaryota; Metazoa; Porifera; Calcarea; Calcarea; Petrobionidae;
OC Petrobiona.
OX NCBI_TaxID=68578;
RN [1]
RP SEQUENCE FROM N.A.
RA Borchelliini C., Le Parco Y.;
RL Submitted (SEP-1997) to the EMBL/GenBank/DBJ databases.
DR EMBL: AF026520; AAC05364.1; -.
DR HSSP: P08109; 1CKR.
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70; 1.
DR PRINTS: PR00301; HEATSHOCK70.
DR PROSITE: PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 467
SQ SEQUENCE 467 AA; 51458 MW; 23EB28FPD1873DA6 CRC64;

Query Match
Best Local Similarity 83.0%; Score 44; DB 5; Length 467;
Pred. No. 4.8;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGYT 10
Db 252 SLFEGIDFYT 261

RESULT 15
O9NJ92 PRELIMINARY; PRT; 467 AA.
AC 09NJ92;
DT 01-OCT-2000 (TREMBLrel. 15, Created)
DT 01-OCT-2000 (TREMBLrel. 15, Last sequence update)
DE 01-JUN-2001 (TREMBLrel. 17, Last annotation update)
DE HEAT SHOCK PROTEIN 70 (FRAGMENT).
OS Guancha lacunosa.
OC Eukaryota; Metazoa; Porifera; Calcarea; Calcinea; Clathrinidae;
OC Clathrinidae; Guancha.
OX NCBI_TaxID=115120;
RN [1]
RP SEQUENCE FROM N.A.

```

```

RA Borchelliini C., Le Parco Y.;
RT "Sponges paraphyly and the origin of Metazoa.";
RL Submitted (SEP-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL: AF182195; AAF61297.1; -.
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70; 1.
DR PRINTS: PR00301; HEATSHOCK70.
DR PROSITE: PS00329; HSP70_2; 1.
DR PROSITE: PS01036; HSP70_3; 1.
FT NON_TER 1
FT NON_TER 467
SQ SEQUENCE 467 AA; 51318 MW; F36FC06CB1DEE131 CRC64;

Query Match
Best Local Similarity 83.0%; Score 44; DB 5; Length 467;
Pred. No. 4.8;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDGYT 10
Db 252 SLFEGIDFYT 261

```

Search completed: December 6, 2001, 07:56:54
 Job time: 182 sec

THIS PAGE BLANK (uspto)

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:59:57 ; Search time 81.43 Seconds
(without alignments)
2.764 Million cell updates/sec

Title: PEP2-MOD81
Perfect score: 51
Sequence: 1 SLFEGIDLVT 10

Scoring table:
BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 212252 seqs, 22503292 residues

Total number of hits satisfying chosen parameters: 212252

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 08
Maximum Match 1008
Listing first 45 summaries

Database : Issued Patents, AA:*
1: /cgn2_6/ptodata/2/1aa/5A.COMB.pep:*
2: /cgn2_6/ptodata/2/1aa/5B.COMB.pep:*
3: /cgn2_6/ptodata/2/1aa/6A.COMB.pep:*
4: /cgn2_6/ptodata/2/1aa/6B.COMB.pep:*
5: /cgn2_6/ptodata/2/1aa/PCRUS.COMB.pep:*
6: /cgn2_6/ptodata/2/1aa/Backfiles1.pep:*

Pred. NO. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match Length	ID	Description
1	46	90.2	643 4	US-08-797-358B-3 Sequence 3, Appl
2	44	86.3	646 1	US-08-441-139-14 Sequence 14, Appl
3	33	64.7	339 2	US-08-928-692-52 Sequence 52, Appl
4	33	64.7	415 4	US-09-198-956-6 Sequence 6, Appl
5	32	62.7	36 1	US-08-487-890A-19 Sequence 19, Appl
6	32	62.7	36 2	US-08-478-435-19 Sequence 19, Appl
7	32	62.7	36 2	US-08-337-483-19 Sequence 19, Appl
8	32	62.7	36 2	US-08-478-373-19 Sequence 19, Appl
9	32	62.7	36 3	US-08-474-671-19 Sequence 19, Appl
10	32	62.7	36 3	US-08-483-577A-19 Sequence 19, Appl
11	32	62.7	36 4	US-08-897-438-19 Sequence 19, Appl
12	32	62.7	81 4	US-08-817-811-55 Sequence 55, Appl
13	32	62.7	161 3	US-09-205-264-2 Sequence 2, Appl
14	32	62.7	301 5	PCR-US95-13975-72 Sequence 72, Appl
15	32	62.7	309 4	US-09-347-803-14 Sequence 14, Appl
16	32	62.7	422 4	US-09-625-188-12 Sequence 12, Appl
17	32	62.7	435 3	US-08-911-321-8 Sequence 8, Appl
18	32	62.7	436 4	US-08-716-873-5 Sequence 5, Appl
19	32	62.7	436 4	US-09-368-431-5 Sequence 5, Appl
20	32	62.7	439 4	US-08-716-873-4 Sequence 2, Appl
21	32	62.7	439 4	US-08-716-873-4 Sequence 2, Appl
22	32	62.7	439 4	US-09-368-431-2 Sequence 2, Appl
23	32	62.7	439 4	US-09-368-431-4 Sequence 4, Appl
24	32	62.7	458 4	US-09-457-046B-61 Sequence 61, Appl
25	32	62.7	691 3	US-08-946-475-2 Sequence 2, Appl
26	32	62.7	691 4	US-09-340-479-2 Sequence 2, Appl
27	32	62.7	711 3	US-08-946-475-9 Sequence 9, Appl

28	32	62.7	711 4	US-09-340-479-9 Sequence 9, Appl
29	32	62.7	911 1	US-08-487-890A-107 Sequence 107, App
30	32	62.7	911 2	US-08-478-435-107 Sequence 107, App
31	32	62.7	911 2	US-08-337-483-107 Sequence 107, App
32	32	62.7	911 2	US-08-478-373-107 Sequence 107, App
33	32	62.7	911 3	US-08-474-671-107 Sequence 107, App
34	32	62.7	911 3	US-08-483-577A-107 Sequence 107, App
35	32	62.7	911 4	US-08-897-438-107 Sequence 107, App
36	32	62.7	913 1	US-08-487-890A-5 Sequence 5, Appl
37	32	62.7	913 2	US-08-478-435-5 Sequence 5, Appl
38	32	62.7	913 2	US-08-337-483-5 Sequence 5, Appl
39	32	62.7	913 3	US-08-478-373-5 Sequence 5, Appl
40	32	62.7	913 3	US-08-474-671-5 Sequence 5, Appl
41	32	62.7	913 3	US-08-483-577A-5 Sequence 5, Appl
42	32	62.7	913 4	US-08-897-438-5 Sequence 5, Appl
43	31	60.8	120 4	US-08-679-006-34 Sequence 34, Appl
44	31	60.8	332 2	US-08-637-763B-6 Sequence 6, Appl
45	31	60.8	332 2	US-08-637-763B-8 Sequence 8, Appl

ALIGNMENTS

RESULT 1
US-08-797-358B-3
Sequence 3, Application US/08797358B
Patent No. 6268478
GENERAL INFORMATION:
APPLICANT: Adams, John
TITLE OF INVENTION: INTRACELLULAR VITAMIN D BINDING PROTEIN
NUMBER OF SEQUENCES: 9
CORRESPONDENCE ADDRESSES:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/797,358B
FILING DATE: 11-Feb-1997
CLASSIFICATION: <Unknown>
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 60/011,491
FILING DATE: 12-FEB-1996
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-CE 3165
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 3:
SEQUENCE CHARACTERISTICS:
LENGTH: 643 amino acids
TYPE: amino acid
STRANDEDNESS: unknown
TOPOLOGY: unknown
MOLECULE TYPE: protein
SEQUENCE DESCRIPTION: SEQ ID NO: 3:
US-08-797-358B-3

Query Match 90.2%; Score 46; DB 4; Length 643;
Best Local Similarity 80.0%; Pred. No. 0.29;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
QY 1 SLFEGIDLVT 10

Db 288 SLFEGVDFT 297

```
|||||:||||
US-08-441-139-14
; Sequence 14, Application US/08441139
; Patent No. 5773245
; GENERAL INFORMATION:
; APPLICANT: Wilttrup, Dr. Karl D.
; APPLICANT: Robinson, Anne S.
; TITLE OF INVENTION: METHODS FOR INCREASING SECRETION OF
; TITLE OF INVENTION: RECOMBINANTLY EXPRESSED PROTEINS
; NUMBER OF SEQUENCES: 20
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: SCULLY, SCOTT, MURPHY & PRESSER
; STREET: 400 Garden City Plaza
; CITY: Garden City
; STATE: NY
; COUNTRY: USA
; ZIP: 11530
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/441,139
; FILING DATE: 15-MAY-1995
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/089,997
; FILING DATE: 06-JUL-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Digiglio, Frank S.
; REGISTRATION NUMBER: 31,346
; REFERENCE/DOCKET NUMBER: 8646
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 516-742-4343
; TELEFAX: 516-742-4366
; TELEX: 230 901 SANS UR
; INFORMATION FOR SEQ ID NO: 14:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 646 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: Protein
; US-08-441-139-14

Query Match 86.3%; Score 44; DB 1; Length 646;
Best Local Similarity 80.0%; Pred. No. 0.71;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLYT 10
||:|||||
Db 286 SLFEGIDFT 295

RESULT 3
US-08-928-692-52
; Sequence 52, Application US/08928692
; Patent No. 5958727
; GENERAL INFORMATION:
; APPLICANT: Brody, Howard
; APPLICANT: Yaver, Deborah S.
; APPLICANT: Lamsa, Michael
; APPLICANT: Hansen, Kim
; TITLE OF INVENTION: Methods for Modifying the Production of
; TITLE OF INVENTION: a Polypeptide
; NUMBER OF SEQUENCES: 80
; CORRESPONDENCE ADDRESS:
; ADDRESS: NO. 5958727o No. 5958727disk of No. 5958727th America, Inc.
```

```
STREET: 405 Lexington Avenue
CITY: New York
STATE: NY
COUNTRY: USA
ZIP: 10174
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; OPERATING SYSTEM: DOS
; SOFTWARE: FASTSEQ for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/928,692
; FILING DATE: 12-SEPT-1997
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Lambiris, Elias J
; REGISTRATION NUMBER: 33,728
; REFERENCE/DOCKET NUMBER: 4944.200-US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 212-867-0123
; TELEFAX: 212-878-9655
; INFORMATION FOR SEQ ID NO: 52:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 339 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: No. 5958727e
; US-08-928-692-52
```

Query Match 64.7%; Score 33; DB 2; Length 339;
Best Local Similarity 85.7%; Pred. No. 52;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 4 EGIDLYT 10
|||||
Db 285 EGIDFT 291

```
RESULT 4
US-09-198-956-6
; Sequence 6, Application US/09198956
; Patent No. 6165769
; GENERAL INFORMATION:
; APPLICANT: Andersen, Lene N.
; APPLICANT: Schulten, Martin
; APPLICANT: Lange, Niels Erik K.
; APPLICANT: Bjornvad, Mads E.
; APPLICANT: Schmitt, Kirk
; TITLE OF INVENTION: Pectin Degrading Enzymes From Bacillus
; TITLE OF INVENTION: Licheniformis
; FILE REFERENCE: 5377.200-US
; CURRENT APPLICATION NUMBER: US/09/198,956
; CURRENT FILING DATE: 1998-11-24
; EARLIER FILING DATE: 1997-11-24
; EARLIER APPLICATION NUMBER: 60/067,240
; EARLIER FILING DATE: 1997-12-02
; NUMBER OF SEQ ID NOS: 26
; SOFTWARE: FASTSEQ for Windows Version 3.0
; SEQ ID NO 6
; LENGTH: 415
; TYPE: PRT
; ORGANISM: Bacillus licheniformis
; US-09-198-956-6
```

Query Match 64.7%; Score 33; DB 4; Length 415;
Best Local Similarity 71.4%; Pred. No. 65;
Matches 5; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

QY 3 FEGIDLY 9

Db 111:111
118 FEGVLYT 124

RESULT 5
US-08-487-890A-19
; Sequence 19, Application US/08487890A
; Patent No. 5708149

GENERAL INFORMATION:

APPLICANT: Loosmore, Sheena

APPLICANT: Harkness, Robin

APPLICANT: Schryvers, Anthony

APPLICANT: Chong, Pele

APPLICANT: Gray-Owen, Scott

APPLICANT: Yang, Yan-Ping

APPLICANT: Murdin, Andrew

TITLE OF INVENTION: Transferrin Receptor Genes

NUMBER OF SEQUENCES: 147

CORRESPONDENCE ADDRESS:

ADDRESSEE: Sim & McBurney

STREET: 6th Floor, 330 University Avenue

CITY: Toronto

STATE: Ontario

COUNTRY: Canada

ZIP: M5G 1R7

COMPUTER READABLE FORM:

MEDIUM TYPE: Floppy disk

COMPUTER: IBM PC compatible

OPERATING SYSTEM: PC-DOS/MS-DOS

SOFTWARE: Patentin Release #1.0, Version #1.25

CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/08/487,890A

FILING DATE: 07-JUN-1993

CLASSIFICATION: 435

PRIOR APPLICATION DATA:

APPLICATION NUMBER: US 08/175,116

FILING DATE: 29-DEC-1993

PRIOR APPLICATION DATA:

APPLICATION NUMBER: US 08/148,968

FILING DATE: 08-NOV-1993

ATTORNEY/AGENT INFORMATION:

NAME: Stewart, Michael I

REGISTRATION NUMBER: 24,973

REFERENCE/DOCKET NUMBER: 1038-466 MIS:jb

TELECOMMUNICATION INFORMATION:

TELEPHONE: (416) 595-1155

TELEFAX: (416) 595-1163

INFORMATION FOR SEQ ID NO: 19:

SEQUENCE CHARACTERISTICS:

LENGTH: 36 amino acids

TYPE: amino acid

STRANDEDNESS: single

TOPOLOGY: linear

US-08-487-890A-19

Query Match 62.7%; Score 32; DB 1; Length 36;

Best Local Similarity 62.5%; Pred. No. 6.6;

Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

OY 3 FEGIDLYT 10

Db 28 FEGVLYT 35

RESULT 6

US-08-478-435-19

; Sequence 19, Application US/08478435

; Patent No. 592323

; GENERAL INFORMATION:

APPLICANT: Loosmore, Sheena

APPLICANT: Harkness, Robin

APPLICANT: Schryvers, Anthony

APPLICANT: Chong, Pele

APPLICANT: Gray-Owen, Scott

APPLICANT: Yang, Yan-Ping

APPLICANT: Murdin, Andrew

APPLICANT: Klein, Michel

TITLE OF INVENTION: Transferrin Receptor Genes

NUMBER OF SEQUENCES: 147

CORRESPONDENCE ADDRESS:

ADDRESSEE: Sim & McBurney

STREET: Suite 701, 330 University Avenue

CITY: Toronto

STATE: Ontario

COUNTRY: Canada

ZIP: M5G 1R7

COMPUTER READABLE FORM:

MEDIUM TYPE: Floppy disk

COMPUTER: IBM PC compatible

OPERATING SYSTEM: PC-DOS/MS-DOS

SOFTWARE: Patentin Release #1.0, Version #1.25

CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/08/478,435

FILING DATE: 07-JUN-1995

CLASSIFICATION: 435

PRIOR APPLICATION DATA:

APPLICATION NUMBER: US 08/337,483

FILING DATE: 08-NOV-1994

PRIOR APPLICATION DATA:

APPLICATION NUMBER: US 08/175,116

FILING DATE: 29-DEC-1993

PRIOR APPLICATION DATA:

APPLICATION NUMBER: US 08/148,968

FILING DATE: 08-NOV-1993

ATTORNEY/AGENT INFORMATION:

NAME: Stewart, Michael I

REGISTRATION NUMBER: 24,973

REFERENCE/DOCKET NUMBER: 1038-462 MIS:vg

TELECOMMUNICATION INFORMATION:

TELEPHONE: (416) 595-1155

TELEFAX: (416) 595-1163

INFORMATION FOR SEQ ID NO: 19:

SEQUENCE CHARACTERISTICS:

LENGTH: 36 amino acids

TYPE: amino acid

STRANDEDNESS: single

TOPOLOGY: linear

US-08-478-435-19

Query Match 62.7%; Score 32; DB 2; Length 36;

Best Local Similarity 62.5%; Pred. No. 6.6;

Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

OY 3 FEGIDLYT 10

Db 28 FEGVLYT 35

RESULT 7

US-08-337-483-19

; Sequence 19, Application US/08337483

; Patent No. 5922562

; GENERAL INFORMATION:

APPLICANT: Loosmore, Sheena

APPLICANT: Harkness, Robin

APPLICANT: Schryvers, Anthony

APPLICANT: Chong, Pele

APPLICANT: Gray-Owen, Scott

APPLICANT: Yang, Yan-Ping

APPLICANT: Murdin, Andrew

APPLICANT: Klein, Michel

TITLE OF INVENTION: Transferrin Receptor Genes

NUMBER OF SEQUENCES: 147
CORRESPONDENCE ADDRESS:
ADDRESSEE: Sim & McBurney
STREET: Suite 701, 330 University Avenue
CITY: Toronto
STATE: Ontario
COUNTRY: Canada
ZIP: M5G 1R7
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patentin Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/337,483
FILING DATE: 08-NOV-1994
CLASSIFICATION: 435
ATTORNEY/AGENT INFORMATION:
NAME: Stewart, Michael I
REGISTRATION NUMBER: 24,973
REFERENCE/DOCKET NUMBER: 1038-410 MIS:jb
TELECOMMUNICATION INFORMATION:
TELEPHONE: (416) 595-1155
TELEFAX: (416) 595-1163
INFORMATION FOR SEQ ID NO: 19: *
SEQUENCE CHARACTERISTICS:
LENGTH: 36 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
US-08-337-483-19

Query Match 62.7%; Score 32; DB 2; Length 36;
Best Local Similarity 62.5%; Pred. No. 6.6;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

OY 3 FEGIDLYT 10
| | | : | |
Db 28 FEGVAITYT 35

RESULT 8
US-08-478-373-19
Sequence 19, Application US/08478373
Patent No. 5922841
GENERAL INFORMATION:
APPLICANT: Loosmore, Sheena
APPLICANT: Harkness, Robin
APPLICANT: Schryvers, Anthony
APPLICANT: Chong, Pele
APPLICANT: Gray-Owen, Scott
APPLICANT: Yang, Yan-Ping
APPLICANT: Murdin, Andrew
APPLICANT: Klein, Michel
TITLE OF INVENTION: Transferrin Receptor Genes
NUMBER OF SEQUENCES: 147
CORRESPONDENCE ADDRESS:
ADDRESSEE: Sim & McBurney
STREET: Suite 701, 330 University Avenue
CITY: Toronto
STATE: Ontario
COUNTRY: Canada
ZIP: M5G 1R7
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patentin Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/478,373
FILING DATE: 07-JUN-1995
CLASSIFICATION: 435

PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/337,483
FILING DATE: 08-NOV-1994
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/175,116
FILING DATE: 29-DEC-1993
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/148,968
FILING DATE: 08-NOV-1993
ATTORNEY/AGENT INFORMATION:
NAME: Stewart, Michael I
REGISTRATION NUMBER: 24,973
REFERENCE/DOCKET NUMBER: 1038-463 MIS:vg
TELECOMMUNICATION INFORMATION:
TELEPHONE: (416) 595-1155
TELEFAX: (416) 595-1163
INFORMATION FOR SEQ ID NO: 19:
SEQUENCE CHARACTERISTICS:
LENGTH: 36 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
US-08-478-373-19

Query Match 62.7%; Score 32; DB 2; Length 36;
Best Local Similarity 62.5%; Pred. No. 6.6;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

OY 3 FEGIDLYT 10
| | | : | |
Db 28 FEGVAITYT 35

RESULT 9
US-08-474-671-19
Sequence 19, Application US/08474671
Patent No. 6008326
GENERAL INFORMATION:
APPLICANT: Loosmore, Sheena
APPLICANT: Harkness, Robin
APPLICANT: Schryvers, Anthony
APPLICANT: Chong, Pele
APPLICANT: Gray-Owen, Scott
APPLICANT: Yang, Yan-Ping
APPLICANT: Murdin, Andrew
APPLICANT: Klein, Michel
TITLE OF INVENTION: Transferrin Receptor Genes
NUMBER OF SEQUENCES: 147
CORRESPONDENCE ADDRESS:
ADDRESSEE: Sim & McBurney
STREET: Suite 701, 330 University Avenue
CITY: Toronto
STATE: Ontario
COUNTRY: Canada
ZIP: M5G 1R7
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patentin Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/474,671
FILING DATE: 07-JUN-1995
CLASSIFICATION: 530
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/337,483
FILING DATE: 08-NOV-1994
CLASSIFICATION: 530
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/175,116
FILING DATE: 29-DEC-1993


```

? PRIOR APPLICATION DATA:
?   APPLICATION NUMBER: US 08/148,968
?   FILING DATE: 08-NOV-1993
?   ATTORNEY/AGENT INFORMATION:
?     NAME: Stewart, Michael I
?     REGISTRATION NUMBER: 24,973
?     REFERENCE/DOCKET NUMBER: 1038-465 MTS:v9
? TELECOMMUNICATION INFORMATION:
?   TELEPHONE: (416) 595-1155
?   TELEFAX: (416) 595-1163
?   INFORMATION FOR SEQ ID NO: 19:
?     SEQUENCE CHARACTERISTICS:
?       LENGTH: 36 amino acids
?       TYPE: amino acid
?       STRANDEDNESS: single
?       TOPOLOGY: linear
? US-08-474-671-19
?
? Query Match          62.7%; Score 32; DB 3; Length 36;
? Best Local Similarity 62.5%; Pred. No. 6.6;
? Matches    5; Conservative    2; Mismatches      1; Indels      0; Gaps      0;
?
? QY      3 PEGIDLYT 10
?         IIII::II
? Db      28 FEQVAIYT 35
?
? RESULT 10
? US-08-483-577A-19
?   Sequence 19, Application US/08483577A
?   Patent No. 6015688
?   GENERAL INFORMATION:
?     APPLICANT: Loosmore, Sheena
?     APPLICANT: Hartness, Robin
?     APPLICANT: Schryvers, Anthony
?     APPLICANT: Chong, Pele
?     APPLICANT: Gray-Owen, Scott
?     APPLICANT: Yang, Yan-Ping
?     APPLICANT: Murdin, Andrew
?     APPLICANT: Klein, Michel
?     TITLE OF INVENTION: Transferrin Receptor Genes
?     NUMBER OF SEQUENCES: 160
?     CORRESPONDENCE ADDRESS:
?       ADDRESSEE: Slim & McBurney
?       STREET: Suite 701, 330 University Avenue
?       CITY: Toronto
?       STATE: Ontario
?       COUNTRY: Canada
?       ZIP: M5G 1R7
?     COMPUTER READABLE FORM:
?       MEDIUM TYPE: Floppy disk
?       COMPUTER: IBM PC compatible
?       OPERATING SYSTEM: PC-DOS/MS-DOS
?       SOFTWARE: PatentIn Release #1.0, Version #1.25
?     CURRENT APPLICATION DATA:
?       APPLICATION NUMBER: US/08/483,577A
?       FILING DATE: 07-JUN-1995
?     CLASSIFICATION: 435
?     PRIOR APPLICATION DATA:
?       APPLICATION NUMBER: US 08/337,483
?       FILING DATE: 08-NOV-1994
?     PRIOR APPLICATION DATA:
?       APPLICATION NUMBER: US 08/175,116
?       FILING DATE: 29-DEC-1993
?     PRIOR APPLICATION DATA:
?       APPLICATION NUMBER: US 08/148,968
?       FILING DATE: 08-NOV-1993
?     ATTORNEY/AGENT INFORMATION:
?       NAME: Stewart, Michael I
?       REGISTRATION NUMBER: 24,973
?       REFERENCE/DOCKET NUMBER: 1038-511
? TELECOMMUNICATION INFORMATION:

```

```

: TELEPHONE: (416) 595-1155
: TELEFAX: (416) 595-1163
: INFORMATION FOR SEQ ID NO: 19:
: SEQUENCE CHARACTERISTICS:
:   LENGTH: 36 amino acids
:   TYPE: amino acid
:   STRANDEDNESS: single
:   TOPOLOGY: linear
: US-08-483-577A-19

Query Match      62.7%; Score 32; DB 3; Length 36;
Best Local Similarity 62.5%; Pred. No. 6.6;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Oy      3 FEGIDLYT 10
      111::111
Db      28 FEGVALYT 35

RESULT 11
: Sequence 19, Application US/08897438
: Patent No. 6262016
: GENERAL INFORMATION:
:   APPLICANT: Loosmore, Sheena
:   APPLICANT: Harkness, Robin
:   APPLICANT: Schryvers, Anthony
:   APPLICANT: Chong, Pele
:   APPLICANT: Gray-Owen, Scott
:   APPLICANT: Yang, Yan-Ping
:   APPLICANT: Murdin, Andrew
:   APPLICANT: Klein, Michel
:   TITLE OF INVENTION: Transferrin Receptor Genes
:   NUMBER OF SEQUENCES: 160
: CORRESPONDENCE ADDRESS:
:   ADDRESSEE: Slim & McBurney
:   STREET: 6th Floor, 330 University Avenue
:   CITY: Toronto
:   STATE: Ontario
:   COUNTRY: Canada
:   ZIP: M5G 1R7
: COMPUTER READABLE FORM:
:   MEDIUM TYPE: Floppy disk
:   OPERATING SYSTEM: PC-DOS/MS-DOS
:   SOFTWARE: Patentln Release #1.0, Version #1.25
:   CURRENT APPLICATION DATA:
:     APPLICATION NUMBER: US/08/897,438
:     FILING DATE:
:   CLASSIFICATION: 435
:   PRIOR APPLICATION DATA:
:     APPLICATION NUMBER: US 08/483,577
:     FILING DATE: 07-JUN-1995
:     PRIOR APPLICATION DATA:
:       APPLICATION NUMBER: US 08/337,483
:       FILING DATE: 08-NOV-1994
:     PRIOR APPLICATION DATA:
:       APPLICATION NUMBER: US 08/175,116
:       FILING DATE: 29-DEC-1993
:     PRIOR APPLICATION DATA:
:       APPLICATION NUMBER: US 08/148,968
:       FILING DATE: 08-NOV-1993
:   ATTORNEY/AGENT INFORMATION:
:     NAME: Stewart, Michael I
:     REGISTRATION NUMBER: 24,973
:     REFERENCE/DOCKET NUMBER: 1038-720
:   TELECOMMUNICATION INFORMATION:
:     TELEPHONE: (416) 595-1155
:     TELEFAX: (416) 595-1163
:   INFORMATION FOR SEQ ID NO: 19:
:     SEQUENCE CHARACTERISTICS:
:       LENGTH: 36 amino acids
:

```

TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
US-08-897-438-19

Query Match 62.7%; Score 32; DB 4; Length 36;
Best Local Similarity 62.5%; Pred. No. 6.6;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

OY 3 SLEPIDLYT 10
111:111
DB 28 FEGVALYT 35

RESULT 12
US-08-817-811-55
Sequence 55, Application US/08817811
Patent No. 6174528
GENERAL INFORMATION:

APPLICANT: Cooper, Juan A.
APPLICANT: Relf, Wendy A.
APPLICANT: Good, Michael F.
APPLICANT: Saul, Allan J.
TITLE OF INVENTION: SYNTHETIC PEPTIDES AND VACCINES
TITLE OF INVENTION: COMPRISING SAME
NUMBER OF SEQUENCES: 97
CORRESPONDENCE ADDRESS:
ADDRESSEE: Arnold, White & Durkee
STREET: P.O. Box 4433
CITY: Houston
STATE: Texas
COUNTRY: USA
ZIP: 77210

COMPUTER READABLE FORM:

MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patentin Release #1.0, Version #1.30
CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/08/817/811
FILING DATE: 14-APR-1997
CLASSIFICATION: 424

PRIOR APPLICATION DATA:

APPLICATION NUMBER: WO 96/11944

FILING DATE: 25-APR-1996

ATTORNEY/AGENT INFORMATION:

NAME: Highlander, Steven L.

REGISTRATION NUMBER: 37,642

REFERENCE/DOCKET NUMBER: FBRC:005

TELECOMMUNICATION INFORMATION:

TELEPHONE: 512/418-3000

TELEFAX: 512/474-7577

INFORMATION FOR SEQ ID NO: 55:

SEQUENCE CHARACTERISTICS:

LENGTH: 81 amino acids

TYPE: amino acid

STRANDEDNESS:

TOPOLOGY: linear

US-08-817-811-55

Query Match 62.7%; Score 32; DB 4; Length 81;

Best Local Similarity 50.0%; Pred. No. 16;

Matches 5; Conservative 4; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEPIDLYT 10
1:11:111

DB 20 SLEGLNLYS 29

RESULT 13
US-09-205-264-2

Sequence 2, Application US/09205264

Patent No. 6114145

GENERAL INFORMATION:

APPLICANT: Olsen, et al.

TITLE OF INVENTION: Synferon

FILE REFERENCE: PE404

CURRENT APPLICATION NUMBER: US/09/205,264

CURRENT FILING DATE: 1998-12-02

EARLIER APPLICATION NUMBER: 60/067,746

EARLIER FILING DATE: 1997-12-05

NUMBER OF SEQ ID NOS: 9

SOFTWARE: Patentin Ver. 2.0

SEQ ID NO 2

LENGTH: 161

TYPE: PRT

ORGANISM: Homo sapiens

US-09-205-264-2

Query Match 62.7%; Score 32; DB 3; Length 161;

Best Local Similarity 66.7%; Pred. No. 35;

Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

OY 1 SLEPIDLY 9
1:1:111

DB 120 SYFGISLY 128

RESULT 14
PCT-US95-13975-72

Sequence 72, Application PC/TUS9513975

GENERAL INFORMATION:

APPLICANT: Cochran, Mark D.

APPLICANT: Mcdonell, Michael W.

TITLE OF INVENTION: Recombinant Feline Herpes virus

NUMBER OF SEQUENCES: 73

CORRESPONDENCE ADDRESS:

ADDRESSEE: John P. White

STREET: 1185 Avenue of the Americas

CITY: New York

STATE: New York

COUNTRY: USA

ZIP: 10036

COMPUTER READABLE FORM:

MEDIUM TYPE: Floppy disk

COMPUTER: IBM 330 466 DX2

OPERATING SYSTEM: PC-DOS/MS-DOS

SOFTWARE: Patentin Release #1.0, Version #1.25

CURRENT APPLICATION DATA:

APPLICATION NUMBER: PCT/US95/13975

FILING DATE: 26-OCT-1995

CLASSIFICATION:

PRIOR APPLICATION DATA:

APPLICATION NUMBER: 08/329,883

FILING DATE: 26-OCT-1994

CLASSIFICATION:

ATTORNEY/AGENT INFORMATION:

NAME: White, John P.

REGISTRATION NUMBER: 28,678

REFERENCE/DOCKET NUMBER: 39118-PCT

TELECOMMUNICATION INFORMATION:

TELEPHONE: (212)278-0400

TELEFAX: (212)391-0525

INFORMATION FOR SEQ ID NO: 72:

SEQUENCE CHARACTERISTICS:

LENGTH: 301 amino acids

TYPE: amino acid

TOPOLOGY: linear

MOLECULE TYPE: protein

PCT-US95-13975-72

Query Match 62.7%; Score 32; DB 5; Length 301;

Best Local Similarity 62.5%; Pred. No. 71;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 3 FEGIDLYT 10
|||: ||
Db 1 FEGIDLYT 8

RESULT 15

US-09-347-803-14
; Sequence 14, Application US/09347803
; Patent No. 6274379
; GENERAL INFORMATION:
; APPLICANT: Famodu, Layo O.
; APPLICANT: Hitz, Bill
; APPLICANT: Kinney, Tony
; APPLICANT: Orozco, Buddy
; TITLE OF INVENTION: Plant sorbitol Biosynthetic Enzymes
; FILE REFERENCE: BB-1176
; CURRENT APPLICATION NUMBER: US/09/347,803
; CURRENT FILING DATE: 1999-07-02
; EARLIER APPLICATION NUMBER: 60/092,952
; EARLIER FILING DATE: July 15, 1998
; NUMBER OF SEQ ID NOS: 27
; SOFTWARE: Microsoft Office 97
; SEQ ID NO 14
; LENGTH: 309
; TYPE: PRT
; ORGANISM: Glycine max
US-09-347-803-14

Query Match 62.7%; Score 32; DB 4; Length 309;
Best Local Similarity 66.7%; Pred. No. 73;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLY 9
::: |||||
Db 300 AVFWGIDLY 308

Search completed: December 6, 2001, 07:59:58
Job time: 366 sec

THIS PAGE BLANK (USPTO)

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:58:27 ; Search time 88.19 Seconds
(without alignments)
8.638 Million cell updates/sec

Title: PEP2-MOD8L
Perfect score: 51
Sequence: 1 SLFEGIDLYT 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 219241 seqs, 76174552 residues

Total number of hits satisfying chosen parameters: 219241

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Post-processing: Minimum Match 08
Maximum Match 1008
Listing first 45 summaries

Database :

1: p1r1:*
2: p1r2:*
3: p1r3:*
4: p1r4:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	47	92.2	208	2 B44261	dnak-type molecula
2	47	92.2	278	2 I51344	dnak-type molecula
3	47	92.2	467	2 T45477	heat-shock protein
4	47	92.2	467	2 T45479	heat-shock protein
5	47	92.2	468	2 T45476	heat-shock protein
6	47	92.2	469	2 T45478	heat-shock protein
7	47	92.2	632	2 T45471	dnak-type molecula
8	47	92.2	634	2 A25646	dnak-type molecula
9	47	92.2	636	2 A48872	dnak-type molecula
10	47	92.2	638	2 S31766	dnak-type molecula
11	47	92.2	639	2 JCI391	dnak-type molecula
12	47	92.2	639	2 S20139	dnak-type molecula
13	47	92.2	640	1 HHRK7A	dnak-type molecula
14	47	92.2	640	2 A29160	dnak-type molecula
15	47	92.2	640	2 S37394	dnak-type molecula
16	47	92.2	640	2 T21394	hypothetical prote
17	47	92.2	640	2 T43724	dnak-type molecula
18	47	92.2	641	2 S53357	dnak-type molecula
19	47	92.2	641	2 S35718	dnak-type molecula
20	47	92.2	641	2 I54542	dnak-type molecula
21	47	92.2	641	2 A45871	dnak-type molecula
22	47	92.2	642	1 HHBYA1	dnak-type molecula
23	47	92.2	642	2 JH0095	dnak-type molecula
24	47	92.2	642	2 B36590	dnak-type molecula
25	47	92.2	644	2 A45635	dnak-type molecula
26	47	92.2	645	2 I51129	dnak-type molecula
27	47	92.2	646	2 T46650	heat shock protein
28	47	92.2	647	1 HHXL70	dnak-type molecula
29	47	92.2	647	2 T41121	heat shock protein

30	46	90.2	209	2 A44261	dnak-type molecula
31	46	90.2	214	2 A03309	dnak-type molecula
32	46	90.2	372	2 P00138	dnak-type molecula
33	46	90.2	379	2 I46588	dnak-type molecula
34	46	90.2	467	2 T45473	heat-shock protein
35	46	90.2	467	2 T45474	heat-shock protein
36	46	90.2	641	2 JN0668	dnak-type molecula
37	46	90.2	641	2 PC7036	heat shock protein
38	46	90.2	643	2 S25585	dnak-type molecula
39	46	90.2	651	2 S09036	dnak-type molecula
40	46	90.2	651	2 T45517	heat shock protein
41	46	90.2	651	2 JCI7132	heat shock protein
42	44	86.3	209	2 S48024	dnak-type molecula
43	44	86.3	209	2 S48025	dnak-type molecula
44	44	86.3	630	2 A34041	dnak-type molecula
45	44	86.3	636	2 T45468	dnak-type molecula

ALIGNMENTS

RESULT 1
B44261
dnak-type molecular chaperone HSC70 - California sea hare (fragment)
N:Alternate names: heat shock protein 70 homolog HSC70
C:Species: Aplysia californica (California sea hare)
C>Date: 04-Sep-1998 #sequence_revision 04-Sep-1998 #text_change 13-Aug-1999
C:Accession: B44261
R:Kuhl, D.; Kennedy, T.E.; Barzilai, A.; Kandel, E.R.
J. Cell Biol. 119, 1069-1076, 1992
A:Title: Long-term sensitization training in Aplysia leads to an increase in the expr
A:Reference number: A44261; MUID:9307669
A:Accession: B44261
A:Status: preliminary; not compared with conceptual translation
A:Molecule type: nucleic acid
A:Residues: 1-208 <KUN>
A>Note: sequence extracted from NCBI backbone (NCBIP:118950)
C:Genetics:
A:Gene: HSC70
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein co
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match 92.2%; Score 47; DB 2; Length 208;
Best Local Similarity 90.0%; Pred. No. 0.061;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLYT 10
DB 132 SLFEGIDLYT 141

RESULT 2
I51344
dnak-type molecular chaperone (clone pHS70.7) - rainbow trout (fragment)
N:Alternate names: 70K heat shock protein
C:Species: Oncorhynchus mykiss (rainbow trout)
C>Date: 21-Feb-1997 #sequence_revision 21-Feb-1997 #text_change 20-Aug-1999
C:Accession: I51344
R:Kohnary, R.K.; Jones, D.; Candido, E.P.M.
Mol. Cell. Biol. 4, 1785-1791, 1984
A:Title: 70-kilodalton heat shock polypeptides from rainbow trout: Characterization o
A:Reference number: I51344; MUID:85036330
A:Accession: I51344
A:Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-278 <KOT>
C:Cross-references: GB:K02549; NID:g213803; PIDN:AAA49562.1; PID:g213804
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein co
C:Superfamily: heat shock protein 70

C:Keywords: ATP; molecular chaperone

Query Match 92.2%; Score 47; DB 2; Length 278;
Best Local Similarity 90.0%; Pred. No. 0.085;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
OY 1 SLFEGIDLYT 10
|||||
Db 156 SLFEGIDFYT 165

RESULT 3

T45477
heat-shock protein 70 [imported] - Chondrosia reniformis (fragment)
C:Species: Chondrosia reniformis
C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000
C:Accession: T45477
R:Borchelliini, C.; Le Parco, Y.
submitted to the EMBL Data Library, September 1997
A:Reference number: Z22983
A:Accession: T45477
A:Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-467 <BOR>
A:Cross-references: EMBL:AF026517; PIDN:AAC05362.1
C:Genetics:
A:Gene: Hsp70
C:Superfamily: heat shock protein 70

Query Match 92.2%; Score 47; DB 2; Length 467;
Best Local Similarity 90.0%; Pred. No. 0.15;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
OY 1 SLFEGIDLYT 10
|||||
Db 252 SLFEGIDFYT 261

RESULT 4

T45479
heat-shock protein 70 [imported] - Euniceella cavolini (fragment)
C:Species: Euniceella cavolini
C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000
C:Accession: T45479
R:Borchelliini, C.; Le Parco, Y.
submitted to the EMBL Data Library, September 1997
A:Reference number: Z22983
A:Accession: T45479
A:Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-467 <BOR>
A:Cross-references: EMBL:AF026520; PIDN:AAC05364.1
C:Genetics:
A:Gene: Hsp70
C:Superfamily: heat shock protein 70

Query Match 92.2%; Score 47; DB 2; Length 467;
Best Local Similarity 90.0%; Pred. No. 0.15;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDLYT 10
|||||
Db 252 SLFEGIDFYT 261

RESULT 5

T45476
heat-shock protein 70 [imported] - Funiculina quadrangularis (fragment)
C:Species: Funiculina quadrangularis
C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000

C:Accession: T45476
R:Borchelliini, C.; Le Parco, Y.
submitted to the EMBL Data Library, September 1997
A:Reference number: Z22983
A:Accession: T45476
A:Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-468 <BOR>
A:Cross-references: EMBL:AF026516; PIDN:AAC05361.1
C:Genetics:
A:Gene: Hsp70
C:Superfamily: heat shock protein 70

Query Match 92.2%; Score 47; DB 2; Length 468;
Best Local Similarity 90.0%; Pred. No. 0.15;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
OY 1 SLFEGIDLYT 10
|||||
Db 253 SLFEGIDFYT 262

RESULT 6

T45478
heat-shock protein 70 [imported] - Euniceella cavolini (fragment)
C:Species: Euniceella cavolini
C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000
C:Accession: T45478
R:Borchelliini, C.; Le Parco, Y.
submitted to the EMBL Data Library, September 1997
A:Reference number: Z22983
A:Accession: T45478
A:Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-469 <BOR>
A:Cross-references: EMBL:AF026518; PIDN:AAC05363.1
C:Genetics:
A:Gene: Hsp70
C:Superfamily: heat shock protein 70

Query Match 92.2%; Score 47; DB 2; Length 469;
Best Local Similarity 90.0%; Pred. No. 0.15;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
OY 1 SLFEGIDLYT 10
|||||
Db 254 SLFEGIDFYT 263

RESULT 7

T45471
dnak-type molecular chaperone hsc70 [imported] - slime mold (Dictyostelium discoideum
N:Alternate names: heat shock cognate protein 70
C:Species: Dictyostelium discoideum
C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 18-Feb-2000
C:Accession: T45471
R:Boyes, H.; Mintert, U.; Dittlich, W.; Faix, J.; Gerisch, G.
submitted to the EMBL Data Library, September 1997
A:Reference number: Z22980
A:Accession: T45471
A:Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-632 <BOV>
A:Cross-references: EMBL:AF025951; PIDN:AAB81865.1
A:Experimental source: strain AX3
C:Genetics:
A:Gene: hsc70
A:Note: localized to filopodias and cortex
C:Superfamily: heat shock protein 70

Query Match 92.2%; Score 47; DB 2; Length 632;
Best Local Similarity 90.0%; Pred. No. 0.21;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEEGIDLYT 10
|||||
DB 285 SLEEGIDFYT 294

RESULT 8
A:Accession: A25646
A:Molecule type: mRNA
A:Residues: 1-634 <MOR>
A:Cross-references: GB:J02579; NID:9211940; PIDN:AAA48825.1; PID:9211941
A:Note: the authors translated the codon TCG for residue 583 as Trp
A:Function: involved in protein folding and assembling/disassembling of protein comp
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match 92.2%; Score 47; DB 2; Length 634;
Best Local Similarity 90.0%; Pred. No. 0.21;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEEGIDLYT 10
|||||
DB 289 SLEEGIDFYT 298

RESULT 9
A:Accession: A48872
A:Molecule type: mRNA
A:Residues: 1-636 <ED>
A:Cross-references: GB:L22736; NID:9433179; PIDN:AAA33219.1; PID:9433180
A:Note: authors translated the codon ACA for residue 10 as Pro, GCT for residue 60 as Va
A:Function: involved in protein folding and assembling/disassembling of protein comp
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match 92.2%; Score 47; DB 2; Length 636;
Best Local Similarity 90.0%; Pred. No. 0.21;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEEGIDLYT 10
|||||
DB 280 SLEEGIDFYT 289

RESULT 10

S31766
dnak-type molecular chaperone hsp70 - green monkey
N:Alternate names: heat shock protein 70
C:Species: Cercopithecus aethiops (green monkey, griwet)
C:Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 20-Aug-1999
C:Accession: S31766; 136927
R:Salais, I.; Angelidis, C.; Pagoulatos, G.; Lazaridis, I.
submitted to the EMBL Data Library, January 1993

A:Description: Nucleotide sequence of the cDNA encoding a monkey 70kd heat shock prot
A:Reference number: S31766
A:Accession: S31766
A:Molecule type: mRNA
A:Residues: 1-638 <SAI>
R:Salais, I.; Angelidis, C.; Pagoulatos, G.; Lazaridis, I.
FBS Lett. 355, 282-286, 1994
A:Title: The hsc70 gene which is slightly induced by heat is the main virus inducible
A:Reference number: 136927; MUID:95080396
A:Accession: 136927
A:Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-638 <RES>
A:Cross-references: EMBL:X70684; NID:922781; PIDN:CAA50019.1; PID:922782
A:Experimental source: kidney; cell line COS-1
C:Genetics:
A:Gene: hsp70
C:Function: involved in protein folding and assembling/disassembling of protein co
A:Description: involved in protein folding and assembling/disassembling of protein co
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match 92.2%; Score 47; DB 2; Length 638;
Best Local Similarity 90.0%; Pred. No. 0.22;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEEGIDLYT 10
|||||
DB 284 SLEEGIDFYT 293

RESULT 11
JCI1391
dnak-type molecular chaperone 70IV - sea urchin (Paracentrotus lividus)
N:Alternate names: heat shock protein 70IV, hsp70IV protein
C:Species: Paracentrotus lividus (common urchin)
C:Date: 10-Jun-1993 #sequence_revision 10-Jun-1993 #text_change 20-Aug-1999
C:Accession: JCI1391
R:Sconzo, G.; Scardina, G.; Ferraro, M.G.
Gene 121, 353-358, 1992
A:Title: Characterization of a new member of the sea urchin Paracentrotus lividus hsp
A:Reference number: JCI1391; MUID:93077053
A:Accession: JCI1391
A:Molecule type: DNA
A:Residues: 1-639 <SCO>
A:Cross-references: EMBL:X61379; NID:9312916; PIDN:CAA43653.1; PID:9312917
A:Genetics:
A:Gene: hsp70IV
A:Introns: 61/2
C:Function: involved in protein folding and assembling/disassembling of protein co
A:Description: involved in protein folding and assembling/disassembling of protein co
C:Superfamily: heat shock protein 70
C:Keywords: ATP; heat shock; molecular chaperone; stress-induced protein

Query Match 92.2%; Score 47; DB 2; Length 639;
Best Local Similarity 90.0%; Pred. No. 0.22;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEEGIDLYT 10
|||||
DB 286 SLEEGIDFYT 295

```

RESULT 12
A:Residues: 1-639 <SNUG>
A:Cross-references: GB:M18540; NID:g156351; PIDN:AAA28078.1; PID:g156352
N:Alternate names: heat shock protein YG102; protein L0971; protein YLL024c
C:Species: Saccharomyces cerevisiae
C:Date: 07-May-1993 #sequence_revision 07-May-1993 #text_change 20-Jun-2000
C:Accession: S20139; S64772; S64775; S69383
R:Slater, M.R.; Craig, E.A.
Nucleic Acids Res. 17, 805-806, 1989
A:Title: The SSA1 and SSA2 genes of the yeast Saccharomyces cerevisiae.
A:Reference number: S20139; MUID:89128457
A:Accession: S20139
A:Status: translation not shown
A:Molecule type: DNA
A:Residues: 1-639 <SLA>
A:Cross-references: EMBL:X12927; NID:g4545; PIDN:CAA31394.1; PID:g4546
R:Goffeau, A.; Purnelle, B.
Submitted to the Protein Sequence Database, May 1996
A:Accession: S64772
A:Reference number: S64761
A:Molecule type: DNA
A:Residues: 1-639 <GOF>
A:Cross-references: EMBL:Z73129; NID:g1360201; PIDN:CAA97472.1; PID:g1360202; MIPS:YLL02
A:Experimental source: strain S288C
R:Duesterhoeft, A.; Floeth, M.; Heuss-Neitzel, D.; Hilbert, H.; Moestl, D.
Submitted to the Protein Sequence Database, May 1996
A:Reference number: S64775
A:Accession: S64775
A:Molecule type: DNA
A:Residues: 72-639 <DOE>
A:Cross-references: EMBL:Z73129; MIPS:YLL024c
A:Experimental source: strain S288C
R:Purnelle, B.; Goffeau, A.
Submitted to the EMBL Data Library, April 1996
A:Description: The sequence of 32 kb on the left arm of yeast chromosome XII reveals 14
mily and a new ABC transporter homologous to the human multidrug resistance protein.
A:Reference number: S69380
A:Accession: S69383
A:Molecule type: DNA
A:Residues: 1-639 <PBR>
A:Cross-references: EMBL:X97560; NID:g1297003; PIDN:CAA66167.1; PID:g1297007
C:Genetics:
A:Gene: SGD:SSA2
A:Cross-references: MIPS:YLL024c; SGD:S0003947
A:Map position: 12L
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein comp
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match          92.2%; Score 47; DB 2; Length 639;
Best Local Similarity 90.0%; Pred. No. 0.22;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLYT 10
|||||
Db 283 SLFEGIDFYT 292

RESULT 13
HKKW7A
dnaK-type molecular chaperone hsp70A - Caenorhabditis elegans
N:Alternate names: heat shock protein 70 A
C:Species: Caenorhabditis elegans
C:Date: 30-Jun-1989 #sequence_revision 30-Jun-1989 #text_change 22-Jun-1999
C:Accession: J70285
R:Snutch, T.P.; Heschl, M.F.P.; Baillie, D.L.
Gene 64, 241-255, 1988
A:Title: The Caenorhabditis elegans hsp70 gene family: a molecular genetic characterization
A:Reference number: J70285; MUID:88297155
A:Accession: J70285
A:Molecule type: DNA; mRNA

```

```

A:Residues: 1-640 <SNUG>
A:Cross-references: GB:M18540; NID:g156351; PIDN:AAA28078.1; PID:g156352
A:Note: genomic clones representing six distinct members of the hsp70 gene family wer
A:Note: transcripts of hsp70A are abundant in control worms and also increase two- to
A:Note: one of the three introns in hsp70A is in a position similar to an intron in D
C:Genetics:
A:Gene: hsp70A
A:Map position: IV
A:Introns: 69/1; 331/3; 558/3
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein co
C:Superfamily: heat shock protein 70
C:Keywords: ATP; heat shock; molecular chaperone; stress-induced protein

Query Match          92.2%; Score 47; DB 1; Length 640;
Best Local Similarity 90.0%; Pred. No. 0.22;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLYT 10
|||||
Db 287 SLFEGIDFYT 296

RESULT 14
A29160
dnaK-type molecular chaperone HSPALL - human
N:Alternate names: heat shock protein, 70K
C:Species: Homo sapiens (hmn)
C:Date: 16-Aug-1988 #sequence_revision 02-Jul-1996 #text_change 20-Aug-1999
C:Accession: A29160; I37561; I37562
R:Hunt, C.; Morimoto, R.I.
Proc. Natl. Acad. Sci. U.S.A. 82, 6455-6459, 1985
A:Title: Conserved features of eukaryotic hsp70 genes revealed by comparison with the
A:Reference number: A29160; MUID:86016721
A:Accession: A29160
A:Molecule type: DNA
A:Residues: 1-640 <HUN>
A:Cross-references: GB:M1717; GB:M15432; NID:g184416; PIDN:AAA52697.1; PID:g386785
A:Note: the authors mistranslated residues 463, 491, and 492
R:Dabant, B.; Genthe, A.; Bencke, B.J.
Nucleic Acids Res. 14, 8933-8948, 1986
A:Title: In vitro transcription of a human hsp 70 heat shock gene by extracts prepare
A:Reference number: I37561; MUID:87066768
A:Accession: I37561
A:Status: translation not shown; translated from GB/EMBL/DBJ
A:Molecule type: DNA
A:Residues: 1-22 <RES>
A:Cross-references: EMBL:X04676; NID:g32480; PIDN:CAA28381.1; PID:g32481
A:Accession: I37562
A:Status: translation not shown; translated from GB/EMBL/DBJ
A:Molecule type: DNA
A:Residues: 616-640 <RE2>
A:Cross-references: EMBL:X04677; NID:g32482; PIDN:CAA28382.1; PID:g32483
C:Genetics:
A:Gene: GDB:HSPALL; HSP70-HOM
A:Cross-references: GDB:I20058; OMIM:140559
A:Map position: 6p21.3-6p21.3
A:Introns: #status absent
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein co
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match          92.2%; Score 47; DB 2; Length 640;
Best Local Similarity 90.0%; Pred. No. 0.22;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLYT 10
|||||
Db 286 SLFEGIDFYT 295

```


RESULT 15

S37394
dnaK-type molecular chaperone hsc70 - slime mold (Dictyostelium discoideum)
N:Alternate.names: heat shock cognate protein 70
C:Species: Dictyostelium discoideum
C>Date: 31-Dec-1993 #sequence_revision 31-Dec-1993 #text_change 20-Aug-1999
C:Accession: S37394
R:Haus, U.; Trommler, P.; Fisher, P.R.; Hartmann, H.; Lotspeich, F.; Noegel, A.A.; Schl
EMBO J. 12, 3763-3771, 1993
A>Title: The heat shock cognate protein from Dictyostelium affects actin polymerization
A:Reference.number: S37394; MUID:94008983
A:Accession: S37394
A:Molecule.type: mRNA
A:Residues: 1-640 <HAU>
A:Cross-references: EMBL:X75263; NID:g433874; PIDN:CA53039.1; PID:g433875
C:Genetics:
A:Gene: hsc70
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein comp
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match 92.2%; Score 47; DB 2; Length 640;
Best Local Similarity 90.0%; Pred.No.0.22;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
OY 1 SLFEGIDLYT 10
||| ||| ||
DB 284 SLFEGIDFYT 293

Search completed: December 6, 2001, 07:58:27
Job time: 275 sec

THIS PAGE BLANK (uspro)

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:56:52 ; Search time 170.25 Seconds
(without alignments)
7.732 Million cell updates/sec

Title: PEPL-MOD8A
Perfect score: 46
Sequence: 1 SLEFIDAY 9

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 473505 seqs, 146272329 residues
Total number of hits satisfying chosen parameters: 473505

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Post-processing: Maximum Match 0%
Listing first 45 summaries

Database :
1: SP:archaea:*
2: SP:bacteria:*
3: SP:fungi:*
4: SP:human:*
5: SP:invertebrate:*
6: SP:mammal:*
7: SP:mhc:*
8: SP:organelle:*
9: SP:phage:*
10: SP:plant:*
11: SP:rodent:*
12: SP:virus:*
13: SP:vertebrate:*
14: SP:unclassified:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	40	87.0	146	5 Q9U667	Q9U667 littorina p
2	40	87.0	153	5 Q9U670	Q9U670 littorina s
3	40	87.0	153	5 Q9U669	Q9U669 littorina s
4	40	87.0	157	5 Q9U665	Q9U665 littorina p
5	40	87.0	158	5 Q9U671	Q9U671 littorina s
6	40	87.0	158	5 Q9U668	Q9U668 littorina p
7	40	87.0	158	5 Q9U666	Q9U666 littorina p
8	40	87.0	220	5 P81159	P81159 aplysia cal
9	40	87.0	221	5 P81157	P81157 aplysia cal
10	40	87.0	278	13 Q90520	Q90520 oncorhynch
11	40	87.0	367	13 Q98899	Q98899 fuqu rubrip
12	40	87.0	455	11 Q63718	Q63718 rattus norv
13	40	87.0	467	5 O44350	O44350 chondrosta
14	40	87.0	467	5 O44352	O44352 petrobiona
15	40	87.0	467	5 Q9N932	Q9N932 guancha lac
16	40	87.0	468	5 O44349	O44349 funicellula
17	40	87.0	469	5 O44351	O44351 euniceella c
18	40	87.0	526	13 Q98897	Q98897 fuqu rubrip
19	40	87.0	617	10 Q9C7X7	Q9C7X7 arabidopsis

20	40	87.0	628	5 Q93147	Q93147 botryllus s
21	40	87.0	629	5 Q93146	Q93146 botryllus s
22	40	87.0	632	5 O15766	O15766 dictyostel
23	40	87.0	639	13 Q98900	Q98900 fuqu rubrip
24	40	87.0	639	13 Q918F9	Q918F9 oryzias lat
25	40	87.0	640	5 Q93601	Q93601 caenorhabd
26	40	87.0	640	13 Q93240	Q93240 paralicthty
27	40	87.0	641	11 Q63256	Q63256 rattus norv
28	40	87.0	641	11 Q9QWJ5	Q9QWJ5 mus musculu
29	40	87.0	645	5 Q96541	Q96541 setaria dig
30	40	87.0	645	5 Q9N0B7	Q9N0B7 wuchereria
31	40	87.0	645	5 Q9NCK9	Q9NCK9 wuchereria
32	40	87.0	645	10 O48563	O48563 brassica na
33	40	87.0	647	3 O59855	O59855 schizosacch
34	40	87.0	647	10 Q41027	Q41027 pisum sativ
35	40	87.0	650	5 Q9U777	Q9U777 stylophora
36	40	87.0	650	10 Q9ZS55	Q9ZS55 arabidopsis
37	40	87.0	650	10 Q9LHA8	Q9LHA8 arabidopsis
38	40	87.0	652	10 P93937	P93937 ascophyllum
39	40	87.0	653	5 Q94805	Q94805 trichoplusl
40	40	87.0	659	5 Q9XZJ2	Q9XZJ2 crassostrea
41	40	87.0	663	5 Q24352	Q24352 geodia cydo
42	39	84.8	190	5 Q9U9B4	Q9U9B4 mytilus edu
43	39	84.8	467	5 O44346	O44346 asbestoplum
44	39	84.8	467	5 O44347	O44347 petrosia fl
45	39	84.8	467	5 Q9CPM5	Q9CPM5 monosiga ov

ALIGNMENTS

RESULT 1	
Q9U667	PRELIMINARY; PRT; 146 AA.
AC Q9U667;	
DT 01-MAY-2000 (TREMBLrel. 13, Created)	
DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)	
DT 01-JUN-2001 (TREMBLrel. 17, Last annotation update)	
DE HEAT-SHOCK PROTEIN (FRAGMENT).	
GN HSC70.	
OS Littorina plena.	
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;	
OC Neoteniodoglossa; Littorinoidea; Littorinidae; Littorina.	
OX NCBI_TaxID=31219;	
RN [1]	
RP SEQUENCE FROM N.A.	
RA Hohenlohe P.A.;	
RT "Heat-shock genes in the heat-stressed genus Littorina.";	
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.	
DR EMBL; AF191828; AAF12787.1; -	
DR HSSP; P19120; IBA1.	
DR InterPro; IPR001023; HSP70.	
DR PROSITE; PS01036; HSP70_3; 1.	
FT NON_TER	1
FT NON_TER	146
FT NON_TER	146
SQ SEQUENCE	146 AA; 16607 MW; C3F3556A1AF438BB CRC64;

Query Match 87.0%; Score 40; DB 5; Length 146;
Best Local Similarity 88.9%; Pred. No. 2.3;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY	1 SLEFIDAY 9
DB	79 SLEFIDIFY 87
RESULT 2	
Q9U670	PRELIMINARY; PRT; 153 AA.
AC Q9U670;	
DT 01-MAY-2000 (TREMBLrel. 13, Created)	
DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)	

DT 01-JUN-2001 (TREMBLrel. 17, last annotation update)
 DE HEAT-SHOCK PROTEIN (FRAGMENT).
 GN HSC70.
 OS Littorina scutulata.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 CC Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
 OX NCBI_TaxID=31221;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina."
 RL Submitted (OCT-1999) to the EMBL/Genbank/DBJ databases.
 DR EMBL; AF191825; AAF12784.1; -.
 DR HSSP; P19120; 1BA1.
 DR InterPro; IPR001023; HSP70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 1 153
 FT NON_TER 153 153
 SQ SEQUENCE 153 AA; 17352 MW; E29EE20C4CAF934D CRC64;

Query Match 87.0%; Score 40; DB 5; Length 153;
 Best Local Similarity 88.9%; Pred. No. 2.4;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEEGIDAY 9
 |||||
 DB 80 SLEEGIDY 88

RESULT 3
 O9U669 PRELIMINARY; PRT; 155 AA.
 AC O9U669;
 DT 01-MAY-2000 (TREMBLrel. 13, Created)
 DT 01-MAY-2000 (TREMBLrel. 13, last sequence update)
 DT 01-JUN-2001 (TREMBLrel. 17, last annotation update)
 DE HEAT-SHOCK PROTEIN (FRAGMENT).
 GN HSC70.
 OS Littorina scutulata.
 CC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 CC Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
 OX NCBI_TaxID=31221;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina."
 RL Submitted (OCT-1999) to the EMBL/Genbank/DBJ databases.
 DR EMBL; AF191826; AAF12785.1; -.
 DR HSSP; P19120; 1BA1.
 DR InterPro; IPR001023; HSP70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 1 155
 FT NON_TER 155 155
 SQ SEQUENCE 155 AA; 17676 MW; C191F6E5B1F346C2 CRC64;

Query Match 87.0%; Score 40; DB 5; Length 155;
 Best Local Similarity 88.9%; Pred. No. 2.5;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEEGIDAY 9
 |||||
 DB 82 SLEEGIDY 90

RESULT 4
 O9U665 PRELIMINARY; PRT; 157 AA.
 AC O9U665;
 DT 01-MAY-2000 (TREMBLrel. 13, Created)
 DT 01-MAY-2000 (TREMBLrel. 13, last sequence update)
 DT 01-JUN-2001 (TREMBLrel. 17, last annotation update)

DE HEAT-SHOCK PROTEIN (FRAGMENT).
 GN HSC70.
 OS Littorina plena.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 CC Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
 OX NCBI_TaxID=31219;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina."
 RL Submitted (OCT-1999) to the EMBL/Genbank/DBJ databases.
 DR EMBL; AF191830; AAF12789.1; -.
 DR HSSP; P19120; 1BA1.
 DR InterPro; IPR001023; HSP70.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 1 157
 FT NON_TER 157 157
 SQ SEQUENCE 157 AA; 17834 MW; E8F7A3382B285EB2 CRC64;

Query Match 87.0%; Score 40; DB 5; Length 157;
 Best Local Similarity 88.9%; Pred. No. 2.5;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEEGIDAY 9
 |||||
 DB 84 SLEEGIDY 92

RESULT 5
 O9U671 PRELIMINARY; PRT; 158 AA.
 AC O9U671;
 DT 01-MAY-2000 (TREMBLrel. 13, Created)
 DT 01-MAY-2000 (TREMBLrel. 13, last sequence update)
 DT 01-JUN-2001 (TREMBLrel. 17, last annotation update)
 DE HEAT-SHOCK PROTEIN (FRAGMENT).
 GN HSC70.
 OS Littorina scutulata.
 CC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 CC Neotaenioglossa; Littorinoidea; Littorinidae; Littorina.
 OX NCBI_TaxID=31221;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina."
 RL Submitted (OCT-1999) to the EMBL/Genbank/DBJ databases.
 DR EMBL; AF191824; AAF12783.1; -.
 DR HSSP; P19120; 1BA1.
 DR InterPro; IPR001023; HSP70.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 1 158
 FT NON_TER 158 158
 SQ SEQUENCE 158 AA; 17887 MW; B41E5356A24CAD2F CRC64;

Query Match 87.0%; Score 40; DB 5; Length 158;
 Best Local Similarity 88.9%; Pred. No. 2.5;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEEGIDAY 9
 |||||
 DB 85 SLEEGIDY 93

RESULT 6
 O9U668 PRELIMINARY; PRT; 158 AA.
 AC O9U668;
 DT 01-MAY-2000 (TREMBLrel. 13, Created)
 DT 01-MAY-2000 (TREMBLrel. 13, last sequence update)

DT 01-JUN-2001 (TREMBlrel. 17, last annotation update)
 DE HEAT-SHOCK PROTEIN (FRAGMENT).
 GN HSC70.
 OS Littorina plena.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 CC Neocoenioglossa; Littorinoidea; Littorinidae; Littorina.
 OX NCBI_TaxID=31219;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina."
 RL Submitted (Oct-1999) to the EMBL/Genbank/DBJ databases.
 DR EMBL; AF191827; AAF12786.1; -
 DR HSP; P19120; IBA1.
 DR InterPro: IPR001023; HSP70.
 DR PRINTS: PR00301; HEATSHOCK70.
 DR PROSITE: PS01036; HSP70_3; 1.
 FT NON_TER 1 158
 SQ SEQUENCE 158 AA; 17868 MW; D2ECE71042EC44CB CRC64;

Query Match 87.0%; Score 40; DB 5; Length 158;
 Best Local Similarity 88.9%; Pred. No. 2.5;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEEGIDAY 9
 DB 85 SLEEGIDFY 93

RESULT 7
 ID 090666 PRELIMINARY; PRT; 158 AA.
 AC 090666;
 DT 01-MAY-2000 (TREMBlrel. 13, Created)
 DT 01-MAY-2000 (TREMBlrel. 13, last sequence update)
 DT 01-JUN-2001 (TREMBlrel. 17, last annotation update)
 DE HEAT-SHOCK PROTEIN (FRAGMENT).
 GN HSC70.
 OS Littorina plena.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 CC Neocoenioglossa; Littorinoidea; Littorinidae; Littorina.
 OX NCBI_TaxID=31219;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina."
 RL Submitted (Oct-1999) to the EMBL/Genbank/DBJ databases.
 DR EMBL; AF191829; AAF12788.1; -
 DR HSP; P19120; IBA1.
 DR InterPro: IPR001023; HSP70.
 DR PRINTS: PR00301; HEATSHOCK70.
 DR PROSITE: PS01036; HSP70_3; 1.
 FT NON_TER 1 158
 SQ SEQUENCE 158 AA; 17891 MW; B41E5356BCAD2F CRC64;

Query Match 87.0%; Score 40; DB 5; Length 158;
 Best Local Similarity 88.9%; Pred. No. 2.5;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEEGIDAY 9
 DB 85 SLEEGIDFY 93

RESULT 8
 ID P81159 PRELIMINARY; PRT; 220 AA.
 AC P81159;
 DT 01-JUN-1998 (TREMBlrel. 06, Created)

DT 01-JUN-1998 (TREMBlrel. 06, last sequence update)
 DE 01-JUN-2001 (TREMBlrel. 17, last annotation update)
 DE HEAT SHOCK COGNATE 71 KDA PROTEIN (FRAGMENT).
 GN HSC70.
 OS Aplysia californica (California sea hare).
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Opisthobranchia; Anaspiidea;
 CC Aplysidae; Aplysia.
 OX NCBI_TaxID=6500;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA MEDLINE-93077669; PubMed-1360013;
 RA Kuhl D., Kennedy T., Barzilai A., Kandel E.;
 RT "Long-term sensitization training in Aplysia leads to an increase in the expression of b1p, the major protein chaperon of the ER."
 RL J. Cell Biol. 119:1069-1076(1992)
 CC -1- INDUCTION: CONSTITUTIVELY SYNTHESIZED IN A WIDE VARIETY OF CELLS.
 CC -1- SIMILARITY: BELONGS TO HEAT SHOCK PROTEIN 70 FAMILY.
 DR EMBL; Z15039; CAA78757.1; -
 DR HSP; P19120; IBA1.
 DR InterPro: IPR001023; HSP70.
 DR Pfam: PR00012; HSP70_1.
 DR PRINTS: PR00301; HEATSHOCK70.
 DR PROSITE: PS00329; HSP70_2; 1.
 DR PROSITE: PS01036; HSP70_3; 1.
 KW Heat shock; Multigene family.
 FT NON_TER 1 220
 SQ SEQUENCE 220 AA; 24684 MW; FA0557F2BB85C37A CRC64;

Query Match 87.0%; Score 40; DB 5; Length 220;
 Best Local Similarity 88.9%; Pred. No. 3.7;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEEGIDAY 9
 DB 138 SLEEGIDFY 146

RESULT 9
 ID P81157 PRELIMINARY; PRT; 221 AA.
 AC P81157;
 DT 01-JUN-1998 (TREMBlrel. 06, Created)
 DT 01-JUN-1998 (TREMBlrel. 06, last sequence update)
 DT 01-JUN-2001 (TREMBlrel. 17, last annotation update)
 DE HEAT SHOCK 70 KDA PROTEIN A (HSP70A) (FRAGMENT).
 GN HSP70A.
 OS Aplysia californica (California sea hare).
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Opisthobranchia; Anaspiidea;
 CC Aplysidae; Aplysia.
 OX NCBI_TaxID=6500;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA MEDLINE-93077669; PubMed-1360013;
 RA Kuhl D., Kennedy T., Barzilai A., Kandel E.;
 RT "Long-term sensitization training in Aplysia leads to an increase in the expression of b1p, the major protein chaperon of the ER."
 RL J. Cell Biol. 119:1069-1076(1992).
 CC -1- INDUCTION: BY HEAT SHOCK.
 CC -1- SIMILARITY: BELONGS TO HEAT SHOCK PROTEIN 70 FAMILY.
 DR EMBL; Z15037; CAA78755.1; -
 DR InterPro: IPR001023; HSP70.
 DR Pfam: PR00012; HSP70_1.
 DR PRINTS: PR00301; HEATSHOCK70.
 DR PROSITE: PS00329; HSP70_2; 1.
 DR PROSITE: PS01036; HSP70_3; 1.
 KW Heat shock; Multigene family.
 FT NON_TER 1 221
 SQ SEQUENCE 221 AA; 24404 MW; 853F794106E83CC9 CRC64;

Query Match 87.0%; Score 40; DB 5; Length 221;
Best Local Similarity 88.9%; Pred. No. 3.7;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
DB 139 SLFEGIDY 147

RESULT 10
Q90520 PRELIMINARY; PRT; 278 AA.

AC Q90520;
DT 01-NOV-1996 (TREMblrel. 01, Created)
DT 01-NOV-1996 (TREMblrel. 01, Last sequence update)
DT 01-JUN-2001 (TREMblrel. 17, Last annotation update)
DE RAINBOW TROUT 70 KDA HEAT SHOCK PROTEIN (FRAGMENT).
OS Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
OX NCBI_TaxID=8022;

RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE-85036330; PubMed-6092938;
RA Kothary R.K., Jones D., Candido E.P.M.;
RT "70-Kilodalton heat shock polypeptides from rainbow trout:
RT Characterization of cDNA sequences.";
RL Mol. Cell. Biol. 4:1785-1791(1984).
DR EMBL; K02549; AAA49562.1; -.
DR HSSP; P08109; ICKR.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70.1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock; Multigene family.
FT NON_TER 1
FT SEQUENCE 278 278 EAC745DE5484C17A CRC64;

Query Match 87.0%; Score 40; DB 13; Length 278;
Best Local Similarity 88.9%; Pred. No. 4.9;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
DB 156 SLFEGIDY 164

RESULT 11
Q98899 PRELIMINARY; PRT; 367 AA.

AC Q98899;
DT 01-FEB-1997 (TREMblrel. 02, Created)
DT 01-FEB-1997 (TREMblrel. 02, Last sequence update)
DT 01-JUN-2001 (TREMblrel. 17, Last annotation update)
DE 70 KDA HEAT SHOCK PROTEIN (FRAGMENT).
GN HSP70-3.
OS Fugu rubripes (Japanese pufferfish) (Takifugu rubripes).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Acanthomorpha; Acanthopterygii; Percomorpha; Tetraodontiformes;
OC Tetraodontidae; Takifugu.
OX NCBI_TaxID=31033;

RN [1]
RP SEQUENCE FROM N.A.
RA Lim E.H.;
RL Submitted (OCT-1996) to the EMBL/GenBank/DBJ databases.
DR EMBL; Y08578; CA65892.1; -.
DR HSSP; P19120; 3HSC.
DR InterPro; IPR001023; HSP70.

DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock.
FT NON_TER 367
FT SEQUENCE 367 367 8CD3DD8DF6E3C2CA CRC64;

Query Match 87.0%; Score 40; DB 13; Length 367;
Best Local Similarity 88.9%; Pred. No. 6.8;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
DB 268 SLFEGIDY 276

RESULT 12
Q63718 PRELIMINARY; PRT; 455 AA.
AC Q63718;
DT 01-NOV-1996 (TREMblrel. 01, Created)
DT 01-NOV-1996 (TREMblrel. 01, Last sequence update)
DT 01-JUN-2001 (TREMblrel. 17, Last annotation update)
DE HEAT SHOCK PROTEIN 70 (FRAGMENT).
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX NCBI_TaxID=10116;

RN [1]
RP SEQUENCE FROM N.A.
RA Angeletti B., Passarelli F., Orru D., Pascale E., Butler R.H.,
RA D'Ambrosio E.;
RL Submitted (NOV-1993) to the EMBL/GenBank/DBJ databases.
DR EMBL; Z27118; CA81642.1; -.
DR HSSP; P08107; ICKO.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70.1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock.
FT NON_TER 1
FT SEQUENCE 455 455 0F45F12CBA1E2971 CRC64;

Query Match 87.0%; Score 40; DB 11; Length 455;
Best Local Similarity 88.9%; Pred. No. 8.7;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDAY 9
DB 254 SLFEGIDY 262

RESULT 13
Q44350 PRELIMINARY; PRT; 467 AA.

AC Q44350;
DT 01-JUN-1998 (TREMblrel. 06, Created)
DT 01-JUN-1998 (TREMblrel. 06, Last sequence update)
DT 01-JUN-2001 (TREMblrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN HSP70 (FRAGMENT).
GN HSP70.

OS Chondrosia reiformis.
OC Eukaryota; Metazoa; Porifera; Demospongiae; Tetractinomorpha;
OC Chondrosida; Chondrillidae; Chondrosia.
OX NCBI_TaxID=68574;
RN [1]
RP SEQUENCE FROM N.A.
RA Borchellini C., Le Parco Y.;

```

RL Submitted (SEP-1997) to the EMBL/GenBank/DBJ databases.
DR EMBL: AF026517; AAC05362.1; -.
DR HSSP: P08109; 1CKR.
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70.1.
DR PRINTS: PR00301; HEATSHOCK70.
DR PROSITE: PS00329; HSP70_2; 1.
DR PROSITE: PS01036; HSP70_3; 1.
FT NON_TER 1 467
FT NON_TER 1 467
SQ SEQUENCE 467 AA; 51707 MW; 0DBE6920F2E6EA96 CRC64;

Query Match
Best Local Similarity 87.0%; Score 40; DB 5; Length 467;
Pred. No. 9;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLEFGIDAY 9
DB 252 SLEFGIDFY 260

RESULT 14
O44352 PRELIMINARY; PRT; 467 AA.
AC O44352;
DT 01-JUN-1998 (TREMBLrel. 06, Created)
DT 01-JUN-1998 (TREMBLrel. 06, last sequence update)
DT 01-JUN-2001 (TREMBLrel. 17, last annotation update)
DE HEAT-SHOCK PROTEIN HSP70 (FRAGMENT).
GN HSP70.
OS Petrobiona massillana.
OC Eukaryota; Metazoa; Porifera; Calcarea; Calcarenea; Petrobionidae;
OC Petrobiona.
OX NCBI_TaxID=68578;
RN [1]
RP SEQUENCE FROM N.A.
RA Borchgellini C., Le Parco Y.;
RL Submitted (SEP-1997) to the EMBL/GenBank/DBJ databases.
DR EMBL: AF026520; AAC05364.1; -.
DR HSSP: P08109; 1CKR.
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70.1.
DR PRINTS: PR00301; HEATSHOCK70.
DR PROSITE: PS00329; HSP70_2; 1.
DR PROSITE: PS01036; HSP70_3; 1.
FT NON_TER 1 467
FT NON_TER 1 467
SQ SEQUENCE 467 AA; 51458 MW; 23EB28FPD1873DA6 CRC64;

Query Match
Best Local Similarity 87.0%; Score 40; DB 5; Length 467;
Pred. No. 9;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLEFGIDAY 9
DB 252 SLEFGIDFY 260

RESULT 15
O9NJ92 PRELIMINARY; PRT; 467 AA.
AC O9NJ92;
DT 01-OCT-2000 (TREMBLrel. 15, Created)
DT 01-OCT-2000 (TREMBLrel. 15, last sequence update)
DT 01-JUN-2001 (TREMBLrel. 17, last annotation update)
DE HEAT SHOCK PROTEIN 70 (FRAGMENT).
OS Guancha lacunosa.
OC Eukaryota; Metazoa; Porifera; Calcarea; Calcinea; Clathrinida;
OC Clathrinidae; Guancha.
OX NCBI_TaxID=115120;
RN [1]
RP SEQUENCE FROM N.A.

```

```

RA Borchgellini C., Le Parco Y.;
RT "sponges paraphyly and the origin of Metazoa.";
RL Submitted (SEP-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL: AF182195; AAF61297.1; -.
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70.1.
DR PRINTS: PR00301; HEATSHOCK70.
DR PROSITE: PS00329; HSP70_2; 1.
DR PROSITE: PS01036; HSP70_3; 1.
FT NON_TER 1 467
FT NON_TER 1 467
SQ SEQUENCE 467 AA; 51318 MW; F36FC06CB1DEE131 CRC64;

Query Match
Best Local Similarity 87.0%; Score 40; DB 5; Length 467;
Pred. No. 9;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLEFGIDAY 9
DB 252 SLEFGIDFY 260

```

Search completed: December 6, 2001, 07:56:53
Job time: 181 sec

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:53:52 ; Search time 184.09 Seconds
(without alignments)
3.621 Million cell updates/sec

Title: US-09-673-795-1
Perfect score: 46
Sequence: 1 SLFEGIDIV 9

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 522463 seqs, 74073290 residues
Total number of hits satisfying chosen parameters: 522463

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : A_Geneseq.1101.*
1: /SID88/gcgdata/geneseq/geneseqp/AA1980.DAT.*
2: /SID88/gcgdata/geneseq/geneseqp/AA1981.DAT.*
3: /SID88/gcgdata/geneseq/geneseqp/AA1982.DAT.*
4: /SID88/gcgdata/geneseq/geneseqp/AA1983.DAT.*
5: /SID88/gcgdata/geneseq/geneseqp/AA1984.DAT.*
6: /SID88/gcgdata/geneseq/geneseqp/AA1985.DAT.*
7: /SID88/gcgdata/geneseq/geneseqp/AA1986.DAT.*
8: /SID88/gcgdata/geneseq/geneseqp/AA1987.DAT.*
9: /SID88/gcgdata/geneseq/geneseqp/AA1988.DAT.*
10: /SID88/gcgdata/geneseq/geneseqp/AA1989.DAT.*
11: /SID88/gcgdata/geneseq/geneseqp/AA1990.DAT.*
12: /SID88/gcgdata/geneseq/geneseqp/AA1991.DAT.*
13: /SID88/gcgdata/geneseq/geneseqp/AA1992.DAT.*
14: /SID88/gcgdata/geneseq/geneseqp/AA1993.DAT.*
15: /SID88/gcgdata/geneseq/geneseqp/AA1994.DAT.*
16: /SID88/gcgdata/geneseq/geneseqp/AA1995.DAT.*
17: /SID88/gcgdata/geneseq/geneseqp/AA1996.DAT.*
18: /SID88/gcgdata/geneseq/geneseqp/AA1997.DAT.*
19: /SID88/gcgdata/geneseq/geneseqp/AA1998.DAT.*
20: /SID88/gcgdata/geneseq/geneseqp/AA1999.DAT.*
21: /SID88/gcgdata/geneseq/geneseqp/AA2000.DAT.*
22: /SID88/gcgdata/geneseq/geneseqp/AA2001.DAT.*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	46	100.0	9	21	AAV44199
2	46	100.0	9	22	AAV44199
3	46	100.0	10	21	AAV44200
4	46	100.0	10	22	AAV44200
5	42	91.3	10	22	AAV44200
6	42	91.3	10	22	AAV44200
7	42	91.3	10	22	AAV44200
8	42	91.3	10	22	AAV44200
9	42	91.3	10	22	AAV44200
10	42	91.3	10	22	AAV44200
11	42	91.3	10	22	AAV44200

12	42	91.3	640	11	AAV44199	Homo sapiens HSP
13	42	91.3	640	18	AAV44199	Human heat shock p
14	42	91.3	640	21	AAV44199	Human heat shock p
15	42	91.3	640	21	AAV44199	Human heat shock p
16	42	91.3	640	21	AAV44199	Human heat shock p
17	42	91.3	640	21	AAV44199	Human heat shock p
18	42	91.3	640	21	AAV44199	Human heat shock p
19	42	91.3	640	21	AAV44199	Human heat shock p
20	42	91.3	640	21	AAV44199	Human heat shock p
21	42	91.3	640	21	AAV44199	Human heat shock p
22	42	91.3	640	21	AAV44199	Human heat shock p
23	41	89.1	643	18	AAV44199	Human heat shock p
24	41	89.1	665	21	AAV44199	Human heat shock p
25	39	84.8	91	21	AAV44199	Human heat shock p
26	39	84.8	253	21	AAV44199	Human heat shock p
27	39	84.8	279	21	AAV44199	Human heat shock p
28	39	84.8	342	21	AAV44199	Human heat shock p
29	39	84.8	646	19	AAV44199	Human heat shock p
30	39	84.8	646	19	AAV44199	Human heat shock p
31	39	84.8	646	20	AAV44199	Human heat shock p
32	39	84.8	646	20	AAV44199	Human heat shock p
33	39	84.8	646	21	AAV44199	Human heat shock p
34	39	84.8	646	21	AAV44199	Human heat shock p
35	39	84.8	646	22	AAV44199	Human heat shock p
36	39	84.8	656	18	AAV44199	Human heat shock p
37	39	84.8	890	21	AAV44199	Human heat shock p
38	38	82.6	633	14	AAV44199	Human heat shock p
39	37	80.4	412	22	AAV44199	Human heat shock p
40	36	78.3	224	19	AAV44199	Human heat shock p
41	36	78.3	221	19	AAV44199	Human heat shock p
42	35	76.1	421	21	AAV44199	Human heat shock p
43	35	76.1	623	21	AAV44199	Human heat shock p
44	35	76.1	623	21	AAV44199	Human heat shock p
45	35	76.1	646	11	AAV44199	Human heat shock p

ALIGNMENTS

RESULT 1	AAV44199	standard; peptide; 9 AA.
ID	AAV44199	standard; peptide; 9 AA.
XX	AAV44199	
AC	AAV44199	
XX	AAV44199	
DT	15-FEB-2000	(first entry)
XX	15-FEB-2000	(first entry)
DE	Heat shock protein 70 amino acid residues 286-294.	
XX	Heat shock protein 70; hsp70; Identification: tumour; mutation;	
KW	T cell response; amplification; vector; bacterium; cancer; allele;	
KW	Cytotoxic factor; interleukin; interferon; tumour necrosis factor; HLA;	
KW	Immune defence; immunogenicity; specificity; human leucocyte antigen.	
XX		
OS	Homo sapiens.	
XX		
PN	WO954464-A1.	
XX		
PD	28-OCT-1999.	
XX		
PF	22-APR-1999; 99NO-FR00957.	
XX		
XX	22-APR-1998; 98PR-0005033.	
XX		
PA	(INSR) INSR ROUSSY GUSTAVE.	
XX		
PI	Triebel F, Gaudin C;	
XX		
DR	WPI; 2000-013251/01.	
XX		
PT	Identifying mutant peptides from heat-shock protein 70, for treatment	
PT	of cancer -	
XX		

PS Claim 10; Page 6; 56pp; French.

CC This peptide corresponds to amino acid residues 286-294 of the human
CC heat shock protein 70 (hsp70). The invention relates to a method of
CC identifying peptides, derived from hsp70 that stimulate a tumour-specific
CC T cell response. Identification of the hsp70 peptides that have at least
CC one mutation or alteration compared with the native sequence, and induce
CC a tumour-specific T-cell response, comprises: (i) amplifying hsp70
CC encoding DNA from one or more tumours; (ii) cloning the amplified
CC sequences into a vector that can be replicated in bacteria;
CC (iii) sequencing fragments in each cultured bacterial colony to identify
CC any hsp70 mutations, and (iv) determining the immunogenicity of the
CC mutant peptides identified. The peptides, optionally formulated with an
CC agent that induces cellular stress, are used for treatment of cancer,
CC particularly solid cancers (carcinoma, sarcoma, melanoma, neuroblastoma,
CC cancers of head and neck, particularly kidney cancer). The peptides may
CC also be used to increase the proportion of tumour-specific cytotoxic
CC T lymphocytes in a cell culture and/or induce these cells to secrete
CC cytotoxic factors (specifically interleukin-2, interferon gamma and
CC tumour necrosis factor), particularly where the cells are used to
CC stimulate immune defences. The method identifies peptides with high
CC immunogenicity and high specificity for particular HLA (human leucocyte
CC antigen) alleles.

CC Sequence 9 AA:

Query Match 100.0%; Score 46; DB 21; Length 9;

Best Local Similarity 100.0%; Pred. No. 4.3e+05; Indels 0; Gaps 0;

Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 1 SLFEGIDIV 9

Db 1 slfegidiv 9

RESULT 2

AAB97601 standard; peptide: 9 AA.

AC AAB97601;

XX 30-JUL-2001 (first entry)

DE Heat shock protein 70 (HSP70) peptidic fragment 1.

KM HSP; HSP70; heat shock protein 70; cancer; chronic infectious disease;

KW vaccine; HSP-peptide complex; tumour; peptidic fragment; lymphocyte;

KM cytotoxic response; epitope; antigen presenting cell; fragment 1.

OS Homo sapiens.

PN WO200129190-A1.

PD 26-APR-2001.

PF 29-SEP-2000; 2000WO-EP09530.

PR 15-OCT-1999; 99EP-0120484.

PA (IDMI-) IDM IMMUNO-DESIGNED MOLECULES.

PI Abastado JP, Bartholeyns J;

XX WPI; 2001-290909/30.

XX Lymphocytes useful for treating cancer, recognizes specifically

XX transformed human cells with induced and increased membrane expression

XX of heat shock protein -

XX Claim 8; Page 15; 21pp; English.

XX The amino acid sequence of fragment 1 relating to position 286-294 of

CC human heat shock protein 70 (HSP70) is given. The new invention relates
CC to lymphocytes which recognise cells of a patient in which overexpression
CC of HSP has been induced. Overexpression of HSP leads to a substantial
CC increase in the numbers of HSPs and HSP epitopes presented on the
CC pericellular membrane. Recognition of increased numbers of HSP epitopes
CC on cell pericellular membranes by lymphocytes elicits a cytotoxic
CC response which kills the target cells. As a further embodiment of the
CC invention, HSP70 epitopes are mutated prior to being loaded into antigen
CC presenting cells. This has the effect of increasing the immune response
CC to HSP and helps direct the immune response to specific cells, (e.g.
CC cancer cells). HSP70 fragments are useful for treating cancer or
CC intracellular infections by vaccination. The tolerance of the organism to
CC the tumour or to the virus associated HSP is broken using an immunogenic
CC mutated form of HSP and induction of a stress on the target tumoural or
CC intracellular infected cells.

CC Sequence 9 AA:

Query Match 100.0%; Score 46; DB 22; Length 9;

Best Local Similarity 100.0%; Pred. No. 4.3e+05; Indels 0; Gaps 0;

Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 1 SLFEGIDIV 9

Db 1 slfegidiv 9

RESULT 3

AAV44200 standard; peptide: 10 AA.

AC AAV44200;

XX 15-FEB-2000 (first entry)

DE Heat shock protein 70 amino acid residues 286-295.

KM Human; heat shock protein 70; hsp70; identification; tumour; mutation;

KW T cell response; amplification; vector; bacterium; cancer; allele; HLA;

KM cytotoxic factor; interleukin; interferon; tumour necrosis factor; HLA;

XX immune defence; immunogenicity; specificity; human leucocyte antigen.

OS Homo sapiens.

PN WO9954464-A1.

PD 28-OCT-1999.

PF 22-APR-1999; 99WO-FR00957.

PR 22-APR-1998; 98FR-0005033.

PA (INSR) INST ROUSSY GUSTAVE.

PI Triebel F, Gaudin C;

XX WPI; 2000-013251/01.

XX Identifying mutant peptides from heat-shock protein 70, for treatment

XX of cancer -

XX Claim 10; Page 6; 56pp; French.

XX This peptide corresponds to amino acid residues 286-295 of the human

XX heat shock protein 70 (hsp70). The invention relates to a method of

XX identifying peptides, derived from hsp70 that stimulate a tumour-specific

XX T cell response. Identification of the hsp70 peptides that have at least

XX one mutation or alteration compared with the native sequence, and induce

XX a tumour-specific T-cell response, comprises: (i) amplifying hsp70

XX encoding DNA from one or more tumours; (ii) cloning the amplified

XX sequences into a vector that can be replicated in bacteria;

XX (iii) sequencing fragments in each cultured bacterial colony to identify

CC any hsp70 mutations, and (iv) determining the immunogenicity of the
 CC mutant peptides identified. The peptides, optionally formulated with an
 CC agent that induces cellular stress, are used for treatment of cancer,
 CC particularly solid cancers (carcinoma, sarcoma, melanoma, neuroblastoma,
 CC cancers of head and neck, particularly kidney cancer). The peptides may
 CC also be used to increase the proportion of tumour-specific cytotoxic
 CC T lymphocytes in a cell culture and/or induce these cells to secrete
 CC cytotoxic factors (specifically interleukin-2, interferon-gamma and
 CC tumour necrosis factor), particularly where the cells are used to
 CC stimulate immune defences. The method identifies peptides with high
 CC immunogenicity and high specificity for particular HLA (human leucocyte
 CC antigen) alleles.
 XX Sequence 10 AA;

Query Match 100.0%; Score 46; DB 21; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0029;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLEFGIDIV 9
 |||||
 Db 1 silegidiv 9

RESULT 4

ID AAB97602 standard; peptide; 10 AA.

AC AAB97602;

DT 30-JUL-2001 (first entry)

DE Heat shock protein 70 (HSP70) peptidic fragment 2.

XX HSP; HSP70; heat shock protein 70; cancer; chronic infectious disease;
 KW vaccine; HSP-peptide complex; tumour; peptidic fragment; lymphocyte;
 KM cytotoxic response; epitope; antigen presenting cell; fragment 2.
 XX Homo sapiens.

PN WO200129190-A1.

PD 26-APR-2001.

PF 29-SEP-2000; 2000MO-EP09530.

PR 15-OCT-1999; 99EP-0120484.

PA (IDM-) IDM IMMUNO-DESIGNED MOLECULES.

PI Abastado JP, Bartholeyns J;

PS WPI; 2001-290909/30.

DR Lymphocytes useful for treating cancer, recognizes specifically
 XX transformed human cells with induced and increased membrane expression
 PT of heat shock protein -
 XX heat shock protein -

PS Claim 8; Page 15; 21pp; English.

CC The amino acid sequence of fragment 2 relating to position 286-295 of
 CC human heat shock protein 70 (HSP70) is given. The new invention relates
 CC to lymphocytes which recognise cells of a patient in which overexpression
 CC of HSP has been induced. Overexpression of HSP leads to a substantial
 CC increase in the numbers of HSPs and HSP epitopes presented on the
 CC pericellular membrane. Recognition of increased numbers of HSP epitopes
 CC on cell pericellular membranes by lymphocytes elicits a cytotoxic
 CC response which kills the target cells. As a further embodiment of the
 CC invention, HSP70 epitopes are mutated prior to being loaded into antigen
 CC presenting cells. This has the effect of increasing the immune response
 CC to HSP and helps direct the immune response to specific cells, (e.g.
 CC cancer cells). HSP70 fragments are useful for treating cancer or

CC intracellular infections by vaccination. The tolerance of the organism to
 CC the tumour or to the virus associated HSP is broken using an immunogenic
 CC mutated form of HSP and induction of a stress on the target tumoural or
 CC intracellular infected cells.
 XX Sequence 10 AA;

Query Match 100.0%; Score 46; DB 22; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0029;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLEFGIDIV 9
 |||||
 Db 1 silegidiv 9

RESULT 5

ID AAB97603 standard; peptide; 10 AA.

AC AAB97603;

DT 30-JUL-2001 (first entry)

DE Heat shock protein 70 (HSP70) peptidic fragment 3.

XX HSP; HSP70; heat shock protein 70; cancer; chronic infectious disease;
 KW vaccine; HSP-peptide complex; tumour; peptidic fragment; lymphocyte;
 KM cytotoxic response; epitope; antigen presenting cell; fragment 3.
 XX Homo sapiens.

PN WO200129190-A1.

PD 26-APR-2001.

PF 29-SEP-2000; 2000MO-EP09530.

PR 15-OCT-1999; 99EP-0120484.

PA (IDM-) IDM IMMUNO-DESIGNED MOLECULES.

PI Abastado JP, Bartholeyns J;

PS WPI; 2001-290909/30.

DR Lymphocytes useful for treating cancer, recognizes specifically
 XX transformed human cells with induced and increased membrane expression
 PT of heat shock protein -
 XX heat shock protein -

PS Claim 8; Page 15; 21pp; English.

CC The amino acid sequence of fragment 3 relating to position 286-295 of
 CC human heat shock protein 70 (HSP70) is given. The new invention relates
 CC to lymphocytes which recognise cells of a patient in which overexpression
 CC of HSP has been induced. Overexpression of HSP leads to a substantial
 CC increase in the numbers of HSPs and HSP epitopes presented on the
 CC pericellular membrane. Recognition of increased numbers of HSP epitopes
 CC on cell pericellular membranes by lymphocytes elicits a cytotoxic
 CC response which kills the target cells. As a further embodiment of the
 CC invention, HSP70 epitopes are mutated prior to being loaded into antigen
 CC presenting cells. This has the effect of increasing the immune response
 CC to HSP and helps direct the immune response to specific cells, (e.g.
 CC cancer cells). HSP70 fragments are useful for treating cancer or
 CC intracellular infections by vaccination. The tolerance of the organism to
 CC the tumour or to the virus associated HSP is broken using an immunogenic
 CC mutated form of HSP and induction of a stress on the target tumoural or
 CC intracellular infected cells.

XX Sequence 10 AA;

Query Match 91.3%; Score 42; DB 22; Length 10;
Best Local Similarity 88.9%; Pred. No. 0.02;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEFGIDY 9
 |||||
 1 sifegidfy 9

Db 200 sifegidfy 208

RESULT 6
AAV88409
ID AAV88409 standard; Protein; 554 AA.
XX
AC AAV88409;
XX
DT 31-JUL-2000 (first entry)
XX
DE Human heat shock protein SHSP70 amino acid sequence.
XX
KW Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
KW depression; nephrotic syndrome; SHSP70.
XX
XX Homo sapiens.
XX OS JP2000069999-A.
XX PN 07-MAR-2000.
XX PD 01-JUN-1995; 99JP-0257146.
XX PF 01-JUN-1995; 95JP-0158581.
XX PR 01-JUN-1995; 95JP-0158581.
XX PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
XX DR WPI: 2000-264458/23.
XX DR N-PSDB: AAA15621.
XX
XX Abnormal transcription of intracellular HSP70mRNA under acute and
XX chronic continuous load of stress in a human being and its application
XX
XX Examples; Fig 2; 11pp; Japanese.
XX
XX This sequence represents the human heat shock protein SHSP70 amino acid
XX sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
XX and 14q22-24. The invention relates to the abnormal transcription of
XX intracellular HSP70mRNA under acute and chronic stress load in a human.
XX The abnormal transcription of HSP70 can be used in the improvement of
XX stress and response and diagnosis of stress diseases including
XX rheumatism, schizophrenia, depression and nephrotic syndrome.
XX
XX Sequence 554 AA:

Query Match 91.3%; Score 42; DB 21; Length 554;
Best Local Similarity 88.9%; Pred. No. 1.6;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEFGIDY 9
 |||||
 1 sifegidfy 208

Db 200 sifegidfy 208

RESULT 7
AAV88410
ID AAV88410 standard; Protein; 554 AA.
XX
AC AAV88410;
XX
DT 31-JUL-2000 (first entry)
XX
DE Human heat shock protein SHSP70 amino acid sequence.

XX
KW Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
KW depression; nephrotic syndrome; SHSP70.
XX
XX Homo sapiens.
XX OS JP2000069999-A.
XX PN 07-MAR-2000.
XX PD 01-JUN-1995; 99JP-0257146.
XX PF 01-JUN-1995; 95JP-0158581.
XX PR 01-JUN-1995; 95JP-0158581.
XX PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
XX DR WPI: 2000-264458/23.
XX DR N-PSDB: AAA15622.
XX
XX Abnormal transcription of intracellular HSP70mRNA under acute and
XX chronic continuous load of stress in a human being and its application
XX
XX Disclosure; Fig 3; 11pp; Japanese.
XX
XX This sequence represents the human heat shock protein SHSP70 amino acid
XX sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
XX and 14q22-24. The invention relates to the abnormal transcription of
XX intracellular HSP70mRNA under acute and chronic stress load in a human.
XX The abnormal transcription of HSP70 can be used in the improvement of
XX stress and response and diagnosis of stress diseases including
XX rheumatism, schizophrenia, depression and nephrotic syndrome.
XX
XX Sequence 554 AA:

Query Match 91.3%; Score 42; DB 21; Length 554;
Best Local Similarity 88.9%; Pred. No. 1.6;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEFGIDY 9
 |||||
 1 sifegidfy 208

Db 200 sifegidfy 208

RESULT 8
AAV88412
ID AAV88412 standard; Protein; 554 AA.
XX
AC AAV88412;
XX
DT 31-JUL-2000 (first entry)
XX
DE Human heat shock protein SHSP70 amino acid sequence.
XX
KW Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
KW depression; nephrotic syndrome; SHSP70.
XX
XX Homo sapiens.
XX OS JP2000069999-A.
XX PN 07-MAR-2000.
XX PD 01-JUN-1995; 99JP-0257146.
XX PF 01-JUN-1995; 95JP-0158581.
XX PR 01-JUN-1995; 95JP-0158581.
XX PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
XX DR WPI: 2000-264458/23.

XX Abnormal transcription of intracellular HSP70mRNA under acute and
PT chronic continuous load of stress in a human being and its application
PT
XX
XX
PS Disclosure; Fig 5; 11pp; Japanese.
XX

CC This sequence represents the human heat shock protein SHSP70 amino acid
CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
CC and 14q22-24. The invention relates to the abnormal transcription of
CC intracellular HSP70mRNA under acute and chronic stress load in a human.
CC The abnormal transcription of HSP70 can be used in the improvement of
CC stress and response and diagnosis of stress diseases including
CC rheumatism, schizophrenia, depression and nephrotic syndrome.
XX
XX

SQ Sequence 554 AA;

Query Match 91.3%; Score 42; DB 21; Length 554;
Best Local Similarity 88.9%; Pred. No. 1.6;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEPGIDY 9
|||
Db 200 slfigidfy 208

RESULT 9
AA788413

ID AAY88413 standard; Protein; 554 AA.

AC AAY88413;

DT 31-JUL-2000 (first entry)

DE Human heat shock protein SHSP70 amino acid sequence.

XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
KM chromosome 14q22-24; transcription; rheumatism; schizophrenia;
KW depression; nephrotic syndrome; SHSP70.

XX Homo sapiens.

PN JP2000069999-A.

PD 07-MAR-2000.

PF 01-JUN-1995; 99JP-0257146.

PR 01-JUN-1995; 95JP-0158581.

PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.

DR WPI; 2000-264458/73.

PT Abnormal transcription of intracellular HSP70mRNA under acute and
PT chronic continuous load of stress in a human being and its application
PT
XX
XX

PS Disclosure; Fig 6; 11pp; Japanese.

CC This sequence represents the human heat shock protein SHSP70 amino acid
CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
CC and 14q22-24. The invention relates to the abnormal transcription of
CC intracellular HSP70mRNA under acute and chronic stress load in a human.
CC The abnormal transcription of HSP70 can be used in the improvement of
CC stress and response and diagnosis of stress diseases including
CC rheumatism, schizophrenia, depression and nephrotic syndrome.
XX
XX

SQ Sequence 554 AA;

Query Match 91.3%; Score 42; DB 21; Length 554;

Best Local Similarity 88.9%; Pred. No. 1.6;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEPGIDY 9
|||
Db 200 slfigidfy 208

RESULT 10
AAB23252

ID AAB23252 standard; Protein; 624 AA.

AC AAB23252;

DT 29-JAN-2001 (first entry)

DE Human Hsp72 (heat shock protein 72).

XX Human Hsp72; heat shock protein 72; chromosome 6p21.3; Hsp72 inhibitor;
KM expression modulator; JNK phosphatase inhibitor; antiproliferative;
KW drug screening; cancer; leukaemia; lymphoma; solid tumour; sarcoma;
KW carcinoma; breast cancer; prostate cancer; premalignant condition.

XX Homo sapiens.

PN WO200054814-A1.

PD 21-SEP-2000.

PF 17-MAR-2000; 2000MO-US07350.

PR 18-MAR-1999; 99US-0125046.

PA (PHYL-) PHYLOGENY INC.

PI Vollloch VZ, Sherman M;

DR WPI; 2000-647056/62.

DR N-PADB; AAA97541.

PT Identifying compounds that inhibit proliferation of cells and capable
PT of modulating the expression of heat shock protein 72 gene and/or
PT activity of Hsp72 useful for treating cancers such as leukemia.
PT Lymphoma
XX
XX

PS Examples; Fig 16B; 77pp; English.

CC The invention relates to a novel method of identifying compounds that
CC inhibit proliferation of cells comprising contacting a test compound with
CC a cell which overexpresses Hsp72 (heat shock protein 72), and determining
CC if the test compound inhibits activity or expression of Hsp72.
CC Optionally, Hsp72 is contacted with the test compound under optimum
CC conditions to allow the two components to interact and bind, forming a
CC complex which is detected. The invention also relates to a method of
CC identifying compounds that inhibit Hsp72-mediated JNK phosphatase
CC activation, comprising contacting a test compound with a cell which
CC expresses Hsp72, exposing the cell to a heat induced stress and
CC determining if the compound inhibits JNK phosphatase activity. The
CC invention additionally encompasses compositions comprising an inhibitor
CC of Hsp72 or JNK phosphatase activity. The compounds identified as
CC inhibitors of Hsp72 or JNK phosphatase activity are useful for
CC inhibiting the proliferation of cells. Modulation of the activity of the
CC JNK phosphatase or Hsp72 is used to treat a proliferative disorder such
CC as cancers (e.g., leukaemia, lymphoma, solid tumours such as sarcomas and
CC carcinomas, breast cancer, prostate cancer). The compounds that inhibit
CC Hsp72 activity can also be administered to treat premalignant conditions
CC and to prevent progression to a neoplastic or malignant state. The
CC compounds that inhibit Hsp72 function are administered to a patient
CC having a disease or disorder mediated by an increase of Hsp72 expression
CC or activity relative to normal levels. The present sequence represents
CC human Hsp72 used in the exemplifications of the invention.
XX
XX

SQ Sequence 624 AA;

Query Match 91.3%; Score 42; DB 21; Length 624;
 Best Local Similarity 88.9%; Pred. No. 1.8;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLEFGIDIV 9
 |||||
 Db 286 slfegldfy 294

RESULT 11

AAAR03930
 ID AAR03930 standard; Protein: 634 AA.

AC AAR03930;

DT 30-AUG-1990 (first entry)

DE Gallus gallus HSP (chhsp70).

KW Hsp70; heat shock protein; Trypanosoma cruzi; vaccines; HSP.

OS Gallus gallus.

Key Location/Qualifiers

FT Misc-difference 634 /note= "residue given as "O" in specification"

PN WO9002564-A.

PD 22-MAR-1990.

PF 12-SEP-1989; 89WO-0003955.

PR 12-SEP-1988; 88US-0243474.

PA (CODON-)

PI Dragon E, Faulds D, Sias S;

DR WPI; 1990-115820/15.

Proteins homologous to heat shock proteins from Trypanosoma cruzi - used in vaccines and diagnosis for species of eg Mycoplasma or Mycobacteria.

Disclosure: Fig 2.1-2.14; 86pp; English.

According to the legend of Fig 2, the G. gallus HSP sequence has 635 amino acid residues, the sequence itself has only 634, including "O" (?) at position 634.

Fig. 2 provides an alignment of heat shock proteins from a variety of organisms: 1. M.hypneumoniae (Mhysp70 - AAR03922);

2. Bacillus megaterium (Bmehsp70 - AAR03923);

3. E. coli (dnak - AAR03924);

4. T. cruzi (tc70kd - AAR03925);

5. Rat rattus (rathsp70 - AAR03927);

6. Xenopus laevis (xl70 - AAR03928);

7. Homo sapiens (humhsp70 - AAR03929);

8. Gallus gallus (chhsp70 - AAR03930);

9. Zea mays (zmehsp70 - AAR03931);

10. Serratia marcescens (smahsp70 - AAR03932).

The proteins having homology to hsp's of T. cruzi can be used in vaccines and diagnosis involving e.g. Trypanosoma, Mycoplasma and Mycobacteria species.

Sequence 634 AA;

Query Match 91.3%; Score 42; DB 11; Length 634;
 Best Local Similarity 88.9%; Pred. No. 1.8;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLEFGIDIV 9
 |||||
 Db 289 slfegldfy 297

RESULT 12

AAAR03929
 ID AAR03929 standard; Protein: 640 AA.

AC AAR03929;

DT 30-AUG-1990 (first entry)

DE Homo sapiens HSP (humhsp70).

KW Hsp70; heat shock protein; Trypanosoma cruzi; vaccines; HSP.

OS Homo sapiens.

Key Location/Qualifiers

FT Misc-difference 640 /note= "residue given as "O" in specification"

PN WO9002564-A.

PD 22-MAR-1990.

PF 12-SEP-1989; 89WO-0003955.

PR 12-SEP-1988; 88US-0243474.

PA (CODON-)

PI Dragon E, Faulds D, Sias S;

DR WPI; 1990-115820/15.

Proteins homologous to heat shock proteins from Trypanosoma cruzi - used in vaccines and diagnosis for species of eg Mycoplasma or Mycobacteria.

Disclosure: Fig 2.1-2.14; 86pp; English.

According to the legend of Fig 2, the H. sapiens HSP sequence has 641 amino acid residues, the sequence itself has only 640, including "O" (?) at position 640.

Fig. 2 provides an alignment of heat shock proteins from a variety of organisms: 1. M.hypneumoniae (Mhysp70 - AAR03922);

2. Bacillus megaterium (Bmehsp70 - AAR03923);

3. E. coli (dnak - AAR03924);

4. T. cruzi (tc70kd - AAR03925);

5. Rat rattus (rathsp70 - AAR03927);

6. Xenopus laevis (xl70 - AAR03928);

7. Homo sapiens (humhsp70 - AAR03929);

8. Gallus gallus (chhsp70 - AAR03930);

9. Zea mays (zmehsp70 - AAR03931);

10. Serratia marcescens (smahsp70 - AAR03932).

The proteins having homology to hsp's of T. cruzi can be used in vaccines and diagnosis involving e.g. Trypanosoma, Mycoplasma and Mycobacteria species.

Sequence 640 AA;

Query Match 91.3%; Score 42; DB 11; Length 640;
 Best Local Similarity 88.9%; Pred. No. 1.8;
 Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLEFGIDIV 9
 |||||
 Db 286 slfegldfy 294

RESULT 13
AAW10065
ID AAW10065 standard; Protein; 640 AA.
XX
AC AAW10065;
XX
DT 24-OCT-1997 (first entry)
XX
DE Human heat shock protein 70.
XX
KW Human; heat shock protein 70; HSP70; primer; probe; detection;
KW intracellular; abnormal transcription; acute; chronic; sustained;
KW stress.
XX
OS Homo sapiens.
XX
PN JP08322577-A.
XX
PD 10-DEC-1996.
XX
PF 01-JUN-1995; 95JP-0158581.
XX
PR 01-JUN-1995; 95JP-0158581.
XX
PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
XX
DR WPI; 1997-081088/08.
DR N-PSDB; AAT58086.
XX
PT Detection of abnormal transcription of HSP70 mRNA - using HSP70
PT specific primer or probe, used in detection of human acute and
PT chronic sustained stress load
XX
XX Claim 1; Fig 1; 13pp; Japanese.
XX
XX The cDNA encoding the present sequence, human heat shock protein 70
XX (HSP70), is located on human chromosome 6p 21.3-22 and 14q 22-24
XX and 21. Primers and probes based on the HSP70 cDNA coding
XX sequence can be used to detect the abnormal transcription of
XX intracellular HSP70 mRNA in human acute and chronic sustained
XX stress load.
XX
SQ Sequence 640 AA;

Query Match 91.3%; Score 42; DB 18; Length 640;
Best Local Similarity 88.9%; Pred. No. 1.8;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLEFGIDIV 9
DB 286 slfegidiv 294
IIIIIIII
I

RESULT 14
AAB23653
ID AAB23653 standard; protein; 640 AA.
XX
AC AAB23653;
XX
DT 05-JAN-2001 (first entry)
XX
DE Human heat shock protein Hsp70 protein sequence SEQ ID NO:5.
XX
KW ATPase; Hsp70; heat shock protein; cytotoxic T lymphocyte; CTL;
KW immune response; infectious disease; malaria; cytotoxic T cell;
KW cytostatic; immunostimulant; cellular immune response inducer;
KW protozoicide; leukaemia; cancer.
XX
XX Homo sapiens.
XX
XX W0200049041-A1.
PN

XX
XX 24-AUG-2000.
XX
XX 18-FEB-2000; 2000MO-JP00941.
XX
XX 19-FEB-1999; 99JP-0041535.
XX
XX (SUME) SUMITOMO ELECTRIC IND CO.
XX
XX Shinbara N, Uono H, Yui K;
XX
XX WPI; 2000-543748/49.
XX
XX Fused protein capable of inducing cellular immune response, useful as
XX active ingredient for drug compositions in preventing and/or treating
XX infectious diseases such as malaria or cancer
XX
XX Claim 3; Page 49-52; 72pp; Japanese.
XX
XX The present invention describes a fused protein (I) prepared from a
XX peptide containing a CTL (cytotoxic T lymphocyte) epitope recognised by
XX cytotoxic T cells and a protein containing the ATPase domain of a heat
XX shock protein. Also described are: (1) a drug composition containing (I)
XX as active ingredient; (2) a DNA encoding (I); (3) an expression vector
XX containing the DNA of (2); and (4) a transformant which can retain the
XX expression vector of (3). (I) has cytostatic, immunostimulant and
XX protozoicide activities, and can be used as a cellular immune response
XX inducer. The protein is useful as an active ingredient for drug
XX compositions in preventing and/or treating infectious diseases such as
XX malaria or cancer e.g. to provide systemic immunity against leukaemia.
XX The present sequence represents a specifically claimed heat shock
XX protein for use in a fused protein of the present invention.
XX
SQ Sequence 640 AA;

Query Match 91.3%; Score 42; DB 21; Length 640;
Best Local Similarity 88.9%; Pred. No. 1.8;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLEFGIDIV 9
DB 286 slfegidiv 294
IIIIIIII
I

RESULT 15
AAy88408
ID AAy88408 standard; Protein; 640 AA.
XX
AC AAy88408;
XX
DT 31-JUL-2000 (first entry)
XX
DE Human heat shock protein HSP70 amino acid sequence.
XX
KW Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
KW depression; nephrotic syndrome.
XX
XX Homo sapiens.
XX
XX JP2000069999-A.
XX
XX 07-MAR-2000.
XX
XX 01-JUN-1995; 99JP-0257146.
XX
XX 01-JUN-1995; 95JP-0158581.
XX
XX (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
XX
XX WPI; 2000-264458/23.
XX
XX N-PSDB; AAI5620.
DR

XX Abnormal transcription of intracellular HSP70mRNA under acute and
PT chronic continuous load of stress in a human being and its application
PT
PS
PS Claim 2; Fig 1; 11pp; Japanese.
XX
XX
XX This sequence represents the human heat shock protein HSP70 amino acid
CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
CC and 14q22-24. The invention relates to the abnormal transcription of
CC intracellular HSP70mRNA under acute and chronic stress load in a human.
CC The abnormal transcription of HSP70 can be used in the improvement of
CC stress and response and diagnosis of stress diseases including
CC rheumatisms, schizophrenia, depression and nephrotic syndrome.
XX
XX Sequence .640 AA;
SQ

Query Match	91.3%	Score 42;	DB 21;	length 640;
Best Local Similarity	88.9%	Pred. No. 1.8;		
Matches	8;	Conservative	0;	Mismatches 1;
				Indels 0;
				Gaps 0;
QY	1	SPECIDITY	9	
Db	286	sIefegidty	294	

Search completed: December 6, 2001, 08:04:01
Job time: 609 sec

PS Claim 10; Page 6; 56pp; French.

XX CC This peptide corresponds to amino acid residues 286-295 of the human

CC heat shock protein 70 (hsp70). The invention relates to a method of

CC identifying peptides, derived from hsp70 that stimulate a tumour-specific

CC T cell response. Identification of the hsp70 peptides that have at least

CC one mutation or alteration compared with the native sequence, and induce

CC a tumour-specific T-cell response, comprises: (i) amplifying hsp70

CC encoding DNA from one or more tumours; (ii) cloning the amplified

CC sequences into a vector that can be replicated in bacteria;

CC (iii) sequencing fragments in each cultured bacterial colony to identify

CC any hsp70 mutations; and (iv) determining the immunogenicity of the

CC mutant peptides identified. The peptides, optionally formulated with an

CC agent that induces cellular stress, are used for treatment of cancer,

CC particularly solid cancers (carcinoma, sarcoma, melanoma, neuroblastoma,

CC cancers of head and neck, particularly kidney cancer). The peptides may

CC also be used to increase the proportion of tumour-specific cytotoxic

CC T lymphocytes in a cell culture and/or induce these cells to secrete

CC cytotoxic factors (specifically interleukin-2, interferon-gamma and

CC tumour necrosis factor), particularly where the cells are used to

CC stimulate immune defences. The method identifies peptides with high

CC immunogenicity and high specificity for particular HLA (human leucocyte

CC antigen) alleles.

XX SQ Sequence 10 AA;

Query Match 100.0%; Score 51; DB 21; Length 10;

Best Local Similarity 100.0%; Pred. No. 0.00031;

Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDITYT 10

|||||

Db 1 slfegidlyt 10

RESULT 2

AAB97602

ID AAB97602 standard; peptide: 10 AA.

XX AC AAB97602;

XX DT 30-JUL-2001 (first entry)

XX DE Heat shock protein 70 (HSP70) peptidic fragment 2.

XX DE HSP: HSP70: heat shock protein 70; cancer; chronic infectious disease;

XX KW vaccine; HSP-peptide complex; tumour; peptidic fragment; lymphocyte;

XX KW cytotoxic response; epitope; antigen presenting cell; fragment 2.

XX OS Homo sapiens.

XX PN WO200129190-A1.

XX PD 26-APR-2001.

XX PF 29-SEP-2000; 2000WO-EP09530.

XX PR 15-OCT-1999; 99EP-0120484.

XX PA (IDM-) IDM IMMUNO-DESIGNED MOLECULES.

XX PI Abastado JP, Bartholeyns J;

XX DR WPI: 2001-290909/30.

XX PT Lymphocytes useful for treating cancer, recognizes specifically

XX PT transformed human cells with induced and increased membrane expression

XX PT of heat shock protein -

XX PS Claim 8; Page 15; 21pp; English.

XX CC The amino acid sequence of fragment 2 relating to position 286-295 of

CC human heat shock protein 70 (HSP70) is given. The new invention relates

CC to lymphocytes which recognise cells of a patient in which overexpression

CC of HSP has been induced. Overexpression of HSP leads to a substantial

CC increase in the numbers of HSPs and HSP epitopes presented on the

CC pericellular membrane. Recognition of increased numbers of HSP epitopes

CC on cell pericellular membranes by lymphocytes elicits a cytotoxic

CC response which kills the target cells. As a further embodiment of the

CC invention, HSP70 epitopes are mutated prior to being loaded into antigen

CC presenting cells. This has the effect of increasing the immune response

CC to HSP and helps direct the immune response to specific cells, (e.g.

CC cancer cells). HSP70 fragments are useful for treating cancer or

CC intracellular infections by vaccination. The tolerance of the organism to

CC the tumour or to the virus associated HSP is broken using an immunogenic

CC mutated form of HSP and induction of a stress on the target tumoural or

CC intracellular infected cells.

XX SQ Sequence 10 AA;

Query Match 100.0%; Score 51; DB 22; Length 10;

Best Local Similarity 100.0%; Pred. No. 0.00031;

Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDITYT 10

|||||

Db 1 slfegidlyt 10

RESULT 3

AAB97603

ID AAB97603 standard; peptide: 10 AA.

XX AC AAB97603;

XX DT 30-JUL-2001 (first entry)

XX DE Heat shock protein 70 (HSP70) peptidic fragment 3.

XX DE HSP: HSP70: heat shock protein 70; cancer; chronic infectious disease;

XX KW vaccine; HSP-peptide complex; tumour; peptidic fragment; lymphocyte;

XX KW cytotoxic response; epitope; antigen presenting cell; fragment 3.

XX OS Homo sapiens.

XX PN WO200129190-A1.

XX PD 26-APR-2001.

XX PF 29-SEP-2000; 2000WO-EP09530.

XX PR 15-OCT-1999; 99EP-0120484.

XX PA (IDM-) IDM IMMUNO-DESIGNED MOLECULES.

XX PI Abastado JP, Bartholeyns J;

XX DR WPI: 2001-290909/30.

XX PT Lymphocytes useful for treating cancer, recognizes specifically

XX PT transformed human cells with induced and increased membrane expression

XX PT of heat shock protein -

XX PS Claim 8; Page 15; 21pp; English.

XX CC The amino acid sequence of fragment 3 relating to position 286-295 of

CC human heat shock protein 70 (HSP70) is given. The new invention relates

CC to lymphocytes which recognise cells of a patient in which overexpression

CC of HSP has been induced. Overexpression of HSP leads to a substantial

CC increase in the numbers of HSPs and HSP epitopes presented on the

CC pericellular membrane. Recognition of increased numbers of HSP epitopes

CC on cell pericellular membranes by lymphocytes elicits a cytotoxic

CC response which kills the target cells. As a further embodiment of the

CC invention, HSP70 epitopes are mutated prior to being loaded into antigen

CC presenting cells. This has the effect of increasing the immune response

CC to HSP and helps direct the immune response to specific cells, (e.g.

CC cancer cells). HSP70 fragments are useful for treating cancer or

CC intracellular infections by vaccination. The tolerance of the organism to

CC the tumour or to the virus associated HSP is broken using an immunogenic

CC mutated form of HSP and induction of a stress on the target tumoural or

CC intracellular infected cells.

CC presenting cells. This has the effect of increasing the immune response
 CC to HSP and helps direct the immune response to specific cells, (e.g.
 CC cancer cells). HSP70 fragments are useful for treating cancer or
 CC intracellular infections by vaccination. The tolerance of the organism to
 CC the tumour or to the virus associated HSP is broken using an immunogenic
 CC mutated form of HSP and induction of a stress on the target tumoural or
 CC intracellular infected cells.

SQ Sequence 10 AA;

Query Match 92.2%; Score 47; DB 22; Length 10;

Best Local Similarity 90.0%; Pred. No. 0.0021; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEFGIDIVT 10
 |||||
 DB 1 sifegidfyt 10

RESULT 4

ID AAY88409 standard; Protein; 554 AA.

XX AAY88409;

DT 31-JUL-2000 (first entry)

DE Human heat shock protein SHSP70 amino acid sequence.

KW Human: heat shock protein; HSP70; chromosome 6p21.3-22; stress;

KM chromosome 14q22-24; transcription; rheumatism; schizophrenia;

KW depression; nephrotic syndrome; SHSP70.

OS Homo sapiens.

PN JP2000069999-A.

PD 07-MAR-2000.

PF 01-JUN-1995; 99JP-0257146.

PR 01-JUN-1995; 95JP-0158581.

PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.

DR WPI; 2000-264458/23.

DR N-PSDB; AAA15621.

PT Abnormal transcription of intracellular HSP70mRNA under acute and

PT chronic continuous load of stress in a human being and its application

PS Examples; Fig 2; 11pp; Japanese.

CC This sequence represents the human heat shock protein SHSP70 amino acid

CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22

CC and 14q22-24. The invention relates to the abnormal transcription of

CC intracellular HSP70mRNA under acute and chronic stress load in a human.

CC The abnormal transcription of HSP70 can be used in the improvement of

CC stress and response and diagnosis of stress diseases including

CC rheumatism, schizophrenia, depression and nephrotic syndrome.

SQ Sequence 554 AA;

Query Match 92.2%; Score 47; DB 21; Length 554;

Best Local Similarity 90.0%; Pred. No. 0.2; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEFGIDIVT 10
 |||||
 DB 200 sifegidfyt 209

RESULT 5

ID AAY88410 standard; Protein; 554 AA.

XX AAY88410;

DT 31-JUL-2000 (first entry)

DE Human heat shock protein SHSP70 amino acid sequence.

KW Human: heat shock protein; HSP70; chromosome 6p21.3-22; stress;

KM chromosome 14q22-24; transcription; rheumatism; schizophrenia;

KW depression; nephrotic syndrome; SHSP70.

OS Homo sapiens.

PN JP2000069999-A.

PD 07-MAR-2000.

PF 01-JUN-1995; 99JP-0257146.

PR 01-JUN-1995; 95JP-0158581.

PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.

DR WPI; 2000-264458/23.

DR N-PSDB; AAA15622.

PT Abnormal transcription of intracellular HSP70mRNA under acute and

PT chronic continuous load of stress in a human being and its application

PS Disclosure; Fig 3; 11pp; Japanese.

CC This sequence represents the human heat shock protein SHSP70 amino acid

CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22

CC and 14q22-24. The invention relates to the abnormal transcription of

CC intracellular HSP70mRNA under acute and chronic stress load in a human.

CC The abnormal transcription of HSP70 can be used in the improvement of

CC stress and response and diagnosis of stress diseases including

CC rheumatism, schizophrenia, depression and nephrotic syndrome.

SQ Sequence 554 AA;

Query Match 92.2%; Score 47; DB 21; Length 554;

Best Local Similarity 90.0%; Pred. No. 0.2; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEFGIDIVT 10
 |||||
 DB 200 sifegidfyt 209

RESULT 6

ID AAY88412 standard; Protein; 554 AA.

XX AAY88412;

DT 31-JUL-2000 (first entry)

DE Human heat shock protein SHSP70 amino acid sequence.

KW Human: heat shock protein; HSP70; chromosome 6p21.3-22; stress;

KM chromosome 14q22-24; transcription; rheumatism; schizophrenia;

KW depression; nephrotic syndrome; SHSP70.

OS Homo sapiens.

PN JP2000069999-A.
XX
PD 07-MAR-2000.
XX
PF 01-JUN-1995; 99JP-0257146.
XX
PR 01-JUN-1995; 95JP-0158581.
XX
PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
XX
DR WPI; 2000-264458/23.
XX
PT Abnormal transcription of intracellular HSP70mRNA under acute and
PT chronic continuous load of stress in a human being and its application
PT
PS
PS Disclosure; Fig 5; 11pp; Japanese.
XX
XX This sequence represents the human heat shock protein SHSP70 amino acid
CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
CC and 14q22-24. The invention relates to the abnormal transcription of
CC intracellular HSP70mRNA under acute and chronic stress load in a human.
CC The abnormal transcription of HSP70 can be used in the improvement of
CC stress and response and diagnosis of stress diseases including
CC rheumatism, schizophrenia, depression and nephrotic syndrome.
CC
SO Sequence 554 AA:

Query Match 92.2%; Score 47; DB 21; Length 554;
Best Local Similarity 90.0%; Pred. No. 0.2;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 SLEFGIDITYT 10
DB 200 slfegldfyt 209

RESULT 7
AAV88413
ID AAV88413 standard; Protein; 554 AA.
XX
AC AAV88413;
XX
DT 31-JUL-2000 (first entry)
XX
DE Human heat shock protein SHSP70 amino acid sequence.
XX
KW Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
KW depression; nephrotic syndrome; SHSP70.
XX
OS Homo sapiens.
XX
PN JP2000069999-A.
XX
PD 07-MAR-2000.
XX
PF 01-JUN-1995; 99JP-0257146.
XX
PR 01-JUN-1995; 95JP-0158581.
XX
PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
XX
DR WPI; 2000-264458/23.
XX
PT Abnormal transcription of intracellular HSP70mRNA under acute and
PT chronic continuous load of stress in a human being and its application
PT
PS
PS Disclosure; Fig 6; 11pp; Japanese.
XX
XX This sequence represents the human heat shock protein SHSP70 amino acid

CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
CC and 14q22-24. The invention relates to the abnormal transcription of
CC intracellular HSP70mRNA under acute and chronic stress load in a human.
CC The abnormal transcription of HSP70 can be used in the improvement of
CC stress and response and diagnosis of stress diseases including
CC rheumatism, schizophrenia, depression and nephrotic syndrome.
CC
SQ Sequence 554 AA:

Query Match 92.2%; Score 47; DB 21; Length 554;
Best Local Similarity 90.0%; Pred. No. 0.2;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 SLEFGIDITYT 10
DB 200 slfegldfyt 209

RESULT 8
AAB23252
ID AAB23252 standard; Protein; 624 AA.
XX
AC AAB23252;
XX
DT 29-JAN-2001 (first entry)
XX
DE Human Hsp72 (heat shock protein 72).
XX

KW Human Hsp72; heat shock protein 72; chromosome 6p21.3; Hsp72 inhibitor;
KW expression modulator; JNK phosphatase inhibitor; antiproliferative;
KW drug screening; cancer; Leukemia; Lymphoma; solid tumour; sarcoma;
KW carcinoma; breast cancer; prostate cancer; premalignant condition.
XX

OS Homo sapiens.
XX
PN WO200054814-A1.
XX
PD 21-SEP-2000.
XX
PF 17-MAR-2000; 2000MO-US07350.
XX
PR 18-MAR-1999; 99US-0125046.
XX
PA (PHYL-) PHYLOGENY INC.
XX
PI Vollooch VZ, Sherman M;
XX

DR WPI; 2000-647056/62.
DR N-PSDB; AAA97541.
XX

PT Identifying compounds that inhibit proliferation of cells and capable
PT of modulating the expression of heat shock protein 72 gene and/or
PT activity of Hsp72 useful for treating cancers such as leukemia,
PT Lymphoma
XX

PS Examples; Fig 16B; 77pp; English.
XX

CC The invention relates to a novel method of identifying compounds that
CC inhibit proliferation of cells comprising contacting a test compound with
CC a cell which overexpresses Hsp72 (heat shock protein 72), and determining
CC if the test compound inhibits activity or expression of Hsp72.
CC Optionally, Hsp72 is contacted with the test compound under optimum
CC conditions to allow the two components to interact and bind, forming a
CC complex which is detected. The invention also relates to a method of
CC identifying compounds that inhibit Hsp72-mediated JNK phosphatase
CC activation, comprising contacting a test compound with a cell which
CC expresses Hsp72, exposing the cell to a heat induced stress and
CC determining if the compound inhibits JNK phosphatase activity. The
CC invention additionally encompasses compositions comprising an inhibitor
CC of Hsp72 or JNK phosphatase activity. The compounds identified as
CC inhibitors of Hsp72 or JNK phosphatase activity are useful for
CC inhibiting the proliferation of cells. Modulation of the activity of the

CC JNK phosphatase or Hsp72 is used to treat a proliferative disorder such
 CC as cancers (e.g., leukemia, lymphoma, solid tumours such as sarcomas and
 CC carcinomas, breast cancer, prostate cancer). The compounds that inhibit
 CC Hsp72 activity can also be administered to treat premalignant conditions
 CC and to prevent progression to a neoplastic or malignant state. The
 CC compounds that inhibit Hsp72 function are administered to a patient
 CC having a disease or disorder mediated by an increase of Hsp72 expression
 CC or activity relative to normal levels. The present sequence represents
 CC human Hsp72 used in the exemplifications of the invention.

XX
 SQ Sequence 624 AA;

Query Match 92.2%; Score 47; DB 21; Length 624;
 Best Local Similarity 90.0%; Pred. No. 0.22;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEFGIDIVT 10
 |||||
 Db 286 slfegidivt 295

RESULT 9
 AAR03930
 ID AAR03930 standard; Protein; 634 AA.

XX AAR03930;

XX 30-AUG-1990 (first entry)

XX Gallus gallus HSP (chkhsp70).

XX Hsp70; heat shock protein; Trypanosoma cruzi; vaccines; HSP.

XX Gallus gallus.

XX Key Location/Qualifiers

XX Misc-difference 634 /note= "residue given as "O" in specification"

XX WO9002564-A.

XX 22-MAR-1990.

XX 12-SEP-1989; 89WO-0003955.

XX 12-SEP-1988; 88US-0243474.

XX (CODO-) CODON.

XX Dragon E, Faulds D, Sias S;

XX WPI; 1990-115820/15.

XX Proteins homologous to heat shock proteins from Trypanosoma cruzi - used
 PT in vaccines and diagnosis for species of eg Mycoplasma or Mycobacteria.

XX Disclosure; Fig 2.1-2.14; 86pp; English.

XX According to the legend of Fig 2, the G. gallus HSP sequence has
 CC 635 amino acid residues, the sequence itself has only 634,
 CC including "O" (?) at position 634.

XX Fig. 2 provides an alignment of heat shock proteins from a variety

XX of organisms: 1. M.hypneumoninae (Mhyhsp70 - AAR03922);

XX 2. Bacillus megaterium (Bmebsp70 - AAR03923);

XX 3. E. coli (dnak - AAR03924);

XX 4. T. cruzi (tc70kd - AAR03925);

XX 5. T. cruzi (AAR03926);

XX 6. Rat rattus (rathsp70 - AAR03927);

XX 7. Xenopus laevis (xl70 - AAR03928);

XX 8. Homo sapiens (humhsp70 - AAR03929);

XX 9. Gallus gallus (chkhsp70 - AAR03930);

XX 10. Zea mays (mzhsp70 - AAR03931);

CC 11. Serratia marcescens (smahsp70 - AAR03932).
 CC The proteins having homology to hsp's of T. cruzi can be used in
 CC vaccines and diagnosis involving e.g. Trypanosoma, Mycoplasma and
 CC Mycobacteria species.

XX
 SQ Sequence 634 AA;

Query Match 92.2%; Score 47; DB 11; Length 634;
 Best Local Similarity 90.0%; Pred. No. 0.23;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEFGIDIVT 10
 |||||
 Db 289 slfegidivt 298

RESULT 10
 AAR03929
 ID AAR03929 standard; Protein; 640 AA.

XX AAR03929;

XX 30-AUG-1990 (first entry)

XX Homo sapiens HSP (humhsp70).

XX Hsp70; heat shock protein; Trypanosoma cruzi; vaccines; HSP.

XX Homo sapiens.

XX Key Location/Qualifiers

XX Misc-difference 640 /note= "residue given as "O" in specification"

XX WO9002564-A.

XX 22-MAR-1990.

XX 12-SEP-1989; 89WO-0003955.

XX 12-SEP-1988; 88US-0243474.

XX (CODO-) CODON.

XX Dragon E, Faulds D, Sias S;

XX WPI; 1990-115820/15.

XX Proteins homologous to heat shock proteins from Trypanosoma cruzi - used
 PT in vaccines and diagnosis for species of eg Mycoplasma or Mycobacteria.

XX Disclosure; Fig 2.1-2.14; 86pp; English.

XX According to the legend of Fig 2, the H. sapiens HSP sequence has
 CC 641 amino acid residues, the sequence itself has only 640,
 CC including "O" (?) at position 640.

XX Fig. 2 provides an alignment of heat shock proteins from a variety

XX of organisms: 1. M.hypneumoninae (Mhyhsp70 - AAR03922);

XX 2. Bacillus megaterium (Bmebsp70 - AAR03923);

XX 3. E. coli (dnak - AAR03924);

XX 4. T. cruzi (tc70kd - AAR03925);

XX 5. T. cruzi (AAR03926);

XX 6. Rat rattus (rathsp70 - AAR03927);

XX 7. Xenopus laevis (xl70 - AAR03928);

XX 8. Homo sapiens (humhsp70 - AAR03929);

XX 9. Gallus gallus (chkhsp70 - AAR03930);

XX 10. Zea mays (mzhsp70 - AAR03931);

XX 11. Serratia marcescens (smahsp70 - AAR03932).

XX The proteins having homology to hsp's of T. cruzi can be used in
 CC vaccines and diagnosis involving e.g. Trypanosoma, Mycoplasma and
 CC Mycobacteria species.

SQ Sequence 640 AA;
 Query Match 92.2%; Score 47; DB 11; Length 640;
 Best Local Similarity 90.0%; Pred. No. 0.23;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 OY 1 SLFEGIDITYT 10
 |||||
 Db 286 slfegidfty 295
 RESULT 11
 AAM10065
 ID AAM10065 standard; Protein: 640 AA.
 AC AAM10065;
 XX 24-OCT-1997 (first entry)
 DE Human heat shock protein 70.
 XX Human; heat shock protein 70; HSP70; primer; probe; detection;
 KW Intracellular; abnormal transcription; acute; chronic; sustained;
 KM stress.
 XX Homo sapiens.
 OS JP08322577-A.
 PN 10-DEC-1996.
 PD 01-JUN-1995; 95JP-0158581.
 PF 01-JUN-1995; 95JP-0158581.
 PR 01-JUN-1995; 95JP-0158581.
 PA (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
 DR WPI: 1997-081088/08.
 DR N-FSDB: AAT56086.
 XX
 XX Detection of abnormal transcription of HSP70 mRNA - using HSP70
 PT specific primer or probe, used in detection of human acute and
 PT chronic sustained stress load
 XX
 PS Claim 1; Fig 1; 13pp; Japanese.
 CC The cDNA encoding the present sequence, human heat shock protein 70
 CC (HSP70), is located on human chromosome 6p 21.3-22 and 14q 22-24
 CC and 21. Primers and probes based on the HSP70 cDNA coding
 CC sequence can be used to detect the abnormal transcription of
 CC intracellular HSP70 mRNA in human acute and chronic sustained
 CC stress load.
 CC
 SQ Sequence 640 AA;
 Query Match 92.2%; Score 47; DB 18; Length 640;
 Best Local Similarity 90.0%; Pred. No. 0.23;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 OY 1 SLFEGIDITYT 10
 |||||
 Db 286 slfegidfty 295
 RESULT 12
 AAB23653
 ID AAB23653 standard; protein: 640 AA.
 AC AAB23653;
 XX
 XX
 DT 05-JAN-2001 (first entry)

XX
 DE Human heat shock protein Hsp70 protein sequence SEQ ID NO:5.
 XX
 XX ATPase; Hsp70; heat shock protein; cytotoxic T lymphocyte; CTL;
 KW immune response; infectious disease; malaria; cytotoxic T cell;
 KW cytotoxic; immunostimulant; cellular immune response inducer;
 KW protozoicide; leukaemia; cancer.
 XX
 OS Homo sapiens.
 OS NO200049041-A1.
 PN 24-AUG-2000.
 PD 18-FEB-2000; 2000MO-JP00941.
 PF 19-FEB-1999; 99JP-0041535.
 PR (SUME) SUMITOMO ELECTRIC IND CO.
 PA Shinbara N, Uono H, Yui K;
 PI WPI: 2000-543748/49.
 DR Fused protein capable of inducing cellular immune response, useful as
 PT active ingredient for drug compositions in preventing and/or treating
 PT infectious diseases such as malaria or cancer
 XX
 PS Claim 3; Page 49-52; 72pp; Japanese.
 XX The present invention describes a fused protein (I) prepared from a
 CC peptide containing a CTL (cytotoxic T lymphocyte) epitope recognised by
 CC cytotoxic T cells and a protein containing the ATPase domain of a heat
 CC shock protein. Also described are: (1) a drug composition containing (I)
 CC as active ingredient; (2) a DNA encoding (I); (3) an expression vector
 CC containing the DNA of (2); and (4) a transformant which can retain the
 CC expression vector of (3). (I) has cytostatic, immunostimulant and
 CC protozoacide activities, and can be used as a cellular immune response
 CC inducer. The protein is useful as an active ingredient for drug
 CC compositions in preventing and/or treating infectious diseases such as
 CC malaria or cancer e.g. to provide systemic immunity against leukaemia.
 CC The present sequence represents a specifically claimed heat shock
 CC protein for use in a fused protein of the present invention.
 CC
 SQ Sequence 640 AA;
 Query Match 92.2%; Score 47; DB 21; Length 640;
 Best Local Similarity 90.0%; Pred. No. 0.23;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 OY 1 SLFEGIDITYT 10
 |||||
 Db 286 slfegidfty 295
 RESULT 13
 AAY88408
 ID AAY88408 standard; Protein: 640 AA.
 AC AAY88408;
 XX 31-JUL-2000 (first entry)
 DE Human heat shock protein HSP70 amino acid sequence.
 XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
 KW chromosome 14q22-24; transcription; rheumatism; schizophrenia;
 KW depression; nephrotic syndrome.
 OS Homo sapiens.
 OS JP2000069999-A.

XX 07-MAR-2000.
XX 01-JUN-1995; 99JP-0257146.
XX 01-JUN-1995; 95JP-0158581.
XX (HOKE-) HOKEN KAGAKU KENKYUSHO KK.
XX WPI: 2000-264458/23.
XX N-PSDB: AAA15620.
XX Abnormal transcription of intracellular HSP70mRNA under acute and
XX chronic continuous load of stress in a human being and its application
XX
XX Claim 2; Fig 1; 11pp; Japanese.
XX
XX This sequence represents the human heat shock protein HSP70 amino acid
XX sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
XX and 14q22-24. The invention relates to the abnormal transcription of
XX intracellular HSP70mRNA under acute and chronic stress load in a human.
XX The abnormal transcription of HSP70 can be used in the improvement of
XX stress and response and diagnosis of stress diseases including
XX rheumatism, schizophrenia, depression and nephrotic syndrome.
XX
XX Sequence 640 AA;
SQ

Query Match 92.2%; Score 47; DB 21; Length 640;
Best Local Similarity 90.0%; Pred. No. 0.23;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEFGIDITYT 10
||| ||| ||
Db 286 slfegidifyt 295

RESULT 14

AAV88411
ID AAV88411 standard; Protein; 640 AA.

AC AAV88411;

DT 31-JUL-2000 (first entry)

XX Human heat shock protein LHSF70 amino acid sequence.

XX Human; heat shock protein; HSP70; chromosome 6p21.3-22; stress;
XX chromosome 14q22-24; transcription; rheumatism; schizophrenia;
XX depression; nephrotic syndrome; LHSF70.

OS Homo sapiens.

PN JP2000069999-A.

PD 07-MAR-2000.

PF 01-JUN-1995; 99JP-0257146.

PR 01-JUN-1995; 95JP-0158581.

XX (HOKE-) HOKEN KAGAKU KENKYUSHO KK.

DR WPI: 2000-264458/23.

XX Abnormal transcription of intracellular HSP70mRNA under acute and
XX chronic continuous load of stress in a human being and its application
XX
XX Disclosure; Fig 4; 11pp; Japanese.

XX This sequence represents the human heat shock protein LHSF70 amino acid
CC

CC sequence. Human heat shock proteins are located on chromosomes 6p21.3-22
CC and 14q22-24. The invention relates to the abnormal transcription of
CC intracellular HSP70mRNA under acute and chronic stress load in a human.
CC The abnormal transcription of HSP70 can be used in the improvement of
CC stress and response and diagnosis of stress diseases including
CC rheumatism, schizophrenia, depression and nephrotic syndrome.
XX
XX Sequence 640 AA;
SQ

Query Match 92.2%; Score 47; DB 21; Length 640;
Best Local Similarity 90.0%; Pred. No. 0.23;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEFGIDITYT 10
||| ||| ||
Db 286 slfegidifyt 295

RESULT 15

AAAR3004
ID AAR3004 standard; protein; 641 AA.

AC AAR3004;

DT 20-MAY-1994 (first entry)

XX Mature mouse sperm 70KD heat shock protein.

XX Sulphoglycolipid immobilising protein 1; sperm plasma membrane;
XX HSC70B; mammalian; infertility; mycoplasma; HSP70.

OS Mus musculus.

FN Location/Qualifiers

FT 1..385

FT /label= 44KD_ArPase_fragment

FT /note= "peptides comprising an intact domain from
the ArPase fragment of hsp70 are claimed;
the peptides are homologous to sequences
conserved between SLIP1 and 74.5kd
mycoplasma protein"

FT 1..39

FT /label= IA

FT /note= "part"

FT 40..115

FT /label= IB

FT 116..188

FT /label= IA

FT /note= "part"

FT 189..228

FT /label= IIA

FT /note= "part"

FT 229..306

FT /label= IIB

FT 307..385

FT /label= IIA

FT /note= "part"

PN WO9321954-A.

PD 11-NOV-1993.

PF 22-APR-1993; 93WO-US03816.

PR 24-APR-1992; 92US-0873961.

XX (BERL-) BERLEX LAB INC.

XX (OTTA-) OTTAWA CIVIC HOSPITAL.

XX Fauds DH, Lingwood CA, Tanphalchitr N;
XX WPI: 1993-368422/46.

XX Mammalian fertilisation decrease for detecting and treating
 PT infertility - using sulpho glyco lipid immobilising protein
 PT 1-sulphated-glyco moiety interfering compsn., for mycoplasma
 PT infection treatment
 XX
 PS Claim 2 and Claim 17; Page 60-62; 77pp; English.
 XX
 CC The likelihood of mammalian fertilisation is decreased by contacting
 CC a gamete with a sulphoglycolipid immobilising protein 1 (SLIP1)/
 CC sulphated glyco-moiety interfering composition. The interfering
 CC compsn. is e.g. the heat shock 70kd protein, SLIP1 (or analogues
 CC such as the mouse SLIP1 analogue "HSC70B" comprising the amino acid
 CC sequence AAR43002) or the 74.5kd mycoplasma protein (AAR43003).
 XX
 SQ Sequence 641 AA;

Query Match 92.2%; Score 47; DB 14; Length 641;
 Best Local Similarity 90.0%; Pred. No. 0.23;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 SLFEGIDITYT 10
 |||||
 Db 286 slfegidtyt 295

Search completed: December 6, 2001, 08:04:03
 Job time: 611 sec

THIS PAGE BLANK (USPTO)


```

CC or send an email to license@sb-sib.ch).
CC -----
DR EMBL: L16764; AAA17441.1; -
DR EMBL: X77208; CAA54423.1; -
DR EMBL: X77207; CAA54422.1; -
DR EMBL: X74271; CAA52328.1; -
DR HSSP: P19120; INGC.
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70.1.
DR PRINTS: PR00301; HEATSHOCK70.
DR PROSITE: PS00297; HSP70_1; 1.
DR PROSITE: PS00329; HSP70_2; 1.
DR PROSITE: PS01036; HSP70_3; 1.
KW ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
FT CONFLICT 71 72 KR -> NG (IN REF. 3).
FT CONFLICT 227 227 D -> H (IN REF. 2 AND 3).
FT CONFLICT 408 408 G -> A (IN REF. 3).
SQ SEQUENCE 641 AA; 70163 MW; D02D96751C868583 CRC64;

Query Match 92.2%; Score 47; DB 1; Length 641;
Best Local Similarity 90.0%; Pred. No. 0.13;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLEFGIDLYT 10
Db 286 SLEFGIDFYT 295
|||||
|

RESULT 15
HS71_YEAST STANDARD; PRT; 641 AA.
ID HS71_YEAST
AC P10591;
DI 01-JUL-1989 (Rel. 11, Created)
DI 01-OCT-1994 (Rel. 30, Last sequence update)
DI 01-OCT-1996 (Rel. 34, Last annotation update)
DE HEAT SHOCK PROTEIN SSA1 (HEAT SHOCK PROTEIN YG100).
GN SSA1 OR YAL005C.
OS Saccharomyces cerevisiae (Baker's yeast).
OC Eukaryota; Fungi; Ascomycota; Saccharomycotina; Saccharomycetes;
OC Saccharomycetales; Saccharomycetaceae; Saccharomyces.
OX NCBI_TaxID=4932;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=5288C;
RX MEDLINE=69128457; PubMed=2644626;
RA Slater M.R., Craig E.A.;
RT "The SSA1 and SSA2 genes of the yeast Saccharomyces cerevisiae.";
RL Nucleic Acids Res. 17:805-806(1989).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=5288C / AB972;
RX MEDLINE=95028152; PubMed=7941740;
RA Clark M.W., Keng T., Storms R.K., Zhong W., Fortin N., Zeng B.,
RA Delaney S., Ouellette B.F.F., Barton A.B., Kaback D.B., Bussey H.;
RT "Sequencing of chromosome I of Saccharomyces cerevisiae: analysis of
RT the 42 kbp SP07-CENT-CDC15 region.";
RL Yeast 10:535-541(1994).
RN [3]
RP SEQUENCE OF 590-641 FROM N.A.
RX MEDLINE=85087943; PubMed=6096826;
RA Oden R.C., Lee M.-C., Knapp G.;
RT "Transfer RNA splicing in Saccharomyces cerevisiae: defining the
RT substrates.";
RL Nucleic Acids Res. 12:9367-9382(1984).
RN [4]
RP REVISIONS TO 207; 417 AND 421.
RA Slater M.R.;
RL Submitted (JUN-1993) to the EMBL/GenBank/DBJ databases.
RN [5]
RP SEQUENCE OF 91-97 AND 325-341.
RX STRAIN=5288C;
RC MEDLINE=95203288; PubMed=7895733;

```

```

RA Garrels J.I., Futcher B., Kobayashi R., Latter G.I., Schwender B.,
RA Volpe T., Warner J.R., McLaughlin C.S.;
RT "Protein identifications for a Saccharomyces cerevisiae protein
RT database.";
RL Electrophoresis 15:1466-1486(1994).
RN [6]
RP SEQUENCE OF 186-195.
RC STRAIN=ATCC 38531 / Y41;
RX MEDLINE=97089742; PubMed=8935650;
RA Norbeck J., Blomberg A.;
RT "Protein expression during exponential growth in 0.7 M NaCl medium of
RT Saccharomyces cerevisiae.";
RL FEMS Microbiol. Lett. 137:1-8(1996).
RN [7]
RP ACETYLATION.
RA Garrels J.I., Futcher B., Kobayashi R., Latter G.I., Schwender B.,
RA Volpe T., Warner J.R., McLaughlin C.S.;
RT Submitted (SEP-1994) to the SWISS-PROT data bank.
CC -1- FUNCTION: SSA1 MAY PLAY A ROLE IN THE TRANSPORT OF POLYPEPTIDES
CC BOTH ACROSS THE MITOCHONDRIAL MEMBRANES AND INTO THE
CC ENDOPLASMATIC RETICULUM. A FUNCTIONAL DIFFERENCE BETWEEN YEAST
CC SSA1 AND SSA2 PROTEINS IS EXPECTED. SSA1 CAN PARTICIPATE IN THE
CC ATP-DEPENDENT DISASSEMBLY OF CLATHRIN-COATED VESICLES.
CC -1- SUBCELLULAR LOCATION: CYTOPLASMIC.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@sb-sib.ch).
CC -----
DR EMBL: X12926; CAA13393.1; -
DR EMBL: L22015; AAC04952.1; ALT_SEQ.
DR PIR: S25438; HHBYAI.
DR PIR: S42164; S42164.
DR HSSP: P19120; IATR.
DR SWISS-2DPAGE: P10591; YEAST.
DR YEPD: 9788; -
DR SGD: S0000004; SSA1.
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70.1.
DR PRINTS: PR00301; HEATSHOCK70.
DR PROSITE: PS00297; HSP70_1; 1.
DR PROSITE: PS00329; HSP70_2; 1.
DR PROSITE: PS01036; HSP70_3; 1.
KW Heat shock; ATP-binding; Multigene family; Acetylation.
FT INIT_MET 0
FT MOD_RES 0
FT SEQUENCE 1 1 ACETYLATION.
SQ SEQUENCE 641 AA; 69526 MW; FA9389BAE9B1D7DA CRC64;

Query Match 92.2%; Score 47; DB 1; Length 641;
Best Local Similarity 90.0%; Pred. No. 0.13;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLEFGIDLYT 10
Db 282 SLEFGIDFYT 291
|||||
|

```

Search completed: December 6, 2001, 08:00:52
Job time: 420 sec

CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).

CC -----
DR EMBL: M35021; AAA37864.1; -
DR EMBL: M76613; AAA57233.1; -
DR PIR: JH0095; JH0095.
DR HSSP: P19120; INGC.
DR MGD: MGI:99517; HSP70-1.
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70.1.
DR PRINTS: PR00301; HEATSHOCK70.
DR PROSITE: PS00297; HSP70_1; 1.
DR PROSITE: PS00329; HSP70_2; 1.
DR PROSITE: PS01036; HSP70_3; 1.
DR ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
KM ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
FT CONFLICT 342 342 A -> R (IN REF. 1).
FT CONFLICT 627 627 P -> PP (IN REF. 1).
SQ SEQUENCE 641 AA; 65994 MW; 41475360F6749F2F CRC64;

Query Match 92.2%; Score 47; DB 1; Length 641;
Best Local Similarity 90.0%; Pred. No. 0.13;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEFGIDLYT 10
Db 286 SLEFGIDLYT 295

RESULT 13
HS71_PIG STANDARD; PRT; 641 AA.

AC P34930;
DT 01-FEB-1994 (Rel. 28, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70.1).
GN HSP71.
OS Sus scrofa (Pig).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Suidae; Suidae; Sus.
OX NCBI_TaxID=9823;

RA Bouquet Y.H.;
RA Peelman L.J., de Weghe A.R., Coppieters W.R., van zeveren A.J.,
RA "Complete nucleotide sequence of a porcine HSP70 gene.";
RT Immunogenetics 35:286-289(1992).

CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
CC AND MEMBRANE TRANSLLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation-
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (see <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).

CC EMBL: M69100; -; NOT_ANNOTATED_CDS.
CC PIR: S35718; S35718.
CC HSSP: P19120; INGC.
CC InterPro: IPR001023; HSP70.

DR Pfam: PF00012; HSP70.1.
DR PRINTS: PR00301; HEATSHOCK70.
DR PROSITE: PS00297; HSP70_1; 1.
DR PROSITE: PS00329; HSP70_2; 1.
DR PROSITE: PS01036; HSP70_3; 1.
DR ATP-binding; Chaperone; Heat shock; Multigene family.
KM ATP-binding; Chaperone; Heat shock; Multigene family.
SQ SEQUENCE 641 AA; 70083 MW; FE77BR20A03E0A33 CRC64;

Query Match 92.2%; Score 47; DB 1; Length 641;
Best Local Similarity 90.0%; Pred. No. 0.13;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEFGIDLYT 10
Db 286 SLEFGIDLYT 295

RESULT 14

HS71_RAT STANDARD; PRT; 641 AA.

AC 007439; P42853;
DT 01-FEB-1995 (Rel. 31, Created)
DT 01-FEB-1995 (Rel. 31, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1/2 (HSP70.1/2).
GN HSP70-1 AND HSP70-2.
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX NCBI_TaxID=10116;

RA Longo F.M., Wang S., Narasimhan P., Zhang J.S., Chen J.,
RA Massa S.M., Sharp F.R.;
RT "CDNA cloning and expression of stress-inducible rat hsp70 in normal
RT and injured rat brain.";
RL J. Neurosci. Res. 36:325-335(1993).
RN [12]

RP SEQUENCE FROM N.A.
RC STRAIN=LEW. 1W/GUN;
RX MEDLINE=95012453; PubMed=7927536;
RA Walter U., Raun F., Guenther E.;
RT "Comparative analysis of the three major histocompatibility complex-
RT linked heat shock protein 70 (hsp70) genes of the rat.";
RL Immunogenetics 40:325-330(1994).
RN [3]

RP SEQUENCE FROM N.A.
RC STRAIN=SPRAGUE-DAWLEY; TISSUE=Liver;
RX MEDLINE=94368874; PubMed=8086479;
RA Lisowska K., Krawczyk Z., Wlidlak W., Wolniczka P., Wisniewski J.;
RT "Cloning, nucleotide sequence and expression of rat heat inducible
RT hsp70 gene.";
RN Blochim. Biophys. Acta 1219:64-72(1994).

CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
CC AND MEMBRANE TRANSLLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation-
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (see <http://www.isb-sib.ch/announce/>

OX NCBL_Taxid=9606;
 RN [1]
 RN SEQUENCE FROM N.A.
 RX MEDLINE=91055806; PubMed=1700760;
 RA Milner C.M., Campbell R.D.;
 RT "Structure and expression of the three MHC-linked HSP70 genes.";
 RL Immunogenetics 32:242-251(1990).
 RN [2]
 RN SEQUENCE FROM N.A.
 RX MEDLINE=86016721; PubMed=3931075;
 RA Hunt C., Morimoto R.I.;
 RT "Conserved features of eukaryotic hsp70 genes revealed by comparison with the nucleotide sequence of human hsp70.";
 RL Proc. Natl. Acad. Sci. U.S.A. 82:6455-6459(1985).
 RN [3]
 RN SEQUENCE FROM N.A. (HSPA1A AND HSPA1B).
 RA Rowen L., Qin S., Madan A., Dickhoff R., Dors M., Madan A., Hicks P.,
 RT Loretz C., Ratcliffe A., Abbasi N., Shafer T., Hood L.;
 RT "Sequence of the human major histocompatibility complex class III region.";
 RL Submitted (MAR-1999) to the EMBL/GenBank/DBJ databases.
 RN [4]
 RN SEQUENCE OF 1-36 AND 360-424 FROM N.A.
 RX MEDLINE=89184548; PubMed=2538825;
 RA Sargent C.A., Dunham I., Trowsdale J., Campbell R.D.;
 RT "Human major histocompatibility complex contains genes for the major heat shock protein HSP70.";
 RL Proc. Natl. Acad. Sci. U.S.A. 86:1968-1972(1989).
 RN [5]
 RN SEQUENCE OF 1-22 AND 618-641 FROM N.A.
 RX MEDLINE=87066768; PubMed=3786141;
 RA Drabant B., Genthe A., Benicke B., J.;
 RT "In vitro transcription of a human hsp 70 heat shock gene by extracts prepared from heat-shocked and non-heat-shocked human cells.";
 RL Nucleic Acids Res. 14:8933-8949(1986).
 RN [6]
 RN X-RAY CRYSTALLOGRAPHY (2.3 ANGSTROMS) OF 1-382.
 RX MEDLINE=99234376; PubMed=10216320;
 RA Ostpluk J., Walsh M.A., Freeman B.C., Morimoto R.I., Joachimiak A.;
 RT "Structure of a new crystal form of human hsp70 ATPase domain.";
 RL Acta Crystallogr. D 55:1105-1107(1999).
 CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN ORANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRYING FORCE FOR PROTEIN TRANSLLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION AND MEMBRANE TRANSLLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
 CC -1- INDUCTION: BY HEAT SHOCK.
 CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (see <http://www.isb-sib.ch/announce/> or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL: M59828; AAA63226.1; -
 CC EMBL: M59830; AAA63227.1; -
 CC EMBL: AF134726; AAD21816.1; -
 CC EMBL: AF134726; AAD21815.1; -
 CC EMBL: M11717; AAA52697.1; -
 CC EMBL: M24743; AAA59844.1; -
 CC EMBL: M24744; AAA59845.1; -
 CC EMBL: X04676; CAA28381.1; -
 CC EMBL: X04677; CAA28382.1; -

DR PIR: A29160; A29160.
 DR PIR: A45871; A45871.
 DR PIR: A25773; A25773.
 DR PDB: 1H30; 21-OCT-98.
 DR SWISS-2DPAGE: P08107; HUMAN.
 DR MIM: 140550; -
 DR MIM: 603012; -
 DR InterPro: IPR001023; HSP70.
 DR Pfam: PF00012; HSP70; 1.
 DR PRINTS: PR00301; HEATSHOCK70.
 DR PROSITE: PS00297; HSP70_1; 1.
 DR PROSITE: PS00329; HSP70_2; 1.
 DR PROSITE: PS01036; HSP70_3; 1.
 DR ATP-binding; Chapterone; Heat shock; Multigene family; MHC III;
 KW 3D-structure.
 FT CONFLICT 7 7 I -> V (IN REF. 2).
 FT CONFLICT 110 110 E -> D (IN REF. 3; AAD21816).
 FT CONFLICT 370 370 A -> G (IN REF. 2).
 FT CONFLICT 469 469 MISSING (IN REF. 2).
 FT CONFLICT 499 499 N -> S (IN REF. 3; AAD21815).
 FT CONFLICT
 SQ SEQUENCE 641 AA; 70052 MW; 78F513118C96DE86 CRC64;

Query Match 92.2%; Score 47; DB 1; Length 641;
 Best Local Similarity 90.0%; Pred. No. 0.13;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 SLFEGIDLYT 10
 DB 286 SLFEGIDFYT 295
 |||||

RESULT 12
 ID HS71_MOUSE STANDARD; PRT; 641 AA.
 AC P17879; 061689;
 DT 01-AUG-1990 (Rel. 15, Created)
 DT 01-NOV-1997 (Rel. 35, Last sequence update)
 DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70.1) (HSP70-1/HSP70-2).
 GN HSPA1 OR HSP70A1 OR HSP70-1 OR HCP70.1.
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
 CC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 OX NCBL_Taxid=10090;
 RN [1]
 RN SEQUENCE FROM N.A.
 RP MEDLINE=90236310; PubMed=2332169;
 RX Hunt C., Calderwood S.;
 RA "Characterization and sequence of a mouse hsp70 gene and its expression in mouse cell lines.";
 RT Gene 87:199-204(1990).
 RN [2]
 RN SEQUENCE FROM N.A.
 RP TISSUE=Liver;
 RX MEDLINE=94357449; PubMed=8076831;
 RA Perry M.D., Aujaune L., Shuang S., Moran L.A.;
 RT "Structure and expression of an inducible HSP70-encoding gene from Mus musculus.";
 RL Gene 146:273-278(1994).
 CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN ORANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION AND MEMBRANE TRANSLLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
 CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its

```

RN [2]
RP SEQUENCE FROM N.A., AND SEQUENCE OF 34-46; 102-106 AND 298-309.
RC STRAIN-AX3;
RX MEDLINE-94043116; PubMed-8226849;
RA Eddy R.J., Sauterer R.A., Condeelis J.S.;
RT "Aglactin, an agonist-regulated F-actin capping activity is associated with an Hsc70 in Dictyostelium.";
RL J. Biol. Chem. 268:23267-23274(1993).
CC -1- FUNCTION: AFFECTS ACTIN POLYMERIZATION THROUGH INTERACTION WITH THE ACTIN-BINDING PROTEIN CAP32/34. ACTS AS A CHAPERONE BY STIMULATING THE REFOLDING OF DENATURATED CAP32 AND CAP34.
CC -1- SUBCELLULAR LOCATION: CYTOPLASMIC. FOUND IN F-ACTIN-RICH REGIONS OF THE CELL CORTEX AND CELL PROTRUSIONS.
CC -1- DEVELOPMENTAL STAGE: HEAT SHOCK COGNATE PROTEINS ARE EXPRESSED CONSTITUTIVELY DURING NORMAL DEVELOPMENT.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See http://www.isb-sib.ch/announce/ or send an email to license@isb-sib.ch).
CC -----
DR EMBL: X75263; CAA53039.1; -
DR EMBL: L22736; AAA33219.1; -
DR PIR: S37394; S37394.
DR HSSP: P19120; INGU.
DR SWISS-2DPAGE: P36415; DICTY.
DR DictyDb; DD01078; hspB.
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70.1.
DR PRINTS: PR00301; HEATSHOCK70.
DR PROSITE: PS00297; HSP70_1; 1.
DR PROSITE: PS00329; HSP70_2; 1.
DR PROSITE: PS01036; HSP70_3; 1.
DR ATP-binding; Chaperone.
KM ATP-binding; Chaperone.
FT CONFLICT 1 29 MSGSIGDICTYSCGVWMDREIITAND ->
FT FT IHHNGNMTWVESPVSEVLSFN (IN REF. 2).
FT CONFLICT 32 32 N -> T (IN REF. 2).
FT CONFLICT 64 64 V -> A (IN REF. 2).
FT CONFLICT 180 180 R -> A (IN REF. 2).
FT CONFLICT 237 237 S -> A (IN REF. 2).
FT CONFLICT 240 240 V -> A (IN REF. 2).
FT CONFLICT 341 341 I -> L (IN REF. 2).
FT CONFLICT 352 352 F -> P (IN REF. 2).
SQ SEQUENCE 640 AA: 70499 MW: 2E6BDC2DB96A9F5D CRC64;

Query Match 92.2%; Score 47; DB 1; Length 640;
Best Local Similarity 90.0%; Pred. No. 0.13;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLEFGIDLYT 10
DB 284 SLEFGIDFYT 293
|||||

```

```

RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE-Skeletal muscle;
RX MEDLINE-95126904; PubMed-7826329;
RA Gutierrez J.A., Guerrero V.;
RT "Chemical modifications of a recombinant bovine stress-inducible 70 kDa heat-shock protein (hsp70) mimics Hsp70 isoforms from tissues.";
RL Biochem. J. 305:197-203(1995).
CC [2]
RP SEQUENCE OF 212-641 FROM N.A.
RC STRAIN-ANGUS;
RX MEDLINE-95030563; PubMed-7943958;
RA Grosz M.D., Skow L.C., Stone R.T.;
RT "An Alu polymorphism at the bovine 70 kD heat-shock protein-1 (hsp70-1) locus.";
RL Anim. Genet. 25:196-196(1994).
CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDIANE THE FOLDING OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR PROTEIN TRANSLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC -1- INDUCTION: BY HEAT SHOCK.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See http://www.isb-sib.ch/announce/ or send an email to license@isb-sib.ch).
CC -----
DR EMBL: U09861; AAA73914.1; -
DR EMBL: U02891; AAA03450.1; -
DR HSSP: P19120; INGU.
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70.1.
DR PRINTS: PR00301; HEATSHOCK70.
DR PROSITE: PS00297; HSP70_1; 1.
DR PROSITE: PS00329; HSP70_2; 1.
DR PROSITE: PS01036; HSP70_3; 1.
DR ATP-binding; Chaperone; Heat shock; Multigene family.
KM ATP-binding; Chaperone; Heat shock; Multigene family.
SQ SEQUENCE 641 AA: 70250 MW: 6D548263E98780F9 CRC64;

Query Match 92.2%; Score 47; DB 1; Length 641;
Best Local Similarity 90.0%; Pred. No. 0.13;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLEFGIDLYT 10
DB 286 SLEFGIDFYT 295
|||||

```

```

RESULT 10
HSP71_BOVIN STANDARD; PRT; 641 AA.
AC 027975; 027964;
DT 01-NOV-1997 (Rel. 35, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70-1).
GN HSP70-1.
OS Bos taurus (Bovine).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovidae;
OC Bovidae; Bovinae; Bos.
OC NCBI_TaxId=9913;

```

```

RESULT 11
HSP71_HUMAN STANDARD; PRT; 641 AA.
AC P08107; P19790; O9U0M0; O9U0L9;
DT 01-AUG-1988 (Rel. 08, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 20-AUG-2001 (Rel. 40, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70-1) AND HSP70-2.
GN (HSPA1A OR HSPA1) AND HSPA1B.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Homnidae; Homo.

```

DR PROSITE; PS00297; HSP70_1; 1.
 DR PROSITE; PS00329; HSP70_2; 1.
 DR PROSITE; PS01036; HSP70_3; 1.
 KW Heat shock; ATP-binding; Multigene family; Acetylation;
 KW Phosphorylation.
 FT INIT_MET 0
 FT MOD_RES 1
 SO SEQUENCE 638 AA; 69338 MW; 23BDD120C194912 CRC64;

Query Match 92.2%; Score 47; DB 1; Length 638;
 Best Local Similarity 90.0%; Pred. No. 0.13;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEPGIDLYT 10
 |||||
 Db 282 SLEPGIDPYT 291

RESULT 7

HS7A_PARLI STANDARD; PRT; 639 AA.
 AC 006248;
 DT 01-JUN-1994 (Rel. 29, Created)
 DT 01-JUN-1994 (Rel. 29, Last sequence update)
 DT 01-JUN-1994 (Rel. 29, Last annotation update)
 DE HEAT SHOCK 70 KDA PROTEIN IV (HSP70 IV).
 OS HSP70IV.
 OS Paracentrotus lividus (Common sea urchin).
 OC Eukaryota; Metazoa; Echinodermata; Eleutherozoa; Echinozoa;
 OC Echinoidea; Euechinoidea; Echinacea; Echinoida; Echinidae;
 OC Paracentrotus.
 OX NCBI_TaxID=7656;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=9077053; PubMed=1339375;
 RA Sconzo G., Scardina G., Ferraro M.G.;
 RT "Characterization of a new member of the sea urchin Paracentrotus
 lividus hsp70 gene family and its expression.";
 RL Gene 121:353-358(1992).
 CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL: X61379; CAA43653.1; -.
 CC PIR: JCI391; JCI391.
 CC HSSP: P19120; INGI.
 DR InterPro: IPR001023; HSP70.
 DR Pfam: PF00012; HSP70; 1.
 DR PRINTS: PR00301; HEATSHOCK70.
 DR PROSITE: PS00297; HSP70_1; 1.
 DR PROSITE: PS00329; HSP70_2; 1.
 DR PROSITE: PS01036; HSP70_3; 1.
 DE HEAT SHOCK; Heat shock; Multigene family.
 KW ATP-binding; Heat shock; Multigene family.
 SO SEQUENCE 639 AA; 69749 MW; 40E2F29570808DCC CRC64;

Query Match 92.2%; Score 47; DB 1; Length 639;
 Best Local Similarity 90.0%; Pred. No. 0.13;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEPGIDLYT 10
 |||||
 Db 286 SLEPGIDPYT 295

RESULT 8

HS7A_CAEL STANDARD; PRT; 640 AA.
 ID HS7A_CAEL
 AC P09446;
 DT 01-MAR-1989 (Rel. 10, Created)
 DT 01-MAR-1989 (Rel. 10, Last sequence update)
 DT 01-FEB-1994 (Rel. 28, Last annotation update)
 DE HEAT SHOCK 70 KDA PROTEIN A.
 OS HSP-1 OR HSP70A.
 OS Caenorhabditis elegans.
 OS Caenorhabditis elegans.
 OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidea;
 OC Rhabditidae; Peloderinae; Caenorhabditis.
 OX NCBI_TaxID=6239;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=88297155; PubMed=2841196;
 RA Snutch T.P., Heschl M.F.P., Baillie D.L.;
 RT "The Caenorhabditis elegans hsp70 gene family: a molecular genetic
 characterization.";
 RL Gene 64:241-255(1988).
 CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL: M18540; AAA28078.1; -.
 CC PIR: J10285; HKW7A.
 DR HSSP: P19120; INGI.
 DR InterPro: IPR001023; HSP70.
 DR Pfam: PF00012; HSP70; 1.
 DR PRINTS: PR00301; HEATSHOCK70.
 DR PROSITE: PS00297; HSP70_1; 1.
 DR PROSITE: PS00329; HSP70_2; 1.
 DR PROSITE: PS01036; HSP70_3; 1.
 KW ATP-binding; Heat shock; Multigene family.
 SO SEQUENCE 640 AA; 69823 MW; ED15409D06C500C2 CRC64;

Query Match 92.2%; Score 47; DB 1; Length 640;
 Best Local Similarity 90.0%; Pred. No. 0.13;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEPGIDLYT 10
 |||||
 Db 287 SLEPGIDPYT 296

RESULT 9

HS7C_DICDI STANDARD; PRT; 640 AA.
 ID HS7C_DICDI
 AC P36415;
 DT 01-JUN-1994 (Rel. 29, Created)
 DT 01-JUN-1994 (Rel. 29, Last sequence update)
 DT 01-JUN-1997 (Rel. 35, Last annotation update)
 DE HEAT SHOCK COGNATE PROTEIN (AGINACTIN).
 GN HSPB OR HSC70.
 OS Dictyostelium discoideum (Slime mold).
 OC Eukaryota; Mycetozoa; Dictyostelidae; Dictyostelium.
 OX NCBI_TaxID=44689;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=AX3;
 RX MEDLINE=94008983; PubMed=8404847;
 RA Haus U., Trommler P., Fisher P.R., Hartmann H., Lottspeich F.,
 RA Noegel A.A., Schleicher M.;
 RT "The heat shock cognate protein from dictyostelium affects actin
 polymerization through interaction with the actin-binding protein
 cap32/34.";
 RL EMBO J. 12:3763-3771(1993).

```

RESULT 5
HS71_CERAE STANDARD: PRT: 638 AA.
ID HS71_CERAE
AC Q28222:
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1.
GN HSPAL.
OS Cercopithecus aethiops (Green monkey) (Grivet).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Cercopithecoidea;
OC Cercopithecinae; Cercopithecus.
OX NCBI_TaxID=9534;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Kidney;
RX MEDLINE=95080396; PubMed=7988690;
RA Sainis I., Angelidis C., Pagoulatos G., Lazaridis I.;
RT "The hsc70 gene which is slightly induced by heat is the main virus
RT inducible member of the hsp70 gene family.";
RL FEBS Lett. 355:282-286(1994).
CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC
CC RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR
CC PROTEIN TRANSLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION
CC PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE
CC PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE
CC CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE
CC SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES
CC DURING TRANSLATION AND MEMBRANE TRANSLOCATION, OR FOLLOWING
CC STRESS-INDUCED DAMAGE.
CC -1- INDUCTION: BY HEAT SHOCK.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (see http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL: X70684; CAA50019.1; -.
CC InterPro: IPR001023; HSP70.
CC Pfam: PF00012; HSP70.1.
CC PRINTS: PR00301; HEATSHOCK70.
CC PROSITE: PS00297; HSP70.1; 1.
CC PROSITE: PS00329; HSP70.2; 1.
CC PROSITE: PS01036; HSP70.3; 1.
CC ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
KW SEQUENCE 638 AA; 69920 MW; D55076A0FFABAB3 CRC64;

```

```

DT 01-OCT-1996 (Rel. 34, Last annotation update)
DE HEAT SHOCK PROTEIN SSA2.
GN SSA2 OR YL024C OR I0931.
OS Saccharomyces cerevisiae (Baker's yeast).
OC Eukaryota; Fungi; Ascomycota; Saccharomycotina; Saccharomycetes;
OC Saccharomycetales; Saccharomycetaceae; Saccharomycus.
OX NCBI_TaxID=4932;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=S288C;
RX MEDLINE=89128457; PubMed=2644626;
RA Slater M.R., Craig E.A.;
RT "The SSA1 and SSA2 genes of the yeast Saccharomyces cerevisiae.";
RL Nucleic Acids Res. 17:805-806(1989).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=S288C;
RX Purnelle B., Goffeau A.;
RL Submitted (Apr-1996) to the EMBL/Genbank/DBJ databases.
RN [3]
RP SEQUENCE OF 71-638 FROM N.A.
RX Duesterhoeft A., Floeth M., Heuss-Neitzel D., Hilbert H., Moestl D.;
RL Submitted (May-1996) to the EMBL/Genbank/DBJ databases.
RN [4]
RP SEQUENCE OF 91-97 AND 325-341.
RC STRAIN=S288C;
RX MEDLINE=95203288; PubMed=7895733;
RA Garels J.I., Fitcher B., Kobayashi R., Latter G.I., Schwender B.,
RA Volpe T., Warner J.R., McLaughlin C.S.;
RT "Protein identifications for a Saccharomyces cerevisiae protein
RT database.";
RL Electrophoresis 15:1466-1486(1994).
RN [5]
RP SEQUENCE OF 186-195.
RC STRAIN=ATCC 38531 / Y41;
RX MEDLINE=97089742; PubMed=8935650;
RA Norbeck J., Blomberg A.;
RT "Protein expression during exponential growth in 0.7 M NaCl medium of
RT Saccharomyces cerevisiae.";
RL FEMS Microbiol. Lett. 137:1-8(1996).
RN [6]
RP ACETYLATION, AND PHOSPHORYLATION.
RA Garels J.I., Fitcher B., Kobayashi R., Latter G.I., Schwender B.,
RA Volpe T., Warner J.R., McLaughlin C.S.;
RL Submitted (Sep-1994) to the SWISS-PROT data bank.
CC -1- FUNCTION: SSA2 MAY PLAY A ROLE IN THE TRANSPORT OF POLYPEPTIDES
CC BOTH ACROSS THE MITOCHONDRIAL MEMBRANES AND INTO THE
CC ENDOPLASMATIC RETICULUM. A FUNCTIONAL DIFFERENCE BETWEEN YEAST
CC SSA1 AND SSA2 PROTEINS IS EXPECTED. SSA2 CAN PARTICIPATE IN THE
CC ATP-DEPENDENT DISASSEMBLY OF CLATHRIN-COATED VESICLES.
CC -1- SUBCELLULAR LOCATION: CYTOPLASMIC.
CC -1- PTM: PHOSPHORYLATED.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (see http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL: X12927; CAA31394.1; -.
CC EMBL: Z73129; CAA97472.1; -.
CC EMBL: X97560; CAA6167.1; -.
CC PTR: S20139; S20139.
CC HSSP: P19120; INGT.
CC SWISS-2DPAGE; P10592; YEAST.
CC YEPD; 9800; -.
CC SGD: S0003947; SSA2.
CC InterPro: IPR001023; HSP70.
CC Pfam: PF00012; HSP70.1.
CC PRINTS: PR00301; HEATSHOCK70.

```

OS Onchocerca volvulus.
 OC Eukaryota; Metazoa; Nematoda; Chromadorea; Spirurida; Filarioidea;
 CC Onchocercidae; Onchocerca.
 OX NCBI_TaxID=6282;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=89201313; PubMed=2704388;
 RA Rothstein N.M., Higashi G., Yates J., Rajan T.V.;
 RT "Onchocerca volvulus heat shock protein 70 is a major immunogen in
 amicrofilaremic individuals from a filariasis-endemic area."
 RL Mol. Biochem. Parasitol. 33:229-236(1989).
 CC -1- DISEASE: HEAT SHOCK PROTEIN 70 IS A MAJOR IMMUNOGEN IN A
 MICROFILAREMIC INDIVIDUALS FROM A FILARIASIS-ENDEMIC AREA.
 CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL: J04006; AAA29417.1; -.
 DR HSSP: P19120; IATR.
 DR InterPro: IPR001023; HSP70.
 DR Pfam: PF00012; HSP70; 1.
 DR PROSITE: PS00297; HSP70_1; PARTIAL.
 DR PROSITE: PS00329; HSP70_2; PARTIAL.
 DR PROSITE: PS01036; HSP70_3; 1.
 DR ATP-binding; Heat shock.
 KW NON_TER 1
 FT NON_TER 322 322
 SQ SEQUENCE 322 AA; 35614 MW; 2BA3A2E8155A7180 CRC64;

Query Match 92.2%; Score 47; DB 1; Length 322;
 Best Local Similarity 90.0%; Pred. No. 0.059;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 SLFEGIDLYT 10
 |||||
 DB 43 SLFEGIDFYT 52

RESULT 3
 HS70_PENCI STANDARD; PRT; 503 AA.
 AC 092260;
 DT 20-AUG-2001 (Rel. 40, Created)
 DT 20-AUG-2001 (Rel. 40, Last sequence update)
 DT 20-AUG-2001 (Rel. 40, Last annotation update)
 DE HEAT SHOCK 70 KDA PROTEIN (ALLERGEN PEN C 19) (FRAGMENT).
 GN HSP70.
 OS Penicillium citrinum.
 CC Eukaryota; Fungi; Ascomycota; Pezizomycotina; Eurotiomycetes;
 CC Eurotiales; Trichocomaceae; mitosporic Trichocomaceae; Penicillium.
 OX NCBI_TaxID=5077;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Shen H.D., Au L.C., Lin W.L., Liaw S.F., Tsai J.J., Han S.H.;
 RT "Molecular cloning and expression of a penicillium citrinum
 RT allergen with sequence homology and antigenic cross-reactivity to
 RT a hsp70 human heat shock protein."
 RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
 CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>

CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL: U64207; AAB06397.1; -.
 DR HSSP: P19120; 3HSC.
 DR InterPro: IPR001023; HSP70.
 DR Pfam: PF00012; HSP70; 1.
 DR PRINTS: PR00301; HEATSHOCK70.
 DR PROSITE: PS00329; HSP70_2; 1.
 DR PROSITE: PS01036; HSP70_3; 1.
 DR ATP-binding; Chaperone; Heat shock; Allergen.
 KW NON_TER 1
 FT NON_TER 503 503
 SQ SEQUENCE 503 AA; 55125 MW; B7433C11FAEA1320 CRC64;

Query Match 92.2%; Score 47; DB 1; Length 503;
 Best Local Similarity 90.0%; Pred. No. 0.097;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 SLFEGIDLYT 10
 |||||
 DB 154 SLFEGIDFYT 163

RESULT 4
 HS70_CHICK STANDARD; PRT; 634 AA.
 ID HS70_CHICK
 AC P08106;
 DT 01-AUG-1988 (Rel. 08, Created)
 DT 01-AUG-1988 (Rel. 08, Last sequence update)
 DT 01-FEB-1994 (Rel. 28, Last annotation update)
 DE HEAT SHOCK 70 KDA PROTEIN (HSP70).
 OS Gallus gallus (Chicken).
 CC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 CC Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;
 CC Gallus.
 OX NCBI_TaxID=9031;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=86304452; PubMed=3017985;
 RA Morimoto R.I., Hunt C., Huang S.-Y., Berg K.L., Banerji S.S.;
 RT "Organization, nucleotide sequence, and transcription of the chicken
 RT HSP70 gene."
 RL J. Biol. Chem. 261:12692-12699(1986).
 CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL: J02579; AAA48825.1; -.
 DR PTR: A25646; A25646.
 DR HSSP: P19120; IATR.
 DR InterPro: IPR001023; HSP70.
 DR Pfam: PF00012; HSP70; 1.
 DR PRINTS: PR00301; HEATSHOCK70.
 DR PROSITE: PS00297; HSP70_1; 1.
 DR PROSITE: PS00329; HSP70_2; 1.
 DR PROSITE: PS01036; HSP70_3; 1.
 DR ATP-binding; Heat shock; Multigene family.
 KW ATP-binding; Heat shock; Multigene family.
 SQ SEQUENCE 634 AA; 69750 MW; 4270F7F08D365AEB CRC64;

Query Match 92.2%; Score 47; DB 1; Length 634;
 Best Local Similarity 90.0%; Pred. No. 0.12;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 SLFEGIDLYT 10
 |||||
 DB 269 SLFEGIDFYT 298

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 08:00:52 ; Search time 50.21 Seconds
(without alignments)
7.302 Million cell updates/sec

Title: PEP2-MOD81
Perfect score: 51
Sequence: 1 SLFEGIDLYT 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 100059 seqs, 36664827 residues
Total number of hits satisfying chosen parameters: 100059

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : SwissProt_39:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Match	Query Length	DB ID	Description
1	48	94.1	638	1 HS70_CERCA	P91902 ceratitidis c
2	47	92.2	322	1 HS70_ONCYO	P11503 onchocerca
3	47	92.2	503	1 HS70_PENCI	O92260 penicillium
4	47	92.2	634	1 HS70_CHICK	P08106 gallus galli
5	47	92.2	638	1 HS71_CERAE	O28222 cercopithec
6	47	92.2	638	1 HS72_YEAST	P10592 saccharomyc
7	47	92.2	639	1 HS74_PARLI	O06248 paracentrot
8	47	92.2	640	1 HS7C_CAEEL	P09446 caenorhabdi
9	47	92.2	640	1 HS7C_DICDI	P36415 dictyostell
10	47	92.2	641	1 HS71_BOVIN	O27975 bos taurus
11	47	92.2	641	1 HS71_HUMAN	P08107 homo sapien
12	47	92.2	641	1 HS71_MOUSE	P17879 mus musculi
13	47	92.2	641	1 HS71_PIG	P34530 sus scrofa
14	47	92.2	641	1 HS71_RAT	O07439 rattus norv
15	47	92.2	641	1 HS71_YEAST	P10591 saccharomyc
16	47	92.2	641	1 HS72_BOVIN	O27965 bos taurus
17	47	92.2	641	1 HS70_HUMAN	P22022 saccharomyc
18	47	92.2	644	1 HS70_BRUMA	P27541 brugia mala
19	47	92.2	644	1 HS70_ONCTIS	O91333 oncorhynchu
20	47	92.2	645	1 HS70_PLEWA	O91291 pleurodeles
21	47	92.2	646	1 HS70_NEUCR	O01233 neurospora
22	47	92.2	647	1 HS70_XENLA	P02827 xenopus lae
23	47	92.2	649	1 HS70_BLAEM	P48720 blastocladl
24	47	92.2	652	1 HS7D_MANSE	O90639 manduca sex
25	46	90.2	314	1 HS7A_DROST	P22626 drosophil
26	46	90.2	372	1 HS7A_PARLI	P22623 paracentrot
27	46	90.2	379	1 HS7X_PIG	P34934 sus scrofa
28	46	90.2	641	1 HS7A_DROME	P29843 drosophila
29	46	90.2	643	1 HS76_HUMAN	P17066 homo sapien
30	46	90.2	643	1 HS76_PIG	O04967 sus scrofa
31	46	90.2	648	1 HS71_PUCGR	O01877 puccinia gr
32	44	86.3	641	1 HS73_RAT	P55063 rattus norv
33	44	86.3	641	1 HS7H_HUMAN	P34931 homo sapien

34	44	86.3	641	1 HS7T_MOUSE	P16627 mus musculu
35	44	86.3	642	1 HS72_PICAN	P53623 pichia angu
36	44	86.3	643	1 HS71_SCHPO	O10265 schizosacch
37	44	86.3	644	1 HS71_PICAN	P53621 pichia angu
38	44	86.3	646	1 HS7C_CRIGR	P19378 cricetulus
39	44	86.3	646	1 HS7C_HUMAN	P11142 homo sapien
40	44	86.3	646	1 HS7C_MOUSE	P08109 mus musculi
41	44	86.3	649	1 HS70_PARRR	P87047 paracoccidi
42	44	86.3	649	1 HS73_YEAST	P09435 saccharomyc
43	44	86.3	649	1 HS7C_BRARE	O90473 brachydanio
44	44	86.3	650	1 HS7C_BOVIN	P19120 bos taurus
45	44	86.3	651	1 HS70_ONCMY	P08108 oncorhynchu

ALIGNMENTS

RESULT 1	HS70_CERCA	STANDARD:	PRT: 638 AA.
AC	P91902;		
DT	15-JUL-1998 (Rel. 36, Created)		
DT	15-JUL-1998 (Rel. 36, Last sequence update)		
DE	HEAT SHOCK PROTEIN 70 (HSP70).		
OS	Ceratitidis capitata (Mediterranean fruit fly).		
OC	Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;		
OC	Pterygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;		
OC	Tephritidae; Tephritidae; Ceratitidis.		
OX	NCBI_Taxid=7213;		
RN	[1]		
RP	SEQUENCE FROM N.A.		
RA	Mintzas A.C.;		
RL	Submitted (OCT-1996) to the EMBL/GenBank/DBJ databases.		
CC	- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.		
CC	This SWISS-PROT entry is copyright. It is produced through a collaboration		
CC	between the Swiss Institute of Bioinformatics and the EMBL outstation -		
CC	the European Bioinformatics Institute. There are no restrictions on its		
CC	use by non-profit institutions as long as its content is in no way		
CC	modified and this statement is not removed. Usage by and for commercial		
CC	entities requires a license agreement (See http://www.isb-sib.ch/announce/		
CC	or send an email to license@sib-sib.ch).		
DR	EMBL: Y08955; CAA70153.1; -		
DR	HSP: P19120; IATR.		
DR	InterPro: IPR001023; HSP70.		
DR	Pfam: PF00012; HSP70; 1.		
DR	PRINTS: PR00301; HEATSHOCK70.		
DR	PROSITE: PS00297; HSP70.1; 1.		
DR	PROSITE: PS00329; HSP70.2; 1.		
DR	PROSITE: PS01036; HSP70.3; 1.		
KW	ATP-binding; Heat shock.		
SQ	SEQUENCE 638 AA; 70068 MW; EE86A60E861C36D7 CRC64;		

Query Match Score 48; DB 1; Length 638;
Best Local Similarity 90.0%; Pred. No. 0.08;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

OY	1 SLFEGIDLYT 10		
DB	283 ALFEGIDLYT 292		
RESULT 2	HS70_ONCYO	STANDARD:	PRT: 322 AA.
ID	HS70_ONCYO		
AC	P11503;		
DT	01-FEB-1989 (Rel. 12, Created)		
DT	01-FEB-1996 (Rel. 33, Last sequence update)		
DT	01-FEB-1996 (Rel. 33, Last annotation update)		
DE	HEAT SHOCK 70 KDA PROTEIN (HSP70) (FRAGMENT).		

THIS PAGE BLANK (USPTO)

```

RN      [1]
RP      SEQUENCE FROM N.A.
RA      Angeletti B., Passarelli F., Orru D., Pascale E., Butler R.H.,
RL      D'Amoroso E.;
RL      Submitted (NOV-1993) to the EMBL/GenBank/DBJ databases.
DR      EMBL; 227118; CAAB1642.1; -.
DR      HSSP; P08107; 1HKO.
DR      InterPro; IPR001023; HSP70.
DR      Pfam; PF000012; HSP70; 1.
DR      PRINTS; PR00301; HEATSHOCK70.
DR      PROSITE; PS00329; HSP70_2; 1.
DR      PROSITE; PS01036; HSP70_3; 1.
KW      Heat shock.
FT      NON_TER      1      1
FT      NON_TER      455      455
SQ      SEQUENCE      455 AA; 50404 MW; 0F45F12CBA1E2971 CRC64;

Query Match
Best Local Similarity      92.2%; Score 47; DB 11; Length 455;
Matches      9; Conservative      0; Mismatches      1; Indels      0; Gaps      0;

QY      1 SLEPCIDLYT 10
      |||||||
DB      252 SLEPCIDLYT 263

RESULT 14
O44350      PRELIMINARY;      PRT;      467 AA.
AC      O44350;
DT      01-JUN-1998 (TREMBLrel. 06, Created)
DT      01-JUN-1998 (TREMBLrel. 06, Last sequence update)
DE      01-JUN-2001 (TREMBLrel. 17, Last annotation update)
DE      HEAT-SHOCK PROTEIN HSP70 (FRAGMENT).
GN      HSP70.
OS      Chondrosia reniformis.
OC      Eukaryota; Metazoa; Porifera; Demospongiae; Tetractinomorpha;
OC      Chondrosida; Chondrillidae; Chondrosia.
OX      NCBI_TaxID=68574;
RN      [1]
RP      SEQUENCE FROM N.A.
RA      Borchiellini C., Le Parco Y.;
RL      Submitted (SEP-1997) to the EMBL/GenBank/DBJ databases.
DR      EMBL; AF026517; AAC05362.1; -.
DR      HSSP; P08109; 1CKR.
DR      InterPro; IPR001023; HSP70.
DR      Pfam; PF00012; HSP70; 1.
DR      PRINTS; PR00301; HEATSHOCK70.
DR      PROSITE; PS00329; HSP70_2; 1.
DR      PROSITE; PS01036; HSP70_3; 1.
FT      NON_TER      1      1
FT      NON_TER      467      467
SQ      SEQUENCE      467 AA; 51707 MW; 0DBE6920F2E6EA96 CRC64;

Query Match
Best Local Similarity      92.2%; Score 47; DB 5; Length 467;
Matches      9; Conservative      0; Mismatches      1; Indels      0; Gaps      0;

QY      1 SLEPCIDLYT 10
      |||||||
DB      252 SLEPCIDLYT 261

RESULT 15
O44352      PRELIMINARY;      PRT;      467 AA.
AC      O44352;
DT      01-JUN-1998 (TREMBLrel. 06, Created)
DT      01-JUN-1998 (TREMBLrel. 06, Last sequence update)
DE      01-JUN-2001 (TREMBLrel. 17, Last annotation update)
DE      HEAT-SHOCK PROTEIN HSP70 (FRAGMENT).

```

```

GN      HSP70.
OS      Petrobia massilliana.
OC      Eukaryota; Metazoa; Porifera; Calcarea; Calcareonae; Petrobionidae;
OC      Petrobionae.
OX      NCBI_TaxID=68578;
RN      [1]
RP      SEQUENCE FROM N.A.
RA      Borchiellini C., Le Parco Y.;
RL      Submitted (SEP-1997) to the EMBL/GenBank/DBJ databases.
DR      EMBL; AF026520; AAC05364.1; -.
DR      HSSP; P08109; 1CKR.
DR      InterPro; IPR001023; HSP70.
DR      Pfam; PF00012; HSP70; 1.
DR      PRINTS; PR00301; HEATSHOCK70.
DR      PROSITE; PS01036; HSP70_3; 1.
FT      NON_TER      1      1
FT      NON_TER      467      467
SQ      SEQUENCE      467 AA; 51458 MW; 23EB28FFD1873DA6 CRC64;

Query Match
Best Local Similarity      92.2%; Score 47; DB 5; Length 467;
Matches      9; Conservative      0; Mismatches      1; Indels      0; Gaps      0;

QY      1 SLEPCIDLYT 10
      |||||||
DB      252 SLEPCIDLYT 261

```

Search completed: December 6, 2001, 07:56:53
 Job time: 181 sec

Best Local Similarity 90.0%; Pred. No. 0.19;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLYT 10
| | | | | | | |
Db 85 SLFEGIDFYT 94

RESULT 10
ID P81159 PRELIMINARY; PRT; 220 AA.

AC P81159;
DT 01-JUN-1998 (TREMBLrel. 06, Created)
DT 01-JUN-1998 (TREMBLrel. 06, last sequence update)
DE HEAT SHOCK COGNATE 71 KDA PROTEIN (FRAGMENT).
GN HSC70.
OS Aplysia californica (California sea hare).
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Opisthobranchia; Anasplidea;
OC Aplysiidae; Aplysia.
OX NCBI_TaxID=6500;

RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=93077669; Pubmed=1360013;
RA Kuhl D., Kennedy T., Barzilai A., Kandel E.;
RT "Long-term sensitization training in Aplysia leads to an increase in the expression of R1P, the major protein in chapter of the ER.";
RL J. Cell Biol. 119:1069-1076(1992).
CC -1- INDUCTION: CONSTITUTIVELY SYNTHESIZED IN A WIDE VARIETY OF CELLS.
CC -1- INDUCTION: BELONGS TO HEAT SHOCK PROTEIN 70 FAMILY.

DR EMBL: Z15039; CAAT8757.1; -.
DR HSSP: P19120; IBA1.
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70; 1.
DR PRINTS: PR00301; HEATSHOCK70.
DR PROSITE: PS00329; HSP70_2; 1.
DR PROSITE: PS01036; HSP70_3; 1.
KW Heat shock; Multigene family.
FT NON_TER 1
FT SEQUENCE 220 AA; 24684 MW; FA8557F2B85C37A CRC64;

Query Match 92.2%; Score 47; DB 5; Length 220;
Best Local Similarity 90.0%; Pred. No. 0.28;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLYT 10
| | | | | | | |
Db 138 SLFEGIDFYT 147

RESULT 11
ID Q90520 PRELIMINARY; PRT; 278 AA.

AC Q90520;
DT 01-NOV-1996 (TREMBLrel. 01, Created)
DT 01-NOV-1996 (TREMBLrel. 01, last sequence update)
DE RAINBOW TROUT 70 KDA HEAT SHOCK PROTEIN (FRAGMENT).
GN ONCORHYNCHUS MYKISS (Rainbow trout) (Salmo gairdneri).
OS Oncorhynchus mykiss (Rainbow trout);
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
OX NCBI_TaxID=8022;

RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=85036330; Pubmed=6092938;
RA Kohary R.K., Jones D., Candido E.P.M.;
RT "70-kilodalton heat shock polypeptides from rainbow trout: characterization of cDNA sequences.";
RL Mol. Cell. Biol. 4:1785-1791(1984).
DR EMBL: K02549; AAA49562.1; -.

DR HSSP: P08109; 1CR.
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70; 1.

DR PRINTS: PR00301; HEATSHOCK70.
DR PROSITE: PS00329; HSP70_2; 1.
DR PROSITE: PS01036; HSP70_3; 1.
KW Heat shock; Multigene family.
FT NON_TER 1
FT NON_TER 1
FT SEQUENCE 278 AA; 30327 MW; E4C745DE5484C17A CRC64;

QY 1 SLFEGIDLYT 10
| | | | | | | |
Db 156 SLFEGIDFYT 165

Query Match 92.2%; Score 47; DB 13; Length 278;
Best Local Similarity 90.0%; Pred. No. 0.36;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLYT 10
| | | | | | | |
Db 156 SLFEGIDFYT 165

RESULT 12
ID Q98899 PRELIMINARY; PRT; 367 AA.

AC Q98899;
DT 01-FEB-1997 (TREMBLrel. 02, Created)
DT 01-FEB-1997 (TREMBLrel. 02, last sequence update)
DE 70 KDA HEAT SHOCK PROTEIN (FRAGMENT).
GN HSP70-3.

OS Fugu rubripes (Japanese pufferfish) (Takifugu rubripes).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
OC Acanthomorpha; Acanthopterygii; Percomorpha; Tetraodontiformes;
OC Tetraodontidae; Takifugu.
OX NCBI_TaxID=31033;

RN [1]
RP SEQUENCE FROM N.A.
RA Lim E.H.;
RL Submitted (OCT-1996) to the EMBL/GenBank/DBJ databases.
DR EMBL: Y08578; CA69892.1; -.
DR HSSP: P19120; 3HSC.
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70; 1.

DR PRINTS: PR00301; HEATSHOCK70.
DR PROSITE: PS00297; HSP70_1; 1.
DR PROSITE: PS01036; HSP70_3; 1.
KW Heat shock.

FT NON_TER 367
FT SEQUENCE 367 AA; 40405 MW; 8CD3DD8DF6B3C2CA CRC64;

Query Match 92.2%; Score 47; DB 13; Length 367;
Best Local Similarity 90.0%; Pred. No. 0.5;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDLYT 10
| | | | | | | |
Db 268 SLFEGIDFYT 277

RESULT 13
ID Q63718 PRELIMINARY; PRT; 455 AA.

AC Q63718;
DT 01-NOV-1996 (TREMBLrel. 01, Created)
DT 01-NOV-1996 (TREMBLrel. 01, last sequence update)
DE HEAT SHOCK PROTEIN 70 (FRAGMENT).
GN Rattus norvegicus (Rat).
OS Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Rattus.
OX NCBI_TaxID=10116;

OY 1 SLEFGIDLYT 10
 |||||||
 DB 82 SLEFGIDFYT 91

RESULT 6

Q90665 PRELIMINARY; PRT; 157 AA.
 AC Q90665; 01-MAY-2000 (TREMblrel. 13, Created)
 DT 01-MAY-2000 (TREMblrel. 13, Last sequence update)
 DT 01-JUN-2001 (TREMblrel. 17, Last annotation update)
 DE HEAT-SHOCK PROTEIN (FRAGMENT).
 GN HSC70.
 OS Littorina plena.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 OC Neotenoglossa; Littorinoidea; Littorinidae; Littorina.
 OX NCBI_TaxID=31219;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina."
 RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF191830; AAF12789.1; -.
 DR HSSP; P19120; 1BA1.
 DR InterPro; IPR001023; HSP70.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 1 157
 FT SEQUENCE 157 AA; 17834 MW; E8F743382B285EB2 CRC64;

Query Match 92.2%; Score 47; DB 5; Length 157;
 Best Local Similarity 90.0%; Pred. No. 0.19;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEFGIDLYT 10
 |||||||
 DB 84 SLEFGIDFYT 93

RESULT 7

Q90671 PRELIMINARY; PRT; 158 AA.
 AC Q90671; 01-MAY-2000 (TREMblrel. 13, Created)
 DT 01-MAY-2000 (TREMblrel. 13, Last sequence update)
 DT 01-JUN-2001 (TREMblrel. 17, Last annotation update)
 DE HEAT-SHOCK PROTEIN (FRAGMENT).
 GN HSC70.
 OS Littorina scutulata.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 OC Neotenoglossa; Littorinoidea; Littorinidae; Littorina.
 OX NCBI_TaxID=31221;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina."
 RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF191824; AAF12783.1; -.
 DR HSSP; P19120; 1BA1.
 DR InterPro; IPR001023; HSP70.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 1 158
 FT SEQUENCE 158 AA; 17887 MW; B41B5356A24CAD2F CRC64;

Query Match 92.2%; Score 47; DB 5; Length 158;
 Best Local Similarity 90.0%; Pred. No. 0.19;

Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 OY 1 SLEFGIDLYT 10
 |||||||
 DB 85 SLEFGIDFYT 94

RESULT 8

Q90668 PRELIMINARY; PRT; 158 AA.
 AC Q90668; 01-MAY-2000 (TREMblrel. 13, Created)
 DT 01-MAY-2000 (TREMblrel. 13, Last sequence update)
 DT 01-JUN-2001 (TREMblrel. 17, Last annotation update)
 DE HEAT-SHOCK PROTEIN (FRAGMENT).
 GN HSC70.
 OS Littorina plena.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 OC Neotenoglossa; Littorinoidea; Littorinidae; Littorina.
 OX NCBI_TaxID=31219;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina."
 RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF191827; AAF12786.1; -.
 DR HSSP; P19120; 1BA1.
 DR InterPro; IPR001023; HSP70.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 1 158
 FT SEQUENCE 158 AA; 17868 MW; D2ECE71042EC44CB CRC64;

Query Match 92.2%; Score 47; DB 5; Length 158;
 Best Local Similarity 90.0%; Pred. No. 0.19;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEFGIDLYT 10
 |||||||
 DB 85 SLEFGIDFYT 94

RESULT 9

Q90666 PRELIMINARY; PRT; 158 AA.
 AC Q90666; 01-MAY-2000 (TREMblrel. 13, Created)
 DT 01-MAY-2000 (TREMblrel. 13, Last sequence update)
 DT 01-JUN-2001 (TREMblrel. 17, Last annotation update)
 DE HEAT-SHOCK PROTEIN (FRAGMENT).
 GN HSC70.
 OS Littorina plena.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
 OC Neotenoglossa; Littorinoidea; Littorinidae; Littorina.
 OX NCBI_TaxID=31219;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Hohenlohe P.A.;
 RT "Heat-shock genes in the heat-stressed genus Littorina."
 RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF191829; AAF12788.1; -.
 DR HSSP; P19120; 1BA1.
 DR InterPro; IPR001023; HSP70.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS01036; HSP70_3; 1.
 FT NON_TER 1 158
 FT SEQUENCE 158 AA; 17891 MW; B41B5356BCECAD2F CRC64;

Query Match 92.2%; Score 47; DB 5; Length 158;
 Best Local Similarity 90.0%; Pred. No. 0.19;

```

RESULT 2
ID 094104 PRELIMINARY; PRT: 647 AA.
AC 094104;
DT 01-MAY-1999 (TREMBLrel. 10, Created)
DT 01-MAY-1999 (TREMBLrel. 10, Last sequence update)
DT 01-JUN-2001 (TREMBLrel. 17, Last annotation update)
DE HEAT SHOCK PROTEIN 70 (FRAGMENT).
GN HSP70.
OS Pneumocystis carinii.
OC Eukaryota; Fungi; Ascomycota; Pneumocystidomycetes; Pneumocystidaceae;
OC Pneumocystis.
OX NCBI_TaxID=4754;
RN [1]
RP SEQUENCE FROM N.A.
RA Paul S.P., Graves D.C.;
RT "Phylogeny and sequence analysis of Pneumocystis carinii HSP70."
RL Submitted (SEP-1996) to the EMBL/GenBank/DBJ databases.
DR EMBL; U71151; AAD09565.1; -.
DR HSSP; P19120; 3HSC.
DR Interpro; IPR001023; HSP70.
DR Interpro; IPR00169; Thi1prot_act_site.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_1; UNKNOWN_1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
DR PROSITE; PS00639; THIOL_PROTEASE_HIS; UNKNOWN_1.
DR Heat shock.
KW NON_TER
FT
SQ SEQUENCE 647 AA; 71176 MW; 92F9496399380F9 CRC64;

Query Match
Best Local Similarity 94.1%; Score 48; DB 3; Length 647;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

OY 1 SLFEGIDLYT 10
    ||:|||||
Db 288 SLFEGIDLYT 297

RESULT 3
ID 090667 PRELIMINARY; PRT: 146 AA.
AC 090667;
DT 01-MAY-2000 (TREMBLrel. 13, Created)
DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)
DT 01-JUN-2001 (TREMBLrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina plena.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotaeniolossia; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31219;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina."
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191828; AAF12787.1; -.
DR HSSP; P19120; 1BA1.
DR Interpro; IPR001023; HSP70.
DR PROSITE; PS01036; HSP70_3; 1.
DR NON_TER
FT
SQ SEQUENCE 146 AA; 16607 MW; C3F3556A1AF438BB CRC64;

Query Match
Best Local Similarity 92.2%; Score 47; DB 5; Length 146;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

```

Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDLYT 10
    |||||||
Db 79 SLFEGIDLYT 88

RESULT 4
ID 090670 PRELIMINARY; PRT: 153 AA.
AC 090670;
DT 01-MAY-2000 (TREMBLrel. 13, Created)
DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)
DT 01-JUN-2001 (TREMBLrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina scutulata.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotaeniolossia; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31221;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina."
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191825; AAF12784.1; -.
DR HSSP; P19120; 1BA1.
DR Interpro; IPR001023; HSP70.
DR PROSITE; PS01036; HSP70_3; 1.
DR NON_TER
FT
SQ SEQUENCE 153 AA; 17352 MW; E29EE20C4CAF934D CRC64;

Query Match
Best Local Similarity 92.2%; Score 47; DB 5; Length 153;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDLYT 10
    |||||||
Db 80 SLFEGIDLYT 89

RESULT 5
ID 090669 PRELIMINARY; PRT: 155 AA.
AC 090669;
DT 01-MAY-2000 (TREMBLrel. 13, Created)
DT 01-MAY-2000 (TREMBLrel. 13, Last sequence update)
DT 01-JUN-2001 (TREMBLrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina scutulata.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotaeniolossia; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31221;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina."
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191826; AAF12785.1; -.
DR HSSP; P19120; 1BA1.
DR Interpro; IPR001023; HSP70.
DR PROSITE; PS01036; HSP70_3; 1.
DR NON_TER
FT
SQ SEQUENCE 155 AA; 17676 MW; C191FE5B1F346C2 CRC64;

Query Match
Best Local Similarity 92.2%; Score 47; DB 5; Length 155;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:56:53 ; Search time 170.25 Seconds
(without alignments)
8.592 Million cell updates/sec

Title: PEP2-MOD8L
Perfect score: 51
Sequence: 1 SLFEGIDLYT 10

Scoring table:
BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 473505 seqs, 146272329 residues
Total number of hits satisfying chosen parameters: 473505

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database :
1: SP TREMBL_17:*
2: SP archaea:*
3: SP fungi:*
4: SP human:*
5: SP_invertebrate:*
6: SP_mammal:*
7: SP_mhc:*
8: SP_organelle:*
9: SP_phage:*
10: SP_plant:*
11: SP_rodent:*
12: SP_virus:*
13: SP_vertebrate:*
14: SP_unclassified:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB	ID	Description
1	48	94.1	645	3	094106	094106 pneumocysti
2	48	94.1	647	3	094104	094104 pneumocysti
3	47	92.2	146	5	090667	090667 littorina p
4	47	92.2	153	5	090670	090670 littorina s
5	47	92.2	155	5	090669	090669 littorina s
6	47	92.2	157	5	090665	090665 littorina p
7	47	92.2	158	5	090671	090671 littorina s
8	47	92.2	158	5	090668	090668 littorina p
9	47	92.2	158	5	090666	090666 littorina p
10	47	92.2	220	5	P81159	P81159 aplysia cal
11	47	92.2	278	13	090520	090520 oncorhynch
12	47	92.2	367	13	098899	098899 fungu rubrip
13	47	92.2	455	11	063718	063718 rattus norv
14	47	92.2	467	5	044350	044350 chondrosea
15	47	92.2	467	5	044352	044352 petrobiona
16	47	92.2	467	5	09N092	09N092 guancha lac
17	47	92.2	468	5	044349	044349 funiculina
18	47	92.2	469	5	044351	044351 eunicella c
19	47	92.2	526	13	Q98897	Q98897 fungu rubrip

20	47	92.2	632	5	015766	015766 dictyostell
21	47	92.2	639	13	098900	098900 fungu rubrip
22	47	92.2	639	13	0918P9	0918P9 oryzias lat
23	47	92.2	640	5	093601	093601 caenorhabd
24	47	92.2	640	13	093240	093240 paratichthy
25	47	92.2	641	11	063256	063256 rattus norv
26	47	92.2	641	11	090W05	090W05 mus musculu
27	47	92.2	645	5	096541	096541 setaria dig
28	47	92.2	645	5	09N0B7	09N0B7 wuchereria
29	47	92.2	645	5	09N0K9	09N0K9 wuchereria
30	47	92.2	647	3	059855	059855 schizosacch
31	47	92.2	650	10	09XS55	09XS55 arabidopsis
32	47	92.2	650	10	09LHA8	09LHA8 arabidopsis
33	47	92.2	652	10	P93937	P93937 ascophyllum
34	47	92.2	653	5	094805	094805 trichoplus
35	47	92.2	659	5	09XJ22	09XJ22 crassostrea
36	46	90.2	190	5	0909B4	0909B4 mytilus edu
37	46	90.2	221	5	P81157	P81157 aplysia cal
38	46	90.2	467	5	044346	044346 asbestoplum
39	46	90.2	467	5	044347	044347 petrosia fi
40	46	90.2	467	5	09GPM5	09GPM5 monosiga oy
41	46	90.2	639	13	073922	073922 oreochromis
42	46	90.2	642	3	090VM0	090VM0 rhizopus st
43	46	90.2	643	6	09NIU2	09NIU2 saguinus oe
44	46	90.2	651	3	09UVM1	09UVM1 rhizopus st
45	46	90.2	651	10	022664	022664 spinacia ol

ALIGNMENTS

RESULT	ID	PRELIMINARY	PRT	645 AA
094106	094106			
AC	094106			
DT	01-MAY-1999 (TREMBLrel. 10, Created)			
DT	01-MAY-1999 (TREMBLrel. 10, last sequence update)			
DT	01-JUN-2001 (TREMBLrel. 17, last annotation update)			
DE	HEAT SHOCK PROTEIN 70 (FRAGMENT).			
GN	PCSA1.			
OS	Pneumocystis carinii f. sp. carinii.			
OC	Eukaryota; Fungi; Ascomycota; Pneumocystidomycetes; Pneumocystidaceae;			
OC	Pneumocystis.			
OX	NCBI_TaxID=38081;			
RN	[1]			
RP	SEQUENCE FROM N.A.			
RX	MEDLINE=97045128; PubMed=8890193;			
RA	Stedman T.T., Buck G.A.;			
RT	"Identification, characterization, and expression of the BIP			
RT	endoplasmic reticulum resident chaperonins in Pneumocystis carinii.";			
RL	Infect. Immun. 64:4463-4471(1996).			
DR	EMBL; U80967; AAD00455.1; -.			
DR	HSSP; P19120; 3HSC.			
DR	InterPro; IPR001023; HSP70.			
DR	InterPro; IPR000169; Thiolprot_act_site.			
DR	Pfam; PF000012; HSP70. 1.			
DR	PRINTS; PR00301; HEATSHOCK70.			
DR	PROSITE; PS00297; HSP70_1; UNKNOWN_1.			
DR	PROSITE; PS00329; HSP70_2; 1.			
DR	PROSITE; PS01036; HSP70_3; 1.			
DR	PROSITE; PS00639; THIOL_PROTEASE_HIS; UNKNOWN_1.			
KW	Heat shock.			
FT	NON_TER			
FT	SEQUENCE	645 AA;	70884 MM;	6D8CF90433BB163F CRC64;

Query Match 94.1%; Score 48; DB 3; Length 645;

Best Local Similarity 90.0%; Pred. No. 0.61;

Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 SLFEGIDLYT 10

DB 286 SLFEGIDLYT 295

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:59:58 : Search time 81.43 Seconds
(without alignments)
2.764 Million cell updates/sec

Title: PEP2-MOD8V
Perfect score: 51
Sequence: 1 SLFEGIDVYT 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 212252 seqs, 22503292 residues

Total number of hits satisfying chosen parameters: 212252

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Issued Patents AA: *
1: /cgn2_6/ptodata/2/1aa/3A_COMB.pep: *
2: /cgn2_6/ptodata/2/1aa/5B_COMB.pep: *
3: /cgn2_6/ptodata/2/1aa/6A_COMB.pep: *
4: /cgn2_6/ptodata/2/1aa/6B_COMB.pep: *
5: /cgn2_6/ptodata/2/1aa/PCTUS_COMB.pep: *
6: /cgn2_6/ptodata/2/1aa/backfilest1.pep: *

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	45	88.2	643	4	US-08-797-358B-3 Sequence 3, Appl1
2	43	84.3	646	1	US-08-441-139-14 Sequence 14, Appl1
3	34	66.7	332	2	US-08-637-763B-6 Sequence 6, Appl1
4	34	66.7	332	2	US-08-637-763B-8 Sequence 8, Appl1
5	34	66.7	332	3	US-09-170-354-6 Sequence 6, Appl1
6	34	66.7	332	3	US-09-170-354-8 Sequence 8, Appl1
7	34	66.7	789	1	US-08-727-308-1 Sequence 1, Appl1
8	33	64.7	36	2	US-08-487-890A-19 Sequence 19, Appl1
9	33	64.7	36	2	US-08-478-435-19 Sequence 19, Appl1
10	33	64.7	36	2	US-08-337-483-19 Sequence 19, Appl1
11	33	64.7	36	2	US-08-478-373-19 Sequence 19, Appl1
12	33	64.7	36	3	US-08-474-671-19 Sequence 19, Appl1
13	33	64.7	36	3	US-08-483-577A-19 Sequence 19, Appl1
14	33	64.7	36	4	US-08-897-438-19 Sequence 19, Appl1
15	33	64.7	301	5	PCT-US95-13975-72 Sequence 72, Appl1
16	33	64.7	435	3	US-08-911-321-8 Sequence 8, Appl1
17	33	64.7	458	4	US-09-457-046B-61 Sequence 61, Appl1
18	33	64.7	911	1	US-08-487-890A-107 Sequence 107, Appl1
19	33	64.7	911	2	US-08-478-435-107 Sequence 107, Appl1
20	33	64.7	911	2	US-08-337-483-107 Sequence 107, Appl1
21	33	64.7	911	3	US-08-478-373-107 Sequence 107, Appl1
22	33	64.7	911	3	US-08-474-671-107 Sequence 107, Appl1
23	33	64.7	911	3	US-08-483-577A-107 Sequence 107, Appl1
24	33	64.7	911	4	US-08-897-438-107 Sequence 107, Appl1
25	33	64.7	913	1	US-08-487-890A-5 Sequence 5, Appl1
26	33	64.7	913	2	US-08-478-435-5 Sequence 5, Appl1
27	33	64.7	913	2	US-08-337-483-5 Sequence 5, Appl1

28	33	64.7	913	2	US-08-478-373-5 Sequence 5, Appl1
29	33	64.7	913	3	US-08-474-671-5 Sequence 5, Appl1
30	33	64.7	913	3	US-08-483-577A-5 Sequence 5, Appl1
31	33	64.7	913	4	US-08-897-438-5 Sequence 5, Appl1
32	32	62.7	230	2	US-08-537-400-16 Sequence 16, Appl1
33	32	62.7	230	2	US-08-706-702-18 Sequence 18, Appl1
34	32	62.7	230	3	US-08-706-706-18 Sequence 18, Appl1
35	32	62.7	339	2	US-08-928-692-52 Sequence 52, Appl1
36	32	62.7	494	3	US-08-484-661A-39 Sequence 39, Appl1
37	32	62.7	494	3	US-08-656-664-39 Sequence 39, Appl1
38	32	62.7	434	5	PCT-US96-09641-39 Sequence 39, Appl1
39	32	62.7	495	3	US-09-079-415-4 Sequence 4, Appl1
40	32	62.7	533	2	US-08-225-488-2 Sequence 2, Appl1
41	32	62.7	571	3	US-08-484-661A-37 Sequence 37, Appl1
42	32	62.7	571	3	US-08-656-664-37 Sequence 37, Appl1
43	32	62.7	571	5	PCT-US96-09641-37 Sequence 37, Appl1
44	32	62.7	578	3	US-08-484-661A-11 Sequence 11, Appl1
45	32	62.7	578	3	US-08-656-664-11 Sequence 11, Appl1

ALIGNMENTS

RESULT 1
US-08-797-358B-3
Sequence 3, Application US/08797358B
Patent No. 6268478
GENERAL INFORMATION:
APPLICANT: Adams, John
TITLE OF INVENTION: INTRACELLULAR VITAMIN D BINDING PROTEIN
NUMBER OF SEQUENCES: 9
CORRESPONDENCE ADDRESS:
ADDRESSEE: Campbell & Flores LLP
STREET: 4370 La Jolla Village Drive, Suite 700
CITY: San Diego
STATE: California
COUNTRY: United States
ZIP: 92122
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patentin Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/797,358B
FILING DATE: 11-Feb-1997
CLASSIFICATION: <Unknown>
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 60/011,491
FILING DATE: 12-FEB-1996
ATTORNEY/AGENT INFORMATION:
NAME: Campbell, Cathryn A.
REGISTRATION NUMBER: 31,815
REFERENCE/DOCKET NUMBER: P-CE 3165
TELECOMMUNICATION INFORMATION:
TELEPHONE: (619) 535-9001
TELEFAX: (619) 535-8949
INFORMATION FOR SEQ ID NO: 3:
SEQUENCE CHARACTERISTICS:
LENGTH: 643 amino acids
TYPE: amino acid
STRANDEDNESS: unknown
TOPOLOGY: unknown
MOLECULE TYPE: protein
SEQUENCE DESCRIPTION: SEQ ID NO: 3:
US-08-797-358B-3
Query Match 88.2%; Score 45; DB 4; Length 643;
Best Local Similarity 80.0%; Pred. No. 0.6;
Matches 8; Conservative 1; Mismatches 1; Gaps 0;
Indels 0;

Db 288 SLEGVDEFT 297

RESULT 2
US-08-441-139-14

; Sequence 14, Application US/08441139

; Patent No. 5773245

; GENERAL INFORMATION:

; APPLICANT: Wiltrop, Dr. Karl D.

; APPLICANT: Robinson, Anne S.

; TITLE OF INVENTION: METHODS FOR INCREASING SECRETION OF

; TITLE OF INVENTION: RECOMBINANTLY EXPRESSED PROTEINS

; NUMBER OF SEQUENCES: 20

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: SCULLY, SCOTT, MURPHY & PRESSER

; STREET: 400 Garden City Plaza

; CITY: Garden City

; STATE: NY

; COUNTRY: USA

; ZIP: 11530

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: Patentin Release #1.0, Version #1.25

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/08/441,139

; FILING DATE: 15-MAY-1995

; CLASSIFICATION: 435

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: US 08/089,997

; FILING DATE: 06-JUL-1993

; ATTORNEY/AGENT INFORMATION:

; NAME: Digiglio, Frank S.

; REGISTRATION NUMBER: 31,346

; REFERENCE/DOCKET NUMBER: 8646

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: 516-742-4343

; TELEFAX: 516-742-4366

; TELEX: 230 901 SANS UR

; INFORMATION FOR SEQ ID NO: 14:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 646 amino acids

; TYPE: amino acid

; TOPOLOGY: linear

; MOLECULE TYPE: protein

; US-08-441-139-14

Query Match 84.3%; Score 43; DB 1; Length 646;
Best Local Similarity 80.0%; Pred. NO. 1.5;

Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEGVDEFT 10
DB 288 SLEGVDEFT 295

RESULT 3
US-08-637-763B-6

; Sequence 6, Application US/08637763B

; Patent No. 5849559

; GENERAL INFORMATION:

; APPLICANT: VAN DER WOUW, Monique J.A. et al

; TITLE OF INVENTION: ARABINOXYLAN DEGRADING ENZYME

; NUMBER OF SEQUENCES: 8

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Morrison & Foerster

; STREET: 2000 Pennsylvania Avenue, NW

; CITY: Washington

; STATE: DC

; COUNTRY: USA

; ZIP: 20006-1812

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: Patentin Release #1.0, Version #1.30

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/08/637,763B

; FILING DATE: 25-AUG-1996

; CLASSIFICATION: 435

; ATTORNEY/AGENT INFORMATION:

; NAME: Murashige, Kate H.

; REGISTRATION NUMBER: 29,959

; REFERENCE/DOCKET NUMBER: 4615-0066.00

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: (202) 887-1500

; TELEFAX: (202) 887-0763

; TELEX: 90-4030 MRSNFOERSM

; INFORMATION FOR SEQ ID NO: 6:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 332 amino acids

; TYPE: amino acid

; TOPOLOGY: linear

; MOLECULE TYPE: protein

; US-08-637-763B-6

Query Match 66.7%; Score 34; DB 2; Length 332;
Best Local Similarity 66.7%; Pred. NO. 39;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

OY 2 LFEAGVYFT 10
DB 212 LFEAGVYFT 220

RESULT 4

US-08-637-763B-8

; Sequence 8, Application US/08637763B

; Patent No. 5849559

; GENERAL INFORMATION:

; APPLICANT: VAN DER WOUW, Monique J.A. et al

; TITLE OF INVENTION: ARABINOXYLAN DEGRADING ENZYME

; NUMBER OF SEQUENCES: 8

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Morrison & Foerster

; STREET: 2000 Pennsylvania Avenue, NW

; CITY: Washington

; STATE: DC

; COUNTRY: USA

; ZIP: 20006-1812

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: Patentin Release #1.0, Version #1.30

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/08/637,763B

; FILING DATE: 25-AUG-1996

; CLASSIFICATION: 435

; ATTORNEY/AGENT INFORMATION:

; NAME: Murashige, Kate H.

; REGISTRATION NUMBER: 29,959

; REFERENCE/DOCKET NUMBER: 4615-0066.00

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: (202) 887-1500

; TELEFAX: (202) 887-0763

; TELEX: 90-4030 MRSNFOERSM

; INFORMATION FOR SEQ ID NO: 8:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 332 amino acids

; TYPE: amino acid

; TOPOLOGY: linear

; US-08-637-763B-8

MOLECULE TYPE: protein
US-08-637-763B-8

Query Match 66.7%; Score 34; DB 2; Length 332;
Best Local Similarity 66.7%; Pred. No. 39;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 LFEQIDVYT 10
111 : 111
DB 212 LFEAVQVYT 220

RESULT 5
US-09-170-354-6
; Sequence 6, Application US/09170354
; Patent No. 6066356
; GENERAL INFORMATION:
; APPLICANT: VAN DER WOUW, Monique J.A. et al
; TITLE OF INVENTION: ARABINOXYLAN DEGRADING ENZYME
; NUMBER OF SEQUENCES: 8
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Morrison & Foerster
; STREET: 2000 Pennsylvania Avenue, NW
; CITY: Washington
; STATE: DC
; COUNTRY: USA
; ZIP: 20006-1812
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/170,354
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/637,763
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: Murashige, Kate H.
; REGISTRATION NUMBER: 29,959
; REFERENCE/DOCKET NUMBER: 4615-0066.00
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (202) 887-1500
; TELEFAX: (202) 887-0763
; TELEX: 90-4030 MRSNFORSMH
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 332 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-170-354-6

Query Match 66.7%; Score 34; DB 3; Length 332;
Best Local Similarity 66.7%; Pred. No. 39;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 LFEQIDVYT 10
111 : 111
DB 212 LFEAVQVYT 220

RESULT 6
US-09-170-354-8
; Sequence 8, Application US/09170354
; Patent No. 6066356
; GENERAL INFORMATION:
; APPLICANT: VAN DER WOUW, Monique J.A. et al
; TITLE OF INVENTION: ARABINOXYLAN DEGRADING ENZYME

NUMBER OF SEQUENCES: 8
CORRESPONDENCE ADDRESS:
ADDRESSEE: Morrison & Foerster
STREET: 2000 Pennsylvania Avenue, NW
CITY: Washington
STATE: DC
COUNTRY: USA
ZIP: 20006-1812
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/170,354
FILING DATE:
CLASSIFICATION:
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/637,763
FILING DATE:
ATTORNEY/AGENT INFORMATION:
NAME: Murashige, Kate H.
REGISTRATION NUMBER: 29,959
REFERENCE/DOCKET NUMBER: 4615-0066.00
TELECOMMUNICATION INFORMATION:
TELEPHONE: (202) 887-1500
TELEFAX: (202) 887-0763
TELEX: 90-4030 MRSNFORSMH
INFORMATION FOR SEQ ID NO: 8:
SEQUENCE CHARACTERISTICS:
LENGTH: 332 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-170-354-8

Query Match 66.7%; Score 34; DB 3; Length 332;
Best Local Similarity 66.7%; Pred. No. 39;
Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 LFEQIDVYT 10
111 : 111
DB 212 LFEAVQVYT 220

RESULT 7
US-08-727-308-1
; Sequence 1, Application US/08727308
; Patent No. 6020176
; GENERAL INFORMATION:
; APPLICANT: YUJI KAMIYA et al.
; TITLE OF INVENTION: KAURENE SYNTHASE
; NUMBER OF SEQUENCES: 9
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Wenderoth, Lind & Ponack
; STREET: 805 Fifteenth Street, N.W., #700
; CITY: Washington
; STATE: D.C.
; COUNTRY: U.S.A.
; ZIP: 20005
COMPUTER READABLE FORM:
MEDIUM TYPE: Diskette, 5.25 inch, 500 kb
COMPUTER: IBM compatible
OPERATING SYSTEM: MS-DOS
SOFTWARE: Wordperfect 5.1
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/727,308
FILING DATE: October 8, 1996
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER:
FILING DATE:

ATTORNEY/AGENT INFORMATION:
NAME: Warren M. Cheek, Jr.
REGISTRATION NUMBER: 33,367
REFERENCE/DOCKET NUMBER:
TELECOMMUNICATION INFORMATION:
TELEPHONE: 202-371-8850
TELEFAX:
TELEX:
INFORMATION FOR SEQ ID NO: 1:
SEQUENCE CHARACTERISTICS:
LENGTH: 789 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-727-308-1

Query Match 66.7%; Score 34; DB 3; Length 789;
Best Local Similarity 70.0%; Pred. No. 1e+02;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

OY 1 SLFEGIDVYT 10
||| |::|||
Db 23 SLFPGVDVDT 32

RESULT 8
US-08-487-890A-19
Sequence 19, Application US/08487890A
Patent No. 5708149
GENERAL INFORMATION:
APPLICANT: Loosmore, Sheena
APPLICANT: Harkness, Robin
APPLICANT: Schryvers, Anthony
APPLICANT: Chong, Pele
APPLICANT: Gray-Owen, Scott
APPLICANT: Yang, Yan-ping
APPLICANT: Murdin, Andrew
APPLICANT: Klein, Michel
TITLE OF INVENTION: Transferrin Receptor Genes
NUMBER OF SEQUENCES: 147
CORRESPONDENCE ADDRESS:
ADDRESSEE: Sim & McBurney
STREET: 6th Floor, 330 University Avenue
CITY: Toronto
STATE: Ontario
COUNTRY: Canada
ZIP: M5G 1R7
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patentln Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/487,890A
FILING DATE: 07-JUN-1993
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/175,116
FILING DATE: 29-DEC-1993
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/148,968
FILING DATE: 08-NOV-1993
ATTORNEY/AGENT INFORMATION:
NAME: Stewart, Michael I
REGISTRATION NUMBER: 24,973
REFERENCE/DOCKET NUMBER: 1038-466 MIS:jb
TELECOMMUNICATION INFORMATION:
TELEPHONE: (416) 595-1155
TELEFAX: (416) 595-1163
INFORMATION FOR SEQ ID NO: 19:
SEQUENCE CHARACTERISTICS:

LENGTH: 36 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
US-08-487-890A-19

Query Match 64.7%; Score 33; DB 1; Length 36;
Best Local Similarity 62.5%; Pred. No. 5.3;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

OY 3 PEGIDVYT 10
|||::|||
Db 28 PEGVAVIT 35

RESULT 9
US-08-478-435-19
Sequence 19, Application US/08478435
Patent No. 5922323
GENERAL INFORMATION:
APPLICANT: Loosmore, Sheena
APPLICANT: Harkness, Robin
APPLICANT: Schryvers, Anthony
APPLICANT: Chong, Pele
APPLICANT: Gray-Owen, Scott
APPLICANT: Yang, Yan-ping
APPLICANT: Murdin, Andrew
APPLICANT: Klein, Michel
TITLE OF INVENTION: Transferrin Receptor Genes
NUMBER OF SEQUENCES: 147
CORRESPONDENCE ADDRESS:
ADDRESSEE: Sim & McBurney
STREET: Suite 701, 330 University Avenue
CITY: Toronto
STATE: Ontario
COUNTRY: Canada
ZIP: M5G 1R7
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patentln Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/478,435
FILING DATE: 07-JUN-1995
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/337,483
FILING DATE: 08-NOV-1994
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/175,116
FILING DATE: 29-DEC-1993
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/148,968
FILING DATE: 08-NOV-1993
ATTORNEY/AGENT INFORMATION:
NAME: Stewart, Michael I
REGISTRATION NUMBER: 24,973
REFERENCE/DOCKET NUMBER: 1038-462 MIS:vg
TELECOMMUNICATION INFORMATION:
TELEPHONE: (416) 595-1155
TELEFAX: (416) 595-1163
INFORMATION FOR SEQ ID NO: 19:
SEQUENCE CHARACTERISTICS:
LENGTH: 36 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
US-08-478-435-19

Query Match 64.7%; Score 33; DB 2; Length 36;
 Best Local Similarity 62.5%; Pred. No. 5.3;
 Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

OY 3 FEGIDVYT 10
 |||:|
 Db 28 FEGVAITY 35

RESULT 10
 US-08-337-483-19

; Sequence 19, Application US/08337483
 ; Patent No. 5922562
 ; GENERAL INFORMATION:
 ; APPLICANT: Loosmore, Sheena
 ; APPLICANT: Harkness, Robin
 ; APPLICANT: Schryvers, Anthony
 ; APPLICANT: Chong, Pele
 ; APPLICANT: Gray-Owen, Scott
 ; APPLICANT: Yang, Yan-Ping
 ; APPLICANT: Mordin, Andrew
 ; APPLICANT: Klein, Michel
 ; TITLE OF INVENTION: Transferrin Receptor Genes
 ; NUMBER OF SEQUENCES: 147
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Slim & McBurney
 ; STREET: Suite 701, 330 University Avenue
 ; CITY: Toronto
 ; STATE: Ontario
 ; COUNTRY: Canada
 ; ZIP: M5G 1R7
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: Patentin Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/08/337,483
 ; FILING DATE: 08-NOV-1994
 ; CLASSIFICATION: 435
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Stewart, Michael I
 ; REGISTRATION NUMBER: 24,973
 ; REFERENCE/DOCKET NUMBER: 1038-410 MIS:jb
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: (416) 595-1155
 ; TELEFAX: (416) 595-1163
 ; INFORMATION FOR SEQ ID NO: 19:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 36 amino acids
 ; TYPE: amino acid
 ; STRANDEDNESS: single
 ; TOPOLOGY: linear
 ; US-08-337-483-19

Query Match 64.7%; Score 33; DB 2; Length 36;
 Best Local Similarity 62.5%; Pred. No. 5.3;
 Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

OY 3 FEGIDVYT 10
 |||:|
 Db 28 FEGVAITY 35

RESULT 11
 US-08-478-373-19

; Sequence 19, Application US/08478373
 ; Patent No. 5922841
 ; GENERAL INFORMATION:
 ; APPLICANT: Loosmore, Sheena
 ; APPLICANT: Harkness, Robin
 ; APPLICANT: Schryvers, Anthony

; APPLICANT: Chong, Pele
 ; APPLICANT: Gray-Owen, Scott
 ; APPLICANT: Yang, Yan-Ping
 ; APPLICANT: Mordin, Andrew
 ; APPLICANT: Klein, Michel
 ; TITLE OF INVENTION: Transferrin Receptor Genes
 ; NUMBER OF SEQUENCES: 147
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Slim & McBurney
 ; STREET: Suite 701, 330 University Avenue
 ; CITY: Toronto
 ; STATE: Ontario
 ; COUNTRY: Canada
 ; ZIP: M5G 1R7

; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: Patentin Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/08/478,373
 ; FILING DATE: 07-JUN-1995
 ; CLASSIFICATION: 435
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 08/337,483
 ; FILING DATE: 08-NOV-1994
 ; CLASSIFICATION: 435
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 08/175,116
 ; FILING DATE: 29-DEC-1993
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 08/148,968
 ; FILING DATE: 08-NOV-1993
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Stewart, Michael I
 ; REGISTRATION NUMBER: 24,973
 ; REFERENCE/DOCKET NUMBER: 1038-463 MIS:vg
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: (416) 595-1155
 ; TELEFAX: (416) 595-1163
 ; INFORMATION FOR SEQ ID NO: 19:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 36 amino acids
 ; TYPE: amino acid
 ; STRANDEDNESS: single
 ; TOPOLOGY: linear
 ; US-08-478-373-19

Query Match 64.7%; Score 33; DB 2; Length 36;
 Best Local Similarity 62.5%; Pred. No. 5.3;
 Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

OY 3 FEGIDVYT 10
 |||:|
 Db 28 FEGVAITY 35

RESULT 12
 US-08-474-671-19

; Sequence 19, Application US/08474671
 ; Patent No. 6008326
 ; GENERAL INFORMATION:
 ; APPLICANT: Loosmore, Sheena
 ; APPLICANT: Harkness, Robin
 ; APPLICANT: Schryvers, Anthony
 ; APPLICANT: Chong, Pele
 ; APPLICANT: Gray-Owen, Scott
 ; APPLICANT: Yang, Yan-Ping
 ; APPLICANT: Mordin, Andrew
 ; APPLICANT: Klein, Michel
 ; TITLE OF INVENTION: Transferrin Receptor Genes
 ; NUMBER OF SEQUENCES: 147

```

CORRESPONDENCE ADDRESS:
ADDRESSEE:  Sim & McBurney
STREET:  Suite 701, 330 University Avenue
CITY:  Toronto
STATE:  Ontario
COUNTRY:  Canada
ZIP:  M5G 1R7
COMPUTER READABLE FORM:
MEDIUM TYPE:  Floppy disk
COMPUTER:  IBM PC compatible
OPERATING SYSTEM:  PC-DOS/MS-DOS
SOFTWARE:  Patentin Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER:  US/08/474,671
FILING DATE:  07-JUN-1995
CLASSIFICATION:  530
PRIOR APPLICATION DATA:
APPLICATION NUMBER:  US 08/337,483
FILING DATE:  08-NOV-1994
CLASSIFICATION:  530
PRIOR APPLICATION DATA:
APPLICATION NUMBER:  US 08/175,116
FILING DATE:  29-DEC-1993
PRIOR APPLICATION DATA:
APPLICATION NUMBER:  US 08/148,968
FILING DATE:  08-NOV-1993
ATTORNEY/AGENT INFORMATION:
NAME:  Stewart, Michael I
REGISTRATION NUMBER:  24,973
REFERENCE/DOCKET NUMBER:  1038-465 MIS:V9
TELECOMMUNICATION INFORMATION:
TELEPHONE:  (416) 595-1155
TELEFAX:  (416) 595-1163
INFORMATION FOR SEQ ID NO: 19:
SEQUENCE CHARACTERISTICS:
LENGTH:  36 amino acids
TYPE:  amino acid
STRANDEDNESS:  single
TOPOLOGY:  linear
US-08-474-671-19

Query Match      64.7%; Score 33; DB 3; Length 36;
Best Local Similarity 62.5%; Pred. No. 5.3;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY      3  PEGIDVYT 10
      111: :11
Db      28  FEGVAIYT 35

RESULT 13
US-08-483-577A-19
; Sequence 19, Application US/08483577A
; Patent No. 6015688
; GENERAL INFORMATION:
; APPLICANT:  Loosmore, Sheena
; APPLICANT:  Harkness, Robin
; APPLICANT:  Schryvers, Anthony
; APPLICANT:  Chong, Pele
; APPLICANT:  Gray-Owen, Scott
; APPLICANT:  Yang, Yan-ping
; APPLICANT:  Mordin, Andrew
; APPLICANT:  Kleio, Michel
; TITLE OF INVENTION:  Transferrin Receptor Genes
; NUMBER OF SEQUENCES:  160
; CORRESPONDENCE ADDRESS:
; ADDRESSEE:  Sim & McBurney
; STREET:  Suite 701, 330 University Avenue
; CITY:  Toronto
; STATE:  Ontario
; COUNTRY:  Canada
; ZIP:  M5G 1R7
```

```

COMPUTER READABLE FORM:
MEDIUM TYPE:  Floppy disk
COMPUTER:  IBM PC compatible
OPERATING SYSTEM:  PC-DOS/MS-DOS
SOFTWARE:  Patentin Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER:  US/08/483,577A
FILING DATE:  07-JUN-1995
CLASSIFICATION:  435
PRIOR APPLICATION DATA:
APPLICATION NUMBER:  US 08/337,483
FILING DATE:  08-NOV-1994
PRIOR APPLICATION DATA:
APPLICATION NUMBER:  US 08/175,116
FILING DATE:  29-DEC-1993
PRIOR APPLICATION DATA:
APPLICATION NUMBER:  US 08/148,968
FILING DATE:  08-NOV-1993
ATTORNEY/AGENT INFORMATION:
NAME:  Stewart, Michael I
REGISTRATION NUMBER:  24,973
REFERENCE/DOCKET NUMBER:  1038-511
TELECOMMUNICATION INFORMATION:
TELEPHONE:  (416) 595-1155
TELEFAX:  (416) 595-1163
INFORMATION FOR SEQ ID NO: 19:
SEQUENCE CHARACTERISTICS:
LENGTH:  36 amino acids
TYPE:  amino acid
STRANDEDNESS:  single
TOPOLOGY:  linear
US-08-483-577A-19
```

```

Query Match      64.7%; Score 33; DB 3; Length 36;
Best Local Similarity 62.5%; Pred. No. 5.3;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;
```

```
QY      3  PEGIDVYT 10
      111: :11
Db      28  FEGVAIYT 35
```

```

RESULT 14
US-08-897-438-19
; Sequence 19, Application US/08897438
; Patent No. 6262016
; GENERAL INFORMATION:
; APPLICANT:  Loosmore, Sheena
; APPLICANT:  Harkness, Robin
; APPLICANT:  Schryvers, Anthony
; APPLICANT:  Chong, Pele
; APPLICANT:  Gray-Owen, Scott
; APPLICANT:  Yang, Yan-ping
; APPLICANT:  Mordin, Andrew
; APPLICANT:  Kleio, Michel
; TITLE OF INVENTION:  Transferrin Receptor Genes
; NUMBER OF SEQUENCES:  160
; CORRESPONDENCE ADDRESS:
; ADDRESSEE:  Sim & McBurney
; STREET:  6th Floor, 330 University Avenue
; CITY:  Toronto
; STATE:  Ontario
; COUNTRY:  Canada
; ZIP:  M5G 1R7
COMPUTER READABLE FORM:
MEDIUM TYPE:  Floppy disk
COMPUTER:  IBM PC compatible
OPERATING SYSTEM:  PC-DOS/MS-DOS
SOFTWARE:  Patentin Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER:  US/08/897,438
FILING DATE:
```

CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/483,577
FILING DATE: 07-JUN-1995
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/337,483
FILING DATE: 08-NOV-1994
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/175,116
FILING DATE: 29-DEC-1993
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/148,968
FILING DATE: 08-NOV-1993
ATTORNEY/AGENT INFORMATION:
NAME: Stewart, Michael I
REGISTRATION NUMBER: 24,973
REFERENCE/DOCKET NUMBER: 1038-720
TELECOMMUNICATION INFORMATION:
TELEPHONE: (416) 595-1155
TELEFAX: (416) 595-1163
INFORMATION FOR SEQ ID NO: 19:
SEQUENCE CHARACTERISTICS:
LENGTH: 36 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
US-08-897-438-19

Query Match 64.7%; Score 33; DB 4; Length 36;
Best Local Similarity 62.5%; Pred. No. 5.3;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

OY 3 FEGIDVYT 10
|||: |||
DB 28 FEGVAIYT 35

RESULT 15
PCT-US95-13975-72
Sequence 72, Application PC/RTUS9513975
GENERAL INFORMATION:
APPLICANT: Cochran, Mark D.
APPLICANT: McDonnell, Michael W.
TITLE OF INVENTION: Recombinant Feline Herpes virus
NUMBER OF SEQUENCES: 73
CORRESPONDENCE ADDRESS:
ADDRESSEE: John P. White
STREET: 1185 Avenue of the Americas
CITY: New York
STATE: New York
COUNTRY: USA
ZIP: 10036
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM 330 466 DX2
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: PCT/US95/13975
FILING DATE: 26-OCT-1995
CLASSIFICATION:
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/329,883
FILING DATE: 26-OCT-1994
CLASSIFICATION:
ATTORNEY/AGENT INFORMATION:
NAME: White, John P.
REGISTRATION NUMBER: 28,678
REFERENCE/DOCKET NUMBER: 39118-PCT
TELECOMMUNICATION INFORMATION:
TELEPHONE: (212)391-0400
TELEFAX: (212)391-0525

INFORMATION FOR SEQ ID NO: 72:
SEQUENCE CHARACTERISTICS:
LENGTH: 301 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
PCT-US95-13975-72

Query Match 64.7%; Score 33; DB 5; Length 301;
Best Local Similarity 62.5%; Pred. No. 54;
Matches 5; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

OY 3 FEGIDVYT 10
|||: |||
DB 1 FEGITVYT 8

Search completed: December 6, 2001, 07:59:58
Job time: 366 sec

THIS PAGE BLANK (USPTO)

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: December 6, 2001, 07:58:27 ; Search time 88.19 Seconds
(without alignments)
8.638 Million cell updates/sec

Title: PEP2-MOD8V

Perfect score: 51

Sequence: 1 SLEFGIDVYT 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 219241 seqs, 76174552 residues

Total number of hits satisfying chosen parameters: 219241

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Post-processing: Minimum Match 0%
Maximum Match 100%

Listing first 45 summaries

Database :
1: pir1:*
2: pir2:*
3: pir3:*
4: pir4:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query Match	Length	DB ID	Description
1	46	90.2	208	2 B44261	dnak-type molecula
2	46	90.2	209	2 A44261	dnak-type molecula
3	46	90.2	278	2 I51344	dnak-type molecula
4	46	90.2	372	2 PQ0138	dnak-type molecula
5	46	90.2	467	2 T45477	heat-shock protein
6	46	90.2	467	2 T45479	heat-shock protein
7	46	90.2	468	2 T45476	heat-shock protein
8	46	90.2	469	2 T45478	heat-shock protein
9	46	90.2	632	2 T45471	heat-shock protein
10	46	90.2	634	2 A25646	dnak-type molecula
11	46	90.2	636	2 A48872	dnak-type molecula
12	46	90.2	638	2 S31766	dnak-type molecula
13	46	90.2	639	2 UC1391	dnak-type molecula
14	46	90.2	639	2 S20139	dnak-type molecula
15	46	90.2	640	1 HHRW7A	dnak-type molecula
16	46	90.2	640	2 A29160	dnak-type molecula
17	46	90.2	640	2 S37394	dnak-type molecula
18	46	90.2	640	2 T21394	hypothetical prote
19	46	90.2	640	2 T43724	dnak-type molecula
20	46	90.2	641	2 S33357	dnak-type molecula
21	46	90.2	641	2 S35718	dnak-type molecula
22	46	90.2	641	2 I54542	dnak-type molecula
23	46	90.2	641	2 A45871	dnak-type molecula
24	46	90.2	642	1 HHAYAI	dnak-type molecula
25	46	90.2	642	2 JH0095	dnak-type molecula
26	46	90.2	642	2 B36590	dnak-type molecula
27	46	90.2	644	2 A45635	dnak-type molecula
28	46	90.2	645	2 I51129	dnak-type molecula
29	46	90.2	646	2 T46650	heat shock protein

30	46	90.2	647	1 HHXL70	dnak-type molecula
31	46	90.2	647	2 T41121	heat shock protein
32	45	88.2	214	2 A03309	dnak-type molecula
33	45	88.2	379	2 I46588	dnak-type molecula
34	45	88.2	467	2 T45473	heat-shock protein
35	45	88.2	467	2 T45474	heat-shock protein
36	45	88.2	641	2 JN0668	dnak-type molecula
37	45	88.2	641	2 PC7036	heat shock protein
38	45	88.2	643	2 S25585	dnak-type molecula
39	45	88.2	643	2 S09036	dnak-type molecula
40	45	88.2	651	2 T45517	heat shock protein
41	45	88.2	651	2 JC7132	heat shock protein
42	43	84.3	209	2 S48024	dnak-type molecula
43	43	84.3	209	2 S48025	dnak-type molecula
44	43	84.3	209	2 C44261	dnak-type molecula
45	43	84.3	630	2 A34041	dnak-type molecula

ALIGNMENTS

```

RESULT 1
B44261
dnak-type molecular chaperone HSC70 - California sea hare (fragment)
N:Alternate names: heat shock protein 70 homolog HSC70
C:Species: Aplysia californica (California sea hare)
C:Date: 04-Sep-1998 #sequence_reviston 04-Sep-1998 #text_change 13-Aug-1999
C:Accession: B44261
R:Kuhl, D.; Kennedy, T.E.; Barzilai, A.; Kandel, E.R.
J. Cell Biol. 119, 1069-1076, 1992
A:Title: Long-term sensitization training in Aplysia leads to an increase in the expr
A:Reference number: A44261; M0ID:93077669
A:Accession: B44261
A>Status: preliminary; not compared with conceptual translation
A:Molecule type: nucleic acid
A:Residues: 1-208 <RUH>
A>Note: sequence extracted from NCBI backbone (NCBIP:118950)
C:Genetics:
A:Gene: HSC70
C:Function:
A:Description: Involved in protein folding and assembling/disassembling of protein co
C:Superfamily: heat shock protein 70
C:Keywords: ATP; molecular chaperone

Query Match          90.2%; Score 46; DB 2; Length 208;
Best Local Similarity 90.0%; Pred. No. 0.088;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLEFGIDVYT 10
DB 132 SLEFGIDVYT 141

RESULT 2
A44261
dnak-type molecular chaperone HSP70a - California sea hare (fragment)
N:Alternate names: heat shock protein 70
C:Species: Aplysia californica (California sea hare)
C:Date: 04-Sep-1998 #sequence_reviston 04-Sep-1998 #text_change 13-Aug-1999
C:Accession: A44261
R:Kuhl, D.; Kennedy, T.E.; Barzilai, A.; Kandel, E.R.
J. Cell Biol. 119, 1069-1076, 1992
A:Title: Long-term sensitization training in Aplysia leads to an increase in the expr
A:Reference number: A44261; M0ID:93077669
A:Accession: A44261
A>Status: preliminary; not compared with conceptual translation
A:Molecule type: nucleic acid
A:Residues: 1-209 <RUH>
A>Note: sequence extracted from NCBI backbone (NCBIP:118951)
C:Genetics:
A:Gene: HSP70a
C:Function:

```

A:Description: involved in protein folding and assembling/disassembling of protein comp
 C:Superfamily: heat shock protein 70
 C:Keywords: ATP; molecular chaperone

Query Match 90.2%; Score 46; DB 2; Length 209;
 Best Local Similarity 90.0%; Pred. No. 0.089;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDVYT 10
 |||||
 Db 133 SLFEGIDVYT 142

RESULT 3
 I51344
 dnak-type molecular chaperone (clone pTHS70.7) - rainbow trout (fragment)
 N:Alternate names: 70K heat shock protein
 C:Species: Oncorhynchus mykiss (rainbow trout)
 C>Date: 21-Feb-1997 #sequence_revision 21-Feb-1997 #text_change 20-Aug-1999
 C:Accession: I51344
 R:Kothary, R.K.; Jones, D.; Cardido, E.P.M.
 Mol. Cell. Biol. 4, 1785-1791, 1984
 A:Title: 70-Kilodalton heat shock polypeptides from rainbow trout: Characterization of
 A:Reference number: I51344; MUID:85036330
 A:Accession: I51344
 A>Status: preliminary; translated from GB/EMBL/DBJ
 A:Molecule type: mRNA
 A:Residues: 1-278 <KOT>
 A:Cross-references: GB:K02549; NID:g213803; PIDN:AAA49562.1; PID:g213804
 C:Function:
 A:Description: involved in protein folding and assembling/disassembling of protein comp
 C:Superfamily: heat shock protein 70
 C:Keywords: ATP; molecular chaperone

Query Match 90.2%; Score 46; DB 2; Length 278;
 Best Local Similarity 90.0%; Pred. No. 0.12;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDVYT 10
 |||||
 Db 156 SLFEGIDVYT 165

RESULT 4
 PQ0138
 dnak-type molecular chaperone hsp70 II - sea urchin (Paracentrotus lividus) (fragment)
 N:Alternate names: heat shock protein 70
 C:Species: Paracentrotus lividus (common urchin)
 C>Date: 23-Nov-1991 #sequence_revision 23-Nov-1991 #text_change 20-Aug-1999
 C:Accession: PQ0138
 R:Rosa, M.L.; Sconzo, G.; Giudice, G.; Roccheri, M.G.; Carlo, M.D.
 Gene 96, 295-300, 1990
 A:Title: Sequence of a sea urchin hsp70 gene and its 5' flanking region.
 A:Reference number: PQ0138; MUID:91099690
 A:Accession: PQ0138
 A:Molecule type: DNA
 A:Residues: 1-372 <ROS>
 A:Cross-references: EMBL:X16544; NID:g10000; PIDN:CAA34544.1; PID:g10001
 C:Genetics:
 A:Gene: hsp70 II
 A:Introns: 68/1; 137/1; 188/3; 281/3
 C:Function:
 A:Description: involved in protein folding and assembling/disassembling of protein comp
 C:Superfamily: heat shock protein 70
 C:Keywords: ATP; molecular chaperone

Query Match 90.2%; Score 46; DB 2; Length 372;
 Best Local Similarity 90.0%; Pred. No. 0.17;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDVYT 10
 |||||
 Db 286 SLFEGIDVYT 295

RESULT 5
 T45477
 heat-shock protein 70 [imported] - Chondrosia reniformis (fragment)
 C:Species: Chondrosia reniformis
 C>Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000
 C:Accession: T45477
 R:Borchelliini, C.; Le Parco, Y.
 submitted to the EMBL Data Library, September 1997
 A:Reference number: Z22983
 A:Accession: T45477
 A>Status: preliminary; translated from GB/EMBL/DBJ
 A:Molecule type: mRNA
 A:Residues: 1-467 <BOR>
 A:Cross-references: EMBL:AF026517; PIDN:AAC05362.1
 C:Genetics:
 A:Gene: Hsp70
 C:Superfamily: heat shock protein 70

Query Match 90.2%; Score 46; DB 2; Length 467;
 Best Local Similarity 90.0%; Pred. No. 0.22;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDVYT 10
 |||||
 Db 252 SLFEGIDVYT 261

RESULT 6
 T45479
 heat-shock protein 70 [imported] - Eunicella cavolini (fragment)
 C:Species: Eunicella cavolini
 C>Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000
 C:Accession: T45479
 R:Borchelliini, C.; Le Parco, Y.
 submitted to the EMBL Data Library, September 1997
 A:Reference number: Z22983
 A:Accession: T45479
 A>Status: preliminary; translated from GB/EMBL/DBJ
 A:Molecule type: mRNA
 A:Residues: 1-467 <BOR>
 A:Cross-references: EMBL:AF026520; PIDN:AAC05364.1
 C:Genetics:
 A:Gene: Hsp70
 C:Superfamily: heat shock protein 70

Query Match 90.2%; Score 46; DB 2; Length 467;
 Best Local Similarity 90.0%; Pred. No. 0.22;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDVYT 10
 |||||
 Db 252 SLFEGIDVYT 261

RESULT 7
 T45476
 heat-shock protein 70 [imported] - Funiculina quadrangularis (fragment)
 C:Species: Funiculina quadrangularis
 C>Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000
 C:Accession: T45476
 R:Borchelliini, C.; Le Parco, Y.
 submitted to the EMBL Data Library, September 1997
 A:Reference number: Z22983
 A:Accession: T45476
 A>Status: preliminary; translated from GB/EMBL/DBJ
 A:Molecule type: mRNA

A:Residues: 1-468 <BOR>
 A:Cross-references: EMBL:AF026516; PIDN:AAC05361.1
 C:Genetics:
 A:Gene: hsp70
 C:Superfamily: heat shock protein 70

Query Match 90.2%; Score 46; DB 2; Length 468;
 Best Local Similarity 90.0%; Pred. No. 0.22;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLEFGIDVYT 10
 |||||||
 Db 253 SLEFGIDFYT 262

RESULT 8
 T45478
 heat-shock protein 70 [imported] - Eunicella cavolin (fragment)
 C:Species: Eunicella cavolin
 C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 21-Jul-2000

C:Accession: T45478
 R:Borchellini, C.; Le Parco, Y.
 submitted to the EMBL Data Library, September 1997
 A:Reference number: 222983

A:Accession: T45478
 A:Status: preliminary; translated from GB/EMBL/DBJ
 A:Molecule type: mRNA
 A:Residues: 1-469 <BOR>
 A:Cross-references: EMBL:AF026518; PIDN:AAC05363.1
 C:Genetics:
 A:Gene: hsp70
 C:Superfamily: heat shock protein 70

Query Match 90.2%; Score 46; DB 2; Length 469;
 Best Local Similarity 90.0%; Pred. No. 0.22;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLEFGIDVYT 10
 |||||||
 Db 254 SLEFGIDFYT 263

RESULT 9
 T45471

dnak-type molecular chaperone hsc70 [imported] - slime mold (Dictyostelium discoideum)
 N:Alternate names: heat shock cognate protein 70
 C:Species: Dictyostelium discoideum

C:Date: 31-Jan-2000 #sequence_revision 31-Jan-2000 #text_change 18-Feb-2000
 C:Accession: T45471
 R:Bovis, H.; Miltert, U.; Dittlich, W.; Faix, J.; Gerisch, G.

submitted to the EMBL Data Library, September 1997
 A:Reference number: 222980

A:Accession: T45471
 A:Status: preliminary; translated from GB/EMBL/DBJ
 A:Molecule type: mRNA
 A:Residues: 1-632 <BOV>
 A:Cross-references: EMBL:AF025951; PIDN:AAB81865.1
 A:Experimental source: strain AX3
 C:Genetics:

A:Gene: hsc70
 A:Note: localized to filopodias and cortex
 C:Superfamily: heat shock protein 70

Query Match 90.2%; Score 46; DB 2; Length 632;
 Best Local Similarity 90.0%; Pred. No. 0.31;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLEFGIDVYT 10
 |||||||
 Db 285 SLEFGIDFYT 294

RESULT 10

A25646

dnak-type molecular chaperone - chicken
 N:Alternate names: heat shock protein 70

C:Species: Gallus gallus (Chicken)

C:Date: 19-Nov-1988 #sequence_revision 19-Nov-1988 #text_change 20-Aug-1999

C:Accession: A25646

R:Morimoto, R.I.; Hunt, C.; Huang, S.Y.; Berg, K.L.; Bañerji, S.S.

J. Biol. Chem. 261, 12692-12699, 1986

A:Title: Organization, nucleotide sequence, and transcription of the chicken HSP70 gene

A:Reference number: A25646; MID:86304452

A:Accession: A25646

A:Molecule type: DNA

A:Residues: 1-634 <MOR>

A:Cross-references: GB:J02579; NID:q211940; PIDN:AAA48825.1; PID:q211941

A:Note: the authors translated the codon TCG for residue 583 as Trp

C:Function:

A:Description: involved in protein folding and assembling/disassembling of protein co

C:Superfamily: heat shock protein 70

C:Keywords: ATP; molecular chaperone

Query Match 90.2%; Score 46; DB 2; Length 634;
 Best Local Similarity 90.0%; Pred. No. 0.31;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLEFGIDVYT 10
 |||||||
 Db 289 SLEFGIDFYT 298

RESULT 11

A48872

dnak-type molecular chaperone hspB - slime mold (Dictyostelium discoideum) (fragment)
 N:Alternate names: 70k heat shock cognate protein aginactin; F-actin capping protein

C:Species: Dictyostelium discoideum

C:Date: 19-May-1995 #sequence_revision 19-May-1995 #text_change 20-Aug-1999

C:Accession: A48872

R:Eddy, R.J.; Sauterer, R.A.; Condeelis, J.S.

J. Biol. Chem. 268, 23267-23274, 1993

A:Title: Aginactin, an agonist-regulated F-actin capping activity is associated with

A:Reference number: A48872; MID:94043116

A:Accession: A48872

A:Status: preliminary

A:Molecule type: mRNA

A:Residues: 1-636 <RDD>

A:Cross-references: GB:L22736; NID:q433179; PIDN:AAA33219.1; PID:q433180

A:Note: authors translated the codon ACA for residue 10 as Pro, GCT for residue 60 as

C:Function:

A:Description: involved in protein folding and assembling/disassembling of protein co

C:Superfamily: heat shock protein 70

C:Keywords: ATP; molecular chaperone

Query Match 90.2%; Score 46; DB 2; Length 636;
 Best Local Similarity 90.0%; Pred. No. 0.31;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLEFGIDVYT 10
 |||||||
 Db 280 SLEFGIDFYT 289

RESULT 12

S31766

dnak-type molecular chaperone hsp70 - green monkey

N:Alternate names: heat shock protein 70

C:Species: Cercopithecus aethiops (green monkey, grivet)

C:Date: 13-Jan-1995 #sequence_revision 13-Jan-1995 #text_change 20-Aug-1999

C:Accession: S31766; MID:136927

R:Sainis, I.; Angelidis, C.; Pagoulatos, G.; Lazaridis, I.

submitted to the EMBL Data Library, January 1993
 A:Description: Nucleotide sequence of the cDNA encoding a monkey 70kd heat shock protein
 A:Reference number: S31766
 A:Accession: S31766
 A:Molecule type: mRNA
 A:Residues: 1-638 <SAI>
 R:Sains, I.; Angelidis, C.; Pagoulatos, G.; Lazaridis, I.
 FEBS Lett. 355, 282-286, 1994
 A:Title: The hsc70 gene which is slightly induced by heat is the main virus-inducible me
 A:Reference number: I36927; MUID:95080396
 A:Accession: I36927
 A:Status: preliminary; translated from GB/EMBL/DBJ
 A:Molecule type: mRNA
 A:Residues: 1-638 <RES>
 A:Cross-references: EMBL:X70684; NID:g22781; PIDN:CAA50019.1; PID:g22782
 A:Experimental source: kidney; cell line COS-1
 C:Genetics:
 A:Gene: hsp70
 C:Function:
 A:Description: involved in protein folding and assembling/disassembling of protein comp
 C:Superfamily: heat shock protein 70
 C:Keywords: ATP; molecular chaperone

Query Match 90.2%; Score 46; DB 2; Length 638;
 Best Local Similarity 90.0%; Pred. No. 0.31;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 OY 1 SLFEGIDVYT 10
 ||||| ||
 Db 284 SLFEGIDFYT 293

RESULT 13
 JC1391
 dnak-type molecular chaperone 70IV - sea urchin (Paracentrotus lividus)
 N:Alternate names: heat shock protein 70IV; hsp70IV protein
 C:Species: Paracentrotus lividus (common urchin)
 C:Date: 10-Jun-1993 #sequence_revision 10-Jun-1993 #text_change 20-Aug-1999
 C:Accession: JC1391
 R:Scanzo, G.; Scardina, G.; Ferraro, M.G.
 Gene 121, 353-358, 1992
 A:Title: Characterization of a new member of the sea urchin Paracentrotus lividus hsp70
 A:Reference number: JC1391; MUID:93070753
 A:Accession: JC1391
 A:Molecule type: DNA
 A:Residues: 1-639 <SCG>
 A:Cross-references: EMBL:X61379; NID:g312916; PIDN:CAA43653.1; PID:g312917
 C:Genetics:
 A:Gene: hsp70IV
 A:Introns: 61/2
 C:Function:
 A:Description: involved in protein folding and assembling/disassembling of protein comp
 C:Superfamily: heat shock protein 70
 C:Keywords: ATP; heat shock; molecular chaperone; stress-induced protein

Query Match 90.2%; Score 46; DB 2; Length 639;
 Best Local Similarity 90.0%; Pred. No. 0.31;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 OY 1 SLFEGIDVYT 10
 ||||| ||
 Db 286 SLFEGIDFYT 295

RESULT 14
 S20139
 dnak-type molecular chaperone SSA2 - yeast (Saccharomyces cerevisiae)
 N:Alternate names: heat shock protein YG102; protein I0971; protein YLL024C
 C:Species: Saccharomyces cerevisiae
 C:Date: 07-May-1993 #sequence_revision 07-May-1993 #text_change 20-Jun-2000
 C:Accession: S20139; S64772; S64775; S69383

R:Slater, M.R.; Craig, E.A.
 Nucleic Acids Res. 17, 805-806, 1989
 A:Title: The SSA1 and SSA2 genes of the yeast Saccharomyces cerevisiae.
 A:Reference number: S20139; MUID:89128457
 A:Accession: S20139
 A:Status: translation not shown
 A:Molecule type: DNA
 A:Residues: 1-639 <SLA>
 A:Cross-references: EMBL:X12927; NID:g4545; PIDN:CAA11394.1; PID:g4546
 R:Goffeau, A.; Purnelle, B.
 Submitted to the Protein Sequence Database, May 1996
 A:Reference number: S64761
 A:Accession: S64772
 A:Molecule type: DNA
 A:Residues: 1-639 <GOF>
 A:Cross-references: EMBL:Z73129; NID:g1360201; PIDN:CAA97472.1; PID:g1360202; MIPS:YL
 R:Duesterhoef, A.; Floeth, M.; Heuss-Netzel, D.; Hilbert, H.; Moestl, D.
 Submitted to the Protein Sequence Database, May 1996
 A:Reference number: S64775
 A:Accession: S64775
 A:Molecule type: DNA
 A:Residues: 72-639 <DUE>
 A:Cross-references: EMBL:Z73129; MIPS:YLL024C
 A:Experimental source: strain S288C
 R:Purnelle, B.; Goffeau, A.
 Submitted to the EMBL Data Library, April 1996
 A:Description: The sequence of 32 kb on the left arm of yeast chromosome XII reveals
 mly and a new ABC transporter homologous to the human multidrug resistance protein.
 A:Reference number: S69380
 A:Accession: S69383
 A:Molecule type: DNA
 A:Residues: 1-639 <PDR>
 A:Cross-references: EMBL:X97560; NID:g1297003; PIDN:CAA66167.1; PID:g1297007
 C:Genetics:
 A:Gene: SGD:SSA2
 A:Cross-references: MIPS:YLL024C; SGD:S0003947
 A:Map position: 12L
 C:Function:
 A:Description: involved in protein folding and assembling/disassembling of protein co
 C:Superfamily: heat shock protein 70
 C:Keywords: ATP; molecular chaperone

Query Match 90.2%; Score 46; DB 2; Length 639;
 Best Local Similarity 90.0%; Pred. No. 0.31;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 OY 1 SLFEGIDVYT 10
 ||||| ||
 Db 283 SLFEGIDFYT 292

RESULT 15
 HKW7A
 dnak-type molecular chaperone hsp70A - Caenorhabditis elegans
 N:Alternate names: heat shock protein 70 A
 C:Species: Caenorhabditis elegans
 C:Date: 30-Jun-1989 #sequence_revision 30-Jun-1989 #text_change 22-Jun-1999
 C:Accession: J70285
 R:Snutch, T.P.; Heschl, M.F.P.; Baillie, D.L.
 Gene 64, 241-255, 1988
 A:Title: The Caenorhabditis elegans hsp70 gene family: a molecular genetic characteri
 A:Reference number: J70285; MUID:88297155
 A:Accession: J70285
 A:Molecule type: DNA; mRNA
 A:Residues: 1-640 <SNV>
 A:Cross-references: GB:M18540; NID:g156351; PIDN:AA28078.1; PID:g156352
 A:Note: genomic clones representing six distinct members of the hsp70 gene family wer
 A:Note: transcripts of hsp70A are abundant in control worms and also increase two- to
 C:Note: one of the three introns in hsp70A is in a position similar to an intron in D
 C:Genetics:
 A:Gene: hsp70A

A:Map position: IV
A:Introns: 69/1; 331/3; 558/3
C:Function:
A:Description: involved in protein folding and assembling/disassembling of protein comp
C:Superfamily: heat shock protein 70
C:Keywords: ATP; heat shock; molecular chaperone; stress-induced protein

Query Match 90.2%; Score 46; DB 1; Length 640;
Best Local Similarity 90.0%; Pred. No. 0.32;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDVYT 10
|||||||
Db 287 SLFEGIDFYT 296

Search completed: December 6, 2001, 07:58:28
Job time: 276 sec

THIS PAGE BLANK (USPTO)

THIS PAGE BLANK (USPTO)


```

AC P22623;
DT 01-AUG-1991 (Rel. 19, Created)
DT 01-AUG-1991 (Rel. 19, Last sequence update)
DT 01-JUN-1994 (Rel. 29, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN II (HSP70 II) (FRAGMENT).
GN HSP70II.
OS Paracentrotus lividus (Common sea urchin).
OC Eukaryota; Metazoa; Echinodermata; Eleutherozoa; Echinozoa;
Echinoidea; Euechinoidea; Echinacea; Echinoida; Echinidae;
OC Paracentrotus.
OX NCBI_TaxID=7636;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Gonad;
RX MEDLINE=91099690; PubMed=2269441;
RA la Rosa M., Sconzo G., Giudice G., Rocherl M.C., di Carlo M.;
RT Sequence of a sea urchin hsp70 gene and its 5' flanking region.
RL Gene 96:295-300(1990).
CC -I- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL: X16544; CAA34544.1; -.
CC PIR: P00138; P00138.
CC HSSP: P19120; INGSJ.
CC InterPro: IPR001023; HSP70.
CC Pfam: PF00012; HSP70.1.
CC PROSITE: PS00297; HSP70_1.1.
CC PROSITE: PS00329; HSP70_2. PARTIAL.
CC PROSITE: PS01036; HSP70_3.1.
CC ATP-binding; Heat shock; Multigene family.
CC KW NON_TER 372 372
CC FT SEQUENCE 372 AA; 41347 MW; 5F8C1C5905277A659 CRC64;
CC -----
Query Match 90.2%; Score 46; DB 1; Length 372;
Best Local Similarity 90.0%; Pred. No. 0.1;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 SLFEGIDVYT 10
DB 286 SLFESIDYIT 295
-----
RESULT 3
ID HSP70_PENCI STANDARD; PRT; 503 AA.
AC Q92260;
DT 20-AUG-2001 (Rel. 40, Created)
DT 20-AUG-2001 (Rel. 40, Last sequence update)
DT 20-AUG-2001 (Rel. 40, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN (ALLERGEN PEN C 19) (FRAGMENT).
GN HSP70.
OS Penicillium citrinum.
OC Eukaryota; Fungi; Ascomycota; Pezizomycotina; Eurotiomycetes;
OC Eurotiales; Trichocomaceae; mitosporic Trichocomaceae; Penicillium.
OX NCBI_TaxID=5077;
RN [1]
RP SEQUENCE FROM N.A.
RA Shen H.D., Au L.C., Lin W.L., Liaw S.F., Tsai J.J., Han S.H.;
RT "Molecular cloning and expression of a penicillium citrinum
RT allergen with sequence homology and antigenic cross-reactivity to
RT a hsp70 human heat shock protein."
RL Submitted (JUL-1996) to the EMBL/GenBank/DBJ databases.
CC -I- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration

```

```

CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL: U64207; AAB06397.1; -.
CC HSSP: P19120; 3HSC.
CC InterPro: IPR001023; HSP70.
CC Pfam: PF00012; HSP70.1.
CC PRINTS: PR00301; HEATSHOCK70.
CC PROSITE: PS00329; HSP70_2.1.
CC PROSITE: PS01036; HSP70_3.1.
CC ATP-binding; Chaperone; Heat shock; Allergen.
CC KW NON_TER 1 1
CC FT SEQUENCE 503 AA; 55125 MW; B7433C11FAEA1320 CRC64;
CC -----
Query Match 90.2%; Score 46; DB 1; Length 503;
Best Local Similarity 90.0%; Pred. No. 0.14;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 SLFEGIDVYT 10
DB 154 SLFEGIDVYT 163
-----
RESULT 4
ID HSP70_CHICK STANDARD; PRT; 634 AA.
AC P08106;
DT 01-AUG-1988 (Rel. 08, Created)
DT 01-AUG-1988 (Rel. 08, Last sequence update)
DT 01-FEB-1994 (Rel. 28, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN (HSP70).
OS Gallus gallus (Chicken).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;
OC Gallus.
OX NCBI_TaxID=9031;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=66304452; PubMed=3017985;
RA Morimoto R.I., Hunt C., Huang S.-Y., Berg K.L., Banerji S.S.;
RT "Organization, nucleotide sequence, and transcription of the chicken
RT HSP70 gene."
RL J. Biol. Chem. 261:12692-12699(1986).
CC -I- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL: J02579; AAA48825.1; -.
CC PIR: A25646; A25646.
CC HSSP: P19120; 1ATR.
CC InterPro: IPR001023; HSP70.
CC Pfam: PF00012; HSP70.1.
CC PRINTS: PR00301; HEATSHOCK70.
CC PROSITE: PS00297; HSP70_1.1.
CC PROSITE: PS00329; HSP70_2.1.
CC PROSITE: PS01036; HSP70_3.1.
CC ATP-binding; Heat shock; Multigene family.
CC KW SEQUENCE 634 AA; 69750 MW; 4270F7F08D365AEB CRC64;
CC -----
Query Match 90.2%; Score 46; DB 1; Length 634;
Best Local Similarity 90.0%; Pred. No. 0.16;

```

Matches 9: Conservative 0: Mismatches 1: Indels 0: Gaps 0:

OY 1 SLEEGIDVYT 10
Db 289 SLEEGIDVYT 298

RESULT 5

HS71.CERAE STANDARD: PRT; 638 AA.

AC Q28222; 15-DEC-1998 (Rel. 37, Created)

DT 15-DEC-1998 (Rel. 37, Last sequence update)

DT 15-DEC-1998 (Rel. 37, Last annotation update)

DE HEAT SHOCK 70 KDA PROTEIN 1.

GN HSP71.

OS Cercopithecus aethiops (Green monkey) (Givet).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Mammalia; Eutheria; Primates; Catarrhini; Cercopithecoidea;

OC Cercopithecinae; Cercopithecus.

NCBI_TaxId=9534;

RP SEQUENCE FROM N.A.

RC TISSUE=Kidney;

RX MEDLINE=95080396; PubMed-7988690;

RA Sahiti I., Angelidis C., Pagoulatos G., Lazaridis I.;

RT "The hsc70 gene which is slightly induced by heat is the main virus

inducible member of the hsp70 gene family.";

RL FEBS Lett. 355:282-286(1994).

-1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE

PREEXISTENT PROTEIN AGAINST AGGREGATION AND MEDATE THE FOLDING

OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN

ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC

RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR

PROTEIN TRANSLLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION

PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE

PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE

CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE

SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES

DURING TRANSLATION AND MEMBRANE TRANSLLOCATION, OR FOLLOWING

STRESS-INDUCED DAMAGE.

-1- INDUCTION: BY HEAT SHOCK.

-1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration

between the Swiss Institute of Bioinformatics and the EMBL outstation -

the European Bioinformatics Institute. There are no restrictions on its

use by non-profit institutions as long as its content is in no way

modified and this statement is not removed. Usage by and for commercial

entities requires a license agreement (See <http://www.isb-sib.ch/announce/>

or send an email to license@isb-sib.ch).

CC EMBL; X70684; CAA50019.1; -.

DR InterPro: IPR001023; HSP70.

DR Pfam: PF00012; HSP70.1.

DR PRINTS: PR00301; HEATSHOCK70.

DR PROSITE: PS00297; HSP70.1; 1.

DR PROSITE: PS00329; HSP70.2; 1.

DR PROSITE: PS01036; HSP70.3; 1.

KW ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.

SQ SEQUENCE 638 AA; 69920 MW; D55076A0FPA86AB3 CR64;

Query Match 90.2%; Score 46; DB 1; Length 638;
Best Local Similarity 90.0%; Pred. No. 0.18;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEEGIDVYT 10
Db 284 SLEEGIDVYT 293

RESULT 6

HS72_YEAST STANDARD: PRT; 638 AA.

AC P10592; 01-JUL-1989 (Rel. 11, Created)

DT 01-OCT-1994 (Rel. 30, Last sequence update)

DT 01-OCT-1996 (Rel. 34, Last annotation update)

DE HEAT SHOCK PROTEIN SSA2.

GN SSA2 OR YL024C OR L0931.

OS Saccharomyces cerevisiae (Baker's yeast).

OC Eukaryota; Fungi; Ascomycota; Saccharomycotina; Saccharomycetes;

OC Saccharomycetales; Saccharomycetaceae; Saccharomyces.

NCBI_TaxId=4932;

RP SEQUENCE FROM N.A.

RC STRAIN=S288C;

RX MEDLINE=89128457; PubMed=2644626;

RA Slater M.R., Craig E.A.;

RT "The SSA1 and SSA2 genes of the yeast Saccharomyces cerevisiae.";

RL Nucleic Acids Res. 17:805-806(1989).

[2]

RP SEQUENCE FROM N.A.

RC STRAIN=S288C;

RA Purnelle B., Goffeau A.;

RT Submitted (Apr-1996) to the EMBL/Genbank/DBJ databases.

[3]

RP SEQUENCE OF 71-638 FROM N.A.

RA Duesterhoeft A., Floeth M., Heuss-Neltzel D., Hilbert H., Moestl D.;

RT Submitted (May-1996) to the EMBL/Genbank/DBJ databases.

[4]

RP SEQUENCE OF 91-97 AND 325-341.

RC STRAIN=S288C;

RX MEDLINE=95203288; PubMed=7895733;

RA Garrels J.I., Fitcher B., Kobayashi R., Latter G.I., Schwender B.,

Volpe T., Warner J.R., McLaughlin C.S.;

RT "Protein identifications for a Saccharomyces cerevisiae protein

database.";

RL Electrophoresis 15:1466-1486(1994).

[5]

RP SEQUENCE OF 186-195.

RC STRAIN=ATCC 38531 / Y41;

RX MEDLINE=97089742; PubMed=8935650;

RA Norbeck J., Blomberg A.;

RT "Protein expression during exponential growth in 0.7 M NaCl medium of

Saccharomyces cerevisiae.";

RL FEMS Microbiol. Lett. 137:1-8(1996).

[6]

RP ACETYLATION, AND PHOSPHORYLATION.

RA Garrels J.I., Fitcher B., Kobayashi R., Latter G.I., Schwender B.,

Volpe T., Warner J.R., McLaughlin C.S.;

RT Submitted (Sep-1994) to the SWISS-PROT data bank.

-1- FUNCTION: SSA2 MAY PLAY A ROLE IN THE TRANSPORT OF POLYPEPTIDES

BOTH ACROSS THE MITOCHONDRIAL MEMBRANES AND INTO THE

ENDOPLASMATIC RETICULUM. A FUNCTIONAL DIFFERENCE BETWEEN YEAST

SSA1 AND SSA2 PROTEINS IS EXPECTED. SSA2 CAN PARTICIPATE IN THE

ATP-DEPENDENT DISASSEMBLY OF CLATHRIN-COATED VESICLES.

-1- SUBCELLULAR LOCATION: CYTOPLASMIC.

-1- PTM: PHOSPHORYLATED.

-1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration

between the Swiss Institute of Bioinformatics and the EMBL outstation -

the European Bioinformatics Institute. There are no restrictions on its

use by non-profit institutions as long as its content is in no way

modified and this statement is not removed. Usage by and for commercial

entities requires a license agreement (See <http://www.isb-sib.ch/announce/>

or send an email to license@isb-sib.ch).

CC EMBL; X12927; CAA31394.1; -.

DR EMBL; Z73129; CAA97472.1; -.

DR EMBL; X97560; CAA66167.1; -.

DR PIR; S20139; S20139.

DR HSP; P19120; INGT.

DR SWISS-2DPAGE; P10592; YEAST.

```
DR YEPD; 9800;
DR SGD; S0003947; SSA2.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock; ATP-binding; Multigene family; Acetylation;
FT Phosphorylation.
FT MOD_RES 1 0 ACETYLATION.
FT INIT_MET 0
SQ SEQUENCE 638 AA; 69338 MW; 23BDD120C194912 CRC64;

Query Match          90.2%; Score 46; DB 1; Length 638;
Best Local Similarity 90.0%; Pred. No. 0.18;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDVYT 10
DB 282 SLFEGIDVYT 291

RESULT 7
HS74_PARLI STANDARD; PRT; 639 AA.
AC 006246;
DT 01-JUN-1994 (Rel. 29, Created)
DT 01-JUN-1994 (Rel. 29, Last sequence update)
DE HEAT SHOCK 70 KDA PROTEIN IV (HSP70 IV).
GN HSP70IV.
OS Paracentrotus lividus (Common sea urchin).
OC Eukaryota; Metazoa; Echinodermata; Eleutherozoa; Echinozoa;
OC Echinoidea; Euechinoidea; Echinacea; Echinoidea; Echinidae;
OC Paracentrotus.
OX NCBI_TaxID=7656;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=93077053; PubMed=1339375;
RA Sconzo G., Scardina G., Ferraro M.G.;
RT "Characterization of a new member of the sea urchin Paracentrotus
RT lividus hsp70 gene family and its expression.";
RL Gene 121:353-358(1992).
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
-----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
-----
DR EMBL; X61379; CAA43653.1;
DR PIR; JC1391; JC1391.
DR HSP; P19120; INGI.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Heat shock; Multigene family.
SQ SEQUENCE 639 AA; 69749 MW; 40E2F29570808DC CRC64;

Query Match          90.2%; Score 46; DB 1; Length 639;
Best Local Similarity 90.0%; Pred. No. 0.18;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDVYT 10
```

```
DB 286 SLFEGIDVYT 295

||||||| 11
286 SLFEGIDVYT 295

RESULT 8
HS7A_CAEL STANDARD; PRT; 640 AA.
AC P09446;
DT 01-MAR-1989 (Rel. 10, Created)
DT 01-MAR-1989 (Rel. 10, Last sequence update)
DT 01-FEB-1994 (Rel. 28, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN A.
GN HSP-1 OR HSP70A.
OS Caenorhabditis elegans.
OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditidae;
OC Rhabditidae; Pelodierinae; Caenorhabditis.
OX NCBI_TaxID=6239;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=88297155; PubMed=2841196;
RA Snutch T.P., Heschl M.F.P., Baillie D.L.;
RT "The Caenorhabditis elegans hsp70 gene family: a molecular genetic
RT characterization.";
RL Gene 64:241-255(1988).
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
-----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
-----
DR EMBL; M18540; AAA28078.1;
DR PIR; JT0285; HKK7A.
DR HSP; P19120; INGI.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00297; HSP70_1; 1.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW ATP-binding; Heat shock; Multigene family.
SQ SEQUENCE 640 AA; 69823 MW; ED15409D06500C2 CRC64;

Query Match          90.2%; Score 46; DB 1; Length 640;
Best Local Similarity 90.0%; Pred. No. 0.18;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDVYT 10
DB 287 SLFEGIDVYT 296

RESULT 9
HS7C_DICDI STANDARD; PRT; 640 AA.
AC P36415;
DT 01-JUN-1994 (Rel. 29, Created)
DT 01-JUN-1994 (Rel. 29, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HEAT SHOCK COGNATE PROTEIN (AGINACTIN).
GN HSPB OR HSC70.
OS Dictyostelium discoideum (Slime mold).
OC Eukaryota; Mycetozoa; Dictyostellida; Dictyostellium.
OX NCBI_TaxID=44689;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=94008983; PubMed=8404847;
RA Haus U., Trommler P., Fisher P.R., Hartmann H., Lottspeich F.,
```



```

RA Noegel A.A., Schleicher M.:
RT "The heat shock cognate protein from Dictyostelium affects actin
RT polymerization through interaction with the actin-binding protein
RT CAP32/34."
RL EMBO J. 12:3763-3771(1993).
RN [2]
RP SEQUENCE FROM N.A., AND SEQUENCE OF 34-46; 102-106 AND 298-309.
RC STRAIN-AX3;
RX MEDLINE-94043116; PubMed-8226849;
RA Eddy R.J., Sauterer R.A., Condeelis J.S.;
RT "Agtactin, an agonist-regulated F-actin capping activity is
RT associated with an Hsc70 in Dictyostelium."
RL J. Biol. Chem. 268:23267-23274(1993)
CC -1- FUNCTION: AFFECTS ACTIN POLYMERIZATION THROUGH INTERACTION WITH
CC THE ACTIN-BINDING PROTEIN CAP32/34. ACTS AS A CHAPERONE BY
CC STIMULATING THE REFOLDING OF DENATURATED CAP32 AND CAP34.
CC -1- SUBCELLULAR LOCATION: CYTOPLASMIC. FOUND IN F-ACTIN-RICH REGIONS
CC OF THE CELL CORTEX AND CELL PROTRUSIONS.
CC -1- DEVELOPMENTAL STAGE: HEAT SHOCK COGNATE PROTEINS ARE EXPRESSED
CC CONSTITUTIVELY DURING NORMAL DEVELOPMENT.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL: X75263; CAA53039.1; -
DR EMBL: L22736; AAA33219.1; -
DR PIR: S37394; S37394.
DR HSSP: P19120; ING3.
DR SWISS-2DPAGE: P36415; DICTY.
DR DICTYDB: DD01078; hspb.
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70.1.
DR PRINTS: PR00301; HEATSHOCK70.
DR PROSITE: PS00297; HSP70_1; 1.
DR PROSITE: PS00329; HSP70_2; 1.
DR PROSITE: PS01036; HSP70_3; 1.
DR ATP-binding; Chaperone.
KW ATP-binding; Chaperone.
FT FT 1 29 MSGSIGDICTGTCVGVGMNDREILLAND ->
FT FT 32 32 IHHHHNGNNTWYVESPPYSEVLSEFN (IN REF. 2).
FT FT 64 64 V -> T (IN REF. 2).
FT FT 180 180 R -> A (IN REF. 2).
FT FT 237 237 S -> A (IN REF. 2).
FT FT 240 240 V -> A (IN REF. 2).
FT FT 341 341 I -> L (IN REF. 2).
FT FT 352 352 F -> P (IN REF. 2).
FT FT 640 640 AA: 70499 MW; 2E6BD0CDB96A9F5D CRC64;
SQ SEQUENCE

Query Match 90.2%; Score 46; DB 1; Length 640;
Best Local Similarity 90.0%; Pred. No. 0.18;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 SLEFGIDVYT 10
DB 284 SLEFGIDVYT 293

```

```

OS Bos taurus (Bovine).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovidae;
OC Bovidae; Bovinae; Bos.
OX NCBI_TaxID=9913;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE-Skeletal muscle;
RX MEDLINE-95126904; PubMed-7826329;
RA Gutierrez J.A., Guertero V.;
RT "Chemical modifications of a recombinant bovine stress-inducible 70
RT kDa heat-shock protein (Hsp70) mimics Hsp70 isoforms from tissues."
RL Biochem. J. 305:197-203(1995).
RN [2]
RP SEQUENCE OF 212-641 FROM N.A.
RC STRAIN-ANGUS;
RX MEDLINE-95030563; PubMed-7943958;
RA Grosz M.D., Skow L.C., Stone R.T.;
RT "An Alu polymorphism at the bovine 70 kD heat-shock protein-1
RT (Hsp70-1) locus."
RL Anim. Genet. 25:196-196(1994).
CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC
CC RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR
CC PROTEIN TRANSLLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION
CC PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE
CC PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE
CC CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE
CC SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES
CC DURING TRANSLATION AND MEMBRANE TRANSLLOCATION, OR FOLLOWING
CC STRESS-INDUCED DAMAGE.
CC -1- INDUCTION: BY HEAT SHOCK.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL: U09861; AAA73914.1; -
DR EMBL: U02891; AAA03450.1; -
DR HSSP: P19120; ING3.
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70.1.
DR PRINTS: PR00301; HEATSHOCK70.
DR PROSITE: PS00297; HSP70_1; 1.
DR PROSITE: PS00329; HSP70_2; 1.
DR PROSITE: PS01036; HSP70_3; 1.
DR ATP-binding; Chaperone; Heat shock; Multigene family.
KW ATP-binding; Chaperone; Heat shock; Multigene family.
SQ SEQUENCE 641 AA; 70250 MW; 6D548263E98780F9 CRC64;

Query Match 90.2%; Score 46; DB 1; Length 641;
Best Local Similarity 90.0%; Pred. No. 0.18;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 SLEFGIDVYT 10
DB 286 SLEFGIDVYT 295

```

```

RESULT 10
ID HS71_BOVIN STANDARD; PRT; 641 AA.
AC 027975; 027964;
DT 01-NOV-1997 (Rel. 35, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70-1).
GN HSP70-1.

```

```

RESULT 11
ID HS71_HUMAN STANDARD; PRT; 641 AA.
AC P08107; P19790; Q9U0M0; Q9U0L9;
DT 01-AUG-1988 (Rel. 08, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 20-AUG-2001 (Rel. 40, Last annotation update)
GN HSP70-1.

```

DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70.1) (HSP70-1/HSP70-2).
 GN (HSPA1A OR HSPA1) AND HSPA1B.
 OS Homo sapiens (human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 NCBI_TaxID=9606;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA MEDLINE=91055806; PubMed=1700760;
 RA Miller C.M., Campbell R.D.;
 RT "Structure and expression of the three MHC-linked HSP70 genes.";
 RL Proc. Natl. Acad. Sci. U.S.A. 82:242-251(1990).
 RN [2]
 RP SEQUENCE FROM N.A.
 RA MEDLINE=86016721; PubMed=3931075;
 RA Hunt C., Morimoto R.I.;
 RT "Conserved features of eukaryotic hsp70 genes revealed by comparison
 RT with the nucleotide sequence of human hsp70.";
 RL Proc. Natl. Acad. Sci. U.S.A. 82:6455-6459(1985).
 RN [3]
 RP SEQUENCE FROM N.A. (HSPA1A AND HSPA1B).
 RA Rowen L., Qin S., Madan A., Dickhoff R., Dors M., Madan A., Hicks P.,
 RA Loretz C., Ratcliffe A., Abbasi N., Shafiei T., Hood L.;
 RT "Sequence of the human major histocompatibility complex class III
 RT region.";
 RL Submitted (MAR-1999) to the EMBL/GenBank/DBJ databases.
 RN [4]
 RP SEQUENCE OF 1-36 AND 360-424 FROM N.A.
 RA MEDLINE=89184548; PubMed=2538825;
 RA Sargent C.A., Dunham I., Trowsdale J., Campbell R.D.;
 RT "Human major histocompatibility complex contains genes for the major
 RT heat shock protein HSP70.";
 RL Proc. Natl. Acad. Sci. U.S.A. 86:1968-1972(1989).
 RN [5]
 RP SEQUENCE OF 1-22 AND 618-641 FROM N.A.
 RA MEDLINE=8706768; PubMed=3786141;
 RA Diebent B., Gentile A., Benescke B.-J.;
 RT "In vitro transcription of a human hsp 70 heat shock gene by extracts
 RT prepared from heat-shocked and non-heat-shocked human cells.";
 RL Nucleic Acids Res. 14:8933-8949(1986).
 RN [6]
 RP X-RAY CRYSTALLOGRAPHY (2.3 ANGSTROMS) OF 1-382.
 RA MEDLINE=99234376; PubMed=10216320;
 RA Osipjuk J., Walsh M.A., Freeman B.C., Morimoto R.I., Joachimiak A.;
 RT "Structure of a new crystal form of human hsp70 ATPase domain.";
 RL Acta Crystallogr. D 55:1105-1107(1999).
 CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
 CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
 CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
 CC ORGANELLES. THE HSP70S IN MITOCHONDRIA AND THE ENDOPLASMIC
 CC RETICULUM PLAY AN ADDITIONAL ROLE BY PROVIDING A DRIVING FORCE FOR
 CC PROTEIN TRANSLLOCATION. THEY ARE INVOLVED IN SIGNAL TRANSDUCTION
 CC PATHWAYS IN COOPERATION WITH HSP90. THEY PARTICIPATE IN ALL THESE
 CC PROCESSES THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE
 CC CONFORMATIONS OF OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE
 CC SEGMENTS WITH A NET HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES
 CC DURING TRANSLATION AND MEMBRANE TRANSLLOCATION, OR FOLLOWING
 CC STRESS-INDUCED DAMAGE.
 CC -1- INDUCTION: BY HEAT SHOCK.
 CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
 CC THIS SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@sib-sib.ch).
 CC EMBL: M59828; AAA63226.1; -
 CC EMBL: M59830; AAA63227.1; -
 CC EMBL: AF134726; AAD21816.1; -
 CC EMBL: AF134726; AAD21815.1; -

DR EMBL: M11717; AAA52697.1; -
 DR EMBL: M24743; AAA59844.1; -
 DR EMBL: M24744; AAA59845.1; -
 DR EMBL: X04676; CAA28381.1; -
 DR EMBL: X04677; CAA28382.1; -
 DR PIR: A29160; A29160.
 DR PIR: A45871; A45871.
 DR PIR: A25773; A25773.
 DR PDB: 1HJO; 21-OCT-98.
 DR SWISS-2DPAGE: P08107; HUMAN.
 DR MIM: 140550; -
 DR MIM: 603012; -
 DR InterPro: IPR001023; HSP70.
 DR Pfam: PF00012; HSP70; 1.
 DR PRINTS: PR00301; HEATSHOCK70.
 DR PROSITE: PS00297; HSP70_1; 1.
 DR PROSITE: PS00329; HSP70_2; 1.
 DR PROSITE: PS01036; HSP70_3; 1.
 DR ATP-binding; Chaperone; Heat shock; Multigene family; MHC III;
 KW 3D-structure.
 FT CONFLICT 7 7 I -> V (IN REF. 2).
 FT CONFLICT 110 110 E -> D (IN REF. 3; AAD21816).
 FT CONFLICT 370 370 A -> G (IN REF. 2).
 FT CONFLICT 469 469 MISSING (IN REF. 2).
 FT CONFLICT 499 499 N -> S (IN REF. 3; AAD21815).
 SQ SEQUENCE 641 AA; 70052 MW; 78F513118C90DE66 CRC64;

Query Match 90.2%; Score 46; DB 1; Length 641;
 Best Local Similarity 90.0%; Pred. No. 0.18;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLFEGIDVYT 10
 Db 286 SLFEGIDFYT 295

RESULT 12
 ID HS71_MOUSE STANDARD; PRT; 641 AA.
 AC P17879; 061689;
 DT 01-AUG-1990 (Rel. 15, Created)
 DT 01-NOV-1997 (Rel. 35, Last sequence update)
 DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70.1) (HSP70-1/HSP70-2).
 GN HSPA1 OR HSP70A1 OR HSP70-1 OR HCP70.1.
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 NCBI_TaxID=10090;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA MEDLINE=90236310; PubMed=2332169;
 RA Hunt C., Calderwood S.;
 RT "Characterization and sequence of a mouse hsp70 gene and its
 RT expression in mouse cell lines.";
 RL Gene 87:199-204(1990).
 RN [2]
 RP SEQUENCE FROM N.A.
 RA TISSUE=Liver;
 RA MEDLINE=94357449; PubMed=8076831;
 RA Perry M.D., Auljane L., Shiang S., Moran L.A.;
 RT "Structure and expression of an inducible HSP70-encoding gene from
 RT Mus musculus.";
 RL Gene 146:273-278(1994).
 CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
 CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDATE THE FOLDING
 CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
 CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
 CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
 CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
 CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
 CC AND MEMBRANE TRANSLLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.

```

CC -----
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation-
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL: M35021; AAA57864.1; -
CC EMBL: M76613; AAA57233.1; -
CC PIR: JH0095; JH0095.
CC HSP: P19120; INGC.
CC MGD: MGI:99517; HSP70-1.
CC InterPro: IPR001023; HSP70.
CC Pfam: PF00012; HSP70.1.
CC PRINTS: PR00301; HEATSHOCK70.
CC PROSITE: PS00297; HSP70_1; 1.
CC PROSITE: PS00329; HSP70_2; 1.
CC PROSITE: PS01036; HSP70_3; 1.
CC ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
CC CONFLICT 342 627 A -> R (IN REF. 1).
CC CONFLICT 627 627 P -> PP (IN REF. 1).
CC SEQUENCE 641 AA; 69994 MW; 41475360F6749F2F CRC64;

Query Match
Best Local Similarity 90.2%; Score 46; DB 1; Length 641;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SFEIGIDVYT 10
Db 286 SFEIGIDVYT 295

RESULT 13
HS7L_PIG STANDARD; PRT; 641 AA.
AC P34930;
DT 01-FEB-1994 (Rel. 28, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1 (HSP70.1).
GN HSPA1.
OS Sus scrofa (Pig).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.
OX NCBI_TaxID=9823;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=92175874; PubMed=1339404;
RA Peelman L.J., de Weghe A.R., Coppieters W.R., van Zeveren A.J.,
RA Bouquet Y.H.;
RT *Complete nucleotide sequence of a porcine HSP70 gene.*;
RL Immunogenetics 35:286-289(1992).
CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDIANE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation-
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).

```

```

CC -----
CC EMBL: M69100; -; NOT_ANNOTATED_CDS.
CC PIR: S35718; S35718.
CC HSP: P19120; INGC.
CC InterPro: IPR001023; HSP70.
CC Pfam: PF00012; HSP70.1.
CC PRINTS: PR00301; HEATSHOCK70.
CC PROSITE: PS00297; HSP70_1; 1.
CC PROSITE: PS00329; HSP70_2; 1.
CC PROSITE: PS01036; HSP70_3; 1.
CC ATP-binding; Chaperone; Heat shock; Multigene family.
CC SEQUENCE 641 AA; 70083 MW; FE77BB20A03E0A33 CRC64;

Query Match
Best Local Similarity 90.2%; Score 46; DB 1; Length 641;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SFEIGIDVYT 10
Db 286 SFEIGIDVYT 295

RESULT 14
HS7L_RAT STANDARD; PRT; 641 AA.
AC O07439; P42853;
DT 01-FEB-1995 (Rel. 31, Created)
DT 01-FEB-1995 (Rel. 31, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN 1/2 (HSP70.1/2).
GN HSP70-1 AND HSP70-2.
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX NCBI_TaxID=10116;
RN [1]
RP SEQUENCE FROM N.A.
RX TISSUE=Brain;
RX MEDLINE=94096443; PubMed=8271311;
RA Longo F.M., Wang S., Narasimhan P., Zhang J.S., Chen J.,
RA Massa S.M., Sharp F.R.;
RT *cDNA cloning and expression of stress-inducible rat hsp70 in normal
RT and injured rat brain.*;
RL J. Neurosci. Res. 36:325-335(1993).
RN [2]
RP SEQUENCE FROM N.A.
RX STRAIN=LEM.1W/GUN;
RX MEDLINE=95012453; PubMed=7927536;
RA Walter U., Rauh F., Guenther E.;
RT *Comparative analysis of the three major histocompatibility complex-
RT linked heat shock protein 70 (hsp70) genes of the rat.*;
RL Immunogenetics 40:325-330(1994).
RN [3]
RP SEQUENCE FROM N.A.
RX STRAIN=SPRAGUE-DAWLEY; TISSUE=Liver;
RX MEDLINE=94368874; PubMed=8086479;
RA Lisowska K., Krawczyk Z., Widlak W., Wolniczec P., Wisniewski J.;
RT *Cloning, nucleotide sequence and expression of rat heat inducible
RT hsp70 gene.*;
RL Biochim. Biophys. Acta 1219:64-72(1994).
CC -1- FUNCTION: IN COOPERATION WITH OTHER CHAPERONES, HSP70S STABILIZE
CC PREEXISTENT PROTEINS AGAINST AGGREGATION AND MEDIANE THE FOLDING
CC OF NEWLY TRANSLATED POLYPEPTIDES IN THE CYTOSOL AS WELL AS WITHIN
CC ORGANELLES. THESE CHAPERONES PARTICIPATE IN ALL THESE PROCESSES
CC THROUGH THEIR ABILITY TO RECOGNIZE NONNATIVE CONFORMATIONS OF
CC OTHER PROTEINS. THEY BIND EXTENDED PEPTIDE SEGMENTS WITH A NET
CC HYDROPHOBIC CHARACTER EXPOSED BY POLYPEPTIDES DURING TRANSLATION
CC AND MEMBRANE TRANSLOCATION, OR FOLLOWING STRESS-INDUCED DAMAGE.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration

```

CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).

DR EMBL: L16764: AAA17441.1; -
DR EMBL: X77208: CA54423.1; -
DR EMBL: X77207: CA54422.1; -
DR EMBL: X74271: CA52328.1; -
DR HSSP: P19120: INGC.
DR InterPro: IPR001023: HSP70.
DR Pfam: PF00012: HSP70.1.
DR PRINTS: PR00301: HEATSHOCK70.
DR PROSITE: PS00297: HSP70_1; 1.
DR PROSITE: PS00329: HSP70_2; 1.
DR PROSITE: PS01036: HSP70_3; 1.
KM ATP-binding; Chaperone; Heat shock; Multigene family; MHC III.
FT CONFLICT 71 72 KR -> NG (IN REF. 3).
FT CONFLICT 408 408 D -> A (IN REF. 2 AND 3).
FT CONFLICT 408 408 G -> A (IN REF. 3).
SQ SEQUENCE 641 AA; 70163 MW; D02D96751C868583 CRC64;

Query Match 90.2%; Score 46; DB 1; Length 641;
Best Local Similarity 90.0%; Pred. No. 0.18;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDVYT 10
Db 286 SLFEGIDVYT 295
|||||
ID HS71_YEAST STANDARD; PRT; 641 AA.
AC P10591;
DT 01-JUL-1989 (Rel. 11, Created)
DT 01-OCT-1994 (Rel. 30, Last sequence update)
DE 01-OCT-1996 (Rel. 34, Last annotation update)
DE HEAT SHOCK PROTEIN SSA1 (HEAT SHOCK PROTEIN YG100).
DE SSA1 OR YAL005C.
OS Saccharomyces cerevisiae (Baker's yeast).
OC Eukaryota; Fungi; Ascomycota; Saccharomycotina; Saccharomycetes;
OC Saccharomycetales; Saccharomycetaceae; Saccharomyces.
OX NCBI_TaxID=4932;

RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN-S288C;
RX MEDLINE=89128457; PubMed=2644626;
RA Slater M.R., Craig E.A.;
RT "The SSA1 and SSA2 genes of the yeast Saccharomyces cerevisiae.";
RL Nucleic Acids Res. 17:805-806(1989).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN-S288C / AB972;
RX MEDLINE=95028152; PubMed=7941740;
RA Clark M.W., Keng T., Storms R.K., Zhong W., Fortin N., Zeng B.,
RA Delaney S., Ouellette B.F.F., Barton A.B., Kaback D.B., Bussey H.;
RT "Sequencing of chromosome I of Saccharomyces cerevisiae: analysis of
RT the 42 kbp SP07-CENT-CO15 region.";
RL Yeast 10:535-541(1994).
RN [3]
RP SEQUENCE OF 590-641 FROM N.A.
RX MEDLINE=85087943; PubMed=6096826;
RA Ogen R.C., Lee M.C., Knapp G.;
RT "Transfer RNA splicing in Saccharomyces cerevisiae: defining the
RT substrates.";
RL Nucleic Acids Res. 12:9367-9382(1984).
RN [4]
RP REVISIONS TO 207; 417 AND 421.
RA Slater M.R.;

RL Submitted (JUN-1993) to the EMBL/GenBank/DBJ databases.
RN [5]
RP SEQUENCE OF 91-97 AND 325-341.
RC STRAIN-S288C;
RX MEDLINE=95203288; PubMed=7895733;
RA Garrels J.I., Futcher B., Kobayashi R., Latter G.I., Schwender B.,
RA Volpe T., Warner J.R., McLaughlin C.S.;
RT "Protein identifications for a Saccharomyces cerevisiae protein
RT database.";
RL Electrophoresis 15:1466-1486(1994).
RN [6]
RP SEQUENCE OF 186-195.
RC STRAIN-ATCC 38531 / Y41;
RX MEDLINE=97089742; PubMed=8935650;
RA Norbeck J., Blomberg A.;
RT "Protein expression during exponential growth in 0.7 M NaCl medium of
RT Saccharomyces cerevisiae.";
RL FEBS Microbiol. Lett. 137:1-8(1996).
RN [7]
RP ACETYLATION.
RA Garrels J.I., Futcher B., Kobayashi R., Latter G.I., Schwender B.,
RA Volpe T., Warner J.R., McLaughlin C.S.;
RL Submitted (SEP-1994) to the SWISS-PROT data bank.
CC -1- FUNCTION: SSA1 MAY PLAY A ROLE IN THE TRANSPORT OF POLYPEPTIDES
CC BOTH ACROSS THE MITOCHONDRIAL MEMBRANS AND INTO THE
CC ENDOPASMATIC RETICULUM. A FUNCTIONAL DIFFERENCE BETWEEN YEAST
CC SSA1 AND SSA2 PROTEINS IS EXPECTED. SSA1 CAN PARTICIPATE IN THE
CC ATP-DEPENDENT DISASSEMBLY OF CLATHRIN-COATED VESICLES.
CC -1- SUBCELLULAR LOCATION: CYTOPLASMIC.
CC -1- SIMILARITY: BELONGS TO THE HEAT SHOCK PROTEIN 70 FAMILY.

CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).

DR EMBL: X12926: CA431393.1; -
DR EMBL: L22015: AAC04952.1; ALT_SEQ.
DR PIR: S25438; HHRVYAL.
DR PIR: S42164; S42164.
DR HSSP: P19120; IATR.
DR SWISS-2DPAGE: P10591; YEAST.
DR YEPD: 9788; -
DR SGD: S000004; SSA1.
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70.1.
DR PRINTS: PR00301; HEATSHOCK70.
DR PROSITE: PS00297; HSP70_1; 1.
DR PROSITE: PS00329; HSP70_2; 1.
DR PROSITE: PS01036; HSP70_3; 1.
KM Heat shock; ATP-binding; Multigene family; Acetylation.
FT INIT_MET 0
FT MOD_RES 1
FT SEQUENCE 641 AA; 69526 MW; FA9389BAE9B1D7DA CRC64;

Query Match 90.2%; Score 46; DB 1; Length 641;
Best Local Similarity 90.0%; Pred. No. 0.18;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDVYT 10
Db 282 SLFEGIDVYT 291
|||||

Search completed: December 6, 2001, 08:00:52
Job time: 420 sec

THIS PAGE BLANK (USPTO)

THIS PAGE BLANK (USPTO)

DT 01-JUN-2001 (Tremblrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina scutolata.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotenoglossa; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31221;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina."
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191825; AAF12784.1; -.
DR HSSP; P19120; 1BA1.
DR InterPro; IPR001023; HSP70.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1 153 1
FT SEQUENCE 153 AA; 17352 MW; E29EB20C4CA934D CRC64;

Query Match 90.28; Score 46; DB 5; Length 153;
Best Local Similarity 90.08; Pred. No. 0.34;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDVYT 10
DB 80 SLFEGIDVYT 89

RESULT 3
ID Q9U669 PRELIMINARY; PRT; 155 AA.

AC Q9U669;
DT 01-MAY-2000 (Tremblrel. 13, Created)
DT 01-MAY-2000 (Tremblrel. 13, Last sequence update)
DT 01-JUN-2001 (Tremblrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina scutolata.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotenoglossa; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31221;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina."
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191826; AAF12785.1; -.
DR HSSP; P19120; 1BA1.
DR InterPro; IPR001023; HSP70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1 155 1
FT SEQUENCE 155 AA; 17676 MW; C191F6E5B1F346C2 CRC64;

Query Match 90.28; Score 46; DB 5; Length 155;
Best Local Similarity 90.08; Pred. No. 0.34;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDVYT 10
DB 82 SLFEGIDVYT 91

RESULT 4
ID Q9U665 PRELIMINARY; PRT; 157 AA.

AC Q9U665;
DT 01-MAY-2000 (Tremblrel. 13, Created)
DT 01-MAY-2000 (Tremblrel. 13, Last sequence update)
DT 01-JUN-2001 (Tremblrel. 17, Last annotation update)

DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina plena.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotenoglossa; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31219;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina."
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191830; AAF12789.1; -.
DR HSSP; P19120; 1BA1.
DR InterPro; IPR001023; HSP70.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1 157 1
FT SEQUENCE 157 AA; 17834 MW; E8F743382B285EB2 CRC64;

Query Match 90.28; Score 46; DB 5; Length 157;
Best Local Similarity 90.08; Pred. No. 0.35;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDVYT 10
DB 84 SLFEGIDVYT 93

RESULT 5
ID Q9U671 PRELIMINARY; PRT; 158 AA.

AC Q9U671;
DT 01-MAY-2000 (Tremblrel. 13, Created)
DT 01-MAY-2000 (Tremblrel. 13, Last sequence update)
DT 01-JUN-2001 (Tremblrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Littorina scutolata.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotenoglossa; Littorinoidea; Littorinidae; Littorina.
OX NCBI_TaxID=31221;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Littorina."
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191824; AAF12783.1; -.
DR HSSP; P19120; 1BA1.
DR InterPro; IPR001023; HSP70.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1 158 1
FT SEQUENCE 158 AA; 17887 MW; B41E5356A24CAD2F CRC64;

Query Match 90.28; Score 46; DB 5; Length 158;
Best Local Similarity 90.08; Pred. No. 0.35;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLFEGIDVYT 10
DB 85 SLFEGIDVYT 94

RESULT 6
ID Q9U668 PRELIMINARY; PRT; 158 AA.

AC Q9U668;
DT 01-MAY-2000 (Tremblrel. 13, Created)
DT 01-MAY-2000 (Tremblrel. 13, Last sequence update)


```

DT 01-JUN-2001 (TReMBLrel. 17, last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Litorina plena.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotenoglossa; Littorinoidea; Littorinidae; Litorina.
OX NCBI_TaxID=31219;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Litorina.";
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191827; AAF12786.1; -.
DR HSSP; P19120; 1BA1.
DR InterPro; IPR001023; HSP70.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1 158
SQ SEQUENCE 158 AA; 17868 MW; D2ECE71042EC44CB CRC64;

Query Match
Best Local Similarity 90.2%; Score 46; DB 5; Length 158;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEFGIDVYT 10
DB 85 SLEFGIDVYT 94

RESULT 7
ID Q90666 PRELIMINARY; PRT; 158 AA.
AC Q90666;
DT 01-MAY-2000 (TReMBLrel. 13, Created)
DT 01-MAY-2000 (TReMBLrel. 13, last sequence update)
DT 01-JUN-2001 (TReMBLrel. 17, last annotation update)
DE HEAT-SHOCK PROTEIN (FRAGMENT).
GN HSC70.
OS Litorina plena.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Caenogastropoda;
OC Neotenoglossa; Littorinoidea; Littorinidae; Litorina.
OX NCBI_TaxID=31219;
RN [1]
RP SEQUENCE FROM N.A.
RA Hohenlohe P.A.;
RT "Heat-shock genes in the heat-stressed genus Litorina.";
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF191829; AAF12788.1; -.
DR HSSP; P19120; 1BA1.
DR InterPro; IPR001023; HSP70.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS01036; HSP70_3; 1.
FT NON_TER 1 158
SQ SEQUENCE 158 AA; 17891 MW; B41B5356BCECAD2F CRC64;

Query Match
Best Local Similarity 90.0%; Score 46; DB 5; Length 158;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEFGIDVYT 10
DB 85 SLEFGIDVYT 94

RESULT 8
ID P81159 PRELIMINARY; PRT; 220 AA.
AC P81159;
DT 01-JUN-1998 (TReMBLrel. 06, Created)

```

```

DT 01-JUN-1998 (TReMBLrel. 06, last sequence update)
DT 01-JUN-2001 (TReMBLrel. 17, last annotation update)
DE HEAT SHOCK COGNATE 71 KDA PROTEIN (FRAGMENT).
GN HSC70.
OS Aplysia californica (California sea hare).
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Opisthobranchia; Anaspidae;
OC Aplysiidae; Aplysia.
OX NCBI_TaxID=6500;
RN [1]
RP SEQUENCE FROM N.A.
RA MEDLINE=93077669; PubMed-1360013;
RT "Long-term sensitization training in Aplysia leads to an increase in
RT the expression of b1p, the major protein chaperon of the ER.";
RL J. Cell Biol. 119:1069-1076(1992).
CC -1- INDUCTION: CONSTITUTIVELY SYNTHESIZED IN A WIDE VARIETY OF CELLS.
CC -1- SIMILARITY: BELONGS TO HEAT SHOCK PROTEIN 70 FAMILY.
DR EMBL; Z15039; CAA78757.1; -.
DR HSSP; P19120; 1BA1.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock; Multigene family.
FT NON_TER 1 221
SQ SEQUENCE 221 AA; 24404 MW; FA8557F2BB85C37A CRC64;

Query Match
Best Local Similarity 90.2%; Score 46; DB 5; Length 220;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 SLEFGIDVYT 10
DB 138 SLEFGIDVYT 147

RESULT 9
ID P81157 PRELIMINARY; PRT; 221 AA.
AC P81157;
DT 01-JUN-1998 (TReMBLrel. 06, Created)
DT 01-JUN-1998 (TReMBLrel. 06, last sequence update)
DT 01-JUN-2001 (TReMBLrel. 17, last annotation update)
DE HEAT SHOCK 70 KDA PROTEIN A (HSP70A) (FRAGMENT).
GN HSP70A.
OS Aplysia californica (California sea hare).
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Opisthobranchia; Anaspidae;
OC Aplysiidae; Aplysia.
OX NCBI_TaxID=6500;
RN [1]
RP SEQUENCE FROM N.A.
RA MEDLINE=93077669; PubMed-1360013;
RT "Long-term sensitization training in Aplysia leads to an increase in
RT the expression of b1p, the major protein chaperon of the ER.";
RL J. Cell Biol. 119:1069-1076(1992).
CC -1- INDUCTION: BY HEAT SHOCK
CC -1- SIMILARITY: BELONGS TO HEAT SHOCK PROTEIN 70 FAMILY.
DR EMBL; Z15037; CAA78755.1; -.
DR InterPro; IPR001023; HSP70.
DR Pfam; PF00012; HSP70; 1.
DR PRINTS; PR00301; HEATSHOCK70.
DR PROSITE; PS00329; HSP70_2; 1.
DR PROSITE; PS01036; HSP70_3; 1.
KW Heat shock; Multigene family.
FT NON_TER 1 221
SQ SEQUENCE 221 AA; 24404 MW; 853F794106E83CC9 CRC64;

```

Query Match 90.2%; Score 46; DB 5; Length 221;
 Best Local Similarity 90.0%; Pred. No. 0.52;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLEEGIDYVT 10
 |||||
 Db 139 SLEEGIDYVT 148

RESULT 10
 Q90520 PRELIMINARY; PRT; 278 AA.

AC Q90520; 01-NOV-1996 (TREMBlrel. 01, Created)
 DT 01-NOV-1996 (TREMBlrel. 01, Last sequence update)
 DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
 DE RAINBOW TROUT 70 KDA HEAT SHOCK PROTEIN (FRAGMENT).
 OS Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
 OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.

NCBI_TaxID=8022;
 [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=85036330; PubMed=6092938;
 RA Kohary R.K., Jones D., Candido E.P.M.;
 RT "70-Kilodalton heat shock polypeptides from rainbow trout:
 RT Characterization of cDNA sequences."
 RL Mol. Cell. Biol. 4:1785-1791(1984).
 DR EMBL; K02549; AAA49562.1; -.
 DR HSSP; P08109; ICKR.
 DR InterPro; IPR001023; HSP70.
 DR Pfam; PF00012; HSP70.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS00329; HSP70_2; 1.
 DR PROSITE; PS01036; HSP70_3; 1.
 KW Heat shock; Multigene family.
 FT NON_TER 1
 FT NON_TER 278
 FT SEQUENCE 278 AA; 30327 MW; EAC745DE5484C17A CRC64;

Query Match 90.2%; Score 46; DB 13; Length 278;
 Best Local Similarity 90.0%; Pred. No. 0.68;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLEEGIDYVT 10
 |||||
 Db 156 SLEEGIDYVT 165

RESULT 11
 Q98899 PRELIMINARY; PRT; 367 AA.

AC Q98899; 01-FEB-1997 (TREMBlrel. 02, Created)
 DT 01-FEB-1997 (TREMBlrel. 02, Last sequence update)
 DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
 DE 70 KDA HEAT SHOCK PROTEIN (FRAGMENT).
 GN HSP70-3.
 OS Fugu rubripes (Japanese pufferfish) (Takifugu rubripes).
 OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
 OC Acanthomorpha; Acanthopterygii; Percomorpha; Tetraodontiformes;
 OC Tetraodontidae; Takifugu.
 OX NCBI_TaxID=31033;
 [1]
 RP SEQUENCE FROM N.A.
 RA Lim E.H.;
 RL Submitted (OCF-1996) to the EMBL/Genbank/DBJ databases.
 DR EMBL; Y08578; CAA69892.1; -.
 DR HSSP; P19120; 3HSC.
 DR InterPro; IPR001023; HSP70.

DR Pfam; PF00012; HSP70; 1.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS00297; HSP70_1; 1.
 DR PROSITE; PS01036; HSP70_3; 1.
 KW Heat shock.
 FT NON_TER 367
 FT NON_TER 367
 FT SEQUENCE 367 AA; 40405 MW; 8CD3DD8DF63C2CA CRC64;

Query Match 90.2%; Score 46; DB 13; Length 367;
 Best Local Similarity 90.0%; Pred. No. 0.95;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLEEGIDYVT 10
 |||||
 Db 268 SLEEGIDYVT 277

RESULT 12
 Q63718 PRELIMINARY; PRT; 455 AA.

AC Q63718; 01-NOV-1996 (TREMBlrel. 01, Created)
 DT 01-NOV-1996 (TREMBlrel. 01, Last sequence update)
 DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
 DE HEAT SHOCK PROTEIN 70 (FRAGMENT).
 OS Rattus norvegicus (Rat).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
 OX NCBI_TaxID=10116;
 [1]
 RP SEQUENCE FROM N.A.
 RA Angeletti B., Passarelli F., Orru D., Pascale E., Butler R.H.,
 RA D'Ambrosio E.;
 RL Submitted (NOV-1993) to the EMBL/Genbank/DBJ databases.
 DR EMBL; Z27118; CAA81642.1; -.
 DR HSSP; P08107; IHQO.
 DR InterPro; IPR001023; HSP70.
 DR Pfam; PF00012; HSP70; 1.
 DR PRINTS; PR00301; HEATSHOCK70.
 DR PROSITE; PS00329; HSP70_2; 1.
 DR PROSITE; PS01036; HSP70_3; 1.
 KW Heat shock.
 FT NON_TER 1
 FT NON_TER 455
 FT SEQUENCE 455 AA; 50404 MW; 0F45F12CBA1E2971 CRC64;

Query Match 90.2%; Score 46; DB 11; Length 455;
 Best Local Similarity 90.0%; Pred. No. 1.2;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLEEGIDYVT 10
 |||||
 Db 254 SLEEGIDYVT 263

RESULT 13
 Q44350 PRELIMINARY; PRT; 467 AA.

AC Q44350; 01-JUN-1998 (TREMBlrel. 06, Created)
 DT 01-JUN-1998 (TREMBlrel. 06, Last sequence update)
 DT 01-JUN-2001 (TREMBlrel. 17, Last annotation update)
 DE HEAT-SHOCK PROTEIN HSP70 (FRAGMENT).
 GN HSP70.
 OS Chondrosia reniformis.
 OC Eukaryota; Metazoa; Porifera; Demospongiae; Tetractinomorpha;
 OC Chondrosida; Chondrillidae; Chondrosia.
 OX NCBI_TaxID=68574;
 [1]
 RP SEQUENCE FROM N.A.
 RA Borchellini C., De Parco Y.;

```

RL Submitted (SEP-1997) to the EMBL/GenBank/DBJ databases.
DR EMBL: AF026517; AAC05362.1; -.
DR HSP: P08109; 1CKR.
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70; 1.
DR PRINTS: PR00301; HEATSHOCK70.
DR PROSITE: PS00329; HSP70_2; 1.
DR PROSITE: PS01036; HSP70_3; 1.
FT NON_TER 1 1
FT NON_TER 467 467
SQ SEQUENCE 467 AA; 51707 MW; 0DBE6920F2B6EA96 CRC64;

Query Match
Best Local Similarity 90.2%; Score 46; DB 5; Length 467;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLEFGIDVYT 10
DB 252 SLEFGIDVYT 261

RESULT 14
044352 PRELIMINARY; PRT; 467 AA.
AC 044352;
DT 01-JUN-1998 (TREMblrel. 06, Created)
DT 01-JUN-1998 (TREMblrel. 06, Last sequence update)
DT 01-JUN-2001 (TREMblrel. 17, Last annotation update)
DE HEAT-SHOCK PROTEIN HSP70 (FRAGMENT).
GN HSP70.
OS Petrobionta massiliens.
OC Eukaryota; Metazoa; Porifera; Calcarea; Calcarenea; Petrobiontidae;
OC Petrobionta.
OX NCBI_TaxID=68578;
RN [1]
RP SEQUENCE FROM N.A.
RA Borchellini C., Le Parco Y.;
RL Submitted (SEP-1997) to the EMBL/GenBank/DBJ databases.
DR EMBL: AF026520; AAC05364.1; -.
DR HSP: P08109; 1CKR.
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70; 1.
DR PRINTS: PR00301; HEATSHOCK70.
DR PROSITE: PS00329; HSP70_2; 1.
DR PROSITE: PS01036; HSP70_3; 1.
FT NON_TER 1 1
FT NON_TER 467 467
SQ SEQUENCE 467 AA; 51458 MW; 23EB28FFD1873DA6 CRC64;

Query Match
Best Local Similarity 90.2%; Score 46; DB 5; Length 467;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLEFGIDVYT 10
DB 252 SLEFGIDVYT 261

RESULT 15
09NJ92 PRELIMINARY; PRT; 467 AA.
ID 09NJ92;
DT 01-OCT-2000 (TREMblrel. 15, Created)
DT 01-OCT-2000 (TREMblrel. 15, Last sequence update)
DT 01-JUN-2001 (TREMblrel. 17, Last annotation update)
DE HEAT SHOCK PROTEIN 70 (FRAGMENT).
OS Guancha lacunosa.
OC Eukaryota; Metazoa; Porifera; Calcarea; Calcarenea; Clathrinida;
OC Clathrinidae; Guancha.
OX NCBI_TaxID=115120;
RN [1]
RP SEQUENCE FROM N.A.

```

```

RA Borchellini C., Le Parco Y.;
RT "sponges paraphyly and the origin of Metazoa.";
RL Submitted (SEP-1999) to the EMBL/GenBank/DBJ databases.
DR EMBL: AF182195; AAF61297.1; -.
DR InterPro: IPR001023; HSP70.
DR Pfam: PF00012; HSP70; 1.
DR PRINTS: PR00301; HEATSHOCK70.
DR PROSITE: PS00329; HSP70_2; 1.
DR PROSITE: PS01036; HSP70_3; 1.
FT NON_TER 1 1
FT NON_TER 467 467
SQ SEQUENCE 467 AA; 51318 MW; F36FC06CB1DEE131 CRC64;

Query Match
Best Local Similarity 90.2%; Score 46; DB 5; Length 467;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 SLEFGIDVYT 10
DB 252 SLEFGIDVYT 261

```

Search completed: December 6, 2001, 07:56:54
Job time: 182 sec

THIS PAGE BLANK (uspto)